

Colorado State Planning Commission

Water Conservation Board

State Engineer

WATER RESOURCES OF COLORADO

Appendix No. 3

S T R E A M F L O W D A T A
O F
C O L O R A D O

Volume I

COL ENGINEERING RESEARCH

SEP 28 '72

SHILLS READING ROOM

LIBRARY
COLORADO A. & M. COLLEGE
FORT COLLINS, COLORADO

Denver, Colorado
September, 1939

HD
1694
CG A495
app 3
V1-2

Prepared and Published by The Colorado State
Planning Commission, Water Conservation Board
and State Engineer as a report on Official
Project Number 665-84-3-42, conducted under the
auspices of the Works Progress Administration.

LIBRARY
COLORADO A. & M. COLLEGE
FORT COLLINS, COLORADO

153683

THE COLORADO STATE PLANNING COMMISSION

John T. Barnett, Denver, Chairman
Fred F. Davis, Denver
Frank Delaney, Glenwood Springs
J. M. Dille, Fort Morgan
Miss Vena Pointer, Pueblo
Harry V. Pyle, Dolores

Dr. M. F. Coolbaugh, Golden
Dr. Elmore Petersen, Boulder
Alvin Kezer, Fort Collins
Charles D. Vail, Denver
M. C. Hinderlider, Denver
Edward D. Foster, Denver, Director

Irvin J. McCrary, Consultant

Tolbert R. Ingram, Deputy

R. J. Tipton, Consulting Engineer

THE COLORADO WATER CONSERVATION BOARD

Ralph L. Carr, Governor, Denver
Byron G. Rogers, Attorney General, Denver
M. C. Hinderlider, State Engineer, Denver
Wayne N. Aspinall, Palisade
George J. Bailey, Walden
J. M. Dille, Fort Morgan

P. S. Elting, Hot Sulphur Springs
Judge John B. O'Rourke, Durango
Miss Vena Pointer, Pueblo
Chris Wallrich, Alamosa
Edward D. Foster, Director State
Planning Commission

Clifford H. Stone, Director

Chas. L. Patterson, Chief Engineer

R. J. Tipton, Consulting Engineer

THE COLORADO STATE ENGINEER

M. C. Hinderlider, State Engineer

C. C. Hezmalhalch, Deputy State
Engineer

L. T. Burgess, Chief Hydrographer

STAFF OF THE WATER RESOURCES SURVEY

H. H. Knowlton, Technician

P. L. Harley, Technician
R. M. Stolle, Statistician

A. B. McLauthlin, Engineer
H. T. Miller, Statistician

Engineers

D. Chambers
J. R. Cooter
D. T. Kuwano
C. W. Osten
E. K. Tobler

Typists

O. M. Cartana
J. M. Disheroon
I. D. Grushkin
V. E. Richfield
H. R. Wolff
R. S. Yancey

Office Assistants

T. H. Coley
R. J. Cullen

Clerks

Computers

J. R. Bowman
C. Green
H. P. Krause
J. Liston
W. T. Long
F. Lutz
J. A. Lynch
G. M. Schroeder
T. Stewart
C. M. Taylor

H. Baer
F. J. Gotter
W. A. DeWerff
C. Downing
W. D. Dwyer
G. Harrison
L. Marinos
J. E. Moore
W. Proctor
L. O. Taylor
G. E. Thornton
C. Watson

PREFACE AND ACKNOWLEDGMENT

The Water Resources Survey, first sponsored in February, 1936, by the State Planning Commission and later jointly by the Commission and the Colorado Water Conservation Board, has compiled basic data which are being used to prepare a master report on the water resources of Colorado.

The work has been carried on with the aid of a Works Progress Administration Project under the direction of competent engineers and the general supervision of the Planning Commission, the Water Conservation Board and the State Engineer.

Basic data, too voluminous to be included in the master report, are published in the form of appendices as follows:

- Appendix No. 1 - Climatological Data of Colorado.
- Appendix No. 2 - Data on Stream Gaging Stations of Colorado.
- Appendix No. 3 - Stream Flow Data of Colorado.
- Appendix No. 4 - Canal Diversion Data of Colorado.
- Appendix No. 5 - Statistics of Irrigated Crops.

This appendix consists of stream flow data taken from the official records on file in the office of the State Engineer, from Water Supply Papers and records of the United States Geological Survey and from records of the Denver Board of Water Commissioners. The co-operation and assistance of each of these organizations, is appreciated and gratefully acknowledged.

Special acknowledgment is due Mr. L. T. Burgess, Chief Hydrographer of the State Engineer's office, for his assistance in reconciling differences in published records.

Colorado State Planning Commission
Water Conservation Board
State Engineer

Index - Volume I

Pages

INTRODUCTION

HISTORICAL STATEMENT

i - iv

EXPLANATION OF DATA

v -vii

DETAILED TABLES OF MONTHLY DISCHARGES

NORTH PLATTE, SOUTH PLATTE, REPUBLICAN, ARKANSAS,
AND RIO GRANDE RIVER BASINS.

NORTH PLATTE RIVER BASIN

NP-1	Big Grizzly Creek near Walden (Hebron)	1
NP-2	North Platte River near Walden (Hebron)	2
NP-2A	North Platte River near Cowdrey	2
NP-3	North Platte River near Northgate	3
NP-3A	North Platte River near Pinkhampton	4
NP-3½	North Platte River at Saratoga, Wyoming	4
NP-4	Little Grizzly Creek near Hebron	6
NP-5	Roaring Fork near Walden (Hebron)	7
NP-5A	North Fork of North Platte at Higho	8
NP-5B	North Fork of North Platte near Walden	8
NP-7	Michigan River near Lindland	9
NP-7½	Michigan River at Haworth School	9
NP-8	Michigan River near Walden	10
NP-8A	Michigan River near Cowdrey	11
NP-8½	Owl Creek near Lindland	11
NP-9	Illinois Creek near Rand	12
NP-10	Illinois Creek near Walden	12
NP-11	Willow Creek near Rand	13
NP-11A	Canadian River near Cowdrey	14
NP-12	Big Creek at Big Creek, Wyoming	14
NP-13	Encampment Creek near Encampment, Wyoming	15
NP-13A	Laramie River below Laramie-Poudre Tunnel	19
NP-14	Laramie River near Glendevey	16
NP-15	Laramie River near Jelm, Wyoming	17
NP-15A	West Branch Laramie River at Mouth	19
NP-15B	Rawah Creek at Mouth	19
NP-15C	Nunn Creek at Mouth	20
NP-15D	Stub Creek at Mouth	20
NP-15E	McIntyre Creek at Glendevey	19
NP-15F	McIntyre Creek at Gleneyre	19
NP-15G	Jimmy Creek at Mouth	20
NP-15H	La Garde Creek 2 miles above Mouth	20
NP-15I	La Garde Creek at Mouth	20
NP-15J	Forrester Creek at Mouth	20
NP-15K	Grace Creek at Mouth	21
NP-15L	Stuck Creek at Mouth	21

Index - Volume I, (continued)

Pages

SOUTH FLATTE RIVER BASIN

SP-0A	South Fork of South Platte above Tumbling Creek	22
SP-0B	South Fork of South Platte at Main Road	22
SP-1	South Fork of South Platte at Twin Bridges DWB	23
SP-1A	South Fork of South Platte at Twin Bridges	23
SP-1B	South Fork of South Platte, Antero Reservoir Intake	24
SP-2	South Fork of South Platte below Antero Reservoir DWB	24
SP-2A	South Fork of South Platte, Antero Reservoir Outlet	25
SP-2B	South Fork of South Platte above Fourmile	25
SP-2C	South Platte River at Buckleys	26
SP-2D	South Platte River at Spinney	26
SP-3	South Platte River above 11 mile Reservoir DWB	27
SP-3A	South Platte River at Idlewild	27
SP-4	South Platte River near Lake George	28
SP-5	South Platte River above Lake Cheesman	29
SP-6	South Platte River below Lake Cheesman	31
SP-7	South Platte above North Fork at South Platte	33
SP-8	South Platte River at South Platte	35
SP-8A	South Platte River at Deansbury	37
SP-8B	South Platte River below Intake	37
SP-8C	South Platte River at Platte Canon	38
SP-9	South Platte River at Waterton	38
SP-10	South Platte River at Denver	39
SP-11	South Platte River at Henderson	41
SP-12	South Platte River near Ft. Lupton	42
SP-12A	South Platte River at Platteville	42
SP-13	South Platte River near Kersey	43
SP-14	South Platte River at Sublette	45
SP-14A	South Platte River near Orchard	46
SP-15	South Platte River at Balzac	47
SP-15A	South Platte River at Ovid	48
SP-16	South Platte River at Julesburg	48
SP-16A	Twelvemile Creek at Redford's Ranch	50
SP-16B	Buffalo Springs Branch at 63 Ranch	50
SP-16C	Salt Creek near Hartsel	50
SP-16D	Poney Creek at Hartsel	51
SP-16E	Middle Fork of South Platte at Alma	51
SP-16F	Middle Fork of South Platte at Fairplay	51
SP-17	Middle Fork of South Platte below Fairplay DWB	52
SP-18	Middle Fork of South Platte near Hartsel DWB	52
SP-18A	Middle Fork of South Platte at Mouth	53
SP-18B	Beaver Creek above Fairplay	53
SP-19	Fourmile Creek at Nelson's Ranch DWB	54
SP-20	Fourmile Creek at Mouth DWB	54
SP-21	Tarryall Creek above Como DWB	55
SP-21A	Tarryall Creek near Como USGS	102
SP-21B	Tarryall Creek near Jefferson.	55
SP-22	Tarryall Creek below Rock Creek DWB	56
SP-22A	Tarryall Creek near Hayman USGS	102

Index - Volume I, (continued)

	<u>Pages</u>
<u>SOUTH PLATTE RIVER BASIN, continued.</u>	
SP-23 Tarryall Creek at Mouth near Lake George	57
SP-24 Michigan Creek above Jefferson DWB	58
SP-24A Michigan Creek near Jefferson USGS	103
SP-25 Jefferson Creek above Jefferson DWB	58
SP-25A Jefferson Creek at Jefferson USGS	103
SP-25B Rock Creek near Jefferson USGS	59
SP-26 Goose Creek at Lake Cheesman	59
SP-26A North Fork of South Platte at Grant	61
SP-26B North Fork of South Platte at Cassells	61
SP-27 North Fork of South Platte at South Platte	62
SP-27A Geneva Creek above Jackwhacker Creek USGS	103
SP-27B Geneva Creek at old Geneva Smelter USGS	103
SP-28 Geneva Creek at Grant	63
SP-28A Smelter Creek near Grant USGS	103
SP-28B Duck Lake Creek near Grant USGS	103
SP-28C Scott Gomer Creek near Grant	63
SP-29 & 30 Bear Creek at Starbuck & Morrison	64
SP-31 Bear Creek at Mouth	66
SP-31A Clear Creek at Idaho Springs	66
SP-32 Clear Creek at Forks Creek	67
SP-32A Clear Creek 7 miles above Golden	68
SP-33 Clear Creek near Golden	68
SP-34 Clear Creek near Mouth	70
SP-34A West Fork Clear Creek near Empire	71
SP-35 Fall River near Idaho Springs	71
SP-35A North St. Vrain near Allens Park	72
SP-35B North St. Vrain near Billing's Ranch	72
SP-36 North St. Vrain at Longmont Dam	73
SP-36A North St. Vrain near Lyons	74
SP-37 St. Vrain Creek at Lyons	74
SP-38 St. Vrain Creek at Mouth	76
SP-38A South St. Vrain Creek near Ward	77
SP-38B South St. Vrain Creek near Lyons	77
SP-38C Middle St. Vrain near Allens Park	78
SP-38D Lefthand Creek near Boulder	78
SP-39 Lefthand Creek at Mouth	79
SP-40 Boulder Creek near Orodell	80
SP-41 Boulder Creek near Boulder	82
SP-42 Boulder Creek at Mouth	83
SP-43 North Boulder Creek at Silver Lake	84
SP-43A North Boulder Creek near Nederland	85
SP-43B Middle Boulder Creek above Cardinal Creek	85
SP-45 Middle Boulder Creek at Nederland	86
SP-46A Fourmile Creek at Mouth	87
SP-46B South Boulder Creek at Rollinsville	87
SP-47 South Boulder Creek at Eldorado Springs	88
SP-48 Big Thompson River near Estes Park	90
SP-49 Big Thompson River below Power House (Drake)	91
SP-50 Big Thompson River at Canon Mouth	92
SP-51 Big Thompson River near Arkins	93
SP-52 Big Thompson River at Mouth	94
SP-52A Little Thompson River near Berthoud	95

Index - Volume I, (continued)

Pages

SOUTH PLATTE RIVER BASIN, continued

SP-52B	Cache la Poudre above Chambers Lake Outlet	95
SP-52C	Cache la Poudre near Elkhorn	96
SP-52D	Cache la Poudre near Log Cabin	96
SP-52E	Cache la Poudre, Fort Collins Water Works	97
SP-53	Cache la Poudre at Canon Mouth	97
SP-54	Cache la Poudre near Mouth	100
SP-54A	South Fork Cache la Poudre near Eggers	101
SP-54B	North Fork Cache la Poudre at Livermore	101
SP-54C & D	Lodgepole Creek at Ovid (mouth)	102

REPUBLICAN RIVER BASIN

REP-1	Republican River at Max, Nebraska	104
REP-1½	North Fork Republican River near Wray	104
REP-2	North Fork Republican River, Colo-Neb., State Line	105
REP-3	Arikaree River at Haigler, Nebraska	105
REP-4	Frenchman Creek near Champion, Nebraska	106

ARKANSAS RIVER BASIN

A-1	Arkansas River, East Fork at Leadville	107
A-2	Arkansas River at Granite	108
A-3	Arkansas River at Salida	109
A-4	Arkansas River at Canon City	111
A-4A	Arkansas River near Rock Canon	113
A-5	Arkansas River at Pueblo	113
A-5A	Arkansas River at Boone	115
A-6	Arkansas River near Nepesta	116
A-6A	Arkansas River near Manzanola	163
A-6B	Arkansas River near Rocky Ford	118
A-7	Arkansas River at La Junta	118
A-7A	Arkansas River at Las Animas	163
A-7B	Arkansas River at Ft. Lyon	120
A-7½	Arkansas River at Caddoa	120
A-7C	Arkansas River near Prowers	120
A-7D	Arkansas River at Prowers	120
A-7E	Arkansas River near Amity Canal Head Gates	121
A-8	Arkansas River at Lamar	121
A-8A	Arkansas River near Granada	122
A-9	Arkansas River at Holly	123
A-10	Tennessee Fork near Leadville	124
A-10A	Lake Fork near Arkansas Junction	125
A-10B	Half Moon Creek near Leadville	125
A-10C	Lake Creek Inter Lachen	125
A-10D	Twin Lakes outlet near Twin Lakes	126
A-10E	Lake Creek below Twin Lakes	126
A-10F	Clear Creek at Granite	126
A-10H	Cottonwood Creek above Hot Springs	163

Index - Volume I, (continued)

	<u>Pages</u>
<u>ARKANSAS RIVER BASIN, continued</u>	
A-11 Cottonwood Creek below Hot Springs	127
A-11A South Fork Cottonwood Creek near Buena Vista	127
A-11B Middle Fork Cottonwood Creek near Buena Vista	128
A-11C North Fork Cottonwood Creek near Buena Vista	128
A-11D Chalk Creek (Upper Station) at St. Elmo	129
A-11E Chalk Creek (Lower Station) near St. Elmo	129
A-11F Chalk Creek near Buena Vista	163
A-11G South Fork Arkansas River at Poncha Springs	130
A-12 South Fork Arkansas River near Salida	131
A-12A Poncha Creek at Poncha Springs	132
A-12B Texas Creek at Mouth	132
A-13 Grape Creek near Westcliffe	133
A-13A Grape Creek at Mouth near Canon City	133 & 163
A-13B Oil or Fourmile Creek near Canon City	163
A-14 West Beaver Creek near Victor	134
A-15 Boehmer Creek near Pikes Peak	135
A-16 Little Beaver near Pikes Peak	136
A-17 Sackett Creek near Pikes Peak	137
A-17A Fountain River at Manitou	138
A-17B Fountain River at Colorado Springs	138
A-17C Fountain River at Pueblo	138
A-18 Lion Creek near Halfway	139
A-19 Sheep Creek near Halfway	140
A-20 South Ruxton Creek near Halfway	141
A-21 Cabin Creek near Halfway	142
A-22 Southerland Creek near Manitou	143
A-23 Bear Creek near Colorado Springs	144
A-23½ St. Charles River near San Isabel	144
A-24 St. Charles River at Burnt Mill	145
A-24A St. Charles River at Mouth	145
A-24B Greenhorn Creek at Rye	146
A-25 Huerfano River at Manzanares Crossing	146
A-25A Huerfano River at Malachite	147
A-25B Huerfano River at Badito	147
A-25C Huerfano River at Huerfano	148
A-25D Huerfano River near Undercliffe	148 & 163
A-25E Huerfano River at Mouth	149
A-25½ Cucharas River at Boyd's Ranch near La Veta	149
A-26 Cucharas River near La Veta	150
A-26A Cucharas River at Walsenburg	163
A-26½ Apishapa River at Aguilar	150
A-26B Apishapa River at Mouth	151
A-26C Timpas Creek at Catlin Syphon	151
A-26D Timpas Creek at Mouth	152
A-26E Crooked Creek at Mouth	152
A-26F Catlin Canal waste at Timpas Creek	153
A-27 Purgatoire River at Trinidad	153
A-27A Purgatoire River near Alfalfa	155
A-28 Purgatoire River at Nine Mile Dam	156
A-28A Purgatoire River at J. J. Ranch	164

ARKANSAS RIVER BASIN, continued

A-29	Purgatoire River at Highland Dam	157
A-30	Purgatoire River at Mouth	158
A-30A	North Fork Purgatoire River at Trinidad Water Works	158
A-30B	Brown Creek at Trinidad Water Works	159
A-30C	Cherry Creek at Trinidad Water Works	159
A-30D	Whiskey Creek at Trinidad Water Works	159
A-30E	Middle Fork Purgatoire River at Vigil	160
A-30F	South Fork Purgatoire River at Weston	160
A-30G	Big Sandy Creek at Hugo	161
A-30H	Big Sandy Creek near Kit Carson	164
A-30I	Big Spring Creek near Arena	164
A-31	Wild Horse Creek at Mouth	161
A-32	Holly Drain near Holly	162

RIO GRANDE BASIN

R-1	Rio Grande at 30-mile bridge	165
R-2	Rio Grande at Wason below Creede	166
R-3	Rio Grande near Del Norte	168
R-4	Rio Grande near Monte Vista	170
R-5	Rio Grande at Alamosa	171
R-6	Rio Grande above Trinchera Creek	172
R-7	Rio Grande near Lobatos	172
R-8	Clear Creek below Continental Reservoir	174
R-8A	Clear Creek near Creede	174
R-8B	Goose Creek near Wagon Wheel Gap	175
R-9	South Fork of Rio Grande at South Fork	175
R-10	Pinos Creek near Del Norte	176
R-11	Carnero Creek near La Garita (Closed Basin)	177
R-12	La Garita Creek near La Garita (Closed Basin)	178
R-12A	San Francisco Creek near Del Norte	179
	Closed Basin in San Luis Valley	
R-12B(1)	San Luis Creek near Villa Grove	179
R-12B(2)	San Luis Creek near Villa Grove	179
R-13	Kerber Creek near Villa Grove	180
R-13A	Kerber Creek below Villa Grove	180
R-14	Saguache Creek near Saguache	181
R-15	North Crestone Creek near Crestone	182 & 207
R-15A	South Crestone Creek near Crestone	183 & 207
R-15B	Willow Creek near Crestone	183 & 208
R-15C	Spanish Creek near Crestone	183 & 208
R-15D	Cottonwood Creek near Crestone	184 & 208
R-15E	Deadman Creek near Crestone	184 & 208
R-15F	Arena Creek near Crestone	184
R-15G	Alamosa River at Jasper	185
R-15H	Alamosa River near Monte Vista	185
R-16	Alamosa River above Terrace Reservoir	186
R-17	Alamosa River below Terrace Reservoir	187

Index - Volume I,(continued)

Pages

RIO GRANDE BASIN, continued

R-18	Alamosa River near Capulin	188
R-19	Rock Creek near Monte Vista	188
R-19A	Rock Creek near Alamosa	189
R-19½	La Jara Creek at Gallegos Ranch	189
R-20	La Jara Creek near Capulin	190
R-20A	La Jara Creek near Sanford	191
R-20B	La Jara Creek at Mouth	191
R-21	Trinchera Creek near Ft. Garland	192
R-22	Trinchera Creek above Mountain Home Reservoir	193
R-23	Trinchera Creek below Smith Reservoir	194
R-23A	Trinchera Creek at Mouth	194
R-24	Sangre de Cristo near Ft. Garland	195
R-25	Sangre de Cristo above Smith Reservoir	196
R-25A	Ute Creek Upper Station	196
R-26	Ute Creek near Ft. Garland	197
R-26½	Conejos River at Platoro	197
R-27	Conejos River near Mogote	198
R-28	Conejos River near Mouth	200
R-29	San Antonio River near Ortiz	201
R-30	San Antonio River at Mouth	202
R-31	Los Pinos Creek near Ortiz	203
R-31A	Culebra River near Chama	204
R-32	Culebra River near San Luis	204
R-32A	Culebra River at Mouth	205
R-32B	San Francisco Creek near San Luis	206
R-32C	Costilla Creek at Mouth near Jarosa	206
R-33A	Chama River near Chama, New Mexico	207

INTRODUCTION

HISTORICAL STATEMENT:

By M. C. Hinderlider - State Engineer

The first steps taken in Colorado to obtain definite information concerning its natural water supplies were initiated in 1881 by an Act of the Legislature creating the office of State Hydraulic or State Engineer. By this Act the State Engineer was given general supervisory control over the public water supplies of the state, and was charged with the duty of making measurements of the flow of the public streams of the state and the collection of necessary data on stream flow and the useful purposes to which the waters from these streams may be placed, and with collecting all data and information regarding snowfall for the purpose of predicting probable run-off.

Pursuant to these requirements the first stream gaging station was established on the Cache la Poudre river at mouth of canyon, about twelve miles west of Fort Collins, on June 20, 1881. The second station was established on the Big Thompson in August of the same year. In 1883, E. S. Nettleton, then State Engineer, re-established the above stations and extended the work of stream gaging to the St. Vrain and other tributaries of the South Platte.

The next gaging station established was on the Arkansas river at Pueblo in 1885. Due to shifting channel conditions this station was moved to a point nine miles above Pueblo and later to Canon City, at which point a station has been maintained continuously to the present time, making the record of stream flow at that point the second longest in the state.

During this time State Engineer Nettleton developed the first practical current meter to meet the conditions of stream flow in the

INTRODUCTION (continued)

state. This was known as the Colorado meter, and was quite similar in principle to the modern current meter. He also devised and installed at the Cache la Poudre River station, in 1884, what was probably the first automatic river-stage recording instrument ever used in the United States, and it is believed that this record is the oldest continuous record in the United States. The recorder for a time was connected by a 12-mile wire with a recording instrument in the office of Prof. L. G. Carpenter in Fort Collins and this also constituted the first attempt at long distance recording. The methods devised by Mr. Nettleton for obtaining the discharge of a stream are essentially the same as those now in general use.

In 1888 the U. S. Geological Survey, by order of Major Powell, established a camp on the Rio Grande near Embudo, New Mexico, for the instruction of a number of employees in the principles of hydrographic investigations. This work was under the supervision of F. H. Newell, who later became chief hydrographer of the Geological Survey, and then chief engineer and director of the U. S. Reclamation Service.

After much study and experimentation, the methods of stream gaging which had been developed by State Engineer Nettleton were adopted and put into practice by the hydrographic division of the Geological Survey. In 1889 Mr. Newell established the first gaging station on the Rio Grande near Del Norte, which station has been maintained since that date, making the record of stream flow at that station the third oldest in the state.

From 1881 to 1902 the meagre appropriations provided by the

INTRODUCTION (continued)

legislatures of Colorado for stream gaging work permitted but a nominal expansion of this work to additional streams in the state, by no means in keeping with the needs of administration and the collection of data on the water supplies thereof.

Following the passage of an Act by Congress authorizing an irrigation and hydrographic survey throughout the arid states, Congress made an appropriation in 1839 of \$250,000 for such purposes. The possibilities of extending irrigation development in Colorado, where the state had already inaugurated a system of hydrographic investigations, offered an opportunity for co-operation between the Geological Survey and the state, as a result of which this work was enlarged. Lack of state appropriations, however, resulted in turning over practically all stream gaging work to the Geological Survey. Following the passage of the Reclamation Act in 1903, practically all stream gaging work in the state was financed and carried on by the Reclamation Service, which was a branch of the Geological Survey. Much of this work was done in connection with its investigations of possible reclamation projects.

Reductions in appropriations by Congress in 1906 for the hydrographic work made it necessary for the state to take over a large part of the work formerly conducted by the Geological Survey. Increase in appropriations by the legislature from time to time enabled the State Engineer to expand the work throughout the state, until more than one hundred stream gaging stations were being maintained, but did not permit proper maintenance and needed expansion.

In 1933 the State Engineer entered into a co-operative agreement with the Geological Survey by which all state appropriations for

INTRODUCTION (continued)

hydrographic work were substantially matched with federal funds, since which date the co-operation has remained in effect. This co-operation has permitted a great expansion of the work throughout the state until at the present time more than two hundred gaging stations are in operation, practically all of which are supplied with up-to-date automatic recorders and the standard equipment in use by the Geological Survey throughout the United States.

The work is gradually being extended as funds are made available for such purposes. At the present time about \$60,000 of state and federal funds is being expended each year on hydrographic investigations in Colorado.

In this connection co-operation is also received from the Bureau of Reclamation, the Corps of Engineers, Bureau of Agricultural Engineering, Weather Bureau and Forest Service, and the following municipalities, corporations and local agencies: City and County of Denver, Loveland, Grand Junction, Arkansas Valley Ditch Association, Rio Grande Water Users Association, Uncompahgre Valley Water Users Association, Del Norte, Terrace and Trinchera Irrigation Districts, Costilla Estates Development Company, Public Service Company of Colorado and Western Colorado Power Company. In addition, the State Engineer's office co-operates with the States of Nebraska, Kansas and New Mexico in obtaining stream flow data on certain interstate streams.

INTRODUCTION (continued)

EXPLANATION OF DATA

SUMMARY: The need for accurate summary tables of all stream discharge records in Colorado has long been apparent in the field of water supply studies. The Water Resources Survey has attempted to fill that need with two volumes of stream discharge records, designated as "Volumes I and II of Appendix No. 3, Water Resources of Colorado.* Volume I contains recorded discharges at stream gaging stations in the North Platte, South Platte, Republican, Arkansas and Rio Grande River basins. Volume II contains the recorded discharges at stream gaging stations in the San Juan, Colorado and Green River basins.

Various studies made in the past have shown the value of even short-time records in water supply studies and extensions of these short-time records, by comparison with long-time records on streams having similar run-off characteristics, are often used. The records of stream discharge at all stations mentioned in various indexes and reports of the State Engineer, the United States Geological Survey and the Denver Board of Water Commissioners have been included, regardless of their length.

Unless otherwise noted, all discharge records were copied from the official records on file in the office of the State Engineer of Colorado.

RECONCILIATION OF DATA: The compilation of stream flow records for this volume became somewhat complicated when differences were found in the published reports of the State Engineer and of the United States Geological Survey for some of the stations. These differences have been analyzed and reconciled wherever possible. Many of the differences resulted from "rounding off" or from the use of different numbers of significant figures in the computation of the discharges.

INTRODUCTION (continued)

LIMITATIONS: The longer and more complete the records, the more reliable are the computed figures. In using means and per cents as published herein, special attention should be given to the line "number of items". Especially for short-time records, comparisons should be made, if possible, with concurrent months or years at some nearby long-time gaging station to determine the reliability of the mean discharge quantities.

LISTING OF GAGING STATIONS: To facilitate comparison of monthly or annual discharges along any particular stream, the tables have been arranged with gaging stations listed in downstream order, from source to mouth.

DEFINITION OF TERMS

UNITS USED: Since, in the practical application of discharge records to water supply studies, a unit of 1,000 acre-feet is generally used, this unit carried to one decimal place has been adopted in most of the tables. Where the discharges are quite small actual acre-foot units have been used and so designated in the tables. A discharge of less than 51 acre-feet appearing in a table utilizing 1,000 acre-foot units, is denoted by the letter T, whether it be 1 or 50 acre-feet.

"NO.ITEMS": Figures on this line at the bottom of the columns in the tables show the number of individual monthly records listed therein.

"MEAN" (monthly): The monthly mean, as shown, is computed for all years of record for that month.

"MEAN" (annual): The sum of the twelve monthly means. (See # below)

"% MEAN ANNUAL": This result under each month is the per cent that each "mean (monthly) is of the "mean" (annual).

INTRODUCTION (continued)

"ANNUAL IN % MEAN": The right hand column on the sheet is the per cent that each full year is of the "mean annual". It should be kept in mind that these figures depend directly upon the mean annual quantity, which quantity is influenced greatly by the period of record for that station. In other words, the per cents of mean annual of one gaging station, whose record covers only a low cycle of run-off, can not be compared directly with another station whose record covers either high cycle or average run-off periods. See "Limitations" on preceding page.

STATION LOCATIONS: Volume II of Appendix No. 3 contains an "Index Map - Stream Gaging Stations of Colorado," showing the locations of all stream gaging stations in Colorado, regardless of their length of record.

The Water Resources Survey, in Appendix No. 2 "Data On Stream Gaging Stations of Colorado", pages 49 to 73, lists all stream gaging stations, and gives their last published locations by section and township, with other pertinent notes.

STANDARD NOTATIONS: In presenting the data in these volumes it became necessary to adopt certain symbols to eliminate qualifying notes. These have been kept in standard form and are as follows:

- A - Approximate - Used on drainage area and altitude.
- C - Computed - By the State Engineer or the U.S. Geological Survey.
Considered better than estimated figure.
- E - Estimated - By the State Engineer or the U.S. Geological Survey.
- P - Record available for part of month.
- * - Complete month estimated from partial record.
- T - Trace - Discharge of 50 acre-feet or less.
- # - Sum of monthly means. Mean annual discharge if twelve monthly means are included.
- x - Used combination with (#) where less than twelve monthly means are included.

TABLES OF MONTHLY DISCHARGES

North Platte River Basin

North Platte River

and

Tributaries

—

Stations in Downstream Order

NP-1 - Discharge of Big Grizzly Creek near Walden (Hebron), Colorado

Drainage Area 229 Square Miles														Altitude 8,000 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL	% MEAN
1904								P	9.0	0.7	0.9	0.5			S
1905	0.8						P	14.0	13.4	2.1	0.3	0.2			S
1906	0.4														S
1923								39.3	28.3	8.0	2.9	1.7			
1927	1.1						20.8E	30.2*	13.9	2.8	2.2	1.1			
1928	1.4	P					P	30.3	15.6	2.4	2.1	1.3			
1929	1.2	P						P	18.9	3.9	3.4	3.7			
1930	2.2	P					22.0	11.1	8.0	1.9	3.5	1.8			
1931	1.3	P						P	2.5	0.4	0.4	0.5			
1932	1.2						P	30.0	12.9	2.0	1.4	0.3			
1933	0.5*	1.3*					P	16.9	13.3	0.4	0.5	0.7			
1934	0.6	0.9*					P	1.8	0.1	0.0	0.0	0.0			
1935	0.0	P						P	9.6	0.9	0.5	0.4			
1936	0.4	P					P	19.7	7.7	1.5	1.6	0.5			
1937	0.7	0.7					7.0	9.3	4.6	1.0	0.7	0.3			
1938	0.5	0.7*					P	18.4	11.6	1.3	0.9	1.8			
No Items	14	4					3	11	15	15	15	15			
Mean	0.88	0.90					16.60	20.14	11.29	1.95	1.42	0.99	#	54.17x	

S: Station at Hebron, 1½ miles upstream.

NP-2 - Discharge of North Platte River near Walden (Hebron), Colorado

Unit: 1,000 Acre-Feet Drainage Area 446 Square Miles Altitude 7,700A Feet

YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1904								P	43.9	9.7	5.6	2.6	S	
1905	3.5						P	29.5	56.5	10.1	3.3	1.1	S	
1906	1.7												S	
1924	6.6	5.8					29.9	49.0	51.1	0.0	3.1	1.9		
1925	6.8						19.9	27.3	28.4	9.5	6.5	8.2		
1926	9.4	P					53.3	40.2	35.6	11.1	4.9	2.3		
1927	3.5	3.3*					44.7*	69.5	61.9	16.4	8.3	5.4		
1928	6.3	P					24.0	75.0	53.0	14.3	6.8	3.7		
1929	3.2	P					P	52.4	66.6	26.8	10.0	9.9		
1930	7.4	P					49.4	24.3	32.5	8.3	12.8	5.1		
1931	8.4	3.3*						14.7	16.9	2.4	2.2	1.8		
1932	3.6	3.2*	1.8E				34.8*	61.5	54.5	19.0	7.4	2.6		
1933	2.9	P					P	25.6	58.3	5.1	4.0	3.0		
1934	2.8	2.0*					P	9.6	3.0	0.7	1.3	0.7		
1935	0.7	1.5	1.8*	1.7E	1.6E	3.4*	6.1	14.6	49.9	13.1	3.2	1.7	99.3	65.9
1936	1.8	2.6	2.6E	2.0E	2.3E	3.7E	40.7*	62.5	47.5	10.4	6.2	2.2	184.5	122.4
1937	3.3	3.2					19.8	36.6	31.1	9.7	3.7	1.7		
1938	2.8	3.0					P	42.9	53.6	8.8	3.8	6.5		
No. Items	17	9	3	2	2	2	11	16	17	17	17	17		
Mean	4.39	3.10	2.07	1.85	1.95	3.55	30.20	40.04	43.78	10.79	5.48	3.55	#150.75	
% Mean														
Annual	2.91	2.06	1.37	1.23	1.29	2.36	20.03	26.56	29.04	7.16	3.64	2.35	100.00	
S: Station near Hebron.														

NP-2A - Discharge of North Platte River near Cowdrey, Colorado

Unit: 1,000 Acre-Feet	Drainage Area 610 Square Miles													Altitude 7,870A Feet
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1904														
1905	5.5							P	59.6	18.7	9.5	4.9		
1906	3.6							31.1	74.5	19.4	9.7	4.6		
No. Items	2						1	1	2	2	2	2		
Mean	4.55						20.50	31.10	67.05	19.05	9.60	4.75	#156.60x	

NP-3 - Discharge of North Platte River near Northgate (Pinkhampton), Colorado

Drainage Area 1,440 Square Miles													Altitude 7,807 Feet	
Unit: 1,000 Acre-Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1904														
1905	8.2	P						P	92.2	30.8	14.2	8.4	S	S
1915								P	54.0	22.6	11.3	9.9		
1916	12.6	12.5*	11.5E	8.7E	10.4E	28.3E	37.5*	73.8	86.3	40.7	34.6	18.3	375.2	103.2
1917	20.6	12.7*	11.3E	10.6E	9.3E	12.8E	51.9*	147.0	190.0	120.0	28.2	12.1	126.5	172.4
1918	14.2E	14.8E	12.9E	11.3E	9.8E	23.7E	47.6*	86.7*	169.0*	43.2*	10.7*	10.7*	454.6	125.1
1919	18.8E	14.9E	11.2E	9.6E	8.6E	16.2E	39.2*	49.4	25.2	8.5	9.2	5.6	221.1	60.8
1920	9.5	10.2E	10.5E	9.8E	9.8E	11.7E	21.4E	135.0*	164.0	60.4	27.0	14.6	483.9	133.2
1921	14.1	14.0E	10.3E	11.3E	10.9E	25.9E	26.2*	101.0	193.0	55.6	31.5	15.1	508.9	140.0
1922	10.7	P					P	65.2	71.4	15.7	8.8	7.1		
1923	4.7	4.8*	4.6E	4.9E	4.2E	5.5E	26.8*	125.0	191.0	87.3	29.4	20.1	508.3	139.9
1924	17.7	P					73.8	91.0	121.0	31.9	8.3	4.7		
1925	15.2	P				P	41.1	42.4	72.0	33.4	25.3	22.0		
1926	25.9	P					102.0*	121.0	115.0	59.3	17.9	7.0*		
1927	9.4	7.4*	6.2E	7.4E	8.3E	13.5E	77.4*	124.0	108.0	41.1	21.5	13.2	437.4	120.4
1928	15.9						P	148.0	127.0	45.2	20.0	8.2		
1929	10.0	P					P	123.0	151.0	62.1	25.0	29.9		
1930	21.3	14.9E	12.3E	8.0E	12.2E	14.4E	107.0	38.2	58.9	16.0	29.0	13.0	345.2	95.0
1931	17.5	7.7*	5.5E	6.2E	6.7E	8.6E	48.1*	26.7	36.2	7.6	6.7	4.9	182.4	50.2
1932	10.2	8.4*	6.8E	6.5E	6.3E	9.8E	91.6*	126.0	101.0	46.5	20.1	6.9	440.1	121.1
1933	8.7	10.2	4.7*	3.0*	2.0*	7.6*	21.3*	44.8	119.0	16.1	11.3	7.7	256.4	70.6
1934	7.5	7.2	6.2*	4.4*	5.0*	11.7*	18.9	17.5	5.3	1.6	2.4	1.4	89.1	24.5
1935	2.0	3.2*	3.3C	3.1C	2.8C	7.5C	16.0*	22.2	92.0	31.8	11.9	4.9	200.7	55.2
1936	5.6	8.5*	4.4C	2.9C	3.8C	7.9C	89.1*	86.3	74.0	25.8	18.4	5.5	332.2	91.4
1937	8.2	9.2*	3.8C	2.4C	3.2C	9.6C	30.4*	51.8	54.1	27.8	9.9	4.7	215.1	59.2
1938	7.9	7.3*	5.6	5.0*	5.0	7.7	84.5	90.0	128.8	29.0	12.6	16.7	400.1	109.6
No. Items	24	17	17	17	17	17	20	23	25	25	25	25		
mean	12.35	9.88	7.71	6.77	6.96	13.08	52.59	84.17	104.16	38.40	17.97	10.90	#364.94	
% In. Anul	3.38	2.71	2.11	1.86	1.91	3.58	14.41	23.07	28.54	10.52	4.92	2.99	100.00	

S: Station near Pinkhampton. Location approximately the same.

NP-3A - Discharge of North Platte River near Pinkhampton, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 1,480 Square miles										Altitude 7,550 Feet									
YEAR		OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL IN						
1904									P	92.2	30.8	14.2	8.4								
1905	8.2	P																			
No. Items		1										1		1		1					
Mean		8.20										92.20		30.80		14.20		8.40		#153.80x	
Included with discharge on "North Platte River near Northgate."																Figures as corrected in W.S.P. 469.					

NP-3½ - Discharge of North Platte River at Saratoga, Wyoming

Unit: 1,000 Acre-Feet		Drainage Area 2,880 Square Miles										Altitude 6,770 Feet			
		ANNUAL IN													
YEAR		OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% OF AN
1903										P	78.1	27.4	35.2		
1904	40.6		33.7	32.2	19.8	17.3E	36.2	88.1	276.0	321.0	82.4	30.7	19.8	997.8	104.2
1905	23.1		15.4	13.5*	12.3E	13.9E	26.1	56.6	205.0	418.0	86.1	26.4	13.5	909.9	95.0
1906	18.4		19.9	16.9*	15.4E	13.9E	24.6*	99.4	291.0	337.0	123.0	33.3	29.7	1,022.5	106.7
1909								78.0	360.0	768.0	319.0	87.3	60.1		
1910	31.4		23.8	P											
1911	30.7E		26.8E	18.4E	15.4E	16.7E	24.6E	89.3*	234.0	320.0	78.1	18.6	12.4	885.0	92.4
1912	31.2		18.2*	15.4E	13.8E	14.4E	22.8*	69.0	250.0	497.0	196.0	54.2	36.1	1,218.1	127.2
1913	42.1		26.8E	24.6E	21.5E	19.4E	30.7E	160.0	255.0	218.0	40.2	17.3	15.5	871.1	90.9
1914	27.0		23.8E	21.5E	18.4E	16.7E	27.7E	132.0	384.0	422.0	86.1	29.8	17.9	1,206.9	126.0

NP-3½ - Discharge of North Platte River at Saratoga, Wyoming (Continued)

Drainage Area 2,880 Square Miles														Altitude 6,774 Feet	
Unit: 1,000 Acre-Feet															
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNUAL
1915	34.3	20.1E	18.4E	15.4E	13.9E	24.6E	89.3	124.0	193.0	48.0	19.0	18.9	618.9	64.6	64.6
1916	28.4	22.7	20.2	14.8	13.2	61.5	89.3	220.0	263.0	73.8	44.8	50.6	837.3	92.6	92.6
1917	42.0	23.1	20.2	18.6	16.4	23.2	130.0	311.0	625.0	304.0	58.4	28.2	1,600.1	167.0	167.0
1918	25.8	27.3	23.1*	19.9E	17.3E	47.5	76.8	257.0	455.0	95.9	26.0	21.5	1,093.1	114.1	114.1
1919	36.8	28.1	19.6	16.3	14.5	30.5	93.4	219.0	114.0	16.7	13.7	9.7	612.3	63.9	63.9
1920	16.7	17.3	17.7*	16.7	16.7	21.0	42.8	421.0	497.0	116.0	39.2	23.4	1,245.5	130.0	130.0
1921	25.6	25.5	17.4*	19.8*	19.2*	54.0	56.9	302.0	607.0	138.0	59.6	28.0	1,353.0	141.2	141.2
1922	20.5	20.4*	17.3*	13.4*	14.2*	27.2	83.3	218.0	278.0	42.8	15.1	10.1	760.3	79.4	79.4
1923	11.9	16.4	14.7*	15.9*	13.3*	16.6	57.8	264.0	445.0	149.0	39.2	25.0	1,068.8	111.6	111.6
1924	32.0	26.2	18.4	15.7*	12.1*	15.6*	117.0	235.0	293.0	47.1	11.5	10.1	833.7	87.0	87.0
1925	29.0	25.1	17.6*	16.4*	16.7	50.1	86.3	194.0	221.0	100.0	40.1	41.5	837.8	87.5	87.5
1926	62.7	40.7	28.0*	22.8*	24.0*	38.6	200.0	364.0	342.0	90.4	32.7	15.5	1,261.4	131.7	131.7
1927	17.7	15.6*	13.1*	15.0*	15.0*	25.5	100.0	341.0	334.0	87.9	39.8	25.0	1,029.6	107.5	107.5
1928	37.1	42.1	33.0*	28.0*	22.8*	44.8	95.8	464.0	343.0	91.0	30.3	17.0	1,248.9	130.4	130.4
1929	24.4	25.1*	16.8*	16.7E	14.9E	23.4	124.0	271.0	456.0	144.0	51.4	51.4	1,219.1	127.3	127.3
1930	39.7	27.7	23.4*	14.9E	22.8*	27.4	155.0	123.0	155.0	27.8	49.6	24.6	690.9	72.1	72.1
1931	38.1	17.4*	11.9E	13.5*	14.4*	18.7	80.9	116.0	128.0	16.1	12.9	12.3	480.2	50.1	50.1
1932	23.2	18.1*	14.6E	13.9E	13.5E	20.9*	151.0	316.0	304.0	101.0	32.3	14.9	1,023.4	106.8	106.8
1933	23.9	22.0	11.8E	9.3E	7.8E	26.2	51.1	138.0	361.0	44.3	20.1	16.4	731.9	76.4	76.4
1934	16.6	15.4	15.5	11.6*	12.4	20.7	46.4	70.7	16.6	3.6	5.1	4.0	238.6	24.9	24.9
1935	7.9	9.3C	11.2C	12.7C	11.2C	16.1C	29.3C	74.6	267.5	59.9	19.6	8.8	528.1	55.1	55.1
1936	11.8	19.4	16.4C	13.6C	14.5C	23.0	140.2	282.6	195.4	47.0	28.2	9.9	802.0	83.7	83.7
1937	17.8C	19.0	12.8	11.2	10.1	20.5	62.3	189.8	204.6	68.2	17.8	11.7	645.8	67.4	67.4
1938	17.5	17.5	14.8	13.9	15.0	25.0	127.6	257.7	329.0	59.7	23.9	32.4	934.0	97.5	97.5
No. Items	32	32	31	31	31	31	32	32	32	33	33	33			
Mean	27.68	22.81	18.40	16.02	15.59	28.88	95.59	250.89	335.25	92.76	31.98	22.15	498.90		
% Mean															
Annual	2.89	2.38	1.92	1.67	1.63	3.01	9.98	26.19	35.00	9.68	3.34	2.31	100.00		

NP-4 - Discharge of Little Grizzly Creek near Hebron, Colorado

Unit: 1,000 Acre-Feet												Drainage Area 96 Square Miles		Altitude 8,000A Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1904									P	3.0	1.1	0.6			
1905	0.9						P	11.2	23.9	8.5	0.8	0.4			
1906	1.2														
1931									P	0.3	0.1	0.6*			
1932	1.7	2.0	P				11.9*	22.1	21.2	8.8	2.4	0.1			
1933	0.9	P					P	10.7	22.4	2.8	0.7	0.6			
1934	0.7	0.5	P				4.0	7.1	0.4	0.0T	0.0	0.0			
1935	0.3	0.9	0.6E	0.4E	0.4E	0.9E	2.9	4.1	17.9	3.0	0.5	0.4	32.3	74.1	
1936	0.4	1.2					P	20.5	15.7	2.8	1.3	0.3			
1937	0.8	0.9					4.0	15.5	9.8	2.4	0.6	0.3			
1938	0.3	0.8*					P	13.8	16.1	2.4	0.7	1.5			
No. Items	9	6	1	1	1	1	4	8	8	10	10	10			
Mean	0.80	1.05	0.60	0.40	0.40	0.90	5.70	13.12	15.92	3.40	0.82	0.48	#43.59		
%Mean															
Annual	1.83	2.41	1.38	0.92	0.92	2.06	13.08	30.10	36.52	7.80	1.88	1.10	100.00		

NP-5 - Discharge of Roaring Fork near Walden (Hebron), Colorado

Unit: 1,000 Acre-Feet													Drainage Area 84 Square Miles		Altitude 8,037 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN		
1904										P	1.3*	0.6*		S		
1905	0.8*						F	2.7*	19.5	5.5	1.9	0.5		S		
1906	0.8													S		
1924	1.7*	1.7					P	12.1	18.8	3.4	1.9	1.2*				
1925	1.9						3.6	6.0	10.9	4.3	3.8	4.6				
1926	4.5	2.6					9.8	11.0	13.7	5.7	2.9	1.3				
1927	1.4	1.3	P				8.6	14.2	22.4	9.1	4.1	2.5				
1928	2.3	P					4.7	15.6	17.1	7.8	4.3	2.0				
1929	1.4	1.2*					P	7.9	18.7	11.4	5.2	4.5				
1930	3.5						12.3	4.0	10.7	3.9	5.2	2.0				
1931	2.6	1.3*					P	2.1	5.7	1.1	1.4	1.2				
1932	1.9	1.6*					8.9*	13.5	18.9	11.1	4.7	1.5				
1933	1.8	1.2*					P	3.5	18.4	2.7	2.0	1.2				
1934	1.2	0.8					P	2.2	5.2	0.4	1.0	0.4				
1935	0.5	0.7	0.7*	0.7E	0.7E	1.0*	2.2	2.9	14.4	5.4	2.2	0.8	32.2	70.3		
1936	0.9	1.0	P				P	15.8	19.3	5.5	3.1	1.3				
1937	1.4	1.1					3.2	9.2	11.0	4.7	2.0	1.2				
1938	1.4	1.2					P	7.7	19.7	4.5	2.3	3.4				
No. Items	17	12	1	1	1	1	9	16	16	16	17	17				
Mean	1.76	1.31	0.70	0.70	0.70	1.00	6.17	8.34	15.01	5.41	2.90	1.78	#45.78			
% Mean																
Annual	3.84	2.36	1.53	1.53	1.53	2.18	13.48	18.22	32.79	11.82	6.33	3.89	100.00			
S: Station near Hebron. Location approximately the same.																

S: Station near Hebron. Location approximately the same.

NP-5A - Discharge of North Fork of North Platte River at Higho, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 74 Square Miles										Altitude 8,025A Feet		
												ANNUAL IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1904								P	9.6	6.5	4.7	2.8		
1905	2.7						4.5	3.8	9.9	6.6	4.0	1.8		
1906	1.6													
No. Items	2						1	1	2	2	2	2		
Mean	2.15						4.50	3.80	9.75	6.55	4.35	2.30	33.40x	

NP-5B - Discharge of North Fork of North Platte River near Walden, Colorado

Unit: 1,000 Acre-Feet			Drainage Area 168 Square miles								Altitude 8,000A Feet			
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1924	3.5	F					P	8.7	11.6	5.9	3.3	1.4		
1925	2.9	P					4.2	3.4	8.4	9.3	5.5	5.0		
1926	6.2	P					15.1	9.4	12.0	11.7	5.0	2.0		
1927	1.7	2.1*					15.8	11.1	15.5	13.0	7.2	3.9		
1928	4.2	P					P	13.5	15.5	12.4	7.3	4.2		
1937								P	10.5	9.0	4.1	2.0		
1938	2.2	2.0					P	10.3	15.0	8.5	5.0	4.0		
No. Items	6	2					3	6	7	7	7	7		
Mean	3.45	2.05					11.70	9.40	12.64	9.97	5.34	3.21	457.76x	

NP-7 - Discharge of Michigan River near Lindland, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 62 Square Miles			Altitude 8,734 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNUAL IN
1931										0.9*	1.2	1.0			
1932	1.1	0.6E	0.3E					9.4	13.7	4.3	2.1	0.8			
1933	0.8	0.7*						9.8*	20.9	3.5	1.3	1.2			
1934	0.8	0.9					1.2	4.2	2.6	1.2	1.2	0.7			
1935	0.4	0.2					P	3.2	13.8	4.2	1.3	0.6			
1936	0.4						P	11.1	9.2	2.0	1.6	0.8			
1937	0.6	P					P	4.8	5.7	2.2	0.8	0.8			
1938	0.8	P					P	11.4	20.6	2.7	1.2	2.0			
No. Items	7	4	1				1	7	7	8	8	8			
Mean	0.70	0.60	0.30				1.20	7.70	12.36	2.62	1.34	0.99	#27.81x		

NP-7½ - Discharge of Michigan River at Haworth School, Colorado

Unit: 1,000 Acre-Feet										Drainage Area			Altitude		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNUAL IN
1937								5.4	6.8	3.6	1.1	0.9			
1938	1.0	P					P	14.0	25.0	4.6	1.6	2.3			
No. Items	1							2	2	2	2	2			
Mean	1.00							9.70	15.90	4.10	1.35	1.60	#33.65x		

NP-8 - Discharge of Michigan River near Walden, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 185 Square Miles										Altitude 8,045 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL
1904								P	19.3	8.4	3.3	1.8	A.M.L. IN
1905	1.6							P	22.4	6.0	1.9	0.5	% MEAN
1906	0.9												
1918									32.0	P			
1923								11.1	30.2	10.5	3.6	2.8	
1924	3.4	2.7					P	10.7	23.0	5.4	0.9	0.6	
1925	2.6	P					7.1	7.2	14.5	5.0	4.6	3.9	
1926	3.5	P					12.5	19.3	22.5	13.3	3.5	1.5	
1927	1.9	P					4.2*	21.6	17.5	4.3	2.8	1.8	
1928	2.2	P						20.7	22.0	9.3	3.7	1.0	
1929	1.6	P					P	21.0	29.8	8.7	4.2	5.2	
1930	3.3						10.1	2.9	7.0	0.9	5.5	2.6	
1931							P	1.6	7.7	1.6	1.3	1.0	
1932	1.9	1.6*					P	18.9	14.6	4.3	2.8	1.4*	
1933	1.5	P					P	6.5	22.5	2.6	1.5	1.5	
1934	1.5	1.4*						2.4	1.4	0.2	0.6	0.4	
1935	0.6	0.4	0.5E	0.5E	0.4E	1.1E	4.3	1.4	13.2	2.0	2.1	1.1	27.6
1936	1.1	P					P	9.6	5.4	2.4	2.6	0.8	54.1
1937	1.3	1.1					P	2.7	4.5	3.2	1.1	0.8	
1938	1.2	1.6					P	13.0	21.2	3.2	1.7	3.3	
No. Items	16	6	1	1	1	1	5	16	19	18	18	18	
Mean	1.88	1.47	0.50	0.50	0.40	1.10	7.64	10.66	17.41	5.07	2.65	1.78	#51.06
% Mean													
Annual	3.68	2.88	0.98	0.98	0.78	2.15	14.96	20.88	34.10	9.93	5.19	3.49	100.00

NP-8A - Discharge of Michigan River near Cowdrey, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 509 Square Miles			Altitude 7,878 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL.IN	% MEAN
1904								P	20.4	9.1	4.2	2.1			
1905	1.7					7.9		11.4	27.7	7.5	3.1	0.6			
1906	1.1														
1937								P	4.9	3.9	0.8	0.5			
1938	0.8	1.3					P	20.2	33.9	4.8	1.5	4.3			
No.Items	3	1					1	2	4	4	4	4			
Mean	1.20	1.30					7.90	15.80	21.72	6.32	2.40	1.88	#58.52x		

NP-8½ - Discharge of Owl Creek near Lindland, Colorado

Unit: Acre-Feet										Drainage Area Square miles			Altitude		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL.IN	% MEAN
1937									P	382	85	81			
No.Items										1	1	1			
Mean										382.0	85.0	81.0	#548.0x		

Note: Not indicative of stream flow. Treasure Ditch diverts water from Michigan River into Owl Creek half a mile above station.

NP-9 - Discharge of Illinois Creek near Rand, Colorado

Unit: 1,000 Acre-Feet													Drainage Area 77 Square Miles		Altitude 8,551 Feet	
													ANNUAL		ANNUAL IN	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN		
1931										1.5*	0.5	0.5				
1932	0.5	0.6E	0.2E					13.9	11.9	3.5	1.2	0.4				
1933	0.4							6.6*	15.0	2.1	0.4	0.7				
1934	0.5	P					P	4.6	1.6	0.4	0.2	0.2				
1935	0.2						P	3.2	12.1	2.9	0.5	0.3				
1936	0.4						P	11.4	6.3	1.7	1.7	0.4				
1937	0.4						P	6.0	5.5	2.1	0.6	0.4				
1938	0.6	P					P	12.5	13.8	2.7	0.6	1.0				
No. Items	7	1	1					7	7	8	8	8				
mean	0.43	0.60	0.20					8.31	9.46	2.11	0.71	0.49	#22.31x			

NP-10 - Discharge of Illinois Creek near Walden, Colorado

Unit: Acre-Feet												Altitude 8,039 Feet		
Drainage Area 254 Square Miles												ANNUAL % MEAN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1917								30900	38500	13000	1700			
1918								8300	15500	1780	482			
1923								13600	25300	10900	3500	2440		
1924	2110	P					P	10600	16000	2040	153	168		
1925	1440	1030					7860	2480	7680	2530	2170	1890		
1926	2470	P					16800	18700	15500	7990	1880	434		
1927	978						12700	16700	9880	2490	1180	827		
1928	959						10500	18800	13000	2960	756	150		
1929	707	P					P	16000	18000	3230	2530	3520		
1930	2630	P					16400	3440	5650	486	3650	1450		
1931	1040	803*					P	2740	3600	799	379	314		
1932	411	357*					P	14300	9520	2930	1210	204		
1933	347	P					P	3830	11500	480	432	308		
1934	321	309*					1080	55	55	7	7	1		

NP-10 - Discharge of Illinois Creek near Walden, Colorado (Continued)

Unit: Acre-Feet		Drainage Area 254 Square miles										Altitude 8,039 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1935	9	38	12E	31E	39E	123*	560	236	6440	1790	213	12	9503	24.8
1936	206	557	P				P	4020	4110	1230	1500	115		
1937	206	392					P	412	3750	1810	133	84		
1938	398	322					P	10660	15780	1880	207	1070		
No. Items	15	8	1	1	1	1	7	18	18	18	18	16		
Mean	948.8	476.0	12.0	31.0	39.0	123.0	9414.3	9765.2	12198.1	3240.7	1226.8	811.7	#38286.6	
% Mean														
Annual	2.48	1.24	0.03	0.08	0.10	0.32	24.59	25.51	31.86	8.47	3.20	2.12	100.0	

NP-11 - Discharge of Willow Creek near Rand, Colorado

Drainage Area 62 Square miles													Altitude 8,530 Feet—	
Unit: Acre-Feet													ANNUL. IN	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1931										198*	230	155		
1932	224	238E	123E				2260*	5530	3810	892	492	232		
1933	222						P	1440	4270	272	266	264		
1934	181	270					P	234	68	5	17	57		
1935	62	P					P	346	3260	471	441	248		
1936	279						P	2780	1720	796	994	207		
1937	151	P					P	530	1220	444	311	93		
1938	169	157					P	3710	5330	734	318	533		
No. Items	7	3	1				1	7	7	8	8	8		
Mean	184.0	221.7	123.0				2260.0	2081.4	2811.1	476.5	383.6	223.6	#8764.9x	

NP-11A - Discharge of Canadian River near Cowdrey, Colorado

Unit: 1,000 Acre Feet										Drainage Area 201 Square Miles				Altitude 7,700A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN		
1904								P	11.1	3.9	1.6	1.0				
1905	0.9						13.0	4.3	14.0	2.7	1.2	0.6				
1906	1.3															
1929								P	17.4	4.6	2.3	3.2				
1930	2.1						6.6	3.1	5.1	0.7	2.4	1.4				
1931	2.0	P					7.6	2.9	4.2	0.8	0.7	0.5				
1932	0.9	P														
1937								1.1	2.7	1.8	0.8	0.4				
1938	0.9	0.8					P	10.2	15.6	2.8	0.9	1.4				
No. Items	6	1					3	5	7	7	7	7				
Mean	1.35	0.80					9.07	4.32	10.01	2.47	1.41	1.21	#30.64x			

NP-12 - Discharge of Big Creek at Big Creek, Wyoming

Unit: 1,000 Acre-Feet										Drainage Area 123 Square Miles (72 sq. mi. in Colorado)										Altitude 7,900A Feet			
																						ANNL. IN	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN									
1913								P	15.9	4.5	1.6	1.4											
1914							P	21.2	29.2	7.1	3.2	2.1											
1915	2.6						P	6.2	12.0	4.6	2.4	1.9											
1916	2.2	P					6.0	16.5	26.5	10.3	3.9	1.9											
1917	2.8	P						15.8	46.5	29.3	5.4	2.4											
1918								P	38.3	7.5	2.5	2.0											
1919	2.2*						P	13.6*	9.8	3.0*	2.3*	1.2*											
1920	1.2*							P	37.5	12.7	4.4*	2.4											
1921	P						4.0	17.1	40.4	9.9*	5.1*	2.4											
1922	1.4						2.5	12.0	22.8	6.4*	2.0*												
1923								15.6	33.7	12.8	4.4	2.2											
1924	P							12.4	20.1	4.6	1.8	1.2											
No. Items	6						3	9	12	12	12	11											
Mean	2.07						4.17	14.49	27.72	9.39	3.25	1.92	#63.01x										
Note: May 7, 1911 to June 30, 1912 station near Downington, same location, gage heights only.																							

Note: May 7, 1911 to June 30, 1912 station near Downington, same location, gage heights only.

NP-13 - Discharge of Encampment Creek near Encampment, Wyoming

Unit: 1,000 Acre-Feet													Drainage Area 219 Square Miles		Altitude 7,142 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN		
1900								P	105.0	9.4	5.2	3.8				
1911								75.0	84.5	12.9	5.9	7.8				
1912	8.6	4.2*	3.4E	3.1E	2.6E	2.8E	7.4*	71.3	127.0	25.0	7.1	7.4	269.9	126.3		
1913	5.5	3.6E	3.1E	2.8E	2.2E	2.8E	19.9	89.8	44.2	5.3	2.5	2.3	184.0	86.1		
1914	2.4	2.1E	2.2E	1.8E	1.9E	3.1*	11.4	98.4	92.8	13.2	2.5	2.2	234.0	109.5		
1915	4.4	3.6E	3.1E	2.8E	2.5E	2.8E	15.3	42.1	51.9	7.3	2.2	3.3	141.3	66.1		
1916	3.8	2.7	2.5E	2.2E	2.0E	3.1E	22.8	79.9	97.0	13.8	6.0	4.2	240.0	112.3		
1917	11.2	3.4*	2.5E	2.5E	1.9E	2.8E	8.0*	33.5	156.0	62.1	7.9	3.7	295.5	138.3		
1918	4.3	5.4	3.7E	3.1E	2.2E	3.1E	13.1E	55.3E	102.0	12.9	1.6	2.8	209.5	98.0		
1919	5.9	4.5*	3.1E	2.5E	1.9E	2.5E	15.1*	82.4	35.4	3.2	1.8	2.4	160.7	75.2		
1920	3.1	3.0E	2.5E	2.5E	2.0E	2.5E	11.9E	75.6*	118.0	21.6	3.7	3.2	249.6	116.8		
1921	3.2	3.0E	2.5E	2.5E	2.2E	3.4E	7.7	92.2	134.0	20.5	41.4	2.0	314.6	147.2		
1922	1.4	1.8	1.5E	1.5E	1.4E	2.2E	3.9*	60.1	93.4	14.9	2.0	1.5	185.6	86.8		
1923	1.7	2.1*	1.9E	2.1E	1.7E	2.2E	6.6	57.9	111.0	34.2	7.4	8.2	237.0	110.9		
1924	5.0	3.4*	2.4E	2.0E	1.6E	2.0E	15.5E	66.4	53.7	6.1	1.1	1.1*	160.3	75.0		
1929									139.0	30.2	4.0	6.4				
1930	6.2	3.9*	2.8E	2.3E	2.3E	3.1E	20.1*	43.2	44.3	3.6	4.5	2.8	139.1	65.1		
1931	5.7	2.4*	2.5E	2.8*	1.9*	2.5E	7.2*	31.2	30.0	1.9	1.2	1.6	90.9	42.5		
1932	3.2	2.5*	2.2E	2.1E	2.3E	2.8E	9.3*	79.3	107.0							
No. Items	16	16	16	16	16	16	16	17	19	18	18	18				
Mean	4.72	3.22	2.62	2.41	2.04	2.73	12.20	66.68	90.85	16.56	6.00	3.71	#213.74			
% Mean																
Annual	2.21	1.51	1.22	1.13	0.95	1.28	5.70	31.20	42.50	7.75	2.81	1.74	100.00			

Records obtained from United States Geological Survey Publications.

NP-14 - Discharge of Laramie River near Glendevy, Colorado

Unit: 1,000 Acre-Feet														Drainage Area 101 Square miles				Altitude 8,231 Feet			
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN							
1904									P	10.1	3.9	1.9									
1905	1.6	0.5E	0.5E	0.5E	0.6E	0.6E	1.9	14.8	37.3	9.9	3.7	1.1	73.0	133.4							
1906	0.5																				
1910																					
1911	2.0	1.2	1.0	0.9	0.6	1.4	2.5	14.3	25.2	8.1	2.5	2.5	61.5	112.4							
1912	2.2	1.2	0.9E	0.9	0.9	1.0	1.2	12.6	32.3	16.4	3.3	2.2	75.1	137.2							
1913	2.2	1.3	0.7E	0.8E	0.7E	0.9E	4.2*	12.1	11.8	3.9	2.0	1.6	42.2	77.1							
1914	1.2*	1.5E	0.9E	0.8E	0.7E	0.9	3.0*	24.2	38.1	9.0	3.7*	1.5E	85.5	156.2							
1915	2.2E	0.9E	0.6E	0.5E	0.6E	0.6E	3.0E	10.0	15.4	4.9	3.1	2.0	43.8	80.0							
1916	2.1	1.2*	0.9E	0.9E	0.9E	1.2	3.6*	12.4	17.1	5.9	3.5	2.6	52.3	95.6							
1917	P								P	20.4	6.2	3.3									
1918	1.6	1.7	0.7*	0.7E	0.7E	0.9*	2.5	22.9	40.5	7.9	2.1	1.3	83.5	152.6							
1919	1.5E	1.2E	0.9E	0.9E	0.8E	1.1E	2.1*	13.1	6.5	1.7	1.3	1.1*	32.2	58.8							
1920																					
1921	1.6	0.5	0.6*	0.7E	0.7E	0.9*	1.6	15.2	34.5	9.9	3.9	2.6									
1922	1.6	P					1.3	8.2	36.8	9.4	3.8	1.9	73.7	134.7							
1923	1.0	P						10.1	14.6	4.6	2.4	1.4									
1924	2.3							14.5	29.5	12.2	3.1	1.7									
1925	2.6	1.6*								6.5	2.2	1.9									
1926	3.0	P					P	10.1	9.6	4.5	3.2	2.6									
1927	2.2	1.6					3.5*	22.7	27.0	7.1	2.8	1.6									
1928	2.4	P					2.1	13.0	15.9	5.9	3.8	2.5									
1929	1.7	1.4					2.2	20.4	21.8	8.3	2.8	1.4									
							P	11.4	31.5	8.9	3.2	2.7									

NP-14 - Discharge of Laramie River near Glendevoy, Colorado (Continued)

Unit: 1,000 Acre-Feet														Drainage Area 101 Square Miles				Altitude 8,231 Feet			
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL. IN							
														%	MEAN						
1930	2.3	P				P	4.6	9.4	9.9	2.8	3.2	2.1									
1931	2.7	P					2.8*	6.8	8.2	2.0	1.2	1.0									
1932	1.8	1.6*						15.6*	18.5	4.3	1.8	1.0									
1933	1.5	1.6*					1.5	7.3	32.3	3.7	1.3	1.6									
1934	1.9	1.2	P				3.7	6.5	1.1	0.7	0.9	0.8									
1935	0.9	0.9					1.5	5.0	26.3	4.4	1.4	1.3									
1936	1.8	1.6					P	13.5	9.5	2.2	1.8	2.0									
1937	1.6	1.4					2.1	8.0	7.1	2.0	1.1	1.4									
1938	1.8	1.3					P	13.6	26.8	6.0	1.4	2.4									
No. Items	28	20	10	10	10	10	20	27	27	30	30	31									
Mean	1.85	1.27	0.77	0.76	0.72	0.95	2.54	12.88	21.67	6.79	2.69	1.83	#54.72								
% Mean																					
Annual	3.38	2.32	1.41	1.39	1.31	1.74	4.64	23.54	39.60	12.41	4.92	3.34	100.00								

NP-15 - Discharge of Laramie River near Jelm, Wyoming

Unit: 1,000 Acre-Feet		Drainage Area 297 Square Miles										Altitude 7,685 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL. IN % MEAN
1904									P	16.7	6.2	2.7		
1905	2.7	2.4E	2.2E	1.8E	1.4E	1.4E	3.0	28.2	69.0	13.0	6.0	2.4	133.5	105.1
1906	1.7												S	
1911								P	47.1	13.7	4.4	2.6		
1912	4.2	3.7	2.8E	2.5E	2.6E	2.8E	3.6*	31.8	89.9	33.6	7.4	4.9	189.8	149.5
1913	5.1	3.3	2.2E	2.5E	1.9E	3.1E	10.4*	31.7	26.2	8.3	3.4	3.1	101.2	79.7
1914	4.4	3.3	2.8E	2.5E	2.2E	3.1E	6.8*	58.8	79.7	14.4	6.6	2.2	186.8	147.1

NP-15 - Discharge of Laramie River near Jelm, Wyoming (Continued)

Drainage Area 297 Square Miles														Altitude 7,685 Feet	
Unit: 1,000 Acre-Feet															
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNUAL IN
1915	4.4	2.7E	1.7E	1.4E	1.6E	1.8E	7.1*	18.7	28.4	7.9	4.5	3.8	84.0	66.2	66.2
1916	4.2	3.0*	2.8E	3.0E	2.8E	4.0E	6.9	32.5	45.3	9.5	6.0	4.9	124.9	98.4	98.4
1917	5.5E	4.8E	4.0E	3.2E	2.8E	2.5E	6.0*	28.9	119.0	53.9	10.6	4.8	246.0	193.7	193.7
1918	2.7	2.4*	2.2E	2.2E	1.9E	2.8E	5.2*	35.7	69.6	14.9	5.6	3.6	148.8	117.2	117.2
1919	3.1E	2.7E	2.8E	2.8E	2.5E	3.1E	7.1*	26.1	16.8	5.6	3.4	2.2	78.2	61.6	61.6
1920	2.6*	2.1E	1.8E	1.8E	1.4E	1.8E	3.0E	36.3	82.7	17.5	9.1	4.5	164.6	129.6	129.6
1921	3.7	1.8E	2.5E	2.5E	2.2E	3.1E	5.1*	35.9	83.9	19.3	7.6	3.7	171.3	134.9	134.9
1922	3.0						P	20.6	29.7	7.4	4.2	2.2			
1923	1.9						P	27.7*	88.1*	24.3	6.2	3.9			
1924	4.7	4.5					P	31.7	58.8	11.6	4.0	3.6*			
1925	P						P	20.7	23.6	9.4	7.3	5.7			
1926	6.5	P					10.0*	51.8	49.4	18.0	5.9	3.4			
1927	4.0	3.0	2.2E	1.8E	1.7E	2.5E	4.4	31.7	39.2	13.2	6.4	3.7	113.8	89.6	89.6
1928	4.6						5.3	51.9	52.4	18.3	5.3	3.0			
1929	3.5	3.0					P	26.1	75.0	20.8	6.8	5.8			
1930	4.1	P					11.4*	25.6	26.7	7.4	8.4	3.6			
1931	4.8	2.8*	2.0E	1.8E	1.9E	2.4*	10.2	18.7	22.8	4.1	2.6	2.0	76.1	59.9	59.9
1932	3.3	2.8*	2.2E	1.8E	1.7E	2.5E	5.5*	36.6	43.1	9.7	3.5	1.9	114.6	90.3	90.3
1933	2.7	2.9	1.5*	1.4*	1.3*	2.2*	7.2*	15.8	64.9	9.0	3.2	3.0	115.1	90.7	90.7
1934	2.7	1.9	1.7*	1.9*	2.1*	2.6*	6.4	14.2	3.0	1.1	1.8	1.3	40.7	32.1	32.1
1935	2.1	1.6	1.4	1.6	1.6	2.0	2.7	10.8	61.3	11.3	3.5	2.4	102.3	80.6	80.6
1936	3.0	3.9	2.3	2.1	2.3	2.3	11.4	36.0	23.9	6.1	4.1	2.6	100.0	78.8	78.8
1937	3.1	3.3	1.7	1.5	1.4	2.3	6.7	26.6	24.2	8.3	3.1	2.2	84.4	66.5	66.5
1938	3.0	2.3	1.8	1.8	2.2	4.0	5.9	37.8	60.7	12.2	3.4	4.7	139.8	110.1	110.1
No. Items	28	22	20	20	20	20	23	28	29	30	30	30			
Mean	3.62	2.92	2.23	2.10	1.98	2.62	6.58	30.32	52.22	13.68	5.35	3.35	#126.97		
% Mean															
Annual	2.85	2.30	1.76	1.65	1.56	2.06	5.18	23.88	41.13	10.78	4.21	2.64	100.00		
S: June 1904 to October 1905 station was at Decker's Ranch, 3/4 mile south of present location.															

S: June 1904 to October 1905 station was at Decker's Ranch, 3/4 mile south of present location.

NP-15E - Discharge of McIntyre Creek at Glendevy, Colorado

Unit: 1,000 Acre-Feet.										Drainage Area 19 Square Miles				Altitude 8,300A Feet	
										ANWL. IN					
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1913									5.8	1.7	0.8	0.6			
No. Items										1	1	1	1		
Mean										5.80	1.70	0.80	0.60	#8.90x	

NP-15F - Discharge of McIntyre Creek at Gleneyre, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 33 Square Miles				Altitude 7,980A Feet		
														ANNUAL IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN		
1904									P	4.1	1.8	1.9				
1905							0.6	6.0	15.6	3.2	1.0					
No. Items										1	1	1	2	2	1	
Mean										0.60	6.00	15.60	3.65	1.40	1.90	#29.15x

Miscellaneous Discharges in Second-Feet

NP-13A Laramie River below Laramie-Poudre Tunnel.

1913: May 10th, 50; 18th, 40; 27th, 31 - June 1st, 50; 8th, 34; 13th, 24; 20th, 31; 28th, 13 - July 11th, 14; 17th, 21; 24th, 21; 29th, 10 - Aug. 27th, 9.6 .

NP-15A West Branch of Laramie River at Mouth.

1912: June 6th, 160; 12th, 122; 21st, 14; 26th, 143; - July 3rd, 134;.

NP-15B Rawah Creek at Mouth.

1912: June 6th, 109; 12th, 102; 21st, 70; 26th, 105; - July 3rd, 92.

1913: May 10th, 17; 18th, 17; 27th, 56; - June 1st, 61; 8th, 46; 13th, 42, 20th, 51; 28th, 46; - July 1st, 46; 11th, 34; 17th, 30; 24th, 42; 29th, 26; - Aug. 1st, 9; 11th, 10; - Sept. 20th, 8.9; 27th, 9.1.

Miscellaneous Discharges in Second-Feet (Continued)

- NP-15C Nunn Creek at Mouth.
 1912: June 5th, 206; 6th, 308; 21st, 85; 26th, 70; - July 3rd, 47.
 1913: May 9th, 84; 18th, 55; 25th, 78; 26th, 90; 27th, 73; 28th, 73; 31st, 78; - June 1st, 73; 5th, 60; 6th, 55; 7th, 51; 8th, 47; 9th, 44; 12th, 36; 13th, 33; 14th, 33; 19th, 27; 20th, 21; 26th, 14; 27th, 9; 28th, 9; - July 6th, 14; 10th, 4; 11th, 2; 14th, 11; 16th, 2; 19th, 2; 20th, 6; 25th, 11; 29th, 6; 30th, 6; - Aug. 2nd, 6; 11th, 6.2; - Sept. 10th, 6.3; - Oct. 13th, 10.
- NP-15D Stub Creek at Mouth.
 1912: May 27th, 25; - June 5th, 44; 6th, 41; 21st, 24; 26th, 22; - July 3rd, 20.
 1913: May 9th, 14; 18th, 14; 23rd, 16; 27th, 20; 31st, 18; - June 1st, 18; 5th, 16; 6th, 16; 7th, 14; 8th, 14; 12th, 13; 13th, 13; 14th, 10; 19th, 10; 20th, 10; 26th, 8.7; 27th, 8.4; - July 4th, 7.4; 6th, 7.4; 10th, 8.7; 11th, 3.4; 16th, 1.4; 17th, 0.7; 20th, 0.5; 24th, 6; 25th, 0.7; 29th, 0.5; - Aug. 1st, 0.3; 9th, 0.3; 11th, 0.3; - Sept. 10th, 0.5.
- NP-15F McIntyre Creek at Gleneyre.
 1912: May 28th, 202; - June 4th, 520; 12th, 338; 20th, 149; 25th, 268; 26th, 279; - July 2nd, 191; 5th, 181.
 1913: May 1st, 81; 9th, 81; 19th, 128; 25th, 220; 26th, 185; 31st, 190; - June 1st, 190; 9th, 128; 12th, 107; 14th, 88; 19th, 94; 20th, 81; 27th, 56; - July 1st, 56; 10th, 39; 17th, 21; 25th, 27; 28th, 24; 29th, 16.
- NP-15G Jimmy Creek at Mouth.
 1912: May 28th, 15; - June 4th, 19; 22nd, 7.2; 27th, 2.6; - July 5th, 10.6.
- NP-15H La Garde Creek 2 miles above Mouth.
 1912: May 28th, 138; - June 4th, 356; 12th, 270; 20th, 119; 26th, 240; - July 2nd, 136; 5th, 159.
- NP-15I La Garde Creek at Mouth.
 1913: May 9th, 74; 19th, 94; 25th, 109; 31st, 142; - June 2nd, 117; 7th, 80; 10th, 62; 12th, 74; 14th, 46; 15th, 67; 19th, 29; 21st, 22; 25th, 42; 27th, 15; 30th, 15; - July 10th, 3.5; 12th, 2.5; 15th, 2.5; 16th, 3.5; 18th, 3.5; 20th, 10.5; 25th, 10.5; 28th, 8.5; 30th, 6.5; 31st, 5; - Aug. 2nd, 3.5; 7th, 5; 11th, 3.5; 25th, 3.5; - Sept. 5th, 2.5; 12th, 2.5; - Oct. 14th, 8.5.
- NP-15J Forrester Creek at Mouth.
 1913: May 28th, 5.4; - June 4th, 16; 25th, 6.8; - July 2nd, 5.7; 5th, 3.6.

Miscellaneous Discharges in Second-Feet (Continued)

NP-15K Grace Creek at Mouth.

1912: May 28th, 24; 30th, 55;-June 4th, 9.9; 11th, 123; 20th, 47; 25th, 82; -July 2nd, 62; 5th, 53.
 1913: May 11th, 28; 17th, 25; 25th, 44; 29th, 58; 30th, 74; 31st, 68;- June 5th, 48; 10th, 40;
 12th, 32; 14th, 25; 19th, 22; 20th, 20; 21st, 14; 27th, 12; 29th, 10;-July 4th, 7.5; 8th, 4.5;
 10th, 4.5; 12th, 3.5; 16th, 7.5; 18th, 9; 25th, 7.5; 28th, 7.5; 30th, 6; 31st, 4.5;
 Aug. 2nd, 4.5; 5th, 4.5; 7th, 4.5; 16th, 4.5; 25th, 3.5;- Sept. 12th, 3.5; - Oct. 2nd, 4.6.

NP-15L Stuck Creek at Mouth.

1912: May 27th, 47; 29th, 69;-June 4th, 77; 20th, 35; 25th, 38;- July 2nd, 34; 5th, 32.
 1913: May 8th, 22; 13th, 52; 17th, 30; 23rd, 78; 25th, 37; 28th, 37;-June 5th, 30; 10th, 22; 12th, 22;
 14th, 14; 16th, 14; 19th, 14; 20th, 11; 22nd, 11; 27th, 8; 30th, 6; - July 8th, 3.2; 10th, 3.2;
 12th, 2; 16th, 2; 19th, 4.5; 21st, 2; 25th, 2; 30th, 1; 31st, 1; - Aug. 2nd, 0.5; 7th, 0.5;
 15th, 0.5; 24th, 0.5;- Sept. 9th, 0.3 .

TABLES OF MONTHLY DISCHARGES

South Platte River Basin

South Platte River

and

Tributaries

————

Stations in Downstream Order

SP-0A - Discharge of So. Fk. South Platte River above Tumbling Creek, Colorado

Unit: Acre-Feet		Drainage Area 17 A Square Miles										Altitude 10,000 Feet			
												ANNL. IN			
YEAR		OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1917															
1918	P										P	1330	744		

No. Items		1											1	
Mean		1330											744	

In State Engineers Records as "Little South Platte above Tumbling Creek".

SP-0B - Discharge of So. Fk. South Platte River at Main Road, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 90A Square Miles										Altitude 2,450A Feet			
YEAR		OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1917															
1918	P								P	9.2	5.2	2.6	1.1		

No. Items		1											1	
Mean		9.20											1.10	

In State Engineer's record as "Little South Platte at Main Road."

SP-1 - Discharge of So. Fk. South Platte River at Twin Bridges, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 87 A Square Miles			Altitude 2,400A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNL. IN
1933							0.8	7.5	13.9	7.6	3.7				
1934							1.1	1.5	5.8	4.1	4.2	2.4			
1935	1.9						2.7	15.4	15.2	14.1	7.6	4.0			
1936	3.0								19.5	13.7	23.8	6.7			
1937	5.5						0.6	3.4	2.3	2.6	1.5	0.9			
1938	0.7						0.9	2.0	5.6	2.6	2.0	3.2			
1939	2.1														
No. Items	5						5	5	6	6	6	5			
Mean	2.64						1.22	5.96	10.38	7.45	7.25	3.44	#38.34x		
Records furnished by the Denver Board of Water Commissioners.															

SP-1A - Discharge of So. Fk. South Platte River at Twin Bridges, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 94A Square Miles			Altitude 2,400A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNL. IN
1916									P	3.8	F	P			
1917								P	9.8	5.9	3.6	1.6			
1918	P														
No. Items									1	2	1	1			
Mean									9.80	4.85	3.60	1.60	#19.85x		
1916 record in Water Supply Paper 436 "Little So. Platte near Fairplay".															

SP-1B - Discharge of So. Fk. South Platte River at Intake of Antero Res., Colorado

Unit: 1,000 Acre-Feet										Drainage Area Area 120 A Square Miles				Altitude 2,150A Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1916									6.5	4.6	3.4	1.3			
1917	P							P	7.3	6.3	4.0	2.4			
1918	P														
No. Items	2									2	2	2			
Mean	6.90									5.45	3.70	1.85	#17.90x		

SP-2 - Discharge of So. Fk. South Platte River below Antero Reservoir, Colorado

Unit: 1,000 Acre-Feet				Drainage Area 200A Square miles						Altitude 2,000A Feet				
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL.IN % MEAN
1933							0.3	1.0	1.9	1.8	2.2	1.2		
1934	0.7								0.9	0.6	1.2	0.8		
1935	0.6						0.2	0.5	1.3	4.5	3.8	3.3		
1936	1.5						0.9	3.6	5.9	3.7	5.6	2.2		
1937	2.4						0.7	2.2	2.1	3.0	1.9	1.5		
1938	0.9						0.5	0.8	2.9	3.0	3.1	0.8		
1939	0.6													
No. Items	6						5	5	6	6	6	6		
Mean	1.12						0.52	1.62	2.50	2.77	2.97	1.65	#13.15x	
Records furnished by the Denver Board of Water Commissioners.														

SP-2A - Discharge of So. Fk. South Platte River at Antero Reservoir Outlet, Colorado

Drainage Area 200A Square Miles										Altitude 9,000A Feet				
Unit: 1,000 Acre-Feet										AWNL. IN				
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1916								2.6	5.3	3.4	2.3	8.5		
1917	9.7													
No. Items	1							1	1	1	1	1		
Mean	9.70							2.60	5.30	3.40	2.30	8.50	#31.80x	

SP-2B - Discharge of So. Fk. South Platte River above Fourmile Creek, Colorado

Drainage Area 250A Square Miles										Altitude 8,950A Feet				
Unit: 1,000 Acre-Feet										ANNL. IN				
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1916								P	4.4	3.7	2.3	7.9		
1917	9.8													
No. Items	1							1	1	1	1	1		
Mean	9.80							4.40	3.70	2.30	7.90	7.90	#28.10x	

SP-2C - Discharge of South Platte River at Buckley's, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 550A Square Miles								Altitude 8,900A Feet					
		ANNUAL IN													
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1916								P	10.7	P	P	11.0			
1917	12.6														
No. Items	1	1								1					
Mean	12.60	10.70								11.00				#34.30x	

In State Engineer's records as "South Fork of South Platte".

SP-2D - Discharge of South Platte River at Spinney, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 770A Square Miles								Altitude 8,600A Feet					
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1916								P	10.3	P	P	10.5			
1917	12.1														
No. Items	1													1	
Mean	12.10													10.50	#32.90x

In State Engineers records as "South Fork of South Platte".

SP-3 - Discharge of South Platte River above 11 Mile Reservoir, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 840A Square Miles			Altitude 8,700A Feet		
													ANNL.IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1933									9.5	7.3	4.5	3.9			
1934	1.0						0.2	5.4	4.1	3.4	4.7	2.2			
1935	1.5						0.3	0.9	7.7	15.3	11.3	6.7			
1936	3.6						2.0	10.5	17.3	13.8	25.9	7.1			
1937	5.9						1.6	6.8	6.4	9.0	4.0	2.9			
1938	2.4						1.9	1.1	12.9	10.1	9.4	13.8			
1939	5.4														
No. Items	6						5	5	6	6	6	6			
Mean	3.30						1.20	4.94	9.65	9.82	9.97	6.10	#44.98x		
Records furnished by the Denver Board of Water Commissioners.															

SP-3A - Discharge of South Platte River at Idlewild, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 920A Square Miles				Altitude 8,300A Feet	
														ANNL.IN	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1916								P	9.0	P	15.3	10.5			
1917	12.4														
No. Items	1								1	1	1	1			
Mean	12.40								9.00		13.30	10.50	44.5.20x		
In State Engineers record as "South Fork of South Platte".															

SP-4 - Discharge of South Platte River near Lake George, Colorado

Drainage Area 929 Square Miles													Altitude 8,424 Feet	
Unit: 1,000 Acre-Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL IN % MEAN
1911	P	2.0	0.6	0.1E	0.2*	1.7	1.4	0.8	9.3	20.4	7.0	3.5		
1912	2.1	1.5	0.4*	0.1E	0.0T	0.8*	2.3	1.9	15.2	30.3	8.1	2.5	65.2	97.5
1913									9.0	13.7	16.3	14.6		
1914	3.9	2.1	1.6			4.5	10.3	17.3	36.0	37.9*	32.6	12.1		
1915	10.9*	6.0*			1.4*	1.5*	8.6*	6.8*	12.6*	8.2	13.2	6.0		
1916	11.7	2.1*		0.8*	1.0*	4.4*	3.4	5.8	9.2	13.5*	13.5	10.4		
1917	13.0	2.1*					P	3.5	10.0	18.1	16.5	7.2		
1918	2.0	1.3				2.6*	2.6	1.5	23.1	12.7	6.9	5.5		
1919	3.8	3.8				P	18.6	11.6	11.4	17.5	16.7	7.6		
1920	3.7	3.4					4.5	6.8	8.0	11.3	15.7	4.3		
1921	13.0	3.4				4.4	5.5	4.4	30.7	25.4	20.4	11.4		
1922	7.8	6.0					3.6	3.6	3.7	1.7	6.0	2.5		
1923	8.1	6.7	1.2	0.9	0.4	1.1	7.0	8.3	11.1	24.2	24.8	14.2	108.0	161.5
1924	9.4	6.4					12.3	7.9	10.8	12.1	8.1	1.0		
1925	1.7	1.6				P	1.6	7.3	12.7	16.7	9.2	7.4		
1926	4.4	2.4*				P	5.9	8.0	13.6	16.8	10.6	2.7		
1927	1.1	2.7	P			P	3.8	2.2	8.4	12.5	13.9	13.9		
1928	2.1	F					1.3	5.9	8.1	18.9	17.8	2.6		
1929	0.8	1.8					2.8	2.1	14.5	29.8	30.4	13.7		
1930	4.0	1.2E	0.6E	0.1E	1.7E	2.5E	2.0	2.4	7.4	8.4	24.9	17.1	72.3	108.1
1931	13.6	2.0*	0.9E	0.5E	0.3E	2.2E	4.6	2.4	4.6	2.9	2.0	0.4	36.4	54.4
1932	4.2	9.1*	0.5*	0.2E	0.3E	1.1*	6.8*	2.9	6.8	7.1	6.9	2.2	48.1	71.9
1933	1.8	0.4	0.2*	0.1E	0.1E	0.2E	1.8E	0.5*	9.8	7.2	4.4	4.0	30.5	45.6
1934	1.0	1.2	0.5	0.2E	0.1E	1.0E	0.5*	5.3	3.6	3.2	4.2	1.6	22.4	33.5
1935	1.3	1.3	0.3*	0.1*	0.1*	1.4*	9.8	1.5	7.0	14.3	11.9	5.2	54.2	81.0
1936	3.0	2.3					P	9.7	12.9	11.8	15.8	3.9		
1937	5.4	2.6	0.6	0.6	0.5	0.5	2.7	5.3	1.4	2.0	3.3	1.8	26.7	39.9
1938	2.0	0.9	1.1	0.9	0.9	2.2	4.4	1.2	1.3	1.7	3.0	3.0	22.6	33.8
No. Items	27	26	12	12	13	16	25	27	28	28	28	28		
Mean	5.16	2.93	0.71	0.38	0.54	2.01	5.12	5.07	11.15	14.30	13.00	6.51	#66.88	
% Mean														
Annual	7.72	4.38	1.06	0.57	0.81	3.01	7.65	7.58	16.67	21.38	19.44	9.73	100.00	

SP-5 - Discharge of South Platte River above Lake Cheesman, Colorado

Drainage Area 1,680 Square Miles										Altitude 6,846 Feet				
Unit: 1,000 Acre-Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1908														
1909	2.3	2.6	0.8	0.6	0.8	2.0	12.9	6.0	17.0	25.6	29.5	43.4	143.5	129.4
1910	15.4	7.4	5.7	4.0	1.1	16.6	8.2	13.2	9.3	9.6	10.1	3.0	103.6	93.4
1911	3.3	3.5	1.3	0.5	0.9	3.7	4.8	2.1	9.9	30.6	7.3	4.6	72.5	65.4
1912	3.8	2.0	0.6	0.4	0.5	1.6	6.7	7.4	30.7	40.1	25.6	7.3	126.7	114.2
1913	5.2	6.9	1.2	0.7	0.5	0.9	11.7	6.9	14.0	16.3	18.4	16.2	98.9	89.2
1914	6.6	3.5	1.9	1.3	1.1	2.8	13.7	22.7	39.1	43.3	45.1	17.0	198.1	178.6
1915	11.3	5.7	2.3	1.6	1.4	2.1	8.0	9.4	20.6	12.0	16.5	7.6	98.5	88.8
1916	13.4	3.2	2.4	2.0	1.6	8.5	6.2	11.3	9.9	14.9	23.3	12.6	109.3	98.5
1917	14.2	2.8	1.9	1.1	1.0	1.3	10.5	12.3	23.6	30.0	23.0	9.2	130.9	118.0
1918	2.8	2.9	1.9	1.9	1.3	5.4	6.7	8.0	43.6	24.2	11.0	9.2	118.9	107.2
1919	6.1	4.0	1.9	1.5	1.2	1.8	27.5	23.7	17.5	23.8	23.4	11.4	143.8	129.6
1920	5.7	3.1	1.7	1.3	2.1	3.4	6.7	16.0	18.1	18.6	24.3	8.2	109.2	98.4
1921	13.5	4.4	1.0	0.8	0.8	5.4	11.1	19.1	64.3	47.2	34.4	19.0	221.0	199.2
1922	11.6	5.6	3.6	1.6	0.6	6.0	10.1	11.8	8.8	3.6	9.2	3.5	76.0	68.5
1923	8.5	6.7	1.8	1.2	0.6	1.7	11.6	18.2	19.5	37.0	37.6	23.1	167.5	151.0
1924	19.9	10.6	3.8	2.0	1.5	3.4	21.1	17.3	28.0	18.6	8.3	1.3	135.8	122.4
1925	3.7	2.4	0.9	0.3	0.4	3.7	3.5	9.6	15.9	17.8	14.0	11.7	83.9	75.6
1926	8.1	4.2	1.9	0.9	0.8	3.6	15.1	19.5	26.3	22.4	14.3	4.4	121.5	109.5
1927	2.6	2.6	2.4	1.2	0.8	4.0	10.2	6.2	13.7	16.5	18.9	17.1	96.2	86.7
1928	4.4	2.6	1.4	0.7	0.9	3.6	3.8	12.9	17.6	22.8	19.9	5.4	96.0	86.5
1929	3.8	3.8	1.9	1.6	1.6	3.2	6.1	5.6	16.2	31.3	46.1	23.3	144.5	130.3

SE-5 - Discharge of South Platte River above Lake Cheesman (Continued)

Unit: 1,000 Acre-Feet												Altitude 6,846 Feet		
Drainage Area 1,680 Square Miles												ANNUAL IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1930	6.5	4.3	2.8	0.9	1.9	4.5	9.2	5.8	13.2	14.8	47.0	26.4	137.3	123.8
1931	18.3						P	14.5	13.2	8.6	6.3	2.1		
1932	6.8	P					P	6.8	12.1	13.3	12.2	4.0		
1933	2.5	P					P	13.9	18.1	10.5	7.8	6.4		
1934	2.0	1.5*	0.6E	0.3E	0.4E	1.0E	2.4*	6.9	5.3	3.5	6.0	2.4	32.3	29.1
1935	1.6	1.8				P	10.2	5.4	8.8	17.0	9.4	3.5		
1936	2.4						5.8*	19.1	26.3	20.0	39.3	8.6		
1937	9.8	6.4					6.2	9.3	5.3	5.4	5.5	3.7		
1938	2.8	P				P	10.9	8.3	12.8	7.1	8.2	14.5		
No. Items	30	25	23	23	23	23	27	30	30	30	31	31		
Mean	7.30	4.18	1.99	1.23	1.03	3.92	9.66	11.64	19.29	20.21	19.73	10.74	#110.92	
% Mean														
Annual	6.58	3.77	1.80	1.11	0.93	3.53	8.71	10.49	17.39	18.22	17.79	9.68	100.00	

Records from Oct. 1, 1924 to Sept. 30, 1938.
Acre-feet estimates Aug. 1908 to Sept. 1924, inclusive.

SP-6 - Discharge of South Platte River below Lake Cheesman, Colorado

Drainage Area 1,766 Square Miles										Altitude 6,610 Feet				
Unit: 1,000 Acre-Feet												ANNUAL IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1899											21.8	8.9*		
1900	5.7*	7.4*	4.3*	1.6	1.5	4.9	15.1	60.6	71.6	12.8	5.4	4.7	198.8	154.2
1901	5.2	4.1	2.0	0.9	0.8	4.1	11.8	21.0	15.5	5.7	20.8	9.9	101.8	79.0
1902	6.1	6.2	5.4	3.8	1.1	2.5	5.8	2.3	0.8	0.3	0.6	0.4	35.3	27.4
1903	0.7	1.2	0.9	0.6	0.2	2.8	6.2	2.7	20.6	7.4	4.4	4.6	52.3	40.6
1904	2.2	3.6	0.9	0.2	0.3	2.6	3.7	10.2	22.1	8.6	15.4	9.2	80.0	62.1
1905	8.9	4.0	1.4	0.6	1.0	7.6	15.2	28.5	24.7	4.6	9.2	8.2	113.9	88.4
1906	4.2	4.3	1.0	0.3	0.4	3.5	12.7	16.3	9.5	13.7	11.7	16.2	93.8	72.8
1907	18.1	12.9	5.5	3.1	3.7	7.1	9.6	15.6	29.7	45.7	26.7	9.9	187.6	145.5
1908	8.0	4.1	1.7	0.6	0.5	4.9	6.6	4.3	1.3	1.7	11.1	4.2	49.0	38.0
1909	3.5	3.3	1.2	1.0	1.1	2.6	14.6	11.1	24.3	29.3	33.8	51.6	177.4	137.6
1910	20.3	8.6	6.6	4.0	1.1	16.6	8.1	13.2	11.9*	10.9	15.3	4.9	121.5	94.3
1911	4.7	4.0	2.6	2.8	2.3	0.8	5.6	6.4	8.7	37.8	15.9	7.4	99.0	76.8
1912	2.8	2.9	4.3	3.0	3.1	1.2	0.6	0.6	24.9	43.6	28.6	13.0	128.6	99.8
1913	5.6	6.7	3.0	2.6	1.3	0.8	10.7	8.4	30.8	25.9	13.9	9.8	119.5	92.7
1914	7.6	4.7	3.9	4.0	2.5	1.4	21.8	38.6	76.0	66.3	68.8	21.3	316.9	245.8
1915	14.5	7.0	4.3	4.3	2.5	0.6	11.6	16.1	33.6	24.3	12.2	15.0	146.0	113.3
1916	8.4	5.6	4.6	3.5	2.7	6.2	7.7	15.3	23.1	26.6	25.4	7.8	136.9	106.2
1917	6.0	3.4	5.3	5.5	3.3	2.5	0.6	12.8	32.2	34.9	28.7	12.4	147.6	114.5
1918	5.4	4.0	1.2	4.8	3.7	0.5	4.6	12.7	48.3	28.6	13.2	10.3	137.3	106.5

SP-6 - Discharge of South Platte River below Lake Cheesman, Colorado (Continued)

Drainage Area 1,766 Square Miles															Altitude 6,610 Feet	
Unit: 1,000 Acre-Feet																
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNUAL	% MEAN
1919	7.0	5.2	5.1	5.7	4.7	0.6	22.0	37.6	46.8	33.8	31.9	15.5	215.9	167.5	215.9	167.5
1920	3.0	1.6	4.4	4.3	2.6	1.4	3.2	0.5	20.4	36.0	30.5	16.6	124.5	96.6	124.5	96.6
1921	7.5	0.7	2.8	2.8	2.5	0.3	2.2	15.2	81.8	55.8	45.4	25.3	242.3	188.0	242.3	188.0
1922	13.2	3.0	1.2	5.4	6.0	4.1	5.4	23.5	27.1	16.0	17.1	11.5	133.5	103.6	133.5	103.6
1923	5.4	2.7	4.5	4.8	4.6	3.3	1.8	5.5	5.0	35.3	42.7	27.3	142.9	110.9	142.9	110.9
1924	23.3	12.7	8.2	6.4	3.6	3.4	14.9	23.2	36.3	31.7	21.4	9.0	194.1	150.6	194.1	150.6
1925	6.6	4.0	6.5	7.3	4.6	1.3	6.8	14.4	16.2	12.2	15.8	13.6	109.3	84.8	109.3	84.8
1926	10.9	0.5	0.3E	0.3E	0.3E	0.2E	0.2E	19.2	37.0	29.6	21.2	5.9	125.6	97.4	125.6	97.4
1927	4.2	6.3	1.4	1.4	2.9	3.0	4.9	9.7	14.7	25.3	15.8	9.3	98.9	76.7	98.9	76.7
1928	9.6	5.6	1.8	3.3	3.4	3.2	3.2	10.6	25.8	24.7	20.2	10.3	121.7	94.4	121.7	94.4
1929	10.7	4.6	3.3	4.9*	4.4*	2.9*	3.4	7.8	19.0	26.6	40.5	24.0	152.1	118.0	152.1	118.0
1930	10.6	1.6	3.4	3.8	2.6	1.4	7.8	11.1	21.8	34.8	46.5	23.6	169.0	131.1	169.0	131.1
1931	15.3	2.8	1.9	2.4E	2.6*	1.8	5.9	20.5	20.4	20.6	18.0	8.6	120.8	93.7	120.8	93.7
1932	8.1	3.9	1.2*	1.8*	2.8*	1.6*	5.9	12.5	17.5	19.1	15.2	7.3	96.9	75.2	96.9	75.2
1933	9.5	7.3	2.1*	2.0E	1.1E	1.8*	3.9	1.2	25.4	15.9	15.1	5.3	90.6	70.3	90.6	70.3
1934	2.1	2.9	1.6	1.3*	1.2	1.8	3.1	12.2	12.6	13.3	13.0	9.3	74.4	57.7	74.4	57.7
1935	7.0	2.5	1.1*	1.0E	0.8E	3.3*	4.2	3.7	4.6	22.6	24.7	11.9	87.4	67.8	87.4	67.8
1936	8.5	4.5	0.7	0.4*	0.4*	0.5*	6.7	25.2	24.0	24.7	29.5	15.7	140.8	109.2	140.8	109.2
1937	6.9	1.6	1.0	1.6	2.1	0.9	6.6	13.2	5.0	12.9	17.0	9.3	78.1	60.6	78.1	60.6
1938	8.3	2.2	1.6	1.6	1.1	1.7	8.7	0.7	4.5	10.9	20.9	6.8	69.0	53.5	69.0	53.5
No. Items	39	39	39	39	39	39	39	39	39	39	40	40				
Mean	8.09	4.47	2.93	2.81	2.24	2.86	7.52	14.55	25.01	23.86	22.16	12.40	#128.90			
% Mean																
Annual	6.28	3.47	2.27	2.18	1.74	2.22	5.83	11.29	19.40	18.51	17.19	9.62	100.00			
Records Aug. 1899 to May, 1910; Oct. 1924 to Sept. 1938. Acre-Feet estimates June, 1910 to Sept. 1924.																

Records Aug. 1899 to May, 1910; Oct. 1924 to Sept. 1938. Acre-Foot estimates June, 1910 to Sept. 1924.

SP-7 - Discharge of South Platte River above North Fork at South Platte, Colorado

Drainage Area 2,160 Square Miles														Altitude 6,097 Feet	
Unit: 1,000 Acre-Feet															
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1905								P	38.0	6.9	10.8	10.2			
1906	5.7	P					17.9	26.7	13.3	14.8	12.2	18.4			
1907	19.6	15.4			P	9.0	11.5	20.0	39.7	48.1	29.0	15.2			
1908	9.2	6.6	3.3	1.8E	1.7E	5.0	6.8	5.9	7.6	10.6	16.5	8.6	83.6	50.5	
1909	5.4	P	1.4	1.5E	1.2E	2.4*	3.4	8.4	32.2	29.7	36.0	67.2			
1910	19.6	10.1	7.1	8.4	5.0	21.5	16.1	25.7	16.1	12.8	19.0	7.0	168.4	101.6	
1911	7.3	5.4	3.1	4.3	3.6	3.2	7.2	9.0	11.0	40.1	15.8	9.2	119.2	71.9	
1912	4.5	3.7	5.1	4.0E	2.3*	2.5*	3.2	6.3	38.7	46.7	33.8	17.1	167.9	101.3	
1913	9.4	10.1					15.3	12.0	32.8	31.9	23.4	15.2			
1914	12.2	7.5	6.2	6.7	4.3	7.8	32.1	70.8	72.6	84.0	70.7	77.7	452.6	273.2	
1915	24.0	13.7					21.4	35.3	30.2	27.0	17.3	18.4			
1916	17.0	7.0	5.0	4.2	4.2	5.9	6.6	14.1	24.6	26.7	28.4	6.8	150.5	90.8	
1917	3.9						5.3	21.7	37.4	40.5	34.3	14.9			
1918	5.1	2.4				3.3	15.0	25.5	38.6	27.7	15.5	13.3			
1919	8.2	6.7					27.6	36.3	43.6	35.5	35.4	18.5			
1920	3.1	2.6					8.2	15.3	24.8	35.0	35.8	19.9			
1921	9.4	0.8					11.3	26.0	113.8	72.4	58.2	30.8			
1922	16.9	6.8	4.4				12.2	31.2	31.1	19.4	23.7	12.6			
1923	6.9	4.0	5.7				4.6	4.8	4.9	37.9	43.5	25.0			
1924	23.8	15.2	9.4			5.6	26.8	32.2	39.7	31.9	22.1	11.0			

SP-7 - Discharge of South Platte River above North Fork at South Platte, Colorado (Continued)

Unit: 1,000 Acre-Feet										Drainage Area 2,160 Square Miles				Altitude 6,097 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN		
1925	9.0	5.8					9.1	16.6	17.9	15.5	20.1	16.1				
1926	11.4	2.6	1.8	2.2	2.6	3.7	6.9	32.9	46.8	32.5	25.2	8.0	176.6	106.6		
1927	5.8	7.9					8.9	13.4	18.3	27.1	17.3	10.4				
1928	10.2	4.9					5.7	21.0	31.3	21.0	17.9	8.3				
1929	9.4	4.3					4.6	8.6	18.4	24.8	45.9	26.2				
1930	12.2							15.4	22.6	35.7	46.4	18.1				
1931	13.3	4.4	4.0	3.1	3.8	4.0	7.3	22.1	22.9	23.4	20.9	9.4	138.6	83.7		
1932	9.0	4.3	1.5	1.8	3.5	2.6	8.8	15.5	19.0	21.5	16.6	7.5	111.6	67.4		
1933	9.8	8.1	3.0	1.9	1.1	2.9	7.8	28.5	31.6	21.1	17.6	9.1	142.5	86.0		
1934	4.9	4.6	3.4	2.0	2.2	2.9	6.4	13.6	13.6	13.9	15.0	5.0	92.4	55.8		
1935	7.6	3.6	1.5	1.7	1.5	2.8	4.8	11.1	7.5	21.3	23.1	11.8	98.3	59.3		
1936	9.8	6.1	1.4	1.3	1.3	1.7	7.2	27.2	23.7	24.9	33.6	15.7	153.9	92.9		
1937	8.6	3.2	1.9	1.7	3.2	3.0	10.0	16.0	7.1	13.4	16.6	9.5	94.2	56.9		
1938	9.0	3.1	1.7	2.1	1.9	3.5	14.4	19.9	15.0	12.9	25.2	16.5	125.2	75.6		
No. Items	33	30	19	16	16	18	32	33	34	34	34	34				
Mean	10.34	6.03	3.73	3.04	2.71	5.18	11.08	20.88	29.01	29.08	27.14	17.46	#165.68			
% Mean																
Annual	6.24	3.64	2.25	1.83	1.64	3.13	6.69	12.60	17.51	17.55	16.38	10.54	100.00			

Formerly called "South Fork of South Platte River at South Platte."

Starting April, 1913 discharge is computed. (Difference between South Platte at South Platte and North Fork of South Platte at South Platte.)

SP-8 - Discharge of South Platte River at South Platte, Colorado

Drainage Area 2,550 Square Miles														Altitude 6,078 Feet	
Unit: 1,000 Acre-Feet															
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL IN % MEAN	
1887										P	33.6	24.1			
1888	18.4*	14.9E	10.1E	8.0E	8.0E	10.1*	17.1	27.2	28.3	19.1	16.2	10.6	188.0	69.3	
1889	10.8*	7.1E	6.2E	4.9E	5.0E	6.8E	8.9*	29.4	27.3	19.9	12.9	7.7	146.9	54.2	
1890	7.3	5.4E	4.9E	4.9E	5.0E	8.0E	11.9E	24.0	23.9	32.0	34.6	11.4	173.3	63.9	
1891	10.6	5.4E	4.9E	4.9E	5.0E	9.2E	28.1*	67.6*	74.0	39.6	28.1	13.0	290.4	107.0	
1892									37.4	52.1	32.9	19.5			
1893	24.1														
1896	12.0E	10.1E	6.2E	6.0	6.6	12.7	28.1	30.9	16.6	14.4	11.6	14.8	170.0	62.7	
1897	13.3	10.1	6.0	5.0	4.4	6.2	22.0	61.5	62.5	40.0E	25.0E	11.9E	267.9	98.8	
1899															
1900	10.6	9.5	9.8	6.3	3.1	9.7	49.2	154.0*	79.9	71.4	36.1	13.9			
1901				9.8E	8.3E	12.3E	23.8E	41.5*	36.8	14.8	24.3	11.3			
1902	7.1						15.5	11.1	7.6	5.2	5.0	4.9			
1903	3.8	P				P	8.6	13.0	51.2	21.7	13.8	12.6			
1904	6.9	6.9	4.0*	3.4E	3.2E	3.2	11.7	28.9	32.2	25.9	38.9	21.8	187.0	68.9	
1905	18.5	2.9	P				28.0*	81.2	74.9	20.9	18.8	15.1			
1906	10.3	P		P			27.8	54.5	43.0	31.9	21.5	28.6			
1907	31.4	23.5			P	13.4	17.8	39.2	71.4	73.2	43.5	21.1			
1908	14.2	9.1	5.1	4.9E	5.2E	7.6	10.3	11.7	15.2	17.0	24.0	14.0	138.3	51.0	
1909	10.8	5.4	4.4	3.7E	2.8E	4.8*	9.9	27.6	63.7	56.4	55.5	113.0	358.0	132.0	
1910	40.8	17.7	11.7*	12.8*	9.6	26.9	24.7	37.0	27.6	19.2	24.9	10.2	263.1	97.0	
1911	10.2	7.8	4.8	6.4*	5.3*	5.1	11.2	22.2	29.2	53.1	22.9	14.4	192.6	71.0	
1912	8.8	5.6*	6.7*	5.8E	4.3E	4.6*	5.8	27.7	77.4	76.9	46.1	23.4	293.1	108.0	
1913	15.1	13.0		6.6E	4.6E	5.5E	23.6	35.2	56.1	46.8	33.4	25.3			
1914	19.9	12.6	10.5	11.0	7.9	13.0	56.5	136.0	126.0	114.0	104.0	38.2	649.6	239.5	

SP-8 - Discharge of South Platte River at South Platte, Colorado (Continued)

Unit: 1,000 Acre-Feet										Drainage Area 2,550 Square Miles				Altitude 6,078 Feet			
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL IN			
1915	31.6	18.5	10.5E	10.6E	7.1E	6.9*	32.1	59.4	70.2	43.5	28.2	25.3	343.9	126.8			
1916	24.3	12.3	9.6	7.3E	7.1E	9.0	13.1	31.1	43.7	38.1	41.1	13.7	250.4	92.3			
1917	9.4	7.9*	8.5*	8.8*	6.3*	6.2E	11.2	42.8	86.3	65.8	45.4	20.1	318.7	117.5			
1918	9.1	5.2	7.3E	7.1E	6.8E	6.0	23.1	48.7	79.7	56.4	27.2	21.2	297.8	109.8			
1919	14.1	11.5	8.6E	9.0E	7.2E	6.1E	37.8	71.9	63.7	54.4	50.5	27.8	362.6	133.7			
1920	9.8	7.0	9.3E	8.2E	6.2E	6.4	13.4	51.6	62.5	56.5	51.2	29.8	311.9	115.0			
1921	16.8	6.4	6.9*	7.3E	6.6E	9.0	24.7	68.2	181.0	107.0	83.0	44.4	561.3	206.9			
1922	25.5	12.0	7.7*	9.4*	10.3E	11.1*	18.8	49.9	55.4	32.7	36.2	20.4	289.4	106.7			
1923	11.7	7.8	8.6	8.2E	7.2E	7.6*	11.4	26.6	50.2	67.0	73.2	41.4	320.9	118.3			
1924	36.2	24.2	15.7	11.2E	8.9E	8.2E	37.1	60.6	91.6	50.0	29.3	15.5	388.5	143.2			
1925	14.0	9.4	9.5*	10.3E	8.2E	6.5*	13.0	23.6	26.0	22.0	26.9	23.6	193.0	71.1			
1926	18.8	8.3	4.7*	4.1E	4.2E	6.8	23.9	72.6	90.4	53.8	39.4	14.3	341.3	125.8			
1927	10.3	11.7	5.8*	5.8E	6.6E	9.0E	15.4	31.7	37.7	40.3	27.5	18.3	220.1	81.1			
1928	17.0	10.1	4.2E	6.5E	6.1E	8.3*	10.0	48.1	56.5	37.8	27.7	12.7	245.0	90.3			
1929	12.3	6.7	4.8E	5.8E	5.6E	6.6E	8.4	18.9	30.1	34.9	70.1	40.6	244.8	90.2			
1930	20.7	9.8*	8.4E	7.1E	7.7E	6.6E	18.0	28.8	44.0	49.3	70.7	30.2	301.3	111.1			
1931	19.9	8.3	7.4E	5.8E	6.1E	7.1E	14.0*	44.1	44.4	35.8	27.7	13.0	233.6	86.1			
1932	12.2	6.9	4.5*	3.8*	6.1*	5.3*	12.6	28.7	37.8	36.7	24.3	11.7	190.6	70.3			
1933	13.8	10.6	4.1	3.1	2.0	5.1	12.6	71.9	70.8	35.2	27.1	17.0	273.3	100.7			
1934	10.0	8.8	6.3*	4.5*	4.4*	6.3*	13.1	28.5	22.8	19.9	19.9	13.3	157.8	58.2			
1935	10.4	6.0	4.0E	3.7E	3.3E	4.9*	7.8	21.4	33.4	38.4	35.9	17.6	186.8	68.9			
1936	13.7	8.4	3.4	3.0	3.2	4.3	14.7	53.8	55.5	44.2	62.3	26.2	292.7	107.9			
1937	16.3	8.4	5.1	3.3	4.9	6.0	15.4	29.0	25.2	28.3	23.9	14.1	179.9	66.3			
1938	13.2	6.0*	4.2*	4.4*	3.9*	6.0	25.7	55.4	55.3	32.7	36.9	42.9	286.6	105.6			
No. Items	45	41	38	40	40	41	46	46	46	46	47	47					
Mean	15.47	9.74	6.96	6.57	5.86	7.91	19.45	45.11	53.83	42.31	36.03	22.04	271.28				
% Mean																	
Annual	5.70	3.59	2.57	2.42	2.16	2.92	7.17	16.63	19.84	15.60	13.28	8.12	100.00				

SP-8A - Discharge of South Platte River at Deansbury, Colorado

Drainage Area 2,600 Square Miles										Altitude 5,875 Feet				
Unit: 1,000 Acre-Feet	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL. IN % MEAN
1887										P	33.6	24.1		
1888	18.4*	14.9E	10.1E	8.0E	8.0E	10.1*	17.1*	27.2*	28.3*	19.1	16.2	10.6	188.0	89.7
1889	10.8*	7.1E	6.2E	4.9E	5.0E	6.8E	8.9*	29.4	27.3	19.9	12.9	7.7	146.9	70.1
1890	7.3	5.4E	4.9E	4.9E	5.0E	8.0E	11.9E	24.0	23.9	32.0	34.6	11.4	173.3	82.7
1891	10.6	5.4E	4.9E	4.9E	5.0E	9.2E	28.1*	67.6*	74.0	39.6	28.1*	13.0	290.4	138.5
1896	12.0E	10.1*	6.2E	6.0	6.6	12.7	28.1	30.9	16.6	14.4	11.6	14.8	170.0	81.1
1897	13.3	10.1	6.0*	5.0	4.4	6.2	22.0	61.5	62.5	40.0E	25.0E	11.9E	267.9	127.8
No. Items	6	6	6	6	6	6	6	6	6	6	7	7		
Mean	12.07	8.83	6.38	5.62	5.67	8.83	19.35	40.10	38.77	27.50	23.14	13.36	#209.62	
% Mean														
Annual	5.76	4.21	3.04	2.68	2.71	4.21	9.23	19.13	18.50	13.12	11.04	6.37	100.00	

SP-8B - Discharge of South Platte River below Intake, Colorado

Drainage Area 2,617A Square Miles													Altitude 5,750A Feet	
Unit: 1,000 Acre-Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN
1926	14.6	5.0	3.2*	2.9E	2.2	4.9	24.2	76.9	91.0	50.8	32.0	11.2	318.9	100.0
No. Items	1	1	1	1	1	1	1	1	1	1	1	1		
Mean	14.60	5.00	3.20	2.90	2.20	4.90	24.20	76.90	91.00	50.80	32.00	11.20	#318.90	
% Mean														
Annual	4.58	1.57	1.00	0.91	0.69	1.54	7.59	24.11	28.54	15.93	10.03	3.51	100.00	
2 miles above Waterton, 1 mile above Highline Ditch.														

2 miles above Waterton, 1 mile above Highline Ditch.

SP-8C - Discharge of South Platte River at Platte Canon, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 2,620 Square Miles										Altitude 5,700A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL.IN
1892									37.4	52.1	32.9	19.5		
1893	24.1													
1899		9.5	9.8	6.3	3.1	9.7	27.0	46.5	79.9	71.4	36.1	13.9		
1900	10.6						49.2	154.0*	P					
No.Items	2	1	1	1	1	1	2	2	2	2	2	2		
Mean	17.35	9.50	9.80	6.30	3.10	9.70	38.10	100.25	58.65	61.75	34.50	16.70	#365.70	
%M.A.	4.74	2.60	2.68	1.72	0.85	2.65	10.42	27.41	16.04	16.89	9.43	4.57	100.00	

SP-9 - Discharge of South Platte River at Waterton, Colorado

Drainage Area 2,621 Square Miles														Altitude 5,484 Feet	
Unit: 1,000 Acre-Feet														ANAL. IN	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1926								55.1	63.7	27.2	15.0	5.2			
1927	0.8	1.4	1.7	1.8	2.0	4.0	4.0	11.3	12.4	19.9	11.0	9.7	80.0	68.6	
1928	1.8	1.2	1.3	1.2	1.0	0.3	1.8	21.5	29.8	17.0	12.9	4.9	94.7	81.2	
1929	2.0	1.6	1.0	0.2	0.3	0.5	0.6	6.7	16.5	22.7	48.4	15.9	116.4	99.8	
1930	3.8	7.7	3.0*	1.0*	1.5	1.3	4.6	14.3	27.0	29.8	41.4	11.8	147.2	126.2	
1931	4.6	3.1	2.7	1.0	1.1	2.1	5.2	19.6	26.7	17.1	11.6	1.4	96.2	82.5	
1932	1.9	1.2	1.0	0.6	0.3	0.3	5.0	18.0	20.9	19.5	12.4	2.6	83.7	71.7	
1933	2.6	1.9	0.8	0.0T	0.1	0.8	8.0	45.1	44.7	23.1	16.1	6.4	149.6	128.2	
1934	4.1	3.6	2.7	0.8	1.3	1.8	4.3	15.8	10.4	7.6	9.4	3.0	64.8	55.5	
1935	1.4	1.5	1.5	0.2	0.3	2.6	3.9	9.8	14.1	25.8	23.8	7.6	92.5	79.3	
1936	3.2	4.6	1.2	0.3	0.1	0.9	6.9	28.7	32.8	29.7	47.8	18.2	174.4	149.5	
1937	16.7	4.7	1.8	0.3	0.2	0.3	5.8	19.5	7.2	15.8	10.5	4.8	87.6	75.1	
1938	3.0	1.0	1.4	0.4	0.0T	0.5	11.6	36.8	23.5	18.8	25.2	25.3	147.5	126.4	
No. Items	12	12	12	12	12	12	12	13	13	13	13	13			
Mean	3.82	2.79	1.68	0.65	0.68	1.28	5.14	23.25	25.36	21.08	21.96	8.98	#116.67		
%M.A.	3.27	2.39	1.44	0.56	0.58	1.10	4.40	19.93	21.74	18.07	18.82	7.70	100.00		

SP-10 - Discharge of South Platte River at Denver, Colorado

Unit: 1,000 Acre-Feet			Drainage Area 3,840 Square Miles										Altitude 5,162 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1889								21.3	11.3	16.9	8.5	4.7			
1890	4.5								P	20.5	19.4	6.4			
1891	12.3														
1895										P	45.7	25.3			
1896	42.9	27.1	12.5	11.2	11.4	13.8	17.9	17.9	11.9	10.1	7.1	8.6	192.4	73.1	
1897	6.8	6.0*	6.3E	5.8	4.6	11.0	28.0	45.2	61.3	24.1	42.2	16.1	257.4	97.7	
1898	16.4	24.2	13.3	10.1	8.6	7.5	22.4	88.5	92.2	41.3	20.2	11.1	355.8	135.1	
1899	9.0	7.8	6.0	3.4	10.9	25.2	27.7	26.6	48.9	38.6	32.4	17.0	253.5	96.3	
1900	6.7	12.0	9.0	12.5	10.7	11.3	97.3	257.4	167.6	22.8	9.1	7.3*	623.7	236.9	
1901	6.4	10.7	10.9	13.0	12.1	14.8	30.7	34.0	42.5	15.3	22.4	12.9	225.7	85.7	
1902	5.7	4.3	14.4				P	P	P	P		P			
1903	4.2*	2.1*	3.7*	4.8	4.3	5.8	3.4	4.2	37.9	20.2	6.6	6.7	103.9	39.5	
1904	6.6	6.6	4.8	4.4	4.1	3.9	5.2	22.0	28.7	21.6	25.1	13.9	146.9	55.8	
1905	9.4	7.3	6.0	5.8	6.6	10.6	49.8	110.9	53.2	17.3	14.8	9.8	301.5	114.5	
1906	6.8	6.0	4.4	4.4	4.4	6.1	12.3	39.6	20.3	19.9	18.6	19.0	161.8	61.4	
1907	28.8	35.5		7.6	6.2	9.9	12.6	27.7	45.2	51.2	33.9	21.1			
1908	6.6	7.0	9.8	6.6	4.4	5.7	4.6	6.5	6.0	8.7	P				
1909								P	P	P	47.7	106.3			
1910	34.7	19.3	11.9	16.5	10.6	30.8	22.2	30.3	18.1	11.5	23.0	7.1	236.0	89.6	
1911	6.8	5.4	5.5	7.6	5.3	5.0	7.3	12.7	20.4	36.6	16.6	7.8	137.0	52.0	
1912	6.4	5.3	6.0	4.3	3.6	5.4	4.7	23.3	52.6	59.7	46.5	16.3	233.5	88.7	
1913	13.6	15.2						28.1	41.1	25.0	16.8	14.0*			
1914	15.4*	13.4*	15.0*	21.0	19.9	31.4	114.0	177.0	117.0	92.2	142.0	25.8	784.1	297.8	
1915	22.8	19.6	15.5	11.6*	10.5	15.2	88.1	71.9	72.0	21.7	26.3	22.8	398.0	151.1	
1916	24.6	15.2	14.1	11.3	10.2	11.2	8.6	26.4	30.3	24.4	27.4	13.6	217.3	82.5	
1917	12.6	9.6	9.1	8.5	6.6	8.1	10.5	65.8	105.0	37.1	28.9	14.8	316.6	120.2	
1918	10.0	7.3	8.5	6.5	6.7	6.9	19.0	32.5	59.5	50.3	21.9	19.0	248.1	94.2	
1919	15.4	13.7	11.6	10.1	7.4	9.9	35.5	73.8	52.1	42.0	51.7	23.4	346.6	131.6	

SP-10 - Discharge of South Platte River at Denver, Colorado (Continued)

Unit: 1,000 Acre-Feet															Drainage Area 3,840 Square Miles															Altitude 5,162 Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNUAL	% MEAN	ANNUAL	% MEAN																										
1920	9.2	8.6	9.6	9.0	6.7	6.0	13.9	82.4	31.1	45.5	37.3	18.7	278.0	105.6	278.0	105.6	278.0	105.6																										
1921	10.0	8.9	9.0	6.2	6.4	8.3	42.7	78.1	229.0	68.9	69.5	24.2	561.2	213.1	561.2	213.1	561.2	213.1																										
1922	12.1	13.1	12.1	10.4	9.2	9.8	21.5	31.6	33.1	23.1	27.7	12.6	216.3	82.1	216.3	82.1	216.3	82.1																										
1923	10.1	8.8	11.6	8.8	8.4	8.8	8.6	19.7	47.6	65.2	98.4	37.8	333.8	126.8	333.8	126.8	333.8	126.8																										
1924	51.4	40.0	23.3	19.9	23.8	18.0	50.5	81.2	91.0	32.7	15.1	11.1	458.0	173.9	458.0	173.9	458.0	173.9																										
1925	11.9	8.9	10.5	11.4	8.3	4.9	3.9	10.3	12.3	13.6	13.8	15.6	131.4	49.9	131.4	49.9	131.4	49.9																										
1926	9.3	9.8	7.5	5.8	6.6	11.2	58.8	90.4	72.6	48.1	23.3	12.4	355.8	125.1	355.8	125.1	355.8	125.1																										
1927	6.2	9.8	6.9	7.1	6.6	9.2	10.9	21.7	23.5	29.0	24.0	14.7	169.6	54.4	169.6	54.4	169.6	54.4																										
1928	7.6	7.3	7.4	6.3	5.6	7.4	7.7	48.4	43.6	23.3	17.5	8.9	191.0	62.5	191.0	62.5	191.0	62.5																										
1929	10.1	9.2	6.8	5.2	4.1	12.8	6.7	14.4	19.2	26.0	55.2	28.7	198.4	65.3	198.4	65.3	198.4	65.3																										
1930	10.3	13.9	9.7	5.6	10.7	6.5	13.3	17.1	28.0	34.0	66.4	21.1	236.6	79.8	236.6	79.8	236.6	79.8																										
1931	13.9	9.6	6.8	5.5	5.8	8.1	12.6	41.9	33.3	22.8	20.2	5.8	186.3	60.7	186.3	60.7	186.3	60.7																										
1932	7.1	6.7	5.5	4.2	4.6	4.4	6.8	18.0	25.8	23.2	15.6	5.9	127.8	38.5	127.8	38.5	127.8	38.5																										
1933	7.4	4.9	3.4	2.6	2.2	3.3	17.2	100.0	53.4	33.0	35.6	45.2	308.2	107.0	308.2	107.0	308.2	107.0																										
1934	7.0	8.2	7.7	5.6	6.7	10.1	9.5	19.4	12.2	7.0	10.1	5.0	108.5	31.2	108.5	31.2	108.5	31.2																										
1935	3.8	4.8	3.7	2.0	2.1	3.6	4.7	43.8	28.8	23.2	27.2	10.7	158.4	50.2	158.4	50.2	158.4	50.2																										
1936	7.5	7.8	3.8	2.9	2.8*	4.1*	8.8	35.6	37.2	30.7	58.2	20.0	219.4	73.3	219.4	73.3	219.4	73.3																										
1937	21.8	9.8	6.0	2.9	3.9	4.3	11.7	19.6	29.2	17.3	10.9	8.0	145.4	45.2	145.4	45.2	145.4	45.2																										
1938	8.1	5.9	5.4	3.7	2.9	4.4	26.2	91.1	40.2	25.1	33.2	57.3	303.5	105.3	303.5	105.3	303.5	105.3																										
No. Items	44	42	40	40	40	40	40	42	42	43	44	44																																
Mean	12.73	11.35	8.88	7.80	7.41	9.87	23.94	50.20	49.66	30.71	32.27	18.51	#263.33																															
% Mean																																												
Annual	4.84	4.31	3.37	2.96	2.81	3.75	9.09	19.06	18.86	11.66	12.26	7.03	100.00																															

SP-11 - Discharge of South Platte River at Henderson, Colorado

Unit: 1,000 Acre-Feet														Drainage Area 4,740 Square Miles														Altitude 5,000 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL	% MEAN														
1926								103.0	92.8	51.1	19.6	8.5																	
1927	7.1	10.9	5.8	4.4	3.6	7.0	8.6	16.9	28.9	23.2	23.7	9.6	149.7		73.9														
1928	5.5	4.5	5.7	12.9	9.4	5.2	6.4	47.7	55.5	19.7	12.5	6.2	191.2		94.4														
1929	6.7	4.7	3.7	2.6	2.3E	8.9*	11.1	13.1	25.8	21.5	36.6	20.1	157.1		77.6														
1930	5.6	7.6	9.3	12.4	12.2*	3.4	8.8	17.0	32.7	28.3	55.7	14.6	207.6		102.5														
1931	7.2	5.4	4.5	3.6*	3.4	3.6	4.2	34.8	31.3	16.9	12.5	5.5	132.9		65.6														
1932	5.2	6.0	5.3	9.6	12.7	7.1	5.0	16.6	29.5	25.1	11.9	6.0	140.0		69.1														
1933	5.2	2.2	3.4*	4.7*	6.1*	5.6	13.6	85.5	67.8	30.6	15.6	28.6	268.9		132.8														
1934	3.6	1.7	10.0	12.5	10.7	5.2	6.4	32.3	11.0	7.3	9.2	5.4	115.3		56.9														
1935	2.6	2.7	3.4	3.2	3.8	2.0	4.1	36.6	45.4	31.3	27.7	12.8	175.6		86.7														
1936	6.0	4.8	7.7	8.8	4.3*	7.9*	8.2	40.0	46.6	33.1	63.7	21.0	252.1		124.5														
1937	15.2	6.4	5.2	7.8	9.3	7.2	11.2	25.7	36.6	26.2	9.7	8.9	169.4		83.6														
1938	5.1	5.5	4.1	4.9	9.3	5.9	22.5	101.8	72.4	34.1	33.0	53.1	351.7		173.6														
No. Items	12	12	12	12	12	12	12	13	13	13	13	13																	
Mean	6.25	5.20	5.68	7.28	7.26	5.75	9.18	43.92	44.33	26.80	25.49	15.41	#202.55																
% Mean																													
Annual	3.09	2.57	2.80	3.59	3.58	2.84	4.53	21.68	21.89	13.23	12.59	7.61	100.00																

SP-12 - Discharge of South Platte River near Ft. Lupton, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 5,070 Square Miles				Altitude 4,900 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL. IN % MEAN	
1906								P	24.4	18.1	11.2	P			
1929							P	13.0	20.5	21.7	33.6	19.5			
1930	8.3	13.7	13.5	15.9*	16.7*	7.4	8.3	17.0	27.2	23.2	52.9	14.6	218.7	109.0	
1931	11.8	9.5	7.8	6.3	5.8	6.6	5.8	34.3	26.9	12.7	10.9	3.6	142.0	70.8	
1932	7.9	10.3	10.9	13.1	17.9	11.6	8.4	17.6	24.8	19.2	9.5	3.5	154.7	77.1	
1933	6.7	5.5	4.8*	7.3*	7.9*	7.5	16.5	79.9	57.0	27.7	17.0	29.9	267.7	133.4	
1934	5.2	4.8	13.7	16.4	13.6	7.3	7.7	24.0	9.8	3.4	3.8	3.4	113.1	56.4	
1935	2.1	2.7	5.5	5.4*	6.4*	4.8*	5.2	35.6*	35.3*	27.4	25.0	14.5	169.9	84.7	
1936	8.6	7.9	11.5	11.7	5.5*	6.3	11.0	44.7	46.4	25.5	57.2	17.9	254.2	126.7	
1937	17.4	10.2	11.2*	13.8*	13.5*	9.9	12.2	18.4	38.8	22.6	7.2	7.7	182.9	91.2	
1938	5.6	8.3	6.9	7.9	11.1	6.7	21.7	97.1	71.4	28.8	29.7	58.8	354.0	176.5	
No. Items	9	9	9	9	9	9	9	10	11	11	11	10			
Mean	8.18	8.10	9.53	10.87	10.93	7.57	10.76	38.16	34.77	20.94	23.45	17.34	#200.60		
% Mean															
Annual	4.08	4.04	4.75	5.42	5.45	3.77	5.36	19.02	17.33	10.44	11.69	8.65	100.00		

SP-12A - Discharge of South Platte River at Platteville, Colorado

Unit: 1,000 Acre-Feet			Drainage Area 6,000A Square Miles										Altitude 4,790A Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL. IN % MEAN
1904										3.2	2.1	P		
1905	5.7							P	P					
No. Items	1									1	1			
Mean	5.70									3.20	2.10		#11.00x	

SP-13 - Discharge of South Platte River near Kersey, Colorado

Drainage Area 9,500 Square Miles												Altitude 4,612 Feet		
Unit: 1,000 Acre-Feet												ANNUAL % MEAN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1901								85.7	108.3	19.3	18.2	23.5		
1902	28.0	31.3	36.9*	36.9*	40.0*	29.9	7.3	5.9	9.4	7.6	5.2	21.6	260.0	47.2
1903	15.3	19.9	32.7	32.2	32.2	56.4	30.8	13.7	76.0	11.8	8.4	7.9	337.3	61.3
1904	13.1	23.6	27.2											
1905						14.0	139.7	387.4	243.0	9.5	10.5	9.5		
1906	23.6	31.7	20.8	30.9	25.9	36.0	47.7	74.0	21.4	22.0	8.7	28.3	371.0	67.4
1907	60.7	85.8			P	34.9	32.7*	110.0	133.5	109.0	48.6	22.4		
1908	46.7	45.7	43.5			20.8*	7.6*	10.1*	7.6	7.9	10.8	7.6		
1909	24.5	25.8					P	55.0	299.0	140.0	17.2	127.0		
1910	73.8	57.7	61.5*	62.7*	47.7	59.3	24.9	14.6	5.8	6.2	6.5	6.8	427.5	77.7
1911	21.9	25.1	20.6	28.0	20.6	18.5	7.3	5.1	8.8	12.0	7.6	6.1	181.6	33.0
1912	17.9	25.7	22.3	23.1	20.1	25.6	20.0	37.7	88.7	156.0	60.1	33.3	530.5	96.4
1913	37.6	47.5	52.4E											
1914				83.0	103.0	88.5	181.0	492.0	326.0	48.9	106.0	33.4		
1915	51.4	50.7	47.7E	38.0	39.1	41.3	118.0	213.0	161.0	25.1	27.4	23.5	836.2	151.9
1916	76.2	57.9	48.5	40.0*	51.8*	39.8	30.8	27.7	13.9	7.5	19.7	12.7*	426.5	77.5
1917	59.3*	47.1	45.3	38.1	33.3	39.2	32.1	242.0	371.0	80.6	11.1	15.8	1,014.9	184.4
1918	39.0	37.0	40.3	35.1	34.4	29.8	31.7	18.3	138.0	104.0	16.9	37.4	561.9	102.1
1919	48.9	47.5	53.2	56.4	44.2	33.1	35.4	26.2	6.8	8.4	24.8	14.8	399.7	72.6
1920	29.1	40.4		32.0	31.0	23.6	49.8	150.0	61.3	19.9	30.0	19.2		
1921	39.0	47.1	41.4	31.5	29.6	21.5	64.9	103.0	714.0	52.3	47.4	19.9	1,211.6	220.1
1922	31.4	37.4	50.5	37.1	30.7	36.7	31.7	9.3	6.3	7.0	7.9	6.8	292.8	53.2
1923	9.0	20.1	27.4	29.5	34.3	39.4	25.6	27.1	357.0	89.2	76.9	37.2	772.7	140.4
1924	93.5	136.0	73.8	75.6	70.8	75.6	193.0	186.0	399.0	14.6	10.6	21.8	1,350.3	245.3

SP-13 - Discharge of South Platte River near Kersey, Colorado (Continued)

Drainage Area 9,500 Square Miles										Altitude 4,612 Feet				
Unit: 1,000 Acre-Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL IN % MEAN
1925	30.6	29.0	31.6	31.2*	33.0*	25.8	10.7	4.5	12.4	9.6	17.4	9.6	245.4	44.6
1926	35.5	42.6	38.1	31.6	32.4	27.7	152.0	181.0	199.0	67.0	12.1	12.5	831.5	151.1
1927	34.5	40.9	34.6	36.1	26.8	30.5	47.4	28.0	27.4	25.7	41.6	16.2	389.7	70.8
1928	41.7	30.0	35.1	37.5	31.5	32.4	19.3	136.0	134.0	56.8	16.8	13.6	584.7	106.2
1929	32.5	43.1	40.2	34.2	25.1	44.6	41.3	20.0	13.5	10.5	33.4	50.3	388.7	70.6
1930	29.5	50.6	45.4	34.2*	47.2	33.6	26.5	11.6	7.6	6.9	94.1	25.3	412.5	74.9
1931	45.4	34.4	33.1	28.5	21.2	28.1	23.0	31.7	24.4	7.2	8.2	8.2	293.4	53.3
1932	12.7	24.8	33.4	29.9	30.8	25.8	12.9	5.2	10.4	12.2	9.9	7.3	215.3	39.1
1933	12.0	22.5	22.5	24.3	26.9	17.3	14.0	137.0	47.7	14.4	14.0	39.8	392.4	71.3
1934	22.6	29.2	38.6	35.8	29.4	22.1	15.6	9.5	8.6	6.4	5.3	4.8	227.9	41.4
1935	5.0	5.2	15.4	12.8	10.1	10.5	4.9	53.3	77.5	8.4	8.7	26.8	238.6	43.3
1936	24.0	30.4	31.3	28.4	25.4*	22.6	17.6	14.7	38.8	8.2	32.2	12.6	286.2	52.0
1937	37.6	35.6	37.3	29.2*	32.4*	29.9	24.8	6.2	36.2	11.2	7.0	8.8	296.2	53.8
1938	9.4	20.4	28.7	27.3	28.8	23.0	33.7	107.0	69.5	19.3	11.7	164.8	543.6	98.8
No. Items	35	35	32	31	31	34	34	36	36	36	36	36		
Mean	34.65	39.42	37.85	36.49	35.15	33.46	45.76	84.43	118.41	33.96	24.80	26.03	#550.21	
% Mean.														
Annual	6.29	7.16	6.88	6.63	6.39	6.08	8.31	15.34	21.51	6.17	4.51	4.73	100.00	

SP-14 - Discharge of South Platte River at Sublette, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 12,900 Square Miles				Altitude 4,490A Feet			
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN			
1926																	
1927	13.5	5.7	8.6	12.7	19.3	14.8	43.2	133.0	187.0	75.0	20.5	23.2	214.8	98.0			
1928	9.3	4.4	12.7	9.8	28.6	8.4	14.8	64.6	108.0	48.3	24.1	14.3	350.0	159.8			
1929	16.0	4.8	12.9	31.2	29.7	13.8	39.4	25.3	23.0	13.1	25.7	35.6	270.5	123.5			
1930	6.8*	8.9*	6.3	19.1	46.9	14.3	7.3	11.8	12.8	12.5	57.3	20.4	224.4	102.4			
1931	7.9	4.0	4.8	4.0	5.7	21.2	12.4	21.5	22.9	10.2	10.1	9.6	134.3	61.3			
1932	8.2	9.3*	4.8*	4.4	3.6	4.7	12.3	8.9	13.0	10.4	11.6	9.4	100.6	45.9			
1933	11.2	4.3	4.4	3.9	4.0	9.4	9.5	35.2	44.4	16.8	11.4	23.0	177.5	81.0			
1934	8.1	4.6	3.1	3.1	7.8	9.2	11.5	13.8	11.1	7.3	6.3	9.3	95.2	43.5			
1935	9.5	10.0	4.5	3.3	3.3	5.3	4.7	17.4	38.9	10.6	8.9	11.6	128.0	58.4			
1936	7.7	5.3	3.8	3.1	8.3	13.1	13.9	11.8	26.1	10.1	16.4	12.6	132.2	60.3			
1937	16.2	4.3	3.5	3.7	3.9	21.7	20.2	11.0	27.8	18.5	8.7	9.1	148.6	67.8			
1938	6.3	10.2	3.4	3.1	2.6	8.9	18.2	40.7	46.5	22.5	14.6	94.7	271.7	124.0			
No. Items	12	12	12	12	12	12	13	13	13	13	13	13					
Mean	10.06	6.32	6.07	8.45	13.64	12.07	24.03	31.85	44.25	21.62	18.44	22.29	#219.09				
% Mean																	
Annual	4.59	2.88	2.77	3.86	6.22	5.51	10.97	14.54	20.20	9.87	8.42	10.17	100.00				

SP-14A - Discharge of South Platte River near Orchard, Colorado

Unit: 1,000 Acre-Feet				Drainage Area 12,260 Square Miles							Altitude 4,393 Feet			
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL. IN. % MEAN
1896		P	46.7	47.7	P	35.7								
1897				38.4	29.3*	14.1	31.5	55.2	158.1	21.4	49.6	5.5		
1898	18.7	66.1	75.8	65.6	45.0	35.3	22.6	119.7	46.2	10.6	2.5	4.1	512.2	61.5
1899	13.2	48.3	163.0	177.1	184.4	146.2	78.8	28.6	71.3	98.0	46.8	2.7	1,058.4	127.0
1900	26.4	47.5	94.9	100.5	70.4	42.0	248.7	529.8	276.0	10.5	7.0	8.5	1,462.2	175.5
1901	26.5	36.4	37.8											
1903														
1904			P	P							3.2	4.8		
1905					53.9	17.6	132.9	364.9	246.1			P		
1906	22.3	20.9	8.4	13.1	P		25.5	63.8	15.2	17.5	3.6	28.9		
1907	80.4	101.8	P											
No. Items	6	6	6	6	5	6	6	6	6	5	6	6		
Mean	31.25	53.50	71.10	73.73	76.60	48.48	90.00	193.67	135.48	31.60	18.78	9.08	#833.25	
% Mean														
Annual	3.75	6.42	8.53	8.85	9.19	5.82	10.80	23.24	16.26	3.79	2.26	1.09	100.00	

SP-15 - Discharge of South Platte River at Balzac, Colorado

Drainage Area 17,700 Square Miles														Altitude 4,090 Feet	
Unit: 1,000 Acre-Feet															
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL IN % MEAN	
1917				P	P	P	6.8	135.0*	225.0*	17.2	9.8	18.5			
1918	22.4	10.7	11.7	17.9	20.6	9.7	3.2	7.9	47.2	29.4	14.6	4.9	200.2	76.0	
1919	4.9	6.8	P	29.4	46.3	4.6	10.1	6.6	8.4	11.3	16.0	14.8			
1920	16.9	22.2	16.0	3.6	1.4	1.2	11.1	64.6	16.2	14.6	15.4	15.2	198.4	75.3	
1921	18.8	10.2	5.4	5.0	2.2	1.8	17.6	29.2	726.0	57.2	28.8	17.7	919.9	349.0	
1922	20.7	7.3	21.7	20.4	23.0	25.3	3.7	5.8	11.0	9.7	14.4	11.4	174.4	66.2	
1923	7.6	4.6	1.4	1.4	1.2	2.3	1.8	2.7	290.0	28.5	17.3	35.0	393.8	149.4	
1924	65.8	120.0	62.1	63.9E	67.3E	83.0	117.0	92.2	311.0	11.9	6.3	15.9	1,016.4	385.6	
1925	2.1	1.3	1.8	10.3*	13.7*	2.4	5.9	8.2	7.4	8.6	9.6	7.5	78.8	29.9	
1926	4.9	0.9	1.6	1.5	7.9	1.7	46.7	75.6	135.0*	45.6	6.6	8.2	336.2	127.6	
1927	7.0	1.3	1.6	8.0	8.0	18.8	53.9	9.6	7.6	15.9	15.2	11.4	158.3	60.1	
1928	5.0	0.8	2.3	6.6	20.6	10.1	8.1	22.4	83.3	56.0	13.2	9.0	237.4	90.1	
1929	8.7	1.6	6.0	29.2	36.9*	21.5*	36.4	34.4	8.9	8.8	12.0	27.8	232.2	88.1	
1930	4.6	14.6*	15.2	13.9*	66.1*	11.6	3.1	4.3	8.6	8.2	31.9	7.3	189.4	71.9	
1931	2.2	7.9	7.1	5.3*	11.6	16.5*	11.7	9.8	12.4	7.8	12.2	11.2	115.7	43.9	
1932	12.2	2.6	4.1*	8.6*	5.8*	1.7*	7.2	11.4	11.5	12.2	15.0	10.6	102.9	39.0	
1933	5.4	1.3	1.0	1.0	1.1	3.8	8.3	5.4	19.4	12.0	30.8	18.9*	108.4	41.1	
1934	2.3	1.2	0.6	0.8	2.8	1.8	4.6	7.6	9.0	7.9	10.0	10.4	59.0	22.4	
1935	5.1	4.8	1.5	0.8	1.0	1.5	8.1	45.0*	215.0*	6.3	7.6	10.8	307.5	116.7	
1936	5.2	0.7	0.6	0.7	0.9*	0.8	6.4	9.5	9.8	11.6	17.1	11.4	74.7	28.3	
1937	7.1	0.5	0.6	0.7	0.7	0.8	7.8	11.0	9.8	10.2	8.4	11.4	69.0	26.2	
1938	7.5	3.8	1.3	0.8	0.6	4.5	11.9	4.6	19.6	13.7	20.7	89.4	178.4	67.7	
No. Items	21	21	20	21	21	21	22	22	22	22	22	22			
Mean	11.26	10.72	8.18	10.94	16.18	10.73	17.79	27.40	99.64	18.39	15.13	17.21	#263.57		
%Mean															
Annual	4.27	4.07	3.10	4.15	6.14	4.07	6.75	10.40	37.80	6.98	5.74	6.53	100.00		

SP-15A - Discharge of South Platte River at Ovid, Colorado

Unit: 1,000 Acre-Feet											
Drainage Area 20,500A Square Miles											
Altitude 3,480A Feet											
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.
1922				30.9*	39.5*	42.3*	13.9	13.1	1.6	1.2	0.7
1923	1.1	6.9	9.7	19.5*	17.3	15.9	12.7	19.2	367.0	27.4	21.6
1924	71.9	139.0	99.0	83.0*	96.1	88.5	123.0	91.0	306.0	2.8	1.2
No. Items	2	2	2	3	3	3	3	3	3	3	3
Mean	36.50	72.95	54.35	44.47	50.97	48.90	49.87	41.10	24.87	10.47	7.83
% Mean											
Annual	5.60	11.18	8.33	6.82	7.81	7.50	7.65	6.30	34.47	1.61	1.20
100.00											
ANNUAL % MEAN											

SP-16 - Discharge of South Platte River at Julesburg, Colorado

Unit: 1,000 Acre-Feet											
Drainage Area 20,600 Square Miles											
Altitude 3,469 Feet											
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.
1902							1.8	1.7	1.3	1.1	0.1
1903	8.2	2.3	36.9*				17.6	2.0	0.8	0.1	2.2
1904	0.3	2.7	20.9*	17.2E	15.0E	4.3	1.1	7.6	102.0	16.6	6.3
1905	7.9	9.0	17.2E	18.4E	18.4E	31.6	94.6	374.0	334.0	15.2	45.7
1906	5.5	22.0	27.7E	36.9E	50.0*	111.0*	38.4	19.8	3.6	3.2	2.7
1907	42.7	95.2*									
1908											
1909	4.0E	8.4	11.1E	14.8E	16.7*	40.0*	64.3	4.0*	2.3	2.8	3.2
1910	65.8	65.5*	49.2*	52.3E	55.5*	56.0	16.4	2.8	0.6	0.4	1.0
1911	1.3	1.0	11.9	42.4	19.1	8.6	1.6	1.6	1.0	0.5	3.0
1912	1.4	1.6	1.2	6.9	16.1	21.2	16.8	F	1.5	3.5	34.8
1913	22.5	20.4					57.1*	13.1	0.7	0.9	1.3
1914	1.3	3.1					F	363.0	265.0	11.7	14.4
100.00											
ANNUAL % MEAN											

SP-16 - Discharge of South Platte River at Julesburg, Colorado (Continued)

Unit: 1,000 Acre-Feet										Drainage Area 20,600 Square Miles				Altitude 3,469 Feet			
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN			
1915	20.7	46.6				P	73.8	189.0	141.0	7.1	15.2	8.8					
1916	48.0	58.4	60.2		P	24.8	3.6	4.6	3.0	1.6	1.8	2.1					
1917	6.8	11.8		18.3	36.7	31.7	25.7	109.0	281.0	32.0	2.1	4.5					
1918	33.3	23.4	29.9	P		P	8.5	6.9	7.7	21.7	17.6	12.5					
1919	29.6	26.4	31.1			32.1	30.7	18.9	2.8	1.4	1.2	8.8					
1920	31.9	P		16.8*	14.3*	21.0	42.0	89.2	19.1	5.6	4.2	21.6					
1921	21.3	17.1	18.0*	13.4	10.1	12.2	15.2	17.4	631.0	21.6	3.3	7.0	787.6	232.9			
1922	32.0	31.4	29.9														
1925	17.2	22.6	20.2*	20.9E	32.2E	23.6*	6.8*	2.1*	2.7*	1.5	1.5	2.0	153.3	49.2			
1926	7.2	20.0	24.0	30.7	26.5	16.6	24.9	76.9	114.0	41.1	6.8	6.2	394.9	126.8			
1927	24.6	23.4	22.4	25.9	25.3	42.6	78.0	21.5	9.9	1.9	13.4	4.4	293.3	94.2			
1928	22.0	21.7	21.1	23.7	24.4	25.5	3.9	14.9	90.4	50.4	16.6	1.7	316.3	101.6			
1929	13.6	25.7	24.2	35.7*	47.2*	53.5*	53.1	46.5	2.0	2.0	1.2	16.5	331.0	103.1			
1930	7.8	27.2	34.6	20.5	103.0	39.8	10.6	24.1	4.0	2.7	25.9	6.1	306.3	98.3			
1931	24.7	24.0	33.3	23.7	24.6	34.9	39.3	4.3	2.6	2.2	1.5	1.6	216.7	69.6			
1932	3.8	6.1	16.7	28.5	25.9	15.2	6.3	5.7	2.2	1.6	2.1	1.3	115.4	37.1			
1933	2.3	6.2	7.5	15.2	20.0	16.1	3.2	18.9	3.0	3.5	6.0	14.8	116.7	37.5			
1934	9.5	11.1	18.6	19.2	11.6	14.9	4.5	5.6	16.8	2.2	1.2	1.8	117.0	37.6			
1935	2.8	2.8	8.0	9.8	4.4	6.9	3.4	47.3	192.6	3.7	1.6	2.8	286.1	91.9			
1936	5.0	5.8	14.8	16.6	18.9	8.6	4.2	3.0	3.3	1.2	4.4	2.1	87.9	28.2			
1937	3.9	4.9	6.9	8.9	19.2	12.7	5.4	2.4	3.4	1.6	1.7	1.7	72.7	23.3			
1938	2.8	5.1	8.1	10.1	16.4	5.0	5.1	13.5	11.2	4.0	2.7	81.2	165.2	53.0			
No. Items	33	32	27	24	24	26	31	32	33	33	33	33					
Mean	16.11	20.40	22.43	21.95	27.15	27.32	24.45	48.10	73.32	10.61	7.76	11.85	#311.45				
% Mean																	
Annual	5.17	6.55	7.20	7.05	8.72	8.77	7.85	15.44	23.54	3.41	2.49	3.81	100.00				

SP-16A - Discharge of Twelve Mile Creek at Redford's Ranch, Colorado

Unit: Acre-Feet		Drainage Area 12A Square Miles										Altitude 10,000A Feet		
												ANNUAL IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1917								P	3410	2810	830	290		
1918	P													
No. Items									1	1	1	1		
Mean									3410.0	2810.0	830.0	290.0	#7340.0x	

SP-16B - Discharge of Buffalo Springs Branch at 63 Ranch, Colorado

Unit: Acre-Feet		Drainage Area 3 A Square Miles										Altitude 9,380A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1917								230E	223E	230E	230E	223E		
No.Items								1	1	1	1	1		
Mean								230.0	223.0	230.0	230.0	223.0	#1136.0x	

SP-16C - Discharge of Salt Creek near Hartsel, Colorado

Unit: Acre-Feet		Drainage Area 32A Square Miles										Altitude 9,150A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1917								P	299	269				
No.Items									1	1				
Mean									299.0	269.0			#568.0x	

SP-16D - Discharge of Poney Creek at Hartsel, Colorado

Unit: Acre-Feet										Drainage Area 12A Square Miles				Altitude 9,150A Feet			
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN			
1917								P	132	138	98	95					
1918	98																
No. Items	1								1	1	1	1					
Mean	98.0								132.0	138.0	98.0	95.0	#561.0x				

SP-16E - Discharge of Middle Fork of South Platte River at Alma, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 23.7 Square Miles				Altitude 10,285 Feet			
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN			
1916								1.4	4.3	2.1	P						
No. Items								1	1	1							
Mean								1.40	4.30	2.10			#7.00x				

SP-16F - Discharge of Middle Fork of South Platte River at Fairplay, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 82.3 Square Miles				Altitude 9,900 Feet			
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN			
1916								6.1	17.0	12.4	10.0	4.1					
1917	3.0							P	17.0	14.0	4.9	2.0					
1918	P																
No. Items	1							1	2	2	2	2					
Mean	3.00							6.10	17.00	13.20	7.45	3.05	#49.80x				

SP-17 - Discharge of Middle Fork of So. Platte River below Fairplay, Colorado

Drainage Area 110A Square Miles										Altitude 9,490A Feet				
Unit: 1,000 Acre-Feet										ANNUAL % MEAN				
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1933							0.8	7.8	10.5	5.3	2.3	1.7		
1934	0.9								6.2	4.0	3.8	2.0		
1935	1.2						0.3	0.8	15.8	11.3	5.0	3.3		
1936	2.5						2.1	11.7	17.9	11.3	13.0	3.8		
1937	2.5						1.4	6.3	9.0	7.0	3.3	2.4		
1938	1.6						1.2	3.4	23.6	11.7	5.3	10.0		
1939	3.3													
No. Items	6						5	5	6	6	6	6		
Mean	2.00						1.16	6.00	13.83	8.43	5.45	3.87	40.74x	
Records furnished by the Denver Board of Water Commissioners.														

SP-18 - Discharge of Middle Fork of So. Platte River near Hartsel, Colorado

Drainage Area 225A Square Miles										Altitude 8,980A Feet				
Unit: 1,000 Acre-Feet										ANNUAL % MEAN				
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1933									7.5	4.3	2.2	1.5		
1934	0.6						0.2	4.4	3.7	2.9	3.4	1.5		
1935	1.1						0.8	0.2	7.4	7.8	4.1	2.0		
1936	1.3						1.5	7.9	11.9	8.9	16.6	4.1		
1937	3.2						1.6	4.9	5.1	5.5	2.5	1.8		
1938	1.5						1.3	0.8	11.3	7.4	5.3	10.6		
1939	4.0													
No. Items	6						5	5	6	6	6	6		
Mean	1.95						1.08	3.64	7.82	6.13	5.68	3.58	#29.88x	
Records furnished by the Denver Board of Water Commissioners.														

SP-18A - Discharge of Middle Fork of So. Platte River at Mouth, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 225A Square Miles								Altitude 8,900A Feet				
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1916								P	P	P	P	2.3		
1917	1.6													
No. Items	1											1		
Mean	1.60											2.30	#3.90x	

SP-18B - Discharge of Beaver Creek above Fairplay, Colorado

Unit: Acre-Feet		Drainage Area 13A Square Miles										Altitude 9,900A Feet		
		ANWL. IN												
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1917										P	218	45		
1918	P													
No. Items										1	1	1		
Mean										218.0	45.0	45.0	#263.0x	

SP-19 - Discharge of 4 Mile Creek at Nelson's Ranch, Colorado

Unit: Acre-Feet		Drainage Area 38A Square Miles										Altitude 9,490A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL.IN % MEAN
1933									760	805	190	68		
1934	8						102	836	574	290	340	192		
1935	122						80	230	1988	1106	636	406		
1936	362						150	954	1590	1332	1950	726		
1937	534						102	1226	1058	926	402	252		
1938	218						294	612	1920	1684	816	2010		
1939	822													
No.Items	6						5	5	6	6	6	6		
Mean	344.3						145.6	771.6	1315.0	1023.8	722.3	602.0	#4931.6x	

Records furnished by the Denver Board of Water Commissioners.

SP-20 - Discharge of 4 Mile Creek at Mouth, Colorado

Unit: Acre-Feet		Drainage Area 42A Square Miles										Altitude 8,990A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL.IN % MEAN
1933									2238	1360	368	288		
1934	142						54	932	288	76	256	130		
1935	132						62	480	1024	2798	854	518		
1936	578						60	1718	2126	1558	2570	670		
1937	650						232	784	856	922	274	218		
1938	244						78	172	1734	1676	826	1972		
1939	1004													
No.Item	6						5	5	6	6	6	6		
Mean	458.3						97.2	817.2	1377.7	1398.3	858.0	632.7	#5639.4x	

Records furnished by the Denver Board of Water Commissioners.

SP-21 - Discharge of Tarryall Creek above Como, Colorado

Unit: Acre-Feet		Drainage Area 37A Square Miles							Altitude 10,000A Feet					
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
ANNL. IN														
1934							362	2984	1874	880	916	682		
1935	620						312	764	2540	2172	1394	842		
1936	632						914	4612	4434	2234	3150	1122		
1937	698						350	1958	2518	1632	788	612		
1938	450						406	1886	5712	2438	1252	2350		
1939	1120													
No. Items	5						5	5	5	5	5	5		
Mean	704.0						468.8	2440.8	3415.6	1871.2	1500.0	1121.6	#11,522.0x	
Records furnished by the Denver Board of Water Commissioners.														

SP-21B - Discharge of Tarryall Creek near Jefferson, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 223 Square Miles				Altitude 9,500 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN		
1912									P	11.9	5.4	2.6				
1913	1.9	1.4	1.0				P	2.6	8.9	4.7	2.8	3.0				
1914	2.2	1.7	P				6.7	10.3	12.7	12.9	8.3	2.3				
1915	2.0	1.4					P	2.1	7.3	2.6	2.4	1.8				
1916	1.8	1.3	P			P	1.4	1.5	2.7	3.8	5.4	1.9				
1917	1.7	P					P	3.5	8.3	13.3	6.9	1.2				
1918	P															
No. Items	5	4	1				2	5	5	6	6	6				
Mean	1.92	1.45	1.00				4.02	4.00	7.98	8.20	5.20	2.13	#35.90			
Boreas ditch diverts a small amount of water from the headwaters of the Blue River to the head of Tarryall Creek above this station.																

SP-22 - Discharge of Tarryall Creek below Rock Creek, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 242A Square Miles				Altitude 9,200A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN		
1934							P	3.0	1.8	1.1	1.8	1.0				
1935	0.8						0.3	0.9	1.6	5.5	3.2	2.0				
1936	1.4						P	6.7	10.2	7.0	13.2	2.8				
1937	2.3						0.8	3.4	3.2	3.4	1.8	1.3				
1938	1.0						1.3	2.1	10.1	4.1	4.2	6.5				
1939	3.7															
No. Items	5						3	5	5	5	5	5				
Mean	1.84						0.80	3.22	5.38	4.22	4.84	2.72	#23.02x			

Records furnished by the Denver Board of Water Commissioners.

SP-23 - Discharge of Tarryall Creek at Mouth near Lake George, Colorado

Drainage Area 460 Square Miles													Altitude 8,500A Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN
1916									P	P	P	P		
1917	P													
1925							1.6	2.6	2.9	1.7	4.0	3.6		
1926	3.7E	1.8E					7.7E	10.5E	11.9*	9.5	4.7	1.4		
1927	1.1	1.1				P	7.6	4.4	6.2	4.2	5.0	2.0		
1928	2.2	P					1.9	6.1	8.7	5.1	3.5	2.5		
1929	0.9	1.2					2.7	1.1	1.6	4.6	10.9	6.2		
1930	2.4						4.9*	2.8	5.8	6.8	14.4	4.7		
1931	3.2						2.6*	5.8	5.9	2.8	1.9	1.0		
1932	0.8	1.0*					2.5*	2.6	4.5	4.1	3.6	1.2		
1933	1.3	1.8					P	8.3	8.9	4.0	3.6	2.4		
1934	1.0	1.1	P				1.8	2.5	1.6	0.8	1.6	0.8		
1935	0.8	0.6				P	1.2	1.9	1.8	5.2	4.4	2.2		
1936	1.6	1.6				P	3.2	6.0	9.8	5.6	15.1	2.8		
1937	2.2	2.1	P				P	3.2	2.8	3.1	1.9	1.3		
1938	1.1	P					3.4	3.4	9.8	4.1	4.4	7.5		
No. Items	13	9					12	14	14	14	14	14		
Mean	1.72	1.37					3.42	4.37	5.87	4.40	5.71	2.83	#29.69x	

1910-12 Record - Miscellaneous Discharges only. See Station SP-22A Tarryall Creek near Hayman.

SP-24 - Discharge of Michigan Creek above Jefferson, Colorado

Drainage Area 19A Square Miles										Altitude 9,990A Feet				
Unit: Acre-Feet										ANNUAL IN				
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1934							60	922	656	336	682	356		
1935	132						52	150	1054	838	646	542		
1936	406						300	1592	2212	1056	1854	664		
1937	498						322	998	810	446	306	330		
1938	380						484	563	2798	996	1064	1736		
1939	824													
No. Items	5						5	5	5	5	5	5		
Mean	448.0						243.6	845.0	1506.0	734.4	910.0	725.6	#5412.6x	
Records furnished by the Denver Board of Water Commissioners.														

SP-25 - Discharge of Jefferson Creek above Jefferson, Colorado

Drainage Area 12A Square Miles										Altitude 9,990A Feet					
										ANNUAL IN					
Unit: Acre-Feet	YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
	1934							244	1526	1640	974	352	134		
	1935	120						114	520	2292	2484	952	460		
	1936	372						600	2626	3654	1982	2410	576		
	1937	370						150	1366	2232	1870	782	356		
	1938	338						238	1206	3566	3386	1254	1004		
	1939	606													
No. Items	5							5	5	5	5	5	5		
Mean	361.2							269.2	1448.8	2676.8	2139.2	1150.0	506.0	#8551.2x	
Records furnished by the Denver Board of Water Commissioners.															

SP-25B - Discharge of Rock Creek near Jefferson, Colorado

Drainage Area 44 Square Miles												Altitude 8,800A Feet		
Unit: Acre-Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1916									89*	208	P			ANNL.IN
No. Items														
Mean														
										1	1			
										89.0	208.0			
#297.0x														

SP-26 - Discharge of Goose Creek at Lake Cheesman, Colorado

Drainage Area 86 Square Miles										Altitude 6,835 Feet				
Unit: 1,000 Acre-Feet												ANNL.IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1899											2.1	0.8*		
1900	0.6*	0.6*	0.5*											
1908														
1909	1.2	0.7	0.3	0.4	0.4	0.6	1.7	5.2	7.3	3.7	4.4	1.5	1.2	34.1 131.4
1910	5.0	1.2	0.8	0.7	0.3	1.9	2.3	3.0	1.8	1.2	1.6	1.6	0.7	20.5 79.0
1911	0.7	0.7	0.4	0.2	0.2	0.9	0.9	0.8	1.3	2.2	1.6	1.1	1.1	11.0 42.4
1912	0.9	0.6	0.2	0.2	0.2	0.3	1.3	4.2	2.9	2.6	2.6	2.6	1.4	17.4 67.0
1913	1.1	1.1	0.3	0.1	0.1	0.3	4.3	1.6	5.4	3.6	3.0	3.0	1.8	22.7 87.4
1914	1.8	1.2	0.9	0.6	0.6	2.0	8.9	16.0	21.1	23.1	23.7	4.3	104.2	401.4
1915	2.1	1.1	0.7	0.5	0.7	1.4	5.4	6.6	13.0	4.2	4.0	2.4	42.1	162.2
1916	2.7	1.4	1.5	0.8	0.7	2.0	1.5	3.9	2.8	1.5	1.8	1.1	21.7	83.6
1917	1.0	0.8	0.8	0.4	0.3	0.5	1.7	3.6	8.5	4.8	2.4	1.5	26.3	101.3
1918	0.9	0.7	0.7	0.5	0.4	1.1	1.8	4.8	5.0	4.0	2.2	1.1	23.2	89.4
1919	1.0	0.9	0.7	0.6	0.4	0.6	2.8	6.6	4.6	3.0	2.6	1.3	25.1	96.7
1920	1.1	0.8	0.6	0.4	0.7	0.9	0.9	5.4	5.4	2.3	3.1	1.8	23.4	90.1
1921	1.6	1.0	0.4	0.4	0.4	1.8	3.0	9.3	17.7	8.2	7.6	3.0	54.4	209.6
1922	1.7	1.1	0.9	0.6	0.3	0.8	1.5	4.3	3.4	2.0	2.0	0.9	19.5	75.1
1923	0.7	0.7	0.6	0.5	0.3	0.6	1.2	4.6	5.4	4.3	5.3	4.1	28.3	109.0
1924	3.4	1.9	1.0	0.8	0.6	0.9	1.2	6.3	7.9	2.6	1.0	0.6	28.2	108.6

SP-26 - Discharge of Goose Creek at Lake Cheesman, Colorado

Unit: 1,000 Acre-Feet

Drainage Area 86 Square Miles

Altitude 6,835 Feet

YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN
1925	0.9	0.7	0.4	0.1	0.2	0.8	0.8	0.7	0.5	1.0	2.8	1.9	10.8	41.6
1926	1.3	0.8	0.6	0.4	0.4	0.7	2.9	12.1	8.6	3.6	1.7	0.7	33.8	130.2
1927	0.6	0.6	0.5	0.3	0.2	0.7	1.9	2.6	1.6	0.9	1.2	0.8	11.9	45.8
1928	0.8	0.6	0.3	0.3	0.4	1.1	1.4	6.0	5.3	2.1	1.5	0.6	20.4	78.6
1929	0.7	0.5	0.5	0.4	0.4	0.8	1.3	2.6	1.2	1.1	5.7	3.3	18.5	71.3
1930	1.5	0.7	0.4	0.3	0.3	0.7	2.4	2.9	2.7	2.7	8.3	2.4	25.3	97.5
1931	1.4*	P					P	5.2	4.0	2.0	1.3	0.7		
1932	0.7						P	2.1	1.1	0.8	1.1	0.7		
1933	0.9*							9.8*	8.5	3.0	1.9	2.1		
1934	1.2	P					2.3*	2.7	1.4	0.9	1.0	0.7		
1935	0.6	0.7*				P	1.0	4.0	4.6	2.5	2.4	1.5		
1936	1.2	0.8	0.3	0.2	0.2	0.5	1.7	3.0	2.9	2.2	4.4	1.7	19.1	73.6
1937	1.6	P					1.6	1.7	1.9	2.4	1.4	1.0		
1938	0.9	P				P	3.2	8.2	6.0	3.3	3.1	5.4		
No. Items	31	25	24	23	23	23	27	30	30	30	32	32		
Mean	1.35	0.88	0.60	0.42	0.38	0.88	2.26	4.99	5.46	3.39	3.45	1.90	#25.96	
% Mean														
Annual	5.20	3.39	2.31	1.62	1.46	3.39	8.71	19.22	21.03	13.06	13.29	7.32	100.00	

Records available 1899; Oct., 1924 to Sept., 1938.
Acre-foot estimates Aug., 1908 to Sept., 1924.

SP-26A - Discharge of North Fork of South Platte River at Grant, Colorado

Drainage Area 51 Square Miles												Altitude 8,566 Feet		
Unit: 1,000 Acre-Feet												ANNUAL % MEAN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1910										P	0.7	0.6		
1911	0.7	0.5*	0.4E	0.4E	0.4E	0.4E	0.8	4.1	4.3	2.3	1.1	0.8	16.2	72.6
1912	0.9	0.2E		0.4*	0.3E	0.4*	0.7	3.7	7.9	6.2	2.8	1.5		
1913	1.3	1.1					P	3.6	4.6	2.7	1.4	1.3		
1914	1.5	1.1	0.4	0.4	0.3	1.1	2.2	11.0	11.0	6.2	4.5	1.7	41.4	185.6
1915	1.2	0.9					0.9	2.8	5.0	2.7	1.4	0.8		
1916	0.7	P		P	P	P	1.0	3.1	4.0	2.1	1.6	0.7		
1917	0.5	P	P	P	P		0.7	2.8	9.2	5.1	1.8	0.7		
1918	0.5	0.6	0.5*											
No. Items	8	6	3	3	3	3	6	7	7	7	8	8		
Mean	0.91	0.73	0.43	0.40	0.33	0.63	1.05	4.44	6.57	3.90	1.91	1.01	#22.31	
% Mean														
Annual	4.08	3.27	1.93	1.79	1.48	2.82	4.71	19.90	29.45	17.48	8.56	4.53	100.00	

SP-26B - Discharge of North Fork of South Platte River at Cascells, Colorado

Drainage Area 128 Square Miles												Altitude 8,500A Feet			
Unit: 1,000 Acre-Feet														ANNUAL % MEAN	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1908										4.2	4.0				
1909	3.1	P		1.0	0.7	0.7	2.1	8.6	27.1	21.5	11.6	15.8			
1910	6.5	4.5	2.5	2.2	1.5	2.3	3.7	7.7	9.0	3.9	2.2	1.9	47.9	75.3	
1911	1.8	1.5		1.5	1.4	1.0	1.7	8.6	13.2	12.5	5.3	3.2			
1912	2.4	1.5	1.0	0.8	0.8	1.4	2.1	9.9	24.5	18.2	6.5	4.0	73.1	115.0	
1913	P						P	9.8	12.6	8.7	5.3	5.1			
1914	3.9	2.7													
No. Items	5	4	2	4	4	4	4	5	5	6	6	5			
Mean	3.54	2.55	1.75	1.38	1.10	1.35	2.40	8.92	17.28	11.50	5.82	6.00	#63.59		
% Mean															
Annual	5.57	4.01	2.75	2.17	1.73	2.12	3.77	14.03	27.17	18.09	9.15	9.44	100.00		

SP-27 -- Discharge of North Fork of South Platte River at South Platte, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 484 Square Miles										Altitude 6,091 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL % MEAN
1909									P	32.6	23.0	40.8	ANNL. IN
1910	18.1	7.4	4.7*	4.9E	3.4E	4.9*	8.4	15.0	13.0	8.3	5.2	3.4	96.7 76.0
1913				P		P	8.3	23.2	23.3	14.9	10.0	10.1	
1914	7.7	5.1	4.3	4.3	3.7	5.2	24.4	65.2	53.4	30.0	33.3	10.5	247.1 194.3
1915	7.6	4.8					10.7	24.1	40.0	16.5	10.9	6.9	
1916	7.3	5.3	4.6*	3.0E	2.9E	3.1*	6.6	17.0	19.1	11.4	12.7	6.9	
1917	5.5	P	P	P	P	P	5.9	21.1	48.9	25.3	11.1	5.2	
1918	4.0	2.8	P			2.7*	8.1	23.2	41.1	28.7	11.7	7.9	
1919	5.9	4.8				P	10.2	35.6	20.1	18.9	15.1	9.3	
1920	6.7	4.5				P	5.2	36.3	37.7	21.5	15.4	9.9	
1921	7.4	5.6	P	P		P	13.4	42.2	67.2	34.6	24.8	13.6	
1922	8.6	5.2	3.3	P		P	6.6	18.7	24.3	13.3	12.5	7.8	
1923	4.8	3.8	2.8			P	6.8	21.8	45.3	29.1	29.7	16.4	
1924	12.4	9.0	6.3*			2.7*	10.3	28.4	51.9	18.1	7.2	4.5	
1925	5.0	3.6	P			P	3.9	7.0	8.1	6.5	6.8	7.5	
1926	7.4	5.7	3.0*	1.9E	1.6E	3.1	17.0	39.7	43.6	21.3	14.2	6.2	164.7 129.5
1927	4.5	3.8	P				6.5	18.3	19.4	13.2	10.2	7.9	
1928	6.8	5.2				P	4.3	27.1	25.2	16.8	9.8	4.4	
1929	2.9	2.4					3.9*	10.3	11.7	10.1	24.2	14.4	
1930	8.5	P					P	13.4	21.4	13.6	24.3	12.1	
1931	6.6	4.0*	3.4E	2.8E	2.3E	3.1E	6.7*	22.0	21.5	12.4	6.8	3.6	95.2 74.9
1932	3.2	2.6	3.0E	2.0E	2.6E	2.8E	3.8	13.2	18.8	15.2	7.7	4.2	79.1 62.2
1933	4.0	2.5	1.1E	1.2E	0.9E	2.2E	4.8	43.4	39.2	14.1	9.5	7.9	130.8 102.8
1934	5.1	4.2	2.9*	2.5E	2.2E	3.4*	6.7	14.9	9.2	6.0	4.9	3.4	65.4 51.4
1935	2.8	2.3*	2.5E	2.0E	1.8E	2.1*	3.0	10.2	25.9	17.0	12.8	5.9	88.3 69.4
1936	3.9	2.3	2.0E	1.7E	1.9E	2.6*	7.5	26.5	31.9	19.3	28.7	10.4	138.7 109.1
1937	7.6	5.2	3.2	1.6	1.7	3.0	5.4	13.0	18.1	14.8	7.3	4.6	85.5 67.2
1938	4.2	2.9	2.5	2.3	2.0	2.5	11.3	35.5	40.4	19.7	11.7	26.4	161.4 126.9
No. Items	26	24	15	12	12	14	26	27	27	28	28	28	
Mean	6.48	4.38	3.31	2.52	2.25	3.10	8.07	24.68	30.36	17.97	14.34	9.72	#127.18
% M.A.	5.09	3.44	2.60	1.98	1.77	2.44	6.35	19.41	23.87	14.13	11.28	7.64	100.00

SP-28 - Discharge of Geneva Creek at Grant, Colorado

Drainage Area 74 Square Miles												Altitude 8,566 Feet		
Unit: 1,000 Acre-Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL IN % MEAN
1908														
1909	1.6	1.4*	0.9*	0.7*	0.5*	0.6E	1.8*	6.0*	18.7	14.4	3.1	1.9	65.3	134.5
1910	4.6	3.4E	1.5E	1.2*	0.8*	1.1*	2.2	5.0	5.3	2.6	2.0	1.2	30.9	63.6
1911	1.1*	0.9*	0.7E	0.9*	0.8*	0.7*	1.3	7.3	11.6	9.0	3.2	1.9	39.4	81.1
1912	2.0	1.2*	0.6E	0.5*	0.5E	0.6	0.9	4.9				2.2		
1913	2.3	1.4					1.9	9.4	10.3	7.4	4.3	3.9		
1914	2.7	1.7	1.0	1.0	0.9	1.0	2.6	25.2	36.9	21.2	13.9	3.6	111.7	230.0
1915	2.1	1.2	0.7	0.7	0.5	0.6	1.3	6.1	10.6	5.7	2.7	1.4	33.6	69.2
1916	1.7	1.0	0.8	0.7	0.6	0.8	1.6	5.3	8.7	5.2	4.6	2.3	33.3	68.6
1917	1.6	1.4	1.1	0.9	0.6	0.8	1.0	3.5	17.9	12.1	4.2	1.7	46.8	96.4
1918	1.3	1.0	0.8	0.7	0.6	0.7								
No. Items	10	10	9	9	9	9	9	9	8	9	9	10		
Mean	2.10	1.46	0.90	0.81	0.64	0.77	1.62	8.08	15.00	8.98	5.20	3.00	#48.56	
% Mean														
Annual	4.32	3.01	1.85	1.67	1.32	1.58	3.34	16.64	30.89	18.49	10.71	6.18	100.00	

SP-28C - Discharge of Scott-Gomer Creek near Grant, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 21 Square Miles					Altitude 8,570 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL.IN % MEAN		
1911				0.3E	0.3E	0.3E	0.3*	2.9	3.6	2.1	0.8	0.6				
1912	0.6	0.5*	0.3E	P		P	P	P	P	P	P	P				
1913	P	P				P	P	P	P	P	P	P				
1914	P	P														
No. Items	1	1	1	1	1	1	1	1	1	1	1	1				
Mean	0.60	0.50	0.30	0.30	0.30	0.30	0.30	2.90	3.60	2.10	0.80	0.60	#12.60			
% M.A.	4.76	3.97	2.38	2.38	2.38	2.38	2.38	23.02	28.57	16.67	6.35	4.76	100.00			

SP-29 & 30 - Discharge of Bear Creek at Starbuck & Morrison, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 165 Square Miles				Altitude 5,670A Feet			
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL IN			
1887											P	2.6					
1888	P			1.7	5.7	5.8	4.0	3.6	1.8								
1889	P				P						P						
1890					P	2.4	2.1	1.5	1.2								
1891	1.3	P		P	12.0	19.2	5.5	2.0	1.5								
1895																	
1896	P			P	3.1	P	8.3	7.5	4.1								
1897	2.2				P	10.6	7.1	12.2	3.0								
1898	3.4	2.0			P	8.5	9.2	4.1	2.7								
1899	1.8	1.4*		P	6.3	5.5	5.3	6.4	1.8								
1900	P			P	29.9	22.6	7.1	3.1									
1901	1.8	1.0	P														
1902	1.2E	0.9E	P	3.2	7.1	6.8	3.2	2.5	1.3								
1920	1.9	1.2	0.9	0.9	1.0	1.2	1.7	14.5	9.1	4.8	4.8	4.0	46.0	106.2			
1921	1.9	1.2	1.2*	0.9*	1.2	1.0	5.4	17.5	19.8*	12.0E	10.4*	5.2	77.7	179.4			
1922	1.9	1.2	1.4*	1.0E	0.9E	1.4E	2.6	6.0	5.1	3.3	5.6	3.0	33.4	77.1			
1923	1.9	1.9	1.5E	1.1E	0.9E	2.0E	3.2	8.6	14.2	11.7	18.9	10.3	76.2	176.0			
1924	5.9	5.2	3.5*	2.1E	2.1*	2.0	6.1	14.0	15.8	5.6	1.8	1.5	65.6	151.5			

SP-29 & 30 - Discharge of Bear Creek at Starbuck & Morrison, Colorado (Continued)

Drainage Area 165 Square Miles										Altitude 5,670A Feet				
Unit: 1,000 Acre-Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1925	2.1	1.4	1.1*	0.9E	0.8*	0.9	1.0	1.0	1.5	1.6	2.6	4.7	19.6	45.3
1926	5.3	3.4	2.0*	1.2*	1.0*	2.0	13.4	21.6	15.5	10.9	6.0	2.4	84.7	195.6
1927	2.0	1.6	1.2*	1.1E	0.9*	1.3	2.9	5.2	3.9	3.5	5.4	2.9	31.9	73.7
1928	2.0	1.4	1.2E	0.9E	0.4E	1.2*	2.4	12.0	9.2	4.7	3.0	1.4	39.8	91.9
1929	1.6	1.4	0.9*	0.8E	0.4E	0.8E	1.2	3.3	2.4	3.5	9.5	4.9	30.7	70.9
1930	2.8	1.3*	0.8*	0.7E	1.0*	1.2	2.5	3.0	3.0	3.2	9.8	3.7	33.0	76.2
1931	2.6	1.2*	0.8*	0.8E	0.9*	1.3	2.8	10.1	9.2	3.5	2.2	1.2	36.6	84.5
1932	1.3	0.9*	0.7E	0.5*	0.3E	0.6*	1.1*	2.6	3.0	3.5	2.6	1.7	18.8	43.4
1933	1.2	1.3	0.5*	0.4E	0.2E	0.2*	1.3	14.4	10.6	6.2	2.5	3.2	42.0	97.0
1934	2.1	1.4	1.2	0.8*	0.8*	1.0	2.4	5.0	2.3	1.4	1.5	0.8	20.7	47.8
1935	0.6	0.6	0.6E	0.7E	0.4	0.4	0.9	7.7	7.4	4.2	3.0	2.2	28.7	66.3
1936	1.1	1.4	0.6	0.4*	1.6	1.5	1.8	9.2	9.2	5.4	10.8	2.7	45.7	105.5
1937	2.5	1.6	0.9	0.4E	0.4	0.8	1.5	3.2	8.0	5.6	2.4	2.0	29.3	67.7
1938	1.4	1.0	0.9	0.9	0.8	1.0	5.1	15.4	11.1	5.7	4.0	22.1	69.4	160.3
No. Items	25	23	19	19	19	19	21	25	28	29	28	29		
Mean	2.15	1.56	1.15	0.87	0.84	1.15	3.06	9.54	8.70	5.35	5.35	3.58	#43.30	
% Mean.														
Annual	4.97	3.60	2.66	2.01	1.94	2.66	7.07	22.03	20.09	12.35	12.35	8.27	100.00	

From October, 1919, to September, 1934, water stage recorder at Starbuck, three miles above; records comparable.

SP-31 - Discharge of Bear Creek at Mouth, Colorado

Unit: 1,000 Acre-Feet				Drainage Area 259 Square Miles								Altitude 5,300A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL. IN % MEAN
1914							21.8	35.1	10.4	6.5	14.7	1.0		
1915	2.3	3.2												
1927					P	0.7	1.2	1.2	0.8	0.7	2.4	1.4		
1928	1.6	1.1	1.1	0.8	0.7	0.5	1.0	15.4	4.0	0.5	0.4	0.3	27.4	112.7
1929	1.1	1.1	1.0E	0.9E	0.7E	0.7	0.3	0.3	0.2	0.6	2.7	0.7	10.3	42.4
1930	0.6	0.9	0.8	0.8*	0.6	0.6	0.5	0.6	0.1	0.4	3.4	0.6	9.9	40.7
1931	0.8	0.9	0.7*	0.8E	0.6	0.7	1.4	4.5	2.1	1.1	1.2	0.5	15.3	62.9
1932	0.8	1.0	1.1*	0.9E	0.8E	0.5*	0.3	0.3	0.4	0.4	0.4	0.3	7.2	29.6
1933	0.6	0.7	0.7*	0.7E	0.6E	0.4*	2.1	14.8	4.8	4.8*	0.9	1.9*	33.0	135.7
1934	0.6	0.8	0.9	0.8	0.6	0.5	0.5	0.8	0.3	0.3	0.7	0.3	7.1	29.2
1935	0.3	0.5	0.6	0.5	0.5	0.3	0.2	4.1	2.3	0.8	0.7	0.7	11.5	47.3
1936	0.6	0.7	1.0	0.6	0.5*	0.5	0.3	1.0	1.4	0.7	6.4	1.0	14.7	60.5
1937	2.9	1.0	0.8	0.6E	0.6	0.5	0.7	0.6	2.8	1.1	1.0	1.3	13.9	57.2
1938	1.4	1.1	0.8	0.6	0.5	0.5	3.6	21.6	6.1	2.0	1.7	15.2	55.1	226.7
No. Items	12	12	11	11	11	12	13	13	13	13	13	13		
Mean.	1.13	1.08	0.86	0.73	0.61	0.53	2.61	7.72	2.75	1.53	2.82	1.94	#24.31	
% M.A.	4.65	4.44	3.54	3.00	2.51	2.18	10.74	31.76	11.31	6.29	11.60	7.98	100.00	

SP-31A - Discharge of Clear Creek at Idaho Springs, Colorado

Unit: 1,000 Acre-Feet				Drainage Area 239 Square Miles									Altitude 7,540 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL. IN % MEAN
1911	5.0	2.9	P	1.2E	1.3E	1.9	3.3	12.1	28.8	23.7	8.2	4.4		
1912	4.1	3.3	2.5E	1.8E	1.7E	2.2E	2.4	14.4	54.7	49.3	22.2	9.1	167.7	127.5
No. Items	2	2	1	2	2	2	2	2	2	2	2	2		
Mean	4.55	3.10	2.50	1.50	1.50	2.05	2.85	13.25	41.75	36.50	15.20	6.75	#131.50	
% Mean														
Annual	3.46	2.36	1.90	1.14	1.14	1.56	2.17	10.08	31.75	27.75	11.56	5.13	100.00	
							-66-							

SP-32 - Discharge of Clear Creek at Forks Creek, Colorado

Unit: 1,000 Acre-Feet Drainage Area 34.5 Square Miles Altitude 7,000A Feet

YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1899							10.7			48.6	27.1	12.7		
1900	8.7	4.6	P			P	10.6	48.5	57.6	23.2	8.4	3.5		
1901	3.6	3.1	P					32.7	44.1	30.5	16.7	8.8		
1902	6.3	3.3					P	19.4	23.7	12.2	5.8	4.1		
1903	4.0*						P	15.2	47.8	34.9	13.5	7.4		
1904	6.6						8.3	27.8	65.0	40.0	23.9	18.3		
1905	13.5						7.8	29.0	76.8	25.8	11.9	6.9		
1906	4.6						6.2	33.6	60.1	36.3	15.5	14.0		
1907	14.8	11.6*				P	7.4	22.3	53.7	46.7	17.0	8.0		
1908	6.1	P				2.4	5.1	11.7	24.5	13.2	13.4	7.3		
1909	4.8	4.0*	3.6*				P	22.0	58.3	46.3	27.7	26.1		
1910	12.6	5.4		2.5	2.5E	2.9*	5.6	18.1	30.4	15.4	12.2	9.7		
1911	4.4	3.1*	1.8E	1.4	1.4	2.3	4.8	19.8	42.7	31.8	11.8	6.2	131.5	80.5
1912	4.5	3.6	2.5			P	3.5	22.0	67.2	59.2	31.2	10.7		
1913	7.5													

No. Items	14	8	3	2	2	3	10	13	13	14	14	14		
Mean	7.29	4.84	2.63	1.95	1.95	2.53	7.00	24.78	50.15	33.15	16.86	10.26	#163.39	
% Mean														
Annual	4.46	2.96	1.61	1.19	1.19	1.55	4.29	15.17	30.69	20.29	10.32	6.28	100.00	

SP-32A - Discharge of Clear Creek 7 miles above Golden, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 348 Square Miles										Altitude 6,220A Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNL. IN
1887													
1888	P					P	7.1	P	P	P	P	16.2	
No. Items							1						
Mean							7.10					16.20	#23.30x

SP-33 - Discharge of Clear Creek near Golden, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 392 Square Miles										Altitude 5,620 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNL. IN
1909			3.6	3.7	2.7	3.4	6.0	20.5	75.0	68.9	26.2	27.4	
1910	13.0	7.2	6.7										
1911													
1912				2.0	1.7*	2.5	3.5	21.1	76.8	31.0	10.8	6.4	
1913	7.7	4.9	3.1E	3.1*	2.7*	3.3	6.2	27.7	41.2	71.4	25.1	9.9	
1914	11.4	8.1	4.6*	P	P	P	13.0	68.9	102.0	29.8	16.4	14.3*	160.4
1915	7.4	4.2		P	P	P	6.4	24.9	64.3	47.8	26.5	10.1	88.5
1916	7.1	P		P	P	P	5.7	19.1	38.7	39.6	15.2	8.1	
1917	7.6	3.8*	3.0E	3.0	2.9	3.2	5.0	18.7	61.3	27.0	20.3	10.8	
1918	4.6			P	P		P	26.7	79.7	47.3	16.3	5.9	178.0
1919	7.0	P					6.7	32.3	31.7	42.2	F	P	98.2
										22.7	15.2	9.9	

SP-33 - Discharge of Clear Creek near Golden, Colorado (Continued)

Drainage Area 392 Square Miles										Altitude 5,620 Feet				
Unit: 1,000 Acre-Feet	ANWL. IN													
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1920	6.1	4.6*		P	P		4.2	31.9	60.7	33.8	18.8	11.1		
1921	7.7	4.8*	4.3*	4.0*	3.0E	4.0	9.5	45.8	118.0	47.0	19.6	11.1	278.8	153.9
1922	6.5	5.0	3.6	P			P	16.7	41.0	19.6	12.8	6.7		
1923	4.6	P		P		P	4.9	22.0	52.2	50.1	29.7	13.3		
1924		P		P		3.1*	8.0	40.8	77.4	30.6	10.9	5.7		
1925	6.1	P			P		5.4	15.3	25.6	16.5	10.3	10.7		
1926	8.2					3.5	13.6	51.9	78.6	40.9	19.6	8.1		
1927	6.3	4.4	3.2E	3.1E	3.1E	3.7*	6.0	28.9	42.9	30.1	20.3	8.9	160.9	88.8
1928	6.8	4.7	P				4.2	39.4	54.3	36.5	14.0	6.6		
1929	5.0	3.1*	2.7E	2.6E	1.9E	2.3E	2.6*	14.0	37.7	27.4	27.6	15.0	141.9	78.3
1930	8.2	5.1*	3.7E	2.3E	2.3E	2.8	9.5	18.4	48.6	24.0	22.2	9.1	156.2	86.2
1931	5.3	3.7*	3.0E	2.3E	1.8*	3.4*	4.6	16.5	37.9	16.4	10.0	5.0	109.9	60.6
1932	4.6	2.3*	2.4E	2.5E	2.0E	2.5*	6.2	19.1	34.8	26.1	11.4	5.4	119.3	65.8
1933	3.8	3.3	3.0*	1.9E	1.7E	2.0*	2.6	24.6	80.9	42.1	14.3	9.4	189.6	104.6
1934	6.3	3.6	3.4	3.8	3.3	2.7	6.3	48.3	28.0	13.5	9.8	5.3	134.3	74.1
1935	4.0	3.7	1.8*	2.5E	2.8E	2.6	3.3	19.6	64.7	31.3	22.0	9.5	167.8	92.6
1936	6.8	4.1	3.7*	3.1E	3.0E	3.1	8.4	48.7	62.6	30.1	29.6	12.1	215.3	118.8
1937	9.1	5.1	4.3E	2.5E	2.8E	3.3	4.9	24.1	44.0	27.9	11.9	8.2	148.1	81.7
1938	5.4	4.7	4.5	3.0	2.7	3.0	9.3	36.3	92.8	38.3	17.0	25.2	242.2	133.7
No. Items	26	20	18	16	16	18	26	28	28	29	28	28		
Mean	6.79	4.52	3.59	2.84	2.52	3.02	6.38	29.36	59.05	34.82	17.99	10.33	#181.21	
% Mean														
Annual	3.75	2.49	1.98	1.57	1.39	1.67	3.52	16.20	32.59	19.21	9.93	5.70	100.00	

SP-34 - Discharge of Clear Creek near Mouth, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 600 Square Miles				Altitude 5,110 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1914							35.2	56.9	46.1	13.7	7.4	0.8		ANNL. IN	
1915	2.3	2.5													
1927					P	3.3	1.4	3.4	14.3	4.8	9.6	0.9			
1928	1.4	1.0	2.3*	2.1*	1.5	1.4	0.7	26.1	32.3	5.6	1.6	0.5	76.5	126.8	
1929	1.1	1.8	1.6	0.9*	0.8*	1.0E	0.8	2.5	13.2	6.2	7.7	2.2	39.8	66.0	
1930	0.8	2.7	2.3*	1.1*	1.6	1.6	1.5	1.6	8.0	4.9	1.4	0.5	28.0	46.4	
1931	0.7	1.5	1.8E	1.0E	0.7	1.1	0.9	3.6	6.3	1.9	1.1	0.3	20.9	34.6	
1932	0.3	1.3	3.2	2.4	2.0	2.1	0.7	4.1	6.1	4.1	1.4	0.1	27.8	46.1	
1933	0.2	0.6	2.8*	4.0E	2.8E	1.5*	1.2	10.5	25.6	5.5	1.2	5.7	61.6	102.1	
1934	0.6	0.7	3.3	2.8	2.9	0.9	0.9	17.0	5.3	1.2	0.8	0.6E	37.0	61.3	
1935	0.2	0.4	1.8	1.2	1.0	0.4	0.4	4.8	14.7	6.6	1.4	0.5	33.4	55.4	
1936	1.0	2.2	1.5*	1.5E	1.0E	1.5	2.2	15.8	21.5	5.8	16.9	3.5	74.4	123.3	
1937	3.6	2.7	0.8*	0.5*	1.0E	2.0	0.9	6.1	22.9	11.5	0.4	0.4	52.8	87.5	
1938	0.3	2.2	0.9	0.9	1.3	0.7	2.8	30.4	54.2	13.0	0.5	7.8	115.0	190.6	
No. Items	12	12	11	11	11	12	13	13	13	13	13	13			
Mean	1.04	1.63	2.03	1.67	1.51	1.46	3.82	14.06	20.81	6.52	3.95	1.83	#60.33		
% Mean.															
Annual	1.72	2.70	3.37	2.77	2.50	2.42	6.33	23.31	34.49	10.81	6.55	3.03	100.00		

SP-34A - Discharge of West Fork Clear Creek near Empire, Colorado

Unit: 1,000 Acre-Feet				Drainage Area 57.3 Square Miles								Altitude 8,300 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN
1929									15.3	9.0	7.0	3.7		
1930	2.4	1.3*	0.8*	0.7*	0.6*	0.6*	2.4	5.9	23.6	7.7	6.1	2.4	54.5	120.0
1931	1.5	1.0	0.8*	0.6*	0.4*	0.5	0.9	4.4	15.4	5.3	2.3	1.3	34.4	75.7
No. Items	2	2	2	2	2	2	2	2	3	3	3	3		
Mean	1.95	1.15	0.80	0.65	0.50	0.55	1.65	5.15	18.10	7.33	5.13	2.47	#45.43	
% Mean														
Annual	4.29	2.53	1.76	1.43	1.10	1.21	3.63	11.34	39.84	16.14	11.29	5.44	100.00	

SP-35 - Discharge of Fall River near Idaho Springs, Colorado

Unit: 1,000 Acre-Feet													Drainage Area 23.6 Square Miles													Altitude 7,720 Feet												
																										ANNUAL IN												
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN																								
1930						P	1.2*	2.0	3.9	2.3	2.2	1.2																										
1931	0.6	0.4*	0.4*	0.2*	0.2*	0.2*	0.5*	2.6	3.3	1.8	1.7*	0.5	12.4	84.9																								
1932	0.4	0.4*	0.2*	0.2*	0.2*	0.2*	0.4*	2.2	4.4	2.4	1.7	0.4	13.1	89.7																								
1933	0.3	0.3*	0.1*	0.1*	0.1*	0.2*	0.4E	2.1	5.2	2.7	1.4	0.8	13.7	93.8																								
1934	0.3	0.2*	0.2*	0.1*	0.1E	0.2E	0.4E	4.0*	2.5	1.2	0.5	0.4	10.1	69.1																								
1935	0.3	0.2E	0.2E	0.2E	0.3E	0.3*	0.4	3.6	6.1	2.9	1.9	0.8	17.2	117.7																								
1936	0.5	0.4*	0.3E	0.2E	0.2E	0.2E	0.9*	4.3	4.4	2.3	2.1	1.1	16.9	115.7																								
1937	0.9						P		2.9	2.1	1.4	0.7																										
1938	0.7	0.7				0.3	0.7	3.4	7.3	3.2	2.4	1.7																										
No. Items	8	7	6	6	6	7	8	8	9	9	9	9																										
Mean	0.50	0.37	0.23	0.17	0.18	0.23	0.61	3.02	4.44	2.32	1.70	0.84	#14.61																									
% Mean																																						
Annual	3.42	2.53	1.57	1.16	1.23	1.58	4.18	20.67	30.39	15.88	11.64	5.75	100.00																									

SP-35A - Discharge of North St. Vrain Creek near Allen's Park, Colorado

Drainage Area 33 Square Miles														Altitude 8,250 Feet	
Unit: 1,000 Acre-Feet															
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNUAL IN
1926	1.2*	0.9	0.7	0.6E	0.4E	0.5*	1.2	8.2	17.5	11.7	4.5	1.4	48.8	108.5	
1927	0.7	0.9	0.5E	0.4	0.4	0.5	1.0	5.9	14.9	10.3	5.6	2.3	43.4	96.5	
1928	1.4	0.8					0.6	8.2	14.5	13.5	4.1	1.6			
1929	1.3	0.8	0.6	0.4*	0.3E	0.6*	0.6	4.5	14.0	12.7	6.3	4.5	46.6	103.6	
1930	2.2	1.1	0.5E	0.4E	0.2E	0.3*	1.8	4.6	10.5	7.2	7.8	2.9	39.5	87.8	
No. Items	5	5	4	4	4	4	5	5	5	5	5	5			
Mean	1.36	0.90	0.58	0.45	0.32	0.48	1.04	6.28	14.28	11.08	5.66	2.54	#44.97		
% Mean															
Annual	3.02	2.00	1.29	1.00	0.71	1.07	2.31	13.97	31.75	24.64	12.59	5.65	100.00		

SP-35B -- Discharge of North St. Vrain Creek near Billing's Ranch, Colorado

Unit: 1,000 Acre-Feet				Drainage Area 100 Square Miles								Altitude 6,280 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1916	3.7	1.8	1.5	0.9	0.8	1.5	3.6	10.2	13.0	13.5	8.4	3.8	67.7	85.3
1917	3.2	2.0	1.1	0.8	0.6	0.8	4.0	15.7	29.3	24.2	7.4	3.9	93.0	117.2
1918	1.6	1.2	0.9											
No. Items	3	3	3	2	2	2	2	2	2	2	2	2		
Mean	2.83	1.67	1.17	0.85	0.70	1.15	3.80	12.95	23.65	18.85	7.90	3.85	#79.37	
% Mean														
Annual	3.57	2.10	1.47	1.07	0.88	1.45	4.79	16.32	29.80	23.75	9.95	4.85	100.00	

SP-36 - Discharge of North St. Vrain Creek at Longmont Dam, Colorado

Unit: 1,000 Acre-Feet			Drainage Area 109 Square Miles							Altitude 6,080 Feet				
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN
1913			P	0.7	0.6	P								
1915			1.0	0.7	0.7	0.8								
1916			1.1	0.9										
1917			1.1	0.8	0.6	0.7								
1923		P	0.8	0.6	0.5	0.7	P							
1926	3.1*	2.3*						16.6*	24.8	15.8	6.0	2.4		
1927	1.8	1.0*	0.7*	0.7*	0.5*	0.7*	2.9	10.9	17.3	12.3	7.4	2.9	59.1	93.4
1928	2.3	1.9	1.3*	0.9*	0.8	1.2	2.9	22.8	20.9	15.8	5.8	2.3	78.9	124.7
1929	1.7	1.2	0.8	0.6	0.5	0.8	2.3	7.3	19.2	16.5	11.1	6.8	68.8	108.7
1930	3.4	1.6	1.1	0.7	0.7	0.8	4.1	7.5	13.9	9.9	10.9	3.8	58.4	92.3
1931	1.9	1.1	0.7	0.4	0.5	0.6	1.6	10.9	18.2	6.7	3.5	1.6	47.7	75.4
1932	1.6	0.9	0.6	0.4	0.4	0.6	2.0	7.9	15.9	10.9	4.0	1.7	46.9	74.1
1933	1.4	1.0	0.7	0.5	0.4	0.8	2.0	14.0	27.6	10.5	4.0	3.0	65.9	104.1
1934	2.1	1.0	0.9	0.7	0.7	1.0	2.7	16.0	8.6	4.5	2.8	1.6	42.6	67.3
1935	1.3	0.7	0.6	0.6	0.5	0.6	1.0	10.5	21.8	13.1	4.8	2.9	58.4	92.3
1936	1.6	1.2	0.7	0.6	0.6	0.8	5.5	16.3	24.9	13.4	11.0	2.8	79.4	125.5
1937	1.9	1.4	1.0	0.4	0.5	0.7	3.0	11.0	20.8	11.8	4.4	2.3	59.2	93.6
1938	1.5	1.0	0.9	0.6	0.5	0.7	5.3	13.6	27.0	12.6	6.0	9.7	79.4	125.5
No. Items	13	13	16	17	16	15	12	13	13	13	13	13		
Mean	1.97	1.25	0.88	0.64	0.56	0.77	2.94	12.72	20.07	11.83	6.28	3.37	#63.28	
% Mean														
Annual	3.11	1.98	1.39	1.01	0.88	1.22	4.65	20.10	31.72	18.69	9.92	5.33	100.00	

SP-36A - Discharge of North St. Vrain Creek near Lyons, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 123 Square Miles										Altitude 5,400A Feet		
												ANNUAL IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1892								P	22.7	19.2	5.9	3.5		
1893	2.5													
No. Items		1												
Mean		2.50												
		22.70 19.20 5.90 3.50												
		#53.80x												

SP-37 - Discharge of St. Vrain Creek at Lyons, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 226 Square Miles										Altitude 5,349 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1887											F	6.5		
1888	P						P	9.7	19.0	13.0	8.3	3.4		
1889	P							P	21.7	12.1	6.3	2.6		
1890	2.2							P	25.9	18.0	11.0	3.9		
1891	2.8	P				9.9		38.7	62.3	31.7	9.3	5.7		
1896							4.4	14.1	19.0	13.0	9.5	7.7		
1897	3.4							P	39.7	28.1	16.8	7.3		
1898	2.9	2.1						13.0	25.6	14.1	6.3	3.6		
1899	0.9	0.8				12.8		16.0	44.0	40.0	18.4	5.1		
1900	2.6	1.2					P	39.0	37.1	16.6	6.0	3.9		
1901	2.9	P				6.0		20.7	29.2	18.5	9.6	3.5		
1902	1.8	0.8				1.8		12.0	16.7	6.3	3.2	4.0		
1903	3.6	P				P		14.1	40.3	22.6	7.9	3.8		
1904	2.5									20.4	10.8	5.9		

SP-37 - Discharge of St. Vrain Creek at Lyons, Colorado (Continued)

Drainage Area 226 Square Miles														Altitude 5,349 Feet	
Unit: 1,000 Acre-Feet															
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN	
1905	3.2	1.4						26.9	50.6	17.0	9.0	3.5			
1906							P	24.5	27.6	21.3	11.1	6.5			
1907							P	P	42.0	43.1	16.7	4.7			
1908	3.1	P	1.0				2.3	6.1	15.7	13.7	11.3	5.7			
1909	2.4	2.2					P	18.3	43.2	31.6	11.7	7.6			
1910	2.8	1.6	1.2	1.0	0.7	1.5	2.4	9.2	14.3	9.0	4.7	4.0	52.4	53.7	
1911	1.6	0.9	0.8	0.7	0.4	1.1	2.5	12.6	25.3	15.4	6.3	3.7	71.3	73.0	
1912	3.0	1.1	0.5	0.5	0.3	0.8	3.8	21.7	37.4	32.9	10.8	5.0	117.8	120.6	
1913	4.1	1.6					P	15.1	18.6	11.7	5.4	5.9			
1914	5.2	2.0				3.6	14.2	33.0	45.7	21.9	11.8	4.8			
1915	3.4	1.8				P	14.8	19.4	30.8	20.0	9.8	7.4			
1916	5.8	2.5	P			P	4.2	16.8	25.4	19.1	10.8	5.1			
1917	4.4	2.7	1.1	0.6	0.6	1.1	5.6	29.0	41.8	29.6	9.2	4.0	129.7	132.8	
1918	1.2	1.0	0.9	0.7	0.6	1.1	2.6	10.0	46.6	21.6	9.0	5.2	100.5	102.9	
1919	4.6	1.4	1.0	0.7	0.4	0.6	2.9	13.8	15.6	10.8	10.6	4.1	66.5	68.1	
1920	2.1	0.7	0.5	0.7	0.7	0.8	2.9	29.4	30.0	21.6	11.6	4.6	105.6	108.1	
1921	1.8	1.1	1.0	1.0	0.7	1.0	10.2	24.8	64.9	23.6	10.7	4.4	145.2	148.7	
1922	1.2	1.0	1.1	0.6	0.3	0.8	2.6	9.9	22.4	10.8	5.4	2.1	58.2	59.6	
1923	0.6	0.7	0.7	0.7	0.6	1.2	4.9	21.6	49.1	35.7	14.4	6.6	136.8	140.1	
1924	7.6	8.3	3.4	1.9	1.5	1.7	12.6	24.5	48.7	20.9	7.1	2.9	141.1	144.5	
1925	1.8	0.9	0.5	0.7	0.8	0.8	1.5	8.3	13.8	11.1	6.7	4.6	51.5	52.7	
1926	4.1	3.0	1.8	1.6	1.3	2.3	20.6	26.5	38.8	24.7	10.8	3.5	139.0	142.3	
1927	1.1	0.8	0.9	0.8	0.7	0.9	5.9	16.4	25.5	17.9	9.6	5.5	86.0	88.1	
1928	1.7	1.1	1.4	1.0	0.8	0.8	2.3	29.5	27.0	21.8	8.8	3.2	99.4	101.8	
1929	1.2	1.2	0.9	0.6	0.5	1.0	2.4	10.0	25.9	20.3	13.8	7.1	84.9	86.9	
1930	4.4	1.7	1.1	0.8	0.8	0.9	4.6	10.0	20.7	12.7	14.2	5.5	77.4	79.2	
1931	2.0	0.9	0.6	0.5	0.6	0.8	2.4	13.7	25.5	8.7	4.5	1.9	62.1	63.6	
1932	1.2	0.9	0.6	0.2	0.4	0.4	2.5	12.7	25.8	16.8	4.6	1.5	67.6	69.2	
1933	1.1	0.8	0.5	0.6	0.3	0.6	3.4	26.4	40.5	15.3	4.5	4.5	98.5	100.8	
1934	2.2	1.0	0.6	0.6	0.9	1.4	3.4	25.4	13.7	5.0	2.5	1.3	58.0	59.4	

SP-37 - Discharge of St. Vrain Creek at Lyons, Colorado (Continued)

Unit: 1,000 Acre-Feet												Altitude 5,349 Feet		
Drainage Area 226 Square Miles												ANNUAL IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1935	1.0	0.4	0.5	0.5	0.5	0.6	1.2	19.4	35.7	20.1	6.3	3.6	89.8	91.9
1936	1.3	1.2	0.4	0.5	0.5	0.9	7.5	25.4	35.0	17.5	12.5	4.0	106.7	109.2
1937	2.0	1.7	0.7	0.3	0.6	0.9	3.9	15.9	24.9	15.2	5.4	3.1	74.6	76.4
1938	1.2	1.2	0.9	0.8	0.4	0.4	9.0	22.5	37.0	17.7	6.7	15.6	113.4	116.1
No. Items	42	35	26	25	25	26	34	42	46	47	47	48		
Mean	2.62	1.53	0.95	0.74	0.64	1.08	5.71	19.19	31.87	19.37	9.19	4.78	#97.67	
% M.A.	2.68	1.57	0.97	0.76	0.65	1.11	5.85	19.65	32.63	19.83	9.41	4.89	100.00	

SP-38 - Discharge of St. Vrain Creek at Mouth, Colorado

Unit: 1,000 Acre-Feet												Altitude 4,740A Feet		
Drainage Area 1,000 Square Miles												ANNUAL IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1915							30.5	55.6	55.1	19.1	7.2	7.9		
1916	16.8	7.6	7.0											
1927						P	6.4	12.5	14.8	12.7	16.5	9.3		
1928	9.2	7.0	7.0	7.8	5.1	7.3	6.0	70.7	38.4	16.7	9.8	6.0	191.0	163.0
1929	5.6	6.2	5.2*	5.8*	5.6*	8.6*	6.9	6.9	6.8	13.2	22.6	12.3	105.7	90.2
1930	8.2	8.0	8.6*	5.5*	8.9E	6.0	5.9	6.6	6.7	8.3	18.0	7.1	97.8	83.5
1931	7.3	5.1	5.2*	5.7*	3.9*	5.0	5.6	12.0	12.6	6.6	4.3	3.6	76.9	65.6
1932	2.6	2.6*	2.8*	3.1*	3.1*	3.0*	2.1*	3.0	5.6	5.7	3.3	3.1	40.0	34.1
1933	2.7	3.2	2.5*	2.3*	3.0*	2.7	4.6	48.8	17.7	6.2	3.9	6.5	104.1	88.8
1934	4.2	3.3	3.8	4.1	5.3	4.5	6.4	13.5	6.2	3.1	3.1	1.4	58.9	50.3
1935	1.6	1.9	1.7*	1.5*	1.7	1.7	1.5	28.4	42.8	6.7	4.1	6.1	99.7	85.1
1936	5.3	5.2	5.0*	4.9E	4.6*	4.6	6.8	8.4	29.2	7.6	11.9	5.7	99.2	84.7
1937	8.6	6.6	8.1	5.8E	5.4E	6.4	7.2	6.4	30.0	13.2	6.3	6.2	110.2	94.0
1938	4.4	3.8	4.1	4.4	4.8	4.1	13.5	50.1	30.7	17.2	7.4	63.2	207.7	177.2
No. Items	12	12	12	11	11	12	13	13	13	13	13	13		
Mean	6.38	5.04	5.08	4.63	4.67	5.02	8.46	24.84	22.82	10.48	9.11	10.65	#117.18	
% M.A.	5.44	4.30	4.34	3.95	3.99	4.28	7.22	21.20	19.48	8.94	7.77	9.09	100.00	

SP-38A - Discharge of South St. Vrain Creek near Ward, Colorado

Unit: 1,000 Acre-Feet				Drainage Area 15 Square Miles							Altitude 9,420 Feet			
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL.IN % MEAN
1926								P	9.8	7.6	3.3	1.2		
1927	0.7							P	8.1	6.3	3.4	1.5		
1929								P	9.2	6.9	5.1	2.2		
1930	1.0	0.6E	0.5E	0.3E	0.2E	0.2E	1.2E	2.4	5.8	4.1	2.3	0.8	19.4	82.9
1931	0.5	0.2*	0.1E	0.1E	0.1E	0.1E	0.3E	3.1*	7.2	2.5	2.0	0.6	16.8	71.8
No.Items	3	2	2	2	2	2	2	2	5	5	5	5		
Mean	0.73	0.40	0.30	0.20	0.15	0.15	0.75	2.75	8.02	5.48	3.22	1.26	#23.41	
% Mean														
Annual	3.12	1.71	1.28	0.85	0.64	0.64	3.20	11.75	34.26	23.41	13.76	5.38	100.00	

SP-38B - Discharge of South St. Vrain Creek near Lyons, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 66 Square Miles										Altitude 5,550A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL IN % MEAN
1892								P	28.2	16.9	3.8	1.8		
1893	1.5													
No.Items	1								1	1	1	1		
Mean	1.50								28.20	16.90	3.80	1.80	#52.20x	

SP-38C - Discharge of Middle St. Vrain Creek near Allen's Park, Colorado

Unit: 1,000 Acre-Feet			Drainage Area 28.5 Square Miles										Altitude 7,550 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1926							P	8.7	12.5	7.4	3.5	1.0		
1927	0.5	0.3	0.3E	0.3	0.3	0.3	1.3	6.6	8.3	6.3	3.5	1.3	29.3	92.8
1928	0.8	0.6	0.4E	0.4E	0.3	0.4	0.9	8.2	8.7	7.0	2.7	0.8	31.2	98.8
1929	0.6	0.4E	0.4E	0.3*	0.2E	0.2*	0.7*	4.5	10.7	7.7	5.6	2.4	33.7	106.7
1930	1.6	0.9E	0.4E	0.2E	0.2E	0.4E	2.2*	4.1	7.6	4.3	3.5	1.2*	26.6	84.2
No. Items	4	4	4	4	4	4	4	5	5	5	5	5		
Mean	0.88	0.55	0.38	0.30	0.25	0.32	1.28	6.42	9.56	6.54	3.76	1.34	#31.58	
% Mean														
Annual	2.79	1.74	1.21	0.95	0.79	1.01	4.05	20.33	30.27	20.71	11.91	4.24	100.00	

SP-38D - Discharge of Lefthand Creek near Boulder, Colorado

Unit: Acre-Feet		Drainage Area 48.3 Square Miles										Altitude 5,500A Feet		
												ANNUAL IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1929								P	8690	6400	5170	2570		
1930	1010	325*	246E	184*	222E	200	1950	2630	5820	3990	3220	1220	21,017	90.2
1931	523	56	61E	61E	28E	85	476	5370	8030	3140	1090	417	19,337	83.0
No. Items	2	2	2	2	2	2	2	2	3	3	3	3		
Mean	766.5	190.5	153.5	122.5	125.0	142.5	1213.0	4000.0	7513.3	4510.0	3160.0	1402.3	#23,299.1	
% Mean.														
Annual	3.29	0.82	0.66	0.52	0.54	0.61	5.21	17.17	32.25	19.35	13.56	6.02	100.00	

SP-39 - Discharge of Lefthand Creek at Mouth, Colorado

Drainage Area 74 Square Miles										Altitude 4,990 Feet				
Unit: Acre-Feet										ANNUAL	% MEAN			
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1927						286	1720	2360	1820	1060	1460	359		
1928	429	395	421	440	343	267	496	8850	3240	1430	793	315	17,419	184.2
1929	262	192	197E	215E	194E	387	415	848	462	1420	3540	934	9,066	95.9
1930	424	524	379*	400E	252*	282	540	670	666	676	2050	488	7,351	77.7
1931	275	375	406*	369E	194	224	167	935	1390	325	155	131	4,946	52.3
1932	155	186*	184E	123E	115E	252*	292	236	649	552	230	111	3,085	32.6
1933	224	329	184*	246E	167E	85	460	7870	1210	1060	335	613	12,783	135.2
1934	246	268	350	277	244	203	399	1480	500	228	123	149	4,467	47.2
1935	87	73	107*	109*	81*	61	75	4260	2050	752	248	508	8,411	88.9
1936	432	392	282*	320E	317*	144	400	1830	3080*	972*	1590	732	10,491	110.9
1937	881	648	465	277E	222E	247	613	590	3880	1410	370	458	10,061	106.4
1938	365	274	284	385	165	202	2360	4060	1460	871	474	3970	14,870	157.2
No. Items	11	11	11	11	11	12	12	12	12	12	12	12		
Mean	343.6	332.4	296.3	287.4	208.5	220.0	661.4	2834.4	1700.6	896.3	947.3	730.7	# 9,456.9	
% Mean														
Annual	3.63	3.52	3.13	3.04	2.20	2.33	6.99	29.95	17.98	9.48	10.02	7.73	100.00	

SP-40 - Discharge of Boulder Creek at Orodell, Colorado

Drainage Area 105 Square Miles													Altitude 5,800 Feet	
Unit: 1,000 Acre-Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1887							4.8	10.0	15.5	12.9	P	4.5		
1888	P										9.7	4.8		
1889	P													
1907						P	4.2	14.4	27.8	28.5	10.1	3.7		
1908	2.0*	0.9*	0.5E	0.3E	0.3*	0.6	3.0	6.3	15.1	9.8	7.3	3.3	49.4	71.5
1909	1.2	1.2	0.6	0.6	0.6	0.7	4.2	10.6	28.7	22.9	11.3	6.8	89.4	129.4
1910	2.0	1.1	0.5	0.4	0.4	1.1	2.5	6.6	10.9	6.5	3.7	1.6	37.3	54.0
1911	0.9	0.5	0.4	0.2	0.4	0.3	1.2	9.2	18.9	10.5	3.9	P		
1912	P	1.1			P	P	P	P	P	P	P	P		
1913	P	1.9	P	1.8*	1.9	1.6*	3.4	5.1	14.5	8.8	4.3	4.0		
1914	3.1	2.3	3.3	3.0	2.4*	1.7*	5.6	P	P	16.5	8.2	4.3*		
1915	2.8*	3.0*												
1916					P	5.1	4.5		P	14.7	8.9	2.9		
1917	2.0	2.5							16.8	18.3	5.9	2.2		
1918	1.7	1.9	2.7	3.0	2.5	2.5	2.9	9.3	28.4	19.3	6.8	3.3	84.3	122.0
1919	3.5	3.3	3.7	3.3	2.7	2.5	2.8	10.1	13.1	8.6	6.2	1.8	61.6	89.1
1920	1.4	1.9	1.0	0.8	1.4	1.1	1.6	10.9	20.0	16.7	9.6	4.5	70.9	102.6
1921	2.4	1.3	0.9	2.2	1.6	1.7	3.1	10.9	48.4	18.7	7.0	2.5	100.7	145.7
1922	1.2	1.1	2.4	3.6	2.0	5.2	7.0	9.6	22.1	10.1	4.6	1.6	70.5	102.0
1923	1.2	1.1	1.5	1.7	1.2	1.8	2.6	9.5	30.0	20.5	7.2	3.1	81.4	117.8
1924	5.1	5.7	5.2	3.8	3.5	2.2	4.5	11.9	27.4	12.9	4.5	3.2	89.9	130.1
1925	4.5	3.0	2.2	2.1	1.4	1.2	2.0	7.8	12.3	8.0	3.5	3.7*	51.7	74.8
1926	1.6	1.4	2.2	1.9	1.8	2.2	9.4	16.2	30.8	19.9	9.3	3.5	100.2	145.0
1927	2.7	2.4	2.0	1.9	1.9	1.4	3.3	9.7	16.7	14.3	7.2	4.0	67.5	97.7
1928	3.0	3.5	3.4	1.7	1.5	1.8	2.2	12.0	23.6	19.7	6.4	3.6	82.4	119.2
1929	2.1	1.2	2.1	2.2	1.4	2.2	1.9	7.1	23.0	14.8	8.4	4.9	71.3	103.2

SP-40 - Discharge of Boulder Creek at Orodell, Colorado (Continued)

Drainage Area 105 Square Miles										Altitude 5,800 Feet				
Unit: 1,000 Acre-Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN
1930	2.0	1.7	1.3	1.4	1.8	1.1	4.4	7.5	18.6	11.4	8.9	2.9	63.0	91.2
1931	1.6	0.9	1.7	1.3	0.8	1.7	2.3	9.7	20.4	7.1	3.8	1.6	52.9	76.5
1932	1.1	0.7	0.8	0.7	0.6	1.0	2.2	9.9	17.6	13.0	5.5	1.2	54.3	78.6
1933	0.7	0.8	0.5*	0.4	0.1	0.4	1.2	8.4	20.9	10.3	3.6	3.2	50.5	73.1
1934	1.6	1.5	2.0	2.3	1.5	1.9	3.3	13.0	8.7	4.0	2.2	1.1	43.1	62.4
1935	0.5	0.3	0.5	0.4	0.5	0.5	1.3	5.6	25.2	18.3	5.7	3.2	62.0	89.7
1936	2.1	2.0	2.4	1.8	1.3*	1.6	3.8	16.1	22.3	13.1	9.8	3.0	79.3	114.7
1937	2.3	1.4	2.2	2.0*	1.6	2.2	2.8	10.8	10.4	11.0	4.1	3.3	54.1	78.3
1938	1.4	1.5	2.0	1.9	1.8	1.9	4.6	9.2	25.3	15.6	5.9	7.5	78.6	113.7
No. Items	28	30	26	27	27	28	30	28	29	31	31	31		
Mean	2.06	1.77	1.85	1.73	1.44	1.76	3.42	9.91	21.15	14.08	6.56	3.38	#69.11	
% Mean														
Annual	2.98	2.56	2.68	2.50	2.08	2.55	4.95	14.34	30.60	20.38	9.49	4.89	100.00	

SP-41 - Discharge of Boulder Creek near Boulder, Colorado

Drainage Area 179 Square Miles												Altitude 5,500 Feet	
Unit: 1,000 Acre-Feet													
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL % MEAN
1888							4.8	10.1	15.5	12.9	9.7	4.8	
1889	3.7							P	33.6	17.0	6.0	2.0	
1890	2.2							P	20.3	15.2	P	3.3	
1891	P	P						P	25.4	14.8	7.1	P	
1892								P	26.6	22.9	9.1	3.2	
1893	2.6												
1895								P	29.9	21.8	12.6	5.1	
1896	2.7						4.8	14.8	15.7	9.4	5.4	4.3	
1897	2.0							22.0	32.8	23.2	13.2	4.9	
1898	3.2	2.5						14.3	26.4	13.0	3.8	1.8	
1899	0.4	2.4					7.0	21.7	39.5	35.5	16.4	5.0	
1900	2.3	1.4						38.4	38.1	15.7	5.8	3.0	
1901	2.0						4.5	23.9	30.5	19.6	7.0	2.1	
1902	0.9	0.5	0.3										
1904										P	9.8	3.8	
1905	P						P	9.3	25.5	36.7	15.8	6.7	P
1906								P	23.9	27.8	18.2	8.7	6.3
1907	4.0	5.4	P					19.8	35.0	34.7	11.4	3.5	
1908	1.8	P						2.4	6.3	9.9	P	2.6	
1909	1.1	1.0	0.8*										
No. Items	13	6	2				6	11	16	16	15	15	
Mean	2.22	2.20	0.55				5.47	20.06	28.06	18.72	8.85	3.71	#89.84x

SP-42 - Discharge of Boulder Creek at Mouth, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 512 Square Miles					Altitude 4,880.4 Feet				
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL IN					
1927						P	5.2	5.7	4.6	1.8	5.2	0.3							
1928	2.0	2.0	3.1*	3.1*	2.4	4.1	2.7	22.3	14.8	5.8	1.4	0.2	63.9	186.5					
1929	0.6	1.1	3.4*	5.3*	5.0E	4.6*	3.2	2.5	1.5	1.8	2.1	1.9	33.0	96.3					
1930	1.3	2.3	4.4*	5.2*	5.7	2.3	2.7	0.7	1.3	1.0	5.8	0.7	33.4	97.5					
1931	1.2	1.3	2.6*	2.2*	1.2	2.1	2.8	8.6	4.2	0.2	0.2	0.2	26.8	78.2					
1932	0.2	0.2	0.4	0.8	0.7	0.4*	1.1	0.4	0.9	0.6	0.2	0.1	6.0	17.5					
1933	0.2	0.1	0.1	0.6	0.6*	0.3	1.5	19.8	6.7	0.4	0.1	0.8	31.2	91.0					
1934	0.2	0.1	0.5	1.4	2.0	1.7	3.4	5.2	0.3	0.1	0.1	0.1	15.1	44.1					
1935	0.1	0.1	0.1	0.2	0.2	0.2	0.1	7.3	12.1	0.3	0.1	0.5	21.3	62.2					
1936	0.7	1.6	2.6	2.2	1.7*	1.6*	4.0	4.0	7.4	0.3	1.4	0.3	27.8	81.1					
1937	2.3	1.7	4.0	3.4E	3.3E	2.9	4.0	1.8	7.9	2.5	0.3	0.2	34.3	100.1					
1938	0.3	0.3	0.9	1.0	1.9	0.7	6.4	27.9	14.2	5.5	0.2	26.2	85.5	249.5					
No. Items	11	11	11	11	11	11	12	12	12	12	12	12							
Mean	0.83	0.98	2.01	2.31	2.25	1.90	3.09	8.85	6.32	1.69	1.42	2.62	#34.27						
% Mean.																			
Annual	2.42	2.86	5.87	6.74	6.57	5.54	9.02	25.82	18.44	4.93	4.14	7.65	100.00						

SP-43 - Discharge of North Boulder Creek at Silver Lake, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 8.7 Square Miles				Altitude 10,100A Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1913															
1914	0.6	0.4	0.3	0.2	0.2	0.2	0.2	1.5	6.3	4.8	2.7	1.7	18.5	84.1	
1915	0.4	0.3	0.3	0.3	0.3	0.4	0.5	1.0	3.6	4.5	2.5	1.1	15.7	71.4	
1916	0.7	0.4	0.3	0.3	0.3	0.2	0.2	0.5	2.2	2.6	1.9	0.8	10.4	47.3	
1917	0.4	0.4	0.3	0.4	0.4	0.4	0.1	0.4	2.3	4.8	2.7	1.1	13.7	62.3	
1918	0.8	0.5	0.3	0.3	0.3	0.3	0.3	1.0	6.2	4.7	2.7	1.1	18.5	84.1	
1919	1.0	0.7	0.5	0.4	0.2	0.3	0.3	1.0	2.8	3.0	1.9	1.5	13.6	61.8	
1920	0.9	0.6	0.4	0.3	0.2	0.1	0.1	1.2	5.4	9.6	11.6	4.2	34.6	157.3	
1921	3.6	3.6	1.4	1.3	0.9	1.2	1.2	2.3	8.0	P	P	1.7			
1922	2.8	1.9	1.6	1.2	0.6	1.0	1.5	2.4	3.8	4.0	3.2	3.4	27.4	124.5	
1923	3.0	2.3	1.7	0.5	0.3	0.5	0.3	0.9	4.9	5.3	4.9	2.7	27.3	124.1	
1924	0.9	1.0	1.0	1.0	1.0	1.2	1.1	1.5	P			P			
1925	3.2	2.8	2.6	2.6	2.3	2.4	1.8	2.2	2.0	3.1	2.3	1.6	28.9	131.4	
1926	1.1	0.8	0.5	0.4	0.4	0.3	0.4	2.2	5.7	6.0	4.0	1.7	23.5	106.9	
1927	1.2	1.1	1.0	0.8	0.8	1.1	1.0	2.4	4.4	4.4	1.8	1.6	21.6	98.2	
1928	1.8	0.8	0.3	0.4	0.3	0.4	0.4	1.7	4.5	5.8	2.5	0.8	19.7	89.5	
No. Items	15	15	15	15	15	15	15	15	14	13	13	15			
Mean	1.49	1.17	0.83	0.69	0.57	0.67	0.63	1.48	4.44	4.82	3.44	1.77	#22.00		
% Mean															
Annual	6.77	5.32	3.77	3.14	2.59	3.05	2.86	6.73	20.18	21.91	15.64	8.04	100.00		

SP-43A - Discharge of North Boulder Creek near Nederland, Colorado

Drainage Area 24.6 Square Miles													Altitude 8,300 Feet	
Unit: Acre-Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN
1929									P	5610	3290	2110		
1930	1060	278	0	0	0	0	881	2270	5950	3620	4750	1340	20,149	107.9
1931	290*	18 E	18E	18E	17E	18E	121	2330	6720	3050	1630	643	14,873	79.6
No. Items	2	2	2	2	2	2	2	2	2	3	3	3		
Mean	675.0	148.0	9.0	9.0	8.5	9.0	501.0	2300.0	6335.0	4093.3	3223.3	1364.3	#18675.4	
% Mean														
Annual	3.61	0.79	0.05	0.05	0.05	0.05	2.68	12.32	33.92	21.92	17.26	7.30	100.00	

SP-43B - Discharge of Middle Boulder Creek above Cardinal Creek, Colorado

Drainage 32.3 Square Miles														Altitude 8,183 Feet	
Unit: 1,000 Acre-Feet															
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1907									18.7	20.0	5.3	1.8			
1908	1.5	0.6	0.3												
1911						0.3*	1.1	6.4	13.6	7.7	2.1	1.1			
1912	1.4	0.7	P					7.7*	17.1	14.4	4.8	1.6			
1913	1.4	0.8	0.3					P	7.4	5.1	2.0	2.5			
1914	2.1*	1.0*	0.3E	0.3E	0.4E	0.5	1.5	11.7	21.2	7.9	3.1	1.5	51.5	120.7	
1915	1.2	0.7	0.3	0.2	0.2	0.2	1.7	7.2	13.6	9.6	3.5	2.0	40.4	94.7	
1916	1.6	0.8	0.5	0.3	0.3	0.7	1.6	5.0	10.8	6.3	3.5	1.6	33.0	77.3	
1917	1.4	0.8	0.4												
No. Items	7	7	6	3	3	4	4	5	7	7	7	7			
Mean	1.51	0.77	0.35	0.27	0.30	0.42	1.48	7.60	14.63	10.14	3.47	1.73	#42.67		
% Mean.															
Annual	3.54	1.81	0.82	0.63	0.70	0.98	3.47	17.81	34.29	23.77	8.13	4.05	100.00		

SP-45 - Discharge of Middle Boulder Creek at Nederland, Colorado

Drainage Area 38, Square Miles												Altitude 8,180 Feet		
Unit: 1,000 Acre-Feet												ANAL. IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1908				0.1	0.2E	0.4E	1.7E	3.8	10.6	7.0	4.7	1.6		
1909	1.0	0.8	0.5	0.4	0.3	0.5	1.3	6.7	19.9	12.7	5.2	2.3	51.6	133.0
1910	1.4	0.8	0.5*	0.3*	0.3	0.9	2.2*	5.3	7.9	4.0*	1.7*	1.2	26.5	68.3
1911	0.7	0.5	0.4											
1917				0.3	0.2	0.2	0.9	4.6	16.5	10.4	3.3	1.1		
1918	0.7	0.6	0.5	0.4	0.3	0.5	1.2	10.3	11.8	11.0	4.2	1.8	43.3	111.6
1919	1.7	1.1	0.5	0.3	0.2	0.3	2.0	9.2	8.0	4.4	1.7	1.2	30.6	78.9
1920	0.8	0.8	0.4	0.3	0.3	0.3	0.6	9.6	15.0	10.0	5.8	2.1	46.0	118.6
1921	1.0	0.9	0.4	0.3	0.3	0.6	1.3	11.0	23.6	8.7	5.0	1.8	54.9	141.5
1922	0.7	0.5	0.6	0.4	0.3	0.3	0.8	5.9	10.9	5.0	2.4	0.8	28.6	73.7
1923	0.8	0.6	0.5	0.3	0.2	0.3	1.1	7.4	16.6	12.9	4.5	1.5	46.9	120.9
1924	1.9	1.2	0.6	0.4	0.4	0.4	1.5	9.6	16.4	7.8	2.1	1.0	43.3	111.6
1925	1.6	0.9	0.5	0.3	0.3	0.4	1.8	5.5	4.1	4.8	3.1	2.7	26.0	67.0
1926	1.6	1.4	0.7	0.4	0.3	0.4	2.4	13.6	17.2	10.6	5.0	1.3	54.9	141.5
1927	0.9	0.6	0.4	0.2	0.2*	0.3	1.8	9.2	10.9	10.4		1.6		
1928	1.6	0.9	0.6	0.4	0.4	0.4	0.9	10.5	12.1	10.9	4.0	1.2	43.9	113.2
1929	1.0	0.6	0.3	0.3	0.2	0.3	0.5	5.6	13.7	8.1	5.0	2.8	38.4	99.0
1930	1.7	0.9	0.4	0.4	0.3	0.4	2.8	5.2	11.4	6.2	4.8	1.6	36.1	93.1
1931	1.0	0.5	P		0.2	0.2	0.7	5.9	11.8	3.6	1.7	0.8		
1932	1.0	0.5*	0.2E	P		0.3	1.1	7.6	12.1	7.2	2.2	0.7		
1933	0.7	0.5	0.4*	0.2E	0.2E	0.3*	0.6	6.0	18.4	6.7	1.8	1.7*	37.5	96.7
1934	0.6	0.3	0.3	0.6*	0.3E	0.4*	2.4	10.3	4.9	1.6	0.8	0.6	23.1	59.6
1935	0.6	0.5	0.3	0.3	0.3	0.3	0.9	4.2	17.8	11.2	3.1	1.2	40.7	104.9
1936	0.7	0.6	0.3	0.3	0.3	0.3	2.8	12.6	14.6	7.4	4.0	1.3	45.2	116.5
1937	1.1	0.7	0.4	0.1E	0.2E	0.3E	1.5*	8.5	10.3	5.8	2.4	1.4	32.7	84.3
1938	1.1	0.9	0.6	0.5	0.3	0.5	1.8	7.9	18.5	9.2	3.3	2.9	47.5	122.5
No. Items	24	24	23	23	24	25	25	25	25	25	24	25		
Mean	1.08	0.73	0.45	0.33	0.27	0.38	1.46	7.84	13.41	7.90	3.41	1.53	#38.79	
% Mean														
Annual	2.78	1.88	1.16	0.85	0.70	0.98	3.76	20.21	34.57	20.37	8.79	3.95	100.00	

SP-46A- Discharge of Fourmile Creek at Mouth, Colorado

Unit: Acre-Feet		Drainage Area 42A Square Miles											Altitude 5,800A Feet		
YEAR		OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN
1887															
1888	P												P	436	
No. Items		1													
Mean		436.0 #436.0x													

SP-46B - Discharge of South Boulder Creek at Rollinsville, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 39 Square Miles												Altitude 8,500 Feet	
YEAR		OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN
1911					0.5E	0.4E	0.5E	1.0*	6.4	9.0	5.9	2.5	1.6		
1912	2.2	1.2	0.5E	0.4E	0.4E	0.3E	0.4E	2.4*	7.9	18.1	11.1	3.0	1.2	48.7	111.5
1913	1.0	0.6*	0.4E					P	10.9	11.5	4.4	1.6	2.3		
1914	2.4	1.7	0.7E	0.6E	0.6E	0.6E	0.7E	3.0	15.5	21.2	9.4	3.0	1.1	59.9	137.1
1915	P	0.9		P			0.4*	2.4	10.4	18.8	9.9	2.9	1.4		
1916	1.2	0.9	0.5	0.5	0.5	0.5	1.0	1.6	6.5	14.7	6.6	3.3	1.2	38.5	88.1
1917	1.2	0.9	0.8	0.8	P	P	P	P	6.1	17.1	10.4	2.2	0.8		
1918	0.5	0.7		P	P	P	P	1.8							
No. Items		6	7	5	4	4	5	6	7	7	7	7	7		
Mean		1.42	0.99	0.58	0.50	0.45	0.60	2.03	9.10	15.77	8.24	2.64	1.37	#43.69	
% Mean															
Annual		3.25	2.27	1.33	1.14	1.03	1.37	4.65	20.83	36.10	18.86	6.04	3.13	100.00	

1910 Record - 2 discharge measurements and 17 gage heights.

SP-47 - Discharge of South Boulder Creek at Eldorado Springs, Colorado

Unit: 1,000 Acre-Feet														Drainage Area 114 Square Miles				Altitude 5,800 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN					
1888							P	8.3	11.4	8.1	5.8	3.2		ANNUAL					
1889	P							P	20.4	9.3	2.4	1.2		% MEAN					
1890	1.2	P						P	20.8	9.2	3.9	2.1							
1891	P						4.9	22.9	21.2	8.6	2.8	1.2							
1892	P							P	22.3	14.3	3.8	1.2							
1893	1.1																		
1896							4.3	13.5	12.1	4.6	2.6	2.2							
1897	1.4							P	23.9	14.4	7.9	2.6							
1898	2.4	2.1						11.9	17.0	8.4	2.6	1.3							
1899	1.2	1.1					6.8	17.1	24.8	14.2	5.6	2.1							
1900									21.2	5.7	1.8	0.5							
1901							2.8	P	13.6	7.3	3.0	P							
1904										F	4.1	2.3							
1905	1.5	1.1	0.9*	0.2*	0.2*	0.9*	8.5	19.9	21.8	6.5	2.0	0.9	64.4	113.7					
1906	0.6	0.3	0.3*				5.6	17.9	18.7	9.8	2.9	3.0							
1907	3.4	2.2	1.4				4.4	17.6	25.8	15.9	3.8	1.5							
1908	1.5	0.9	0.9	0.9	0.7	1.0	2.3	4.9	10.1	5.0	3.4	1.2	32.8	57.9					
1909	1.1	1.0	0.9	0.7	0.6	1.1	6.3	15.9	34.0	15.6	6.0	6.0	89.2	157.5					
1910	2.2	1.2	0.8	0.6	0.4	1.3	2.1	6.4	7.0	3.1	1.5	0.7	27.3	48.2					
1911	0.7	0.5	0.4	0.2	0.2	1.0	1.7	8.6	14.0	7.4	2.3	1.0	38.0	67.1					
1912	1.0	0.8	0.5	0.2	0.3	0.5	2.4	12.5	20.2	13.1	3.9	1.7	57.1	100.8					
1913	1.4	1.0					3.5	10.5	10.7	4.4	1.6	2.0							
1914	2.2	1.4	P			1.8	10.5	36.2	24.3	10.0	5.1	1.8							

SP-47 - Discharge of South Boulder Creek at Eldorado Springs, Colorado (Continued)

Drainage Area 114 Square Miles														Altitude 5,800 Feet	
Unit: 1,000 Acre-Feet														Ann. In	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1915	2.0	1.2				P	7.6	17.7	25.9	11.1	3.8	2.2			
1916	2.1	1.6	1.5	1.1	1.0	1.4	2.9	9.4	13.3	5.6	3.7	1.4	45.0	79.5	
1917	2.2	1.4				1.3	3.6	12.7	21.1	9.2	3.0	1.1			
1918	0.8	1.0	P			1.7	3.8	15.5	25.3	9.7	2.8	2.3			
1919	2.5	1.7	0.9			0.8	4.7	13.7	8.7	4.7	4.1	1.7			
1920	0.9	0.6	0.6	0.7*	0.6*	1.2*	4.1	22.8	18.7	7.3	3.7	1.3	62.8	110.9	
1921	1.1	0.7	0.5*			1.7	6.4	23.3	37.2	10.2	2.9	1.0			
1922	1.0	0.2	0.3*			P	2.3	9.1	12.4	4.0	1.7	0.8			
1923	0.7	0.7	0.6	0.6	0.6	1.2	3.4	14.5	26.2	13.5	6.3	2.6	70.9	125.2	
1924	2.7	3.3	2.1	1.2	1.4	1.4	8.6	22.3	25.2	6.3	0.8	0.5	75.8	133.9	
1925	1.2	1.0	0.8E	0.5E	0.7E	1.0*	2.1	6.1	7.2	3.2	1.6	2.4	27.8	49.1	
1926	1.6	1.6	1.1	0.9	0.9	1.6	10.7	24.7	20.8	10.0	3.4	0.9	78.2	138.1	
1927	1.0	1.1	0.8	0.9	0.9	1.1	2.8	13.6	14.3	6.3	2.9	1.1	46.8	82.7	
1928	1.2	1.1	1.0	0.7	0.6	1.0	2.1	18.2	16.7	10.0	2.2	1.0	55.8	98.6	
1929	1.0	0.8	0.5E	0.4E	0.4E	1.0	2.1	6.8	15.5	7.0	5.2	2.6	43.3	76.5	
1930	1.6	1.9	0.9*	0.5*	0.5E	0.8E	5.8	9.3	15.9	5.8	5.6	2.0	50.6	89.4	
1931	1.2	0.9*	0.6E	0.4E	0.4E	0.9E	2.5*	10.2	15.2	3.7	2.1	0.8	38.9	68.7	
1932	0.8	0.7*	0.3E	0.2E	0.3E	0.7E	1.8*	10.2	13.2	6.3	1.8	0.6	36.9	65.2	
1933	0.5	0.4*	0.2E	0.1E	0.1E	0.4E	2.0*	19.2	24.4	7.1	1.8	1.6	57.8	102.1	
1934	0.8	0.4*	0.2E	0.4E	0.5E	1.1*	3.9	13.0	6.8	1.8	0.8	0.5	30.2	53.3	
1935	0.4	0.5	0.3E	0.3E	0.4	0.5	1.5	12.1	20.1	8.9	3.0	1.1	49.1	86.7	
1936	0.8	0.8*	0.7*	0.4	0.5*	1.1	5.2	18.9	14.2	5.6	6.6	2.2	57.0	100.7	
1937	2.5	1.6	0.6	0.3	0.4	0.7	2.7	12.4	18.4	5.4	1.7	1.0	47.7	84.2	
1938	1.0	0.9	0.8	0.6	0.4	0.6	6.0	21.3	30.7	10.0	2.3	7.4	82.0	144.8	
No. Items	39	36	29	24	24	29	38	39	45	45	46	45			
Mean	1.40	1.10	0.74	0.54	0.54	1.06	4.33	14.90	18.73	8.18	3.32	1.78	#56.62		
% Mean															
Annual	2.47	1.94	1.31	0.95	0.95	1.87	7.65	26.32	33.08	14.45	5.87	3.14	100.00		
Prior to 1909 known as South Boulder Creek near Marshall.															

Prior to 1909 known as South Boulder Creek near Marshall.

SP-48 - Discharge of Big Thompson River near Estes Park, Colorado

Drainage Area 157 Square Miles										Altitude 7,424 Feet				
Unit: 1,000 Acre-Feet												ANNL. IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1930									P	14.1	19.4	6.4		
1931	3.9	2.0*	0.8E	0.7E	0.6E	0.9E	2.1*	11.2	16.3	13.6	8.7	4.2	65.0	67.3
1932	2.9	1.7*	0.9E	0.7E	0.8E	0.9E	1.4*	17.2	28.2	21.5	9.5	2.7	88.4	91.6
1933	1.5	P	P	P	P	P	P	12.9	52.7	22.4	8.5	5.3		
1934	2.7	1.2	1.2E	0.9E	0.8*	0.8	3.2	18.1	13.5	6.4	4.4	2.3	55.5	57.5
1935	1.4	1.0*	1.0E	0.9E	0.7E	0.9*	1.3	11.4	36.8	29.4	9.5	3.7	98.0	101.5
1936	2.1	1.8	1.0*	1.0E	1.0E	1.5E	6.0*	26.5	36.7	22.4	19.4	4.7	124.1	128.5
1937	3.3	2.0	1.2	0.6E	0.7E	1.0E	3.2	21.5	39.0	18.5	7.0	3.6	101.6	105.2
1938	2.8	1.6	1.4*	1.1*	0.7*	1.2	4.3*	21.1	42.6	22.0	8.9	15.3	123.0	127.4
No. Items	8	7	7	7	7	7	7	8	8	9	9	9		
Mean	2.58	1.61	1.07	0.84	0.76	1.03	3.07	17.49	33.22	18.92	10.59	5.36	#96.54	
% Mean														
Annual	2.67	1.67	1.11	0.87	0.79	1.07	3.18	18.11	34.41	19.60	10.97	5.55	100.00	

SP-49 - Discharge of Big Thompson River below power-house near Drake, Colorado

Drainage Area 277 Square Miles													Altitude 2,700 Feet	
A.M.L. In														
Unit: 1,000 Acre-Feet	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1917					P	P	P			P	P	P		
1918	2.5	2.0	1.8	1.1*	1.1*	1.7*	3.2	19.1	P	P	P			
1919			2.2*	1.6*	1.2*	1.6	3.5	15.1	14.9	13.2	8.3	6.6		
1920	3.6	2.7	2.2*	1.9	2.0*	1.4*	2.4E	17.8	57.8	32.8	18.8	10.5	155.9	112.5
1921	4.8	2.3*	1.5E	1.5*	1.2*	1.6*	7.3E	28.3	86.5	35.5	16.9	3.2	195.4	142.8
1922	3.7	2.3	2.0*	2.1*	1.6	1.8	3.4	18.8	39.9	19.9	12.9	5.1	113.5	82.9
1923	2.6	2.1	2.0*	1.4*	1.1*	1.6	4.9	27.5	84.5	62.1	21.8	9.8	221.4	161.8
1924	8.1	6.8	4.5	2.6*	2.0*	1.6*	9.2	40.2	92.2	40.7	8.8	4.8	221.5	161.9
1925	4.2	2.2	1.2*	1.2*	1.4	1.5	3.1	12.8	23.2	17.5	12.9	8.6	89.8	65.6
1926	8.4	4.4	2.2	1.4	1.0	1.5	18.9	54.3	69.6	44.6	15.1	5.3	226.7	165.7
1929	3.0	2.2	1.2	P			P	15.6	35.5	32.0	25.8	17.2		
1930	8.8	4.0	2.5	1.2*	1.3*	1.4*	5.9*	13.5	25.2	16.7	22.9	7.6	111.0	81.1
1931	4.6	2.8	1.3	0.7	0.7	0.9	2.5	16.2	33.7	14.0	8.7	5.2	91.3	66.7
1932	3.4	1.9	1.3	0.9	1.0	1.3	3.0	16.4	29.8	21.6	9.2	3.3	93.1	68.0
1933	2.2	1.4	0.8*	0.8	0.4	1.0	2.5	18.9	43.5	21.4	8.7	6.1	107.7	78.7
1934	3.4	1.9	1.6	1.1	1.2	1.4	4.0	23.6	15.2	7.3	4.8	2.7	68.2	49.8
1935	1.8	1.3	1.1	1.3	1.2	1.5	2.0	15.3	51.8	34.5	11.6	5.2	128.6	93.8
1936	3.8	2.4	1.4	1.2	1.2	1.6	7.8	30.6	47.7	26.8	23.9	6.8	155.2	113.4
1937	4.6	2.6	1.6	0.6	0.8	1.4	3.7	24.0	39.2	24.1	8.0	4.8	115.4	84.3
1938	3.9	2.5	2.0	1.5	1.1	1.6	5.1	25.8	55.6	25.8	9.5	27.3	161.7	118.2
No. Items	18	18	19	18	18	18	18	19	18	18	18	18		
Mean	4.30	2.66	1.81	1.34	1.19	1.47	5.13	22.83	46.98	27.25	13.81	8.06	#136.83	
% Mean														
Annual	3.14	1.94	1.32	0.98	0.87	1.08	3.75	16.69	34.34	19.94	10.09	5.89	100.00	
Note: 1917-1926 - At site 3 miles upstream; records equivalent.														

Note: 1917-1926 - At site 3 miles upstream; records equivalent.

SP-50 - Discharge of Big Thompson River at Canon Mouth, Colorado

Unit: 1,000 Acre-Feet													Drainage Area 301 Square Miles		Altitude 5,400± Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN		
1927	3.4	2.1*	1.8*	1.4E	1.1E	1.6*	4.5	23.3	41.4	27.0	13.7	5.9	127.2	94.3		
1928	4.8	2.9	1.9	1.8	1.4	2.0	2.7	40.6	48.0	40.3	13.0	4.0	163.4	121.2		
1929	P							P	44.8	37.9	31.7	17.7				
1930	8.8	P					5.8	13.0	26.1	18.1	26.1	7.7				
1931	4.7*	P					2.7*	16.0	40.8	14.4	9.2	4.9				
1932	3.2*	2.0*					3.3*	19.1	34.9	24.0	9.5	3.4				
1933	2.3	2.1	0.9*	0.8*	0.4*	1.1E	2.6*	20.0	52.4	22.5	9.2	6.9	121.2	89.9		
1938							P	29.1	62.6	26.5	10.7	32.6				
No. Items	6	4	3	3	3	3	6	7	8	8	8	8				
Mean	4.53	2.28	1.53	1.33	0.97	1.57	3.60	23.01	43.88	26.34	15.39	10.39	#134.82			
% Mean																
Annual	3.36	1.69	1.13	0.99	0.72	1.16	2.67	17.07	32.55	19.54	11.41	7.71	100.00			

SP-51 - Discharge of Big Thompson River near Arkins, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 305 Square Miles										Altitude 5,500 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNUAL	% MEAN					
1887																					
1888							P	7.1	25.5	15.1	10.0	P	3.7								
1889	P							P	22.7	12.5	5.5		2.9								
1890	2.8							P	31.5	27.2	24.2		9.0								
1891	4.4	P							P	23.6	9.8		5.6								
1892	P							P	41.9	30.6	9.3		3.1								
1895								P	33.9	28.6	19.6		8.7								
1896	4.9							13.4	17.0	13.8	8.9		7.1								
1897	4.1							25.8	28.6	16.4	8.2		4.0								
1898	1.0	1.6						10.1	22.4	14.7	4.9		2.1								
1899	P	0.5					7.8	18.6	50.5	40.7	17.1		5.0								
1900	3.3						23.0	76.2	72.0	20.6	7.8		4.2								
1901							P	36.9	51.1	34.6	16.0		4.3								
1902							1.7	17.8	27.7	9.9	4.9		4.4								
1903	5.2						P	14.8	44.3	31.7	8.9		P								
1904										P	13.9		7.1								
1905	4.6	3.3	3.0	1.8			10.1	28.3	61.7	29.0		P									
1906	2.7	2.5	2.6			P	10.4	26.3	42.5	37.7	12.7		P								
1907	7.8	8.8	5.4				P	24.3	57.1	61.2	20.3		P								
1908							P	8.2	22.7	22.1	19.0		7.4								
1909	3.2	3.6					P	22.8	70.6	48.3	16.3		11.8								
1910	3.4	2.3	1.7	1.8	1.4	2.4	3.2	14.6	23.1	13.4	5.7		6.8		79.8	61.2					
1911	2.7	1.6	1.6					P	32.4	20.0	6.8										
No. Items	13	8	5	2	1	1	6	15	20	21	21	17									
Mean	3.85	3.02	2.86	1.80	1.40	2.40	9.37	23.01	38.96	26.18	11.90	5.72	#130.47								
% Mean																					
Annual	2.95	2.32	2.19	1.38	1.07	1.84	7.18	17.64	29.86	20.07	9.12	4.38	100.00								

SP-52 - Discharge of Big Thompson River at Mouth, Colorado

Unit: 1,000 Acre-Feet			Drainage Area 818 Square Miles										Altitude 4,660 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL MEAN	
1914							27.8	64.0	31.8	1.3	0.4	1.3			
1915	2.6	2.2													
1927						3.4	2.6	0.7	2.2	1.3	1.5	1.1			
1928	5.6	4.1	3.4	2.8	1.8	2.9	1.0	4.4	6.3	5.7	2.0	1.8	41.8	117.1	
1929	3.2	4.5	4.2	3.4	2.2E	3.0*	2.8	1.1	2.5	1.1	4.3	1.9	34.2	95.8	
1930	3.2	5.8	4.8	2.8*	3.9E	3.3*	2.3	0.6	0.5	1.6	6.6*	2.2	37.6	105.4	
1931	4.1	3.7	3.6	3.2	2.5	3.5	1.9	0.8	2.0	0.5	0.5	0.2	26.5	74.3	
1932	1.4	3.0	3.6	2.6*	1.9*	2.3*	0.4	0.5	1.1	1.6	0.9	0.1	19.4	54.4	
1933	1.5	1.8	2.1*	1.5*	1.7	1.0	0.5	5.4	0.7	1.2	0.5	1.0	18.9	53.0	
1934	3.1	2.2	3.0	2.2	1.8	1.9	0.9	0.3	0.2	0.1	0.0	0.0	15.7	44.0	
1935	0.2	0.2	0.8	1.4	0.9	0.8	0.1	5.3	2.5	2.4	0.3	0.5	15.4	43.1	
1936	1.9	3.2	2.6	1.8	1.7*	1.9	0.8	0.4	2.6	1.8	1.4	0.6	20.7	58.0	
1937	3.2	3.5	3.5	2.0	2.2	2.7	0.8	0.5	1.3	1.0	0.3	0.7	21.7	60.8	
1938	1.1	2.7	3.1	2.5	2.2	1.8	1.3	0.8	1.5	1.0	0.9	25.8	44.7	125.2	
No. Items	12	12	11	11	11	12	13	13	13	13	13	13			
Mean	2.59	3.08	3.15	2.38	2.07	2.38	3.32	6.52	4.25	1.58	1.51	2.86	#35.69		
% Mean															
Annual	7.25	8.63	8.83	6.67	5.80	6.67	9.30	18.27	11.91	4.43	4.23	8.01	100.00		

SP-52A - Discharge of Little Thompson River near Berthoud, Colorado

Unit: Acre-Feet

Drainage Area 100 Square Miles														Altitude 5,000 Feet	
Unit: Acre-Feet															
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL. IN % MEAN	
1929								P	394	476	1720	791			
1930	205	258	184*	25*	56*	117	516	732	387	106	5280	1120*	8986	110.5	
No. Items	1	1	1	1	1	1	1	1	2	2	2	2			
Mean	205.0	258.0	184.0	25.0	56.0	117.0	516.0	732.0	390.5	291.0	3500.0	955.5	#7230.0		
% Mean															
Annual	2.84	3.57	2.54	0.35	0.77	1.62	7.14	10.12	5.40	4.02	48.41	13.22	100.00		

SP-52B - Discharge of Cache La Poudre River above Chambers Lake Outlet, Colorado

Unit: 1,000 Acre-Feet

Drainage Area 91 Square Miles													Altitude 8,450 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL. IN % MEAN
1929								P	57.4	25.0	9.4	6.7		
1930	4.3	1.5*	0.9*	0.7*	0.4*	0.6*	4.8*	19.5	32.7	9.0	10.0	4.5	88.8	95.7
1931	2.2	1.5*	0.5*	0.1E	0.1E	0.2E	0.6*	14.4*	31.4	10.3	2.6	1.2	65.1	70.1
No. Items	2	2	2	2	2	2	2	2	3	3	3	3		
Mean	3.25	1.50	0.70	0.40	0.25	0.40	2.70	16.95	40.50	14.77	7.33	4.13	#92.88	
% Mean														
Annual	3.50	1.61	0.75	0.43	0.27	0.43	2.91	18.25	43.61	15.90	7.89	4.45	100.00	
See Big South Cache La Poudre near Home for State Enigneer's record.														

See Big South Cache La Poudre near Home for State Engineer's record.

SP-52C - Discharge of Cache La Poudre River near Elkhorn, Colorado

Unit: 1,000 Acre-Feet				Drainage Area 214 Square Miles								Altitude 7,150 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL.IN % MEAN
1909				1.9	1.6	2.2	2.3	16.8	112.0	62.1	21.4	13.1		
1910	5.6	3.2	2.1	1.8	1.4	2.3	7.4	37.3	50.3	16.7	6.3	7.6	142.0	76.1
1911	3.8	2.8	2.3	1.8	1.2	1.9	2.6	33.4	83.5	28.8	8.2	4.4	174.5	93.5
1912	5.2	3.2	1.6											
No.Items	3	3	3	3	3	3	3	3	3	3	3	3		
Mean	4.87	3.07	2.00	1.83	1.40	2.13	4.10	29.17	81.87	35.87	11.97	8.37	#186.65	
% Mean														
Annual	2.61	1.65	1.07	0.98	0.75	1.14	2.20	15.63	43.86	19.22	6.41	4.48	100.00	

SP-52D - Discharge of Cache La Poudre River near Log Cabin, Colorado

Drainage Area 235 Square Miles										Altitude 7,092 Feet				
Unit: 1,000 Acre-Feet												ANNL.IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1929								P	120.0	53.4	23.6	16.2		
1930	8.4	3.6	2.2*	1.6*	0.9*	1.5*	9.2	34.9	57.3	20.0	18.6	10.4	168.6	89.4
1931	8.5	1.4	0.9*	0.6*	0.5*	0.7*	1.6*	22.8	60.7	21.3	12.2	3.3	134.5	71.3
No.Items	2	2	2	2	2	2	2	2	3	3	3	3		
Mean	8.45	2.50	1.55	1.10	0.70	1.10	5.40	28.85	79.33	31.57	18.13	9.97	#188.65	
% Mean														
Annual	4.48	1.33	0.82	0.58	0.37	0.58	2.86	15.29	42.05	16.74	9.61	5.29	100.00	

SP-52E - Discharge of Cache La Poudre River at Ft. Collins Water Works, Colorado

Drainage Area 495 Square Miles											
Altitude 5,400 Feet											
Unit: 1,000 Acre-Feet											
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.
1909				2.7	2.3	4.0	8.4	30.0	153.0	79.9	24.0
1910	7.0	4.5	3.1	3.2	2.2	3.9	9.3	45.9	59.1	19.2	8.8
1911	5.3	4.0	2.9	3.2	2.5	3.4	4.7	55.1	101.0	44.5	14.1
1912	8.5	3.8	3.0								6.4
No. Items	3	3	3	3	3	3	3	3	3	3	3
Mean	6.93	4.10	3.00	3.03	2.33	3.77	7.47	43.67	104.37	47.87	15.63
% Mean											
Annual	2.75	1.63	1.19	1.20	0.92	1.49	2.96	17.30	41.36	18.97	6.19
											4.04
											100.00

SP-53 - Discharge of Cache La Poudre River at Canon Mouth, Colorado

Drainage Area 1,048 Square Miles											
Altitude 5,070 Feet											
Unit: 1,000 Acre-Feet											
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.
1881									P	53.9	P
1884						P	13.0	156.0	286.4	131.8	48.7
1885	P						P	87.2	173.2	114.2	40.4
1886	P						P	80.5	111.6	44.1	20.8
1887	P							P	P	45.0	18.8
1888	7.4*					P	10.6	29.4	P	24.6	13.4
1889	P			9.5	6.1	3.3	6.7	47.4	72.7	31.4	11.5
1890	4.3	5.2	4.0	5.0	4.4	5.2	11.9	64.2	76.2	39.8	17.8
1891	4.9	3.6	4.0	5.7	4.2	3.6	8.5	72.8	113.0	33.3	14.0
1892	7.3	5.0	4.8	3.9	6.7	4.8	P	P	90.0	45.2	P
1893								P	P	37.7	P
1894								P	122.8	51.4	20.8
											9.8
											244.1
											275.8
											78.6
											88.8

SP-53 - Discharge of Cache La Poudre River at Canon Mouth, Colorado (Continued)

Drainage Area 1,048 Square Miles												Altitude 5,070 Feet		
Unit: 1,000 Acre-Feet												ANNUAL % MEAN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1895	6.4	P						P	P	P	30.4	P		
1896								P	P	28.1	16.7	P		
1897							P	P	P	46.1	P	P		
1898	P						P	P	P	29.4	P	4.8		
1899	P						P	P	156.6	88.6	34.2	12.6		
1900	P						P	172.7	175.1	44.3	16.3	8.9		
1901	P						P	108.0	116.4	P	20.7	9.0		
1902	P								P	25.3	10.5	9.9		
1903	P						P	47.4	161.4	P				
1904							9.4	P	P	64.2	20.1	10.5		
1905	P						18.9	63.4	161.1	55.8	20.9	9.4		
1906	P						P	66.6	98.3	57.5	P	P		
1907	P						7.1	39.7	165.3	109.1	29.1	11.2		
1908	P						8.0	P	88.8	P	47.1	13.6		
1909	P						14.2	43.2	220.3	113.8	28.3*	19.7		
1910	8.6*							P	56.5	16.5	7.9	9.0		
1911	9.2	5.9	2.9	3.0	2.4	2.5	4.1	50.4	101.6	47.0	13.4	10.3	252.7	81.4
1912	7.7	3.9	2.8	2.7	3.0	4.2	3.7	48.2	130.1	75.6	26.4	12.6	320.9	103.3
1913	10.0	2.8					P	56.6	73.4	32.5	16.3	12.1		
1914	11.3	P				P	12.8	132.0	149.0	50.3	20.6	11.6		
1915	5.6	4.0					P	36.3	90.4	43.0	16.8	12.4		
1916	7.1	8.8	P			P	9.0	52.1	101.0	46.4	24.4	15.6		
1917	7.0	P				P	8.0	79.3	238.0	126.0	24.1	17.4		
1918	6.8	4.4	4.4			P	7.7	48.1	151.0	59.0	16.9	10.4		
1919	5.4	4.1				P	6.8	43.0	43.1	22.5	19.4	7.9		

SP-53 - Discharge of Cache La Poudre River at Canon Mouth, Colorado (Continued)

Unit: 1,000 Acre-Feet														Drainage Area 1,048 Square Miles														Altitude 5,070 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL	% MEAN														
1920	4.3	3.6	3.2	2.5	2.6	2.2	6.1	68.2	159.0	72.6	25.9	14.1	564.3	117.3															
1921	5.6	4.1	2.9	2.0	1.7	2.7	12.1	81.8	182.0	64.6	24.1	12.6	396.2	127.6															
1922	4.2	3.6	3.4	1.9	1.6	2.2	6.0	41.3	92.4	23.0	13.6	3.4	205.6	66.2															
1923	3.1	2.7	2.9*	1.6*	1.3*	2.7*	8.1	55.2	217.0	101.0	30.9	12.3	445.8	143.6															
1924	10.6	5.0	2.5E	1.8E	1.4E	6.2E	25.5	84.8	215.0	59.9	21.6	8.6	446.9	143.9															
1925	6.9	4.3	2.8E	2.5*	2.3*	4.0	9.7	47.7	71.4	32.1	21.2	17.4	222.3	71.6															
1926	9.0	6.0	4.7	4.0*	3.6*	3.7	18.0	98.4	132.0	67.0	23.4	11.6	381.4	122.8															
1927	3.2	2.9	3.0	2.8*	2.4	2.1	7.3	52.3	102.0	48.5	19.0	15.4	260.9	84.0															
1928	5.3	3.1	3.1*	2.8*	2.7*	4.1	5.7	69.5	107.0	67.6	19.4	11.7	302.0	97.3															
1929	4.4	3.2	2.2*	1.7*	1.5*	3.4*	5.6	39.4	149.8	59.8	27.5	22.9	321.4	103.5															
1930	8.4	4.7	0.8*	0.6*	0.7*	0.9	9.5	44.1	70.2	24.2	40.0	18.0	222.1	71.5															
1931	13.0	3.6	1.8*	0.9*	1.1*	2.5	7.1	31.5	66.0	25.7	17.2	6.4	176.8	56.9															
1932	4.9	3.7*	1.7*	1.2*	1.3*	2.3*	5.8	65.2	102.0	49.6	18.6	5.1	261.4	84.2															
1933	3.6	2.1	1.3*	1.2*	1.4*	2.3	3.5	42.0	142.0	45.7	17.0	14.5	276.6	89.1															
1934	3.2	2.3	2.1	2.2	2.1	2.4	7.0	65.2	26.3	12.4	7.1	2.9	135.2	43.5															
1935	3.0	2.2	1.4	1.3	1.4	1.2	3.3	38.3	122.8	66.8	26.0	12.8	280.5	90.3															
1936	5.1	3.2	2.3	2.0*	2.0*	2.2	10.4	86.2	98.1	41.9	29.1	11.8	294.3	94.8															
1937	5.4	2.7	1.5	1.1	1.4	2.0	5.0	56.6	79.2	36.0	19.0	12.4	222.3	71.6															
1938	5.9	3.6	3.0	2.0	1.8	2.4	9.6	73.5	152.1	53.8	25.3	26.4	359.4	115.7															
No. Items	34	29	25	25	25	25	36	42	46	52	49	48																	
Mean	6.41	3.94	2.78	2.64	2.44	3.00	9.05	65.85	126.56	53.57	22.42	11.84	#310.50																
% Mean																													
Annual	2.06	1.27	0.90	0.85	0.79	0.97	2.91	21.21	40.76	17.25	7.22	3.81	100.00																

SP-54 - Discharge of Cache La Poudre River near Mouth, Colorado

Drainage Area 1,840 Square Miles												Altitude 4,664 Feet		
Unit: 1,000 Acre-Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1903						P	8.6	4.7	47.2	4.1	2.4	3.2		
1904	5.7									P	2.6	2.6		
1905	6.5	6.0												
1914					6.6	10.0	15.4	P	P	2.2	2.5	2.6		
1915	8.1	6.7				P	8.4	8.4	5.1	3.0	6.1	5.9		
1916	14.8	10.9	P				P	5.8	6.1	3.6	4.4	4.3		
1917	11.3	9.7	8.2	7.3	6.3	7.3	6.8	53.7	142.0	25.3	3.9	4.8	286.6	369.5
1918	10.9	8.9	8.4	P	7.8	7.4	6.6	4.8	39.2	16.1	4.0	7.7		
1919	11.8	8.5	P	P	7.9	8.1	5.0	2.3	1.8	2.6	2.0	2.7		
1920	4.1	5.0	P											
1924								P	94.6	2.0	1.4	2.3		
1925	6.7	6.2	6.0	5.0	5.6	4.9	1.9	1.3	4.9	2.5	2.5	1.1	48.6	62.7
1926	6.0	6.4	5.5*	4.8	5.8	5.1	18.0	7.3	32.0	5.5	1.5	2.5	100.4	129.4
1927	8.6	6.8	6.4	5.7	4.9	6.4	7.1	1.8	3.6	4.8	3.4	2.8	62.3	80.3
1928	8.6	7.7	6.4	5.7	5.1	4.9	3.1	14.8	20.1	19.4	2.6	1.9	100.3	129.3
1929	7.6	9.6	7.8	6.0*	5.0*	7.4*	6.4	4.8	7.1	2.0	2.3	5.5	71.5	92.2
1930	6.6	8.6	7.8	5.8*	9.0*	7.2	5.7	2.2	2.4	0.9	6.6	2.9	65.7	84.7
1931	8.1	6.6	6.5	5.3	4.2	4.8	3.6	1.8	1.9	9.5	1.0	0.8	54.1	69.8
1932	2.5	6.1	4.6	3.4	3.3	3.8	1.7	0.9	1.6	4.9	1.5	0.8	35.1	45.3
1933	2.4	4.9	3.5	3.4	2.8	3.0	1.1	1.8	13.7	1.3	1.8	1.7	41.4	53.4
1934	3.6	4.6	5.3	5.0	4.0	3.8	1.5	0.9	1.3	1.2	0.7	0.8	32.7	42.2
1935	0.4	0.4	2.1	2.3	2.1	2.1	0.5	4.3	27.0	0.9	1.2	1.9	45.2	58.3
1936	1.6	4.6	4.0	3.4	2.7*	3.8	1.6*	1.0	2.8	1.2	1.2	1.3	29.2	37.6
1937	2.8	4.4	4.4	3.4	3.4	3.7	2.5	0.6	1.5	1.5	0.9	0.9	30.0	38.7
1938	0.7	2.7	3.6	3.2	3.0	2.9	1.8	1.1	4.6	1.6	1.1	4.3	30.6	39.5
No. Items	22	21	16	15	18	18	20	20	21	22	23	23		
Mean	6.34	6.44	5.66	4.65	4.97	5.37	5.36	6.22	21.93	5.28	2.50	2.84	#77.56	
% Mean														
Annual	8.17	8.30	7.30	6.00	6.41	6.92	6.91	8.02	28.28	6.81	3.22	3.66	100.00	
								-100-						

SP-54A - Discharge of So. Fk. Cache La Poudre River near Eggers, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 69.3 Square Miles					Altitude 7,900.4 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL IN % MEAN		
1929								F	14.9	10.6	6.1	4.4				
1930	2.0	1.0*	0.9*	0.7*	0.6*	0.6*	1.6*	4.7	10.2	4.8	5.7	1.8	54.6	90.6		
1931	1.4	1.3*	0.5E	0.3E	0.3E	0.4E	1.1E	4.9*	11.9	5.2	3.9	1.6	32.8	85.9		
No. Items	2	2	2	2	2	2	2	2	3	3	3	3				
Mean	1.70	1.15	0.70	0.50	0.45	0.50	1.35	4.80	12.33	6.87	5.23	2.60	38.18			
% Mean																
Annual	4.45	3.01	1.83	1.31	1.18	1.31	3.54	12.57	32.30	17.99	13.70	6.81	100.00			
See Little South Cache La Poudre near Eggers for State Engineers records.																

1550000

SP-54B - Discharge of No. Fk. Cache La Poudre River at Livermore, Colorado

Unit: 1,000 Acre-Feet				Drainage Area 541 Square Miles							Altitude 5,717 Feet			
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL. IN % MEAN
1929								P	14.9	0.7	2.1	1.8		
1930	0.8	0.7*	0.6*	0.4*	0.4*	0.5	1.6	10.2	4.3	0.9	8.1	2.2	30.7	120.7
1931	1.7	0.9*	0.6E	0.5E	0.4E	0.6*	3.5	1.2	0.8	2.3	0.6	0.7	13.8	54.2
No. Items	2	2	2	2	2	2	2	2	3	3	3	3		
Mean	1.25	0.80	0.60	0.45	0.40	0.55	2.55	5.70	6.67	1.30	3.60	1.57	25.44	
% Mean														
Annual	4.91	3.15	2.36	1.77	1.57	2.16	10.02	22.41	26.22	5.11	14.15	6.17	100.00	

COLORADO A. & M. COLLEGE
FORT COLLINS, COLORADO

SF-54C & D - Discharge of Lodgepole Creek at Cvid (mouth), Colorado

Unit: 1,000 Acre-Feet				Drainage Area				Square Miles			Altitude 3,531 Feet			
									ANNUAL IN					
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1924	1.7E	2.1*	1.8	1.7E	1.9	1.6	2.2	1.3	1.2	0.3	0.5	0.8	17.1	124.4
1925												P		
1926	0.5	0.5	0.4	0.4	0.7	P								
No. Items	2	2	2	2	2	1	1	1	1	1	1	1		
Mean	1.10	1.30	1.10	1.05	1.30	1.60	2.20	1.30	1.20	0.30	0.50	0.80	#13.75	
% Mean														
Annual	8.00	9.45	8.00	7.64	9.45	11.64	16.00	9.45	8.73	2.18	3.64	5.82	100.00	

Miscellaneous Discharges in Second-Feet

SP-21A Tarryall Creek near Como.

Ref. W.S.P. 306 & 326 USGS

1911: July 28th, 12 - Sept. 5th, 9.4; 5th, 5.8.
1912: April 5th, 0.0 - (Frozen to bottom.)

SP-22A Tarryall Creek at McLaughlin's Ranch near Hayman.

Ref. W.S.P. 326 USGS

1910: Oct. 23rd, 9; 27th, 9; 30th, 7 - Nov. 5th, 19; 12th, 14; 13th, 14; 18th, 13; 22nd, 12; 23rd, 9 -
Dec. 15th, 9; 22nd, 5.2; 29th, 2.5.
1911: Jan. 11th, 1.6 - Mar. 21st, 4.5; 29th, 31 - Apr. 8th, 24; 26th, 31 - May 1st, 34; 11th, 2 -
June 20th, 31 - July 4th, 282; 14th, 65; 17th, 56; 25th, 56; 29th, 65 -
Aug. 2nd, 56; 11th, 28; 12th, 32; 18th, 25; 24th, 32; 26th, 28; 31st, 22 -
Sept. 1st, 19; 7th, 19; 14th, 12; 19th, 12; 26th, 12 - Oct. 4th, 19; 12th, 25; 14th, 22; 18th, 19;
26th, 32; 28th, 32 - Nov. 10th, 22; 15th, 19.
1912: Jan. 17th, 0.5 - Mar. 20th, 151; 23rd, 151 - Apr. 5th, 25; 14th, 84; 26th, 106 - May 9th, 39;
20th, 28; 24th, 25 - June 8th, 234; 10th, 294.

Miscellaneous Discharges in Second-Feet (Continued)

SP-24A Michigan Creek near Jefferson.

1910: Oct. 17th, 5.9.
 1911: Jan. 6th, 0 - Apr. 22nd, 25.3 - July 28th, 2.7 - Sept. 6th, 8.8; 6th, 8.0.
 1912: April 5th, 50.
 Ref. W.S.P. 286, 306 & 326 USGS

SP-25A Jefferson Creek at Jefferson.

1910: Oct. 17th, 1.2.
 1911: Jan. 6th, 0 - April 22nd, 9.9 - Sept. 7th, 4.2; 7th, 3.8.
 1912: April 5th, 2.
 Ref. W.S.P. 286, 306 & 326 USGS

SP-27A Geneva Creek above Jackwhacker Creek.

1909: Aug. 17th, 19.7 - Oct. 19th, 6.6.
 1910: July 18th, 6.4.
 Ref. W.S.P. 266, 286 & 306 USGS

SP-27B Geneva Creek at old Geneva Smelter.

1909: Aug. 17th, 37 - Oct. 19th, 12.8.
 1910: July 18th, 12 - Aug. 29th, 6.3.
 1911: July 13th, 36.
 Ref. W.S.P. 266, 286 & 306 USGS

SP-28A Smelter Creek near Grant.

1909: Aug. 17th, 12 - Oct. 19th, 3.6.
 1910: July 18th, 2.2 - Aug. 29th, 1.8.
 1911: July 13th, 12.7 - Nov. 2nd, 1.4.
 Ref. W.S.P. 266, 286 & 306 USGS

SP-28B Duck Lake Creek near Grant.

1909: May 30th, 9.3 - June 13th, 35.1 - July 5th, 36.7 - Oct. 19th, 6.5 - Dec. 6th, 3.9; 6th, 4.5 - (Dec. 6th ice)
 1910: Jan. 31st, 1 - Mar. 29th, 2 - May 10th, 8 - July 18th, 2.1 - Aug. 29th, 1.4.
 1911: Nov. 2nd, 1.3.
 Ref. W.S.P. 266, 286 & 306 USGS

TABLES OF MONTHLY DISCHARGES

Republican River Basin

Republican River

and

Tributaries

—

Stations in Downstream Order

REP-1 - Discharge of Republican River at Max, Nebraska

Unit: 1,000 Acre-Feet												Altitude 2,877 Feet		
Drainage Area 7,740* Square Miles												ANNL. IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1928						15.7	14.7	14.1	7.9	5.0	3.0	4.5		
1929	7.4	12.1			5.6	10.1	10.5	15.1	12.3	3.9	1.2	5.9		
1930	7.1	9.9			15.3	15.9	15.6	8.2	8.1	0.0	2.3	7.3		
1931	13.0	8.7	8.1	9.0	8.6	9.0	8.7	11.1	14.5	4.8	10.7	0.4	104.6	70.1
1932	3.0	8.1	9.8	11.1	8.2	12.7	7.4	12.2	1.5	4.9	42.2	2.1	101.5	68.0
1933	6.9	9.3	9.4	8.6	10.9	15.8	11.2	1.7	12.4	0.5	3.6	38.1	161.4	108.1
1934	8.1	6.6	11.4	10.4	9.6	12.1	7.7	232.8	159.2	14.8	10.2	0.6	93.2	62.4
1935	2.6	5.8	10.6	10.8	8.3	11.1	13.1	42.0	9.9	0.8	2.3	8.2	484.4	324.4
1936	4.4	8.3	10.2	8.3	8.9	19.6	7.4	14.1	8.6	1.6	1.4	0.6	119.3	79.9
1937	4.0	4.6	7.6	3.8	9.4	9.5	11.1	29.4	9.2	12.4	6.2	9.0	90.6	60.7
1938	4.1	4.8	6.9	6.8	9	10	10	10	10	10	11	17.5	127.3	85.3
No. Item	10	10	8	8	9	10	10	10	10	10	11	11		
Mean	6.06	7.82	9.25	8.60	9.42	13.15	10.74	38.07	24.36	4.87	8.40	8.56	#149.30	
% Mean														
Annual	4.06	5.24	6.19	5.76	6.31	8.81	7.19	25.50	16.32	3.26	5.63	5.73	100.00	
* - 7,740 sq. miles of which 1900 is largely noncontributing. Record obtained from USGS Water Supply Papers.														

REP-1½ - Discharge of North Fork Republican River near Wray, Colorado

Unit: 1,000 Acre-Feet												Altitude		
Drainage Area												ANNL. IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1937							1.3	1.1	1.0	1.2	1.0	1.0		
1938	1.9	2.8	3.7	3.5	2.9	3.5	5.1	4.0	2.9	2.6	0.8	2.2	35.9	101.2
No. Items	1	1	1	1	1	1	2	2	2	2	2	2		
Mean	1.90	2.80	3.70	3.50	2.90	3.50	3.20	2.55	1.95	1.90	0.90	1.60	#30.40	
% Mean														
Annual	6.25	9.21	12.17	11.51	9.54	11.51	10.53	8.39	6.42	6.25	2.96	5.26	100.00	

REP-2 - Discharge of North Fork Republican River at Colorado-Nebraska State Line

Unit: 1,000 Acre-Feet Drainage Area 395* Square Miles Altitude 3,336 Feet
ANNL.II

YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1931						2.0	5.0	1.8	1.3	0.5	0.7	1.1		
1932	1.9	3.1	4.6	4.9	4.9	6.5	3.8	1.9	1.5	2.2	3.7	2.2	41.2	121.2
1933	2.6	4.3	4.9	4.7	3.7	4.0	2.7	4.0	0.5	1.7	2.1	3.2	38.4	112.9
1934	2.6	3.2	4.6	4.5	4.4	4.4	2.6	0.7	3.1	0.3	0.6	1.1	32.1	94.4
1935	2.0	2.1	4.0	3.9	3.1	4.6	2.5	3.4	5.2	0.4	1.8	2.6	35.6	104.7
1936	1.3	3.1	4.2	3.6	3.5	4.8	4.1	2.7	2.7	0.4	1.6	1.4	33.4	98.2
1937	2.6	3.3	3.3	3.1	3.0	3.5	3.0	0.8	1.4	0.7	0.4	1.2	26.3	77.4
1938	1.9	2.8	3.7	3.5	2.9	3.5	5.1	4.0	2.9	2.2	0.8	2.2	35.5	104.4
No. Items	7	7	7	7	7	8	8	8	8	8	8	8		
Mean	2.13	3.13	4.19	4.03	3.64	4.16	3.60	2.41	2.32	1.05	1.46	1.88	#34.00	
% Mean														
Annual	6.26	9.21	12.32	11.85	10.71	12.24	10.52	7.09	5.82	3.09	4.29	5.53	100.00	

*-A large additional area tributary as to underground flow though no direct channel connection through sand hills.

REP-3 - Discharge of Arikaree River at Laigler, Nebraska

Unit: 1,000 Acre-Feet Drainage Area 1,600 Square Miles Altitude 3,243 Feet
ANNL.IN

YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1932						1.8	1.3	1.5	1.6	0.9	5.4	0.5		
1933	0.8	0.9	0.8	1.0	1.7	1.7	1.4	2.4	0.4	7.3	3.7	2.3	24.4	83.3
1934	0.9	1.1	1.4	1.5	1.2	1.3	1.3	0.5	2.4	0.1	3.0	0.3	15.0	51.2
1935	0.4	1.1	1.4	1.0	1.1	1.1	1.6	43.6	35.6	1.8	2.4	0.5	91.6	312.6
1936	0.5	0.7	0.8	0.8	1.2	1.3	1.5	5.5	2.3	0.1	0.5	0.7	16.0	54.6
1937	0.9	0.9	0.6	0.6	3.7	1.5	0.5	0.7	1.2	0.3	0.07	1.3	12.2	41.5
1938	0.5	0.5	0.4	0.7	0.4	0.8	0.8	5.1	1.2	2.4	6.8	8.3	27.9	95.2
No. Items	6	6	6	6	6	7	7	7	7	7	7	7		
Mean	0.67	0.87	0.90	0.93	1.55	1.36	1.20	8.47	6.39	1.84	3.13	1.99	#29.30	
% Mean														
Annual	2.29	2.97	3.07	3.17	5.29	4.64	4.10	28.91	21.81	6.28	10.68	6.79	100.00	

Record obtained from USGS Water Supply Papers.

REP-4 - Discharge of Frenchman Creek near Champion, Nebraska

Unit: 1,000 Acre-Feet		Drainage Area 1,020* Square Miles										Altitude		Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL	% MEAN
1932															
1933	1.7	1.4	1.5	2.5	2.2	1.5	1.4	1.6	1.8	2.8	1.4	1.6	21.6	110.9	
1934	1.9	1.6	2.0	2.3	1.8	1.5	1.2	1.2	3.7	1.6	1.3	1.0	22.1	113.4	
1935	1.5	1.4	1.6	1.9	1.6	1.4	0.7	2.6	2.4	1.2	1.7	1.6	18.6	95.5	
1936	1.2	1.2	1.6	2.2	2.2	1.4	1.3	1.9	1.3	1.6	1.2	1.7	18.8	96.0	
1937	1.3	1.2	1.2	2.2	2.0	1.2	1.0	1.4	1.3	1.1	1.6	1.1	17.1	87.8	
1938	1.0	1.0	1.7	1.5	1.7	0.9	1.3	2.4	1.4	2.8	1.2	1.4	18.3	93.9	
No. Items	6	6	6	6	6	6	6	6	6	6	7	7			
Mean	1.43	1.30	1.60	2.10	1.92	1.32	1.15	1.85	2.07	1.85	1.43	1.46	19.48		
% Mean															
Annual	7.34	6.67	8.21	10.78	9.86	6.78	5.90	9.50	10.63	9.50	7.34	7.49	100.00		

*. Subject to error basin boundaries indefinite on available maps. Record obtained from USGS Water Supply Papers.

TABLES OF MONTHLY DISCHARGES

Arkansas River Basin

Arkansas River

and

Tributaries

—

Stations in Downstream Order

A-1 - Discharge of Arkansas River, East Fork near Leadville, Colorado

Unit: 1,000 Acre-Feet				Drainage Area 52 Square Miles				Altitude 10,000 Feet						
				ANNUAL IN										
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1890							P	13.1	13.3	6.3	2.8	1.0		
1891	0.9													
1911									F	P	P	P		
1912	P		P					P	P	P	P	P		
1913	P							P	6.2	3.6	1.3	1.6		
1914	0.8	P					P	6.8	14.1	7.2	2.5	1.1		
1915	1.5	0.6					P	P	8.6	3.7	1.9	1.1		
1916	1.4	P					P	6.8	11.5	4.8	5.0	3.0		
1917	1.6	P		P			P	P	14.4	7.3	1.8	0.5		
1918	0.4	P						P	19.0	5.6	1.9	1.3		
1919	0.8	P		P		P	P	P	6.2	4.2	2.2	1.4		
1920	1.1	P						P	11.5	3.5	2.2	1.2		
1921	1.1	P	P				P	4.9	17.4	5.1	2.5	2.0		
1922	0.8	0.9*					P	5.8	11.2	2.8	2.5	1.1		
1923	0.3			P			P	0.5	15.1	7.3	4.1	2.0		
1924	F	P		P	P		0.9*	5.1	9.5	3.4	1.0	0.8		
1925	0.9	P												
No. Items	12	2					2	7	13	13	13	13		
Mean	0.97	0.75					0.70	7.03	12.15	4.98	2.44	1.39	#30.41x	

1903 Record: Gage heights and 7 miscellaneous measurements.

A-2 - Discharge of Arkansas River at Granite, Colorado

Drainage Area 431 Square Miles										
Altitude 8,930 Feet										
Unit: 1,000 Acre-Feet										
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY
1897								68.5	87.1	44.2
1898	P								21.5	7.0
									10.1	2.7
1910							P	60.9	70.2	29.2
1911	6.5	5.5	4.9*	4.8E	3.9*	5.3*	9.9	44.0	82.9	43.9
1912	12.1	7.1*	3.0E	2.8	2.8	4.5	7.4	43.3	79.9	65.5
1913	8.1	6.9				7.9	11.4	52.8	54.6	38.2
1914	9.3	7.3	P				P	44.5	78.6	60.3
1915	10.9	7.0				P	7.8	20.2	61.3	33.8
1916	6.0	5.0				P	14.2	46.8	85.7	71.3
1917	11.0	8.1					8.9	26.3	102.0	84.2
1918	6.4	6.2	6.4	2.5	4.5	4.0	9.5	47.2	89.8	38.7
1919	11.6	8.1	3.0				P	34.7	59.5	39.9
1920	10.6	7.6	6.4	4.4*	3.7*	5.7*	8.3	40.6	88.1	62.7
1921	8.7	6.2	5.9				6.7	32.1	61.3	46.2
1922	10.6	8.4	9.0	5.5*	5.2*	6.7	9.2	47.5	72.6	41.4
1923	8.6	6.0	5.2	4.9	3.7	4.3	10.0	35.3	61.9	48.9
1924	11.1	10.2	7.1	5.5E	5.0E	5.1	11.4	48.8	89.3	43.9
1925	8.6	7.6	6.3*	5.2E	3.6E	5.1*	9.1	34.4	51.6	37.1
1926	9.7	5.8	3.6E	4.0E	3.9E	5.3*	12.7	36.2	62.5	57.1
1927	7.8	6.8*	5.2*	4.0E	4.0E	6.3*	9.5	54.5	77.4	61.2
1928	11.4	9.2	5.8*	4.7*	4.4*	7.0*	9.9	42.0	55.8	57.6
1929	9.0	6.3	4.7*	4.6E	3.9E	5.2*	18.4	44.7	73.8	41.6
1930	14.0	7.4	5.0*	4.3E	4.6E	5.7*	26.1	35.4	62.5	37.8
1931	7.8	4.8	3.3*	3.4E	4.3E	4.0*	9.4	27.7	38.2	19.7
1932	5.1	3.9*	4.4*	3.9E	3.8E	4.2*	8.2	37.6	67.8	48.1
1933	5.9	5.1	4.8*	4.6E	3.9E	4.6*	5.8	20.0	78.6	41.8
1934	6.0	4.9	4.3*	3.1E	3.0E	4.8	10.8	42.4	25.7	13.3
									30.2	11.7
									11.0	6.6
									21.3	9.2
									17.8	7.7
									9.3	8.4
									244.7	100.5
									140.2	57.6
									217.5	88.4
									200.6	82.4
									136.0	55.9
									260.3	107.0
									262.6	107.9
									256.8	105.5
									282.0	115.9
									262.1	107.7
									239.6	98.5
									294.3	120.9
									201.9	83.0
									252.9	103.9
									279.4	114.8
									268.2	110.2
									254.4	104.5

A-2 - Discharge of Arkansas River at Granite, Colorado (Continued)

Unit: 1,000 Acre-Feet														Drainage Area 431 Square Miles		Altitude 8,930 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL IN			
														%	MEAN		
1935	5.9	5.5	4.7	4.4	3.9	4.6	7.1	11.7	62.4	57.4	38.0	12.0	217.6	89.4			
1936	6.9	5.1	4.7*	5.3*	4.2*	5.4	27.3	71.0	74.6	54.0	38.7	11.5	308.7	126.8			
1937	7.4	5.9	4.7*	3.6*	3.5*	5.2*	13.7	49.7	52.4	36.9	18.0	8.2	209.2	86.0			
1938	7.5	6.2	5.3	4.6*	3.8E	5.9*	12.2	35.3	98.0	56.6	43.4	15.0	293.8	120.7			
No. Items	28	28	23	21	21	22	26	30	30	30	31	31					
Mean	8.73	6.58	5.12	4.29	3.98	5.31	11.34	41.20	70.20	47.25	27.56	11.81	#243.37				
% Mean																	
Annual	3.59	2.70	2.10	1.76	1.64	2.18	4.66	16.93	28.85	19.42	11.32	4.85	100.00				

A-3 - Discharge of Arkansas River at Salida, Colorado

Unit: 1,000 Acre-Feet			Drainage Area 1,210 Square Miles										Altitude 7,030 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN
1895							P	95.0	95.2	71.2	52.9	31.9		
1896	P							99.0	109.2	61.2	32.7	24.6		
1897											17.2	11.8		
1898	P									80.0	30.5	16.7		
1899	13.9	15.9				P	23.7	83.2	157.0	38.9	19.7	17.3		
1900							9.2	110.1	123.9					
1901	11.8						22.3	99.9	84.8	30.3	26.1	15.4		
1902	13.5	12.8					13.1	52.4	27.8	14.1	13.3	10.0		
1903	10.7						23.2	36.2	103.4	94.7	59.8	29.7		
1904	17.6													
1910		P	16.2	14.3	11.9	18.1	32.9	93.9	115.0	42.2	25.6	20.3		
1911	16.3	15.1	13.2	12.0	12.5	13.4	16.0	61.1	138.3	111.7	57.8	30.1	497.5	112.5
1912	38.4	21.5	14.6	12.8	11.4	12.6	14.3	59.7	131.9	116.4	46.9	26.2	506.7	114.6
1913	22.6	20.6	14.2	14.3	11.5	12.8	19.5	68.2	86.9	64.6	30.9	28.0	394.1	89.1
1914	23.9	18.8	15.5	15.6	13.5	15.6	18.0	64.6	149.0	121.0	65.8	28.2	549.5	124.2

A-3 - Discharge of Arkansas River at Salida, Colorado

Unit: 1,000 Acre-Feet				Drainage Area 1,210 Square Miles								Altitude 7,038 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL IN % MEAN
1915	28.7	21.8	17.5	13.1	11.9	13.6	17.8	29.5	106.0	61.5	32.5	23.0	376.9	85.2
1916	21.0	16.7	16.2	15.7	13.2	26.3	24.3	65.8	140.0	113.0	81.8	29.3	563.3	127.4
1917	26.3	20.9	16.9	15.0	13.1	15.0	15.5	34.5	171.0	145.0	58.2	27.8	559.2	126.4
1918	15.2	17.0	14.9	12.1	10.9	14.5	16.8	60.6	196.0	80.6	46.8	37.2	522.6	118.2
1919	22.4	18.2	14.7		F			62.5	100.0	76.2	46.1	31.5		
1920	24.7	22.0	20.0	16.3	14.5	14.3	15.1	58.1	161.0	109.0	65.8	28.9	549.7	124.3
1921	21.5	21.2	15.5	15.2	12.8	16.1	16.1	61.2	157.0	104.0	44.8	32.3	517.7	117.1
1922	25.5	24.4	21.7	16.8	14.4	15.2	17.9	76.9	132.0	86.7	48.3	25.5	505.3	114.2
1923	17.7	18.0	16.3	14.5	12.3	14.2	18.5	56.8	124.0	112.0	65.5	39.2	509.0	115.1
1924	33.2	25.3	19.3	16.1	14.6	14.8	22.0	74.4	150.0	76.2	58.3	18.7	522.9	118.2
1925	19.1	17.5	15.4	14.6	11.7	13.1	15.1	51.2	75.6	59.7	39.0	28.4	360.4	81.5
1926	23.4	17.8	14.4	12.9	11.5	13.4	20.7	58.4	102.0	89.8	65.2	20.4	449.9	101.7
1927	17.1	17.3	15.7	14.6	12.5	15.2	17.4	79.3	131.0	95.9	39.0	35.2	490.2	110.8
1928	28.5	23.3	19.4	17.2	14.8	15.8	17.9	68.2	102.0	94.1	60.8	26.6	488.6	110.5
1929	18.8	16.6	14.3	13.3	11.0	14.9	23.8	68.2	123.0	74.4	62.7	48.0	489.0	110.6
1930	33.0	21.8	18.1	14.3	13.0	12.9	33.5	52.1	94.6	60.9	53.9	23.7	431.8	97.6
1931	19.5	16.4	13.6	11.5	11.3	12.8	15.4	34.0	50.1	27.0	18.4	13.5	243.5	55.1
1932	12.2	12.1	13.5	11.5	10.9	11.0	12.4	55.5	102.0	84.8	41.6	19.0	386.5	87.4
1933	17.0	15.8	13.6	11.0	10.2	11.5	11.0	31.8	122.0	59.8	28.2	17.1	349.0	78.9
1934	14.6	14.3	14.3	12.5	11.3	11.3	17.6	67.0	34.8	21.2	20.7	16.0	255.6	57.8
1935	15.3	13.9	13.9	12.7	10.5	10.8	11.8	19.0	121.2	94.4	59.0	26.0	408.5	92.4
1936	20.5	16.4	14.6	13.6	12.5	13.0	35.0	108.0	126.4	77.2	71.4	28.8	537.4	121.5
1937	23.3	17.8	16.1	13.8	12.2	12.7	20.6	72.3	74.7	57.2	31.8	16.5	369.0	83.4
1938	15.5	13.1	14.4	13.6	12.1	13.1	17.5	46.8	145.0	83.1	54.7	34.1	463.0	104.7
No. Items	33	30	29	28	28	28	33	36	36	36	37	37		
Mean	20.69	18.14	15.79	13.96	12.29	14.21	18.97	64.51	115.66	77.50	45.24	25.32	#442.28	
% Mean														
Annual	4.68	4.10	3.57	3.16	2.78	3.21	4.29	14.59	26.15	17.52	10.23	5.72	100.00	

A-4 - Discharge of Arkansas River at Canon City, Colorado

Drainage Area 3,090 Square Miles													Altitude 5,363 Feet	
Unit: 1,000 Acre-Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN
1888			24.6E	24.6E	27.8E	36.9E	59.5E	88.5*	125.0	83.0	57.1	35.8		
1889	30.8*	29.8E	24.6E				P	43.0	P	36.0	23.4	13.1		
1890	13.2	18.1	20.7	19.1	20.2	19.5	28.4	P	155.4	96.6	41.1	P		
1891				26.5	26.3	36.0	51.0	121.7	176.0	90.3	56.5	28.2		
1892	38.4	29.7	29.3	30.5	28.4	32.4	31.1	78.3	167.0	110.5	P	25.9		
1893	31.8	P		31.2	29.6	34.1	33.8	91.0	185.4	65.7	35.3	28.4		
1894			P	27.4	23.3	31.1	37.3	120.5	160.9	85.8	43.6	32.8		
1895	18.1	P		21.2	20.1	29.0	51.6	92.6	113.1	86.9	67.3	37.8		
1896	31.1	29.7	27.3	27.9	25.2	29.0	33.2	78.4	57.1	33.1	24.3	18.6	414.9	78.2
1897	17.5	15.9	29.6	14.8	14.3	17.3	11.9	106.7	147.2	67.0	30.6	14.9	487.7	91.9
1898	25.5	30.1	17.5	16.3	18.7	21.4	23.0	55.9	144.5	99.7	20.0	11.2	483.8	91.2
1899	14.0	18.0	21.3	19.4	16.8	35.8	32.4	118.3	208.0	124.2	43.7	13.4	665.3	125.4
1900	14.0	24.4	20.4	21.9	19.5	26.2	43.8	138.4	207.8	54.8	16.8	12.6	600.6	113.2
1901	14.8	15.9	18.3	18.6*	15.6	13.7	22.2	103.4	129.8	48.9	38.8	20.9	460.9	86.9
1902	19.2	16.1	18.8	19.2	18.3	20.9	17.5	46.5	28.7	14.1	16.6	15.1	251.0	47.5
1903	19.3	18.2	21.0	19.6	16.6	26.4	26.4	29.0	192.3	91.7	34.3	20.0	504.8	95.2
1904	14.1	13.7	16.7	16.2	16.7	10.9	21.1	60.8	83.1	60.0	44.7	26.4	384.4	72.5
1905	34.6	16.9	17.6	19.9	19.4	24.8	35.7	77.1	236.6	67.4	45.7	19.0	614.7	115.9
1906	19.5	23.5	21.1	21.3	19.4	23.5	29.8	81.5	145.0	95.5	49.2	55.5	564.8	106.5
1907	39.9	31.5						59.2	163.8	198.9	71.8	38.9		
1908								P	81.3	51.6	34.8	13.1		
1909	15.3	17.2					P	45.1	170.0	124.0	73.5	81.2		
1910	38.8	31.3	25.1	26.4	19.9	33.9	48.3	111.6	110.7	39.7	29.2	20.5	535.4	100.9
1911	21.1	17.7	18.2	18.7	16.9	23.3	17.1	63.4	152.5	135.0	56.4	26.6	566.9	106.9
1912	73.5	32.2	23.0	20.3	16.7	24.3	28.3	80.4	167.0	141.6	54.9	22.7	684.9	129.1
1913	22.2	20.1	21.1*	20.9	20.0	21.1	26.3	66.9	96.8	60.4	26.5	23.8	426.1	80.3
1914	23.1	21.1	21.8	21.8	19.3	21.8	20.7	69.5	165.0	154.0	81.2	28.4	647.7	122.1

A-4 - Discharge of Arkansas River at Canon City, Colorado (Continued)

Unit: 1,000 Acre-Feet														Altitude 5,363 Feet	
Drainage Area 3,090 Square Miles														ANNUAL MEAN	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	%	MEAN
1915	27.9	24.6	25.7*	23.7	19.3	22.8	32.6	47.5	125.0	81.2	42.9	26.5	499.7	94.2	
1916	25.1	22.3	22.1	22.4	20.0	33.6	31.3	67.0	138.0	112.0	83.6	30.2	607.6	114.5	
1917	29.6	30.3	28.2	28.0	22.8	24.2	23.3	50.5	177.0	147.0	57.2	28.4	646.5	121.9	
1918	17.1	19.4	21.0	20.2	23.1	22.2	20.0	60.9	200.0	85.5	48.7	32.7	570.8	107.6	
1919	25.6	25.6	23.7	28.7	21.2	25.1	50.7	99.0	105.0	84.2	48.7	34.0	571.5	107.7	
1920	26.9	28.1	30.5	22.9	21.5	22.9	18.2	67.0	177.0	108.0	75.0	32.2	630.2	118.8	
1921	25.8	30.3	27.5	23.1	18.1	19.4	20.0	61.5	201.0	129.0	67.0	38.9	661.6	124.7	
1922	29.3	27.8	26.6	22.6	19.7	22.0	22.0	76.2	137.0	74.4	52.5	27.1	537.2	101.3	
1923	17.8	20.9	20.7	17.4	15.3	19.7	20.2	58.0	142.0	136.0	82.4	47.5	597.9	112.7	
1924	46.6	36.9	29.1	28.2*	25.9*	24.6	40.9	97.8	177.0	76.2	55.0	18.6	656.8	123.8	
1928	20.4	19.6	20.8*	20.7*	16.2	17.6	12.0	40.9	69.6	62.1	37.9	26.1	363.9	68.6	
1926	22.9	19.9	20.0	17.3	17.1	19.4	27.9	65.2	129.0	89.8	59.5	18.6	506.6	95.5	
1927	15.2	20.5	18.0	17.7	16.1	24.6	19.3	78.7	132.0	103.0	44.2	35.7	525.0	99.0	
1928	30.9	23.8	24.1	23.5	18.1	19.4	17.2	80.6	120.0	91.6	59.3	24.6	533.1	100.5	
1929	17.6	18.6	20.8	19.6	15.6*	20.5	22.4	58.5	124.0	78.1	93.5	66.6	555.8	104.8	
1930	33.9	26.7	24.9	21.6*	23.1*	19.6	32.3	47.5	99.4	69.5	65.8	25.0	489.3	92.2	
1931	17.8	18.9	20.1	18.8	16.7	17.9	19.3	42.2	55.6	27.9	16.1	11.2	282.5	53.3	
1932	11.3	12.5	20.7	15.9	15.9	15.2	14.3	68.2	115.0	91.6	48.7	21.7	451.0	85.0	
1933	16.0	17.0	15.3*	18.4*	20.1*	13.3	11.4	36.8	136.0	57.2	28.3	19.2	389.0	73.3	
1934	15.0	14.6	18.9	16.9	13.9	12.1	16.2	62.1	34.2	18.7	19.2	11.9	253.7	47.8	
1935	11.8	12.3	16.4	15.2	12.7	10.9	9.2	20.9	144.2	99.7	62.8	28.6	444.7	83.8	
1936	23.4	20.7	20.5	19.2	15.0	12.4	33.3	118.6	119.5	77.9	88.9	32.6	582.0	109.7	
1937	26.9	24.3	20.6	15.9	14.4	17.8	23.5	77.9	81.2	58.9	32.2	15.9	409.5	77.2	
1938	13.2	12.1	19.6	18.4	15.2	15.1	19.0	48.1	163.3	86.5	53.3	41.1	504.9	95.2	
No. Items	47	45	43	47	47	47	47	49	50	51	50	50			
Mean	24.21	22.20	22.07	21.28	19.28	22.67	27.36	72.64	137.24	85.54	48.80	27.19	#530.48		
% Mean															
Annual	4.56	4.18	4.16	4.01	3.64	4.27	5.16	13.69	25.87	16.13	9.20	5.13	100.00		

A-4A - Discharge of Arkansas River near Rock Canon, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 4,560 Square Miles								Altitude 4,750A Feet				
		ANNUAL IN												
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1887									205.1	206.3	107.5			
1889								80.0	125.4	47.1	41.1			
No. Items								1	2	2	2			
Mean								80.00	165.25	126.70	74.30	7446.25x		

A-5 - Discharge of Arkansas River at Pueblo, Colorado

Unit: 1,000 Acre-Feet.														Drainage Area 4,730 Square Miles														Altitude 4,675 Feet													
																												ANNUL. IN.													
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN																											
1885								P	P																																
1886								F	F	106.0	91.1																														
1894																																									
1895	25.8	24.5	23.0	28.3	26.4	21.9	44.3	96.0	128.1	116.8	78.4	29.4	642.9	123.8																											
1896	33.9	31.5	28.4	31.9	26.2	24.3	28.0	67.5	53.2	38.9	30.1	18.4	412.3	79.4																											
1897	18.0	18.7	24.6	19.9	18.2	13.0	14.4	100.3	131.7	63.7	28.8	16.2	467.5	89.8																											
1898	25.4	28.8	21.9	20.3	21.4	19.7	22.0	51.7	131.0	98.7	18.8	7.4	467.1	89.9																											
1899	12.9	18.5	22.4	25.1	33.7	24.9	24.9	103.4	201.4	125.6																															
1900	P	P	P	25.3	23.2	24.0	48.9	184.3	238.5	54.0	19.3	13.8																													
1901	19.7	25.9	24.3	29.1	23.0	19.8	32.8		139.7	61.8	47.3	25.5																													
1902	19.7	19.7	P	21.1	16.7	15.9	13.9	53.9	32.3	18.2	37.4	16.1																													
1903	19.1	18.3	20.5	20.1	16.5	22.4	23.9	30.0	153.3	79.7	44.3	17.5	465.9	89.7																											
1904	P	P					21.2	77.5	101.8	60.0	53.8	34.4																													
1905	49.8	27.2	26.2	14.1	16.2	29.2	64.1	128.2	230.1	51.9	48.6	20.6	706.2	135.9																											
1906	16.8	22.9	28.8	26.8	18.5	19.0	27.9	77.8	133.2	98.1	57.5	44.0	571.3	110.0																											
1907	61.7	55.9			P	18.6	20.7	61.3	157.3	184.6	71.5	41.1																													

A-5 - Discharge of Arkansas River at Pueblo, Colorado (Continued)

Drainage Area 4,730 Square Miles												Altitude 4,675 Feet	
Unit: 1,000 Acre-Feet												ANNUAL IN	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL
1908	34.8	23.5	25.6			P	23.9	29.5	77.7	55.2	32.5	7.0	
1909	13.6	14.8					P	40.8	159.5	114.9	74.8	108.5	
1910	46.0	23.8	28.3	27.8	23.5	33.0	43.2	107.7	107.8	45.3	26.1	14.5	537.0
1911	15.9	16.9	15.3	15.9	15.3	20.4	12.9	67.8	131.8	123.6	60.1	27.6	526.5
1912	63.7	37.2	24.5	19.1	15.9	17.5	17.9	71.3	174.1	137.8	59.5	23.3	661.8
1913	40.9	47.8	18.2	17.0	18.3	14.0	23.3	64.6	84.9	58.5	21.4	21.7	433.6
1914	22.1	18.7	23.7	21.3	19.5	23.7	27.8	86.1	189.0	190.0	113.0	30.3	735.2
1915	33.0	25.8		30.7	20.4	25.4	45.0	56.3	130.0	83.0	53.9	25.5	
1916	30.4	23.4	25.1	25.0	18.9	30.9	27.8	69.5	126.0	103.0	74.4	20.9	575.3
1917	27.6	27.9		24.2	19.6	16.7	17.0	43.0	166.0	134.0	57.2	26.9	
1918	19.9	19.2	15.7*	17.5	10.6	12.1	13.0	48.3	179.0	65.8	21.2	20.8	443.1
1919	12.4	14.5	12.4	24.0	16.0	17.5	50.5	92.8	100.0	86.1	48.2	34.1	503.5
1920	24.9	26.4	29.0	20.2	14.4	14.8	13.6	58.3	153.0	92.2	77.5	30.9	555.2
1921	26.6	30.4	27.9	21.5	12.2	11.5	20.1	57.5	397.0	172.0	81.2	31.1	889.0
1922	25.2	31.3	34.7	27.6*	21.4*	18.4	14.9	70.1	118.0	70.7	45.7	21.3	499.3
1923	13.2	23.4	22.0	14.9	12.1	12.5	15.8	57.4	119.0	157.0	125.0	72.0	644.3
1924	60.1	50.9	34.6	27.4*	29.5*	21.0	46.5	87.9	176.0	66.4	46.9	13.3	660.5
1925	17.4	19.3	17.2	22.0	13.0	13.5	6.1	33.7	60.1	58.7	35.8	24.2	321.0
1926	21.6	16.8	19.1	16.7	12.3	12.5	29.9	70.7	117.0	86.7	54.3	13.4	471.0
1927	12.0	21.1	17.9*	18.7*	10.7	19.5	13.4	64.6	125.0	97.2	60.6	33.9	494.6
1928	37.3	29.3	22.9*	22.6	14.2	15.3	12.3	79.3	112.0	89.8	60.4	24.5	519.9
1929	16.2	21.8	21.8	20.0	18.9	17.0	13.6	58.9	107.0	87.9	152.0	82.1	617.2
1930	39.5	39.5	28.0	22.6*	24.0*	15.3	25.2	41.1	85.7	60.6	89.2	30.7	501.4
1931	17.1	23.0	20.0*	16.1*	10.3	14.6	16.1	45.8	43.7	18.4	8.4	7.7	246.2
1932	9.7	13.3*	15.7*	13.0*	10.5*	9.8*	8.2	55.7	105.0	86.7	43.7	15.7	387.0
1933	13.3	15.3	12.0	11.2	10.8	5.5	6.4	42.5	131.0	55.1	33.1	9.9	346.1
1934	5.2	10.4	13.8	14.0	9.2	5.7	9.4	51.7	20.5	8.2	11.6	5.1	164.8
													31.7

A-5 - Discharge of Arkansas River at Pueblo, Colorado (Continued)

Drainage Area 4,730 Square miles												Altitude 4,675 Feet		
Unit: 1,000 Acre-Feet														ANNUAL IN
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1935	6.8	5.4	6.6*	7.3*	4.8*	3.1	4.7	28.8	135.6	95.8	60.2	27.7	386.8	74.5
1936	16.7	21.8	15.4*	11.6*	10.7*	4.3	22.0	110.5	107.0	74.3	103.6	25.2	523.1	100.7
1937	29.3	26.5	20.9	14.5	18.4	14.6	21.4	74.0	67.4	46.9	34.7	13.8	382.4	73.6
1938	11.8	14.2	17.4	15.1	12.5	10.7	14.9	48.5	155.3	83.8	58.6	53.1	495.9	95.5
No. Items	42	42	37	40	40	41	43	43	44	45	44	43		
Mean	25.41	24.64	21.76	20.54	17.20	17.16	23.35	68.53	131.01	85.87	55.74	27.47	4519.48	
% M.A.	4.89	4.74	4.19	3.95	3.31	3.30	4.50	13.19	25.38	16.53	10.73	5.29	100.00	

A-5A - Discharge of Arkansas River at Boone, Colorado

Drainage Area 7,100A Square Miles												Altitude 4,440A Feet			
Unit: 1,000 Acre-Feet												ANNUAL IN			
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1916										114.0	132.0	22.0			
1917		P													
No. Items												1	1	1	
Mean												114.00	132.00	22.00	#268.00x

A-6 - Discharge of Arkansas River near Nepesta, Colorado

Drainage Area 9,130 Square Miles													Altitude 4,396 Feet	
Unit: 1,000 Acre-Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL. IN
1898							P	69.0	119.3	80.5	19.1	13.8		
1899	17.2	21.8					P	70.9	156.0	163.0	58.8	11.9		
1900	14.4	20.8	P					361.3	327.1	104.4	25.9	15.6		
1901	26.7	30.6	P					96.5	179.8	39.3	44.5	18.8		
1902	P						7.1	57.6	33.7	19.7	39.9	5.5		
1903	7.9	P					5.3	8.0	267.5	78.5	40.8	7.6		
1904	7.1						P	P	P	P	P	27.0		
1905	P													
1906								P	99.3	111.0	47.4	25.9		
1907								P	154.7	208.4	67.9	25.1		
1908								13.6	60.0	40.2	33.1	9.0		
1909												184.0		
1910	28.1	23.0	P	48.5	36.1	30.4	33.7	63.3	70.9	22.0	72.6	7.0		
1911	12.0	9.3	18.4											
1912						P	15.8	69.5	153.1	124.7	72.4	22.3		
1913	24.3	14.2												
1914				24.5	16.6	16.2	23.4	132.0	226.0	166.0	117.0	31.5		
1915	33.0	30.8		27.5	17.6	14.3*	78.0	122.0	184.0	70.1	76.9	29.2		
1916	29.5	25.4	28.6	35.7	24.3	19.5	22.4	48.5	91.6					
1917	P	28.7		32.0	19.6	19.7	22.1	51.7	120.0	82.4	38.5	20.1		
1918	16.2	16.7	11.1	17.9	17.3	15.1	20.8	34.5	121.0	74.4	26.1	24.3	395.4	81.1
1919	17.8	21.8	18.3	6.9	13.1	19.4	51.9	68.9	63.1	64.0	54.1	44.9	444.2	91.1
1920	23.3	20.1	20.2	15.4E	13.8E	15.7	10.1	60.5	120.0	85.5	75.0	37.4	497.0	102.0
1921	27.5	27.3	22.0	14.6	15.4	10.9	17.4	44.5	P					
1922						13.2	14.4	44.8	78.6	52.9	32.7	12.9		
1923	11.7	20.5	15.2	13.6	17.2	14.6	15.5	38.6	75.6	151.0	144.0	61.3	578.8	118.7
1924	71.9	45.3	41.9	33.0*	35.3*	18.6*	35.0	86.7	162.0	50.4	14.0	8.3	602.4	123.6

A-6 - Discharge of Arkansas River near Nepesta, Colorado (Continued)

Drainage Area 9,130 Square miles														Altitude 4,396 Feet	
Unit: 1,000 Acre-Feet															
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL. IN % MEAN	
1925	14.6	16.3	12.5*	20.5E	7.0*	11.0	4.5	24.1	43.7	66.4	30.7	23.3	274.6	56.3	
1926	18.7	8.4	12.1*	15.9*	15.1	15.3	42.8	78.7	105.0	59.8	29.1	11.7	412.6	84.6	
1927	11.6	23.0	26.9*	13.3*	13.6	19.2	10.6	47.9	98.2	92.8	118.0	29.2	504.3	103.5	
1928	36.9	29.6	27.5*	13.0*	15.7	18.0	18.1	74.4	121.0	61.3	32.7	21.5	469.7	96.4	
1929	10.8	22.1	P			P	12.1	38.4	89.8	78.1	153.0	91.6			
1930	25.8	P	P			14.2	23.8	37.5	78.6	44.9	103.0	31.1			
1931	11.6	P				18.6	14.5	55.5	54.6	13.0	6.3	4.3			
1932	8.8	14.9*				12.2	9.2	45.2	84.5	81.8	46.7	16.1			
1933	18.2	20.4			P	8.7	7.8	77.5	124.0	41.6	57.0	13.9			
1934	7.6	12.7			13.9*	10.8	12.7	45.9	19.4	8.1	11.1	3.9			
1935	6.0	7.5			P	7.7	5.4	61.4	115.6	92.3	43.6	29.9			
1936	17.2	22.1	16.8	12.6	13.8	7.3	20.4	97.0	100.0	78.2	167.3	29.8	582.5	119.5	
1937	27.9	27.8	24.9	16.0*	19.9	18.0	25.3	73.9	61.6	38.1	29.5	27.6	390.5	80.1	
1938	9.3	13.7*	18.6*	17.2*	14.9	14.9*	21.0*	69.2*	114.5*	76.5*	40.5*	81.5	491.8	100.9	
No. Days	20	27	15	18	19	25	29	34	35	34	34	36			
Mean	19.79	21.29	21.00	21.01	17.91	15.34	20.73	69.68	146.39	76.99	57.92	29.41	#487.46		
% M. A.	4.06	4.37	4.31	4.31	3.67	3.15	4.25	14.30	23.88	15.79	11.88	6.03	100.00		

A-6B - Discharge of Arkansas River near Rocky Ford, Colorado

Drainage Area 11,440 Square Miles										Altitude 4,150A Feet		
Unit: 1,000 Acre-Feet										ANNUAL % MEAN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
1897								P	109.0	36.2	37.8	2.4
1898	8.8	9.2			P	15.6	12.7	74.2	122.0	76.8	16.5	9.3
1899	15.1	31.5	P			P	16.3*	45.0	89.1	92.5	42.2	9.1
1900	8.9	16.7	P	P	P	19.9	P					
1901							P	86.5	125.0	27.6	49.7	20.5
1902	21.2	25.7	27.9	24.7	58.4	50.9						
1903							P	7.2	204.5	42.0	21.9	5.7
1904	5.1											
No. Items	5	4	1	1	1	3	2	4	5	5	5	5
Mean	11.82	20.78	27.90	24.70	58.40	28.80	14.50	53.22	129.92	55.02	33.62	9.40
% Mean												
Annual	2.52	4.44	5.96	5.28	12.48	6.15	3.10	11.37	27.76	11.75	7.18	2.01
												100.00

A-7 - Discharge of Arkansas River at La Junta, Colorado

Drainage Area 12,200 Square Miles										Altitude 4,052 Feet		
Unit: 1,000 Acre-Feet										ANNUAL % MEAN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
1889								P	80.6	51.9	26.8	
1903							P		190.0	15.4	7.8	2.8
1904	1.3											
1912							P	15.3	29.2	38.3	31.1	7.4
1913	14.2	17.9	5.9	3.4	2.9	3.1	9.5	11.5	21.0	13.9	3.3	4.4
1914	9.1	8.2	4.3	2.8*	4.9	7.3	10.6	49.7	158.0	65.8	44.2	6.5
												111.0
												371.4
												55.9
												187.2

A-7 - Discharge of Arkansas River at La Junta, Colorado (Continued)

Unit: 1,000 Acre-Feet														
Drainage Area 12,200 Square Miles														
Altitude 4,052 Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1915	11.2	6.4		3.4	1.6	7.1	16.4	38.3	113.0	22.1	47.3	9.9		
1916	12.4	6.3	1.9	12.0	10.0	3.6	12.3	21.3	23.6	24.5	30.5	2.6	161.0	81.1
1917	5.8	4.0		2.3	1.0	3.1	4.9	23.5	28.7	24.7	13.5	4.3		
1918	5.6	10.1	3.8	0.9	1.0	4.1	5.6	13.0	33.3	18.6	5.3	7.9	109.2	55.0
1919	9.4	17.0	3.8	1.0	0.9	1.2	2.1	10.6	18.4	15.1	9.7	15.1	104.3	52.6
1920	2.0	6.6	4.5	2.2	1.5	6.2	3.6	15.9	30.8	25.9	9.8	7.9	116.9	58.9
1921	10.8	1.9	1.4	2.8	0.6	1.8	7.8	23.2	607.0	140.0	99.0	10.9	907.2	457.1
1922	14.9	7.5	3.6	6.5	4.2	1.9*	3.9	14.2	34.2	20.1	5.3	2.2	118.5	59.7
1923	1.7	10.6	6.9	3.6	2.6	4.5	2.6	14.9	23.6	47.0	138.0	55.2	311.2	156.8
1924	45.8	9.9	13.5	43.0*	26.6*	3.0	12.9	23.8	54.5	20.4	3.7	1.8	258.9	130.5
1925	6.0	6.8	1.8*	0.7*	0.4	3.5	2.5	12.8	17.7	37.9	9.9	6.0	106.0	53.4
1926	10.4	9.0	2.0	2.1	2.2	8.4	5.8	12.5	17.6	17.9	7.0	2.2	97.1	48.9
1927	2.3	13.0	5.8	1.5	2.3	7.3	6.0	20.8	35.5	48.0	64.0	10.9	217.4	109.5
1928	17.8	16.4	4.5	1.1	3.3	4.3	3.5	12.2	73.2	27.1	11.8	3.4	178.6	90.0
1929	4.9	9.2	6.5	1.6	3.6	2.7	1.8	12.4	28.7	29.7	92.8	12.9	206.8	104.2
1930	15.2	5.7	4.6	1.3	2.6	4.4	5.4	12.4	27.8	11.0	31.6	10.8	132.8	66.9
1931	5.9	8.1	3.8	0.9	1.1	2.8	5.0	15.1	12.1	4.6	2.9	2.9	65.2	32.9
1932	1.2	1.6	3.0	1.6*	2.0*	2.4*	2.0	16.4	29.0	34.7	23.1	4.1	121.1	61.0
1933	5.5	7.1	1.2	1.2	5.1	1.5	4.1	56.5	54.9	19.5	14.7	7.8	179.1	90.2
1934	2.3	3.6	7.1	4.5	4.4	2.4	2.6	15.9	4.9	2.1	3.1	6.6	59.5	30.0
1935	0.4	0.6	1.9*	2.0*	1.1	1.5	1.4	41.1	41.4	33.3	13.4	10.3	148.4	74.8
1936	8.7	10.0	8.4	4.2	2.3	1.0	5.7	43.5	20.1	52.3	97.8	12.3	266.2	134.2
1937	18.3	11.5	6.0	3.0	2.8	3.2	9.6	32.2	28.9	10.6	6.6	21.6	154.3	77.8
1938	1.5	3.3	6.4	9.1	5.1	2.9	6.9	23.6	31.9	30.8	10.9	38.8	171.2	86.3
No. Items	27	26	24	26	26	26	26	27	29	29	29	28		
Mean	9.06	8.17	4.69	4.57	3.70	3.66	5.94	22.32	64.71	31.44	29.82	10.34	#198.45	
% Mean														
Annual	4.57	4.12	2.36	2.30	1.87	1.84	2.99	11.25	32.62	15.84	15.03	5.21	100.00	

A-7B - Discharge of Arkansas River at Ft. Lyons, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 18,200 Square Miles			Altitude 3,835A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNL.IN
1911							P	19.1	23.8	55.1	8.4	3.8			
1912	37.2	26.0	P												
No. Items	1	1						1	1	1	1	1			
Mean	37.20	26.00						19.10	23.80	55.10	8.40	3.80	#173.40x		

A-7½ - Discharge of Arkansas River at Cadúoa, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 19,000 Square Miles			Altitude 3,760 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNL.IN
1938						P	5.1	24.6	38.2	48.9	12.8	50.0			
No. Items						1	1	1	1	1	1	1			
Mean						5.10	24.60	38.20	48.90	12.80	50.00	50.00	#179.60x		

A-7C - Discharge of Arkansas River near Frowers, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 19,100A Square Miles			Altitude 3,710A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNL.IN
1903									260.1	23.2	18.6				
1904		P	P												
No. Items									1	1	1				
Mean									260.10	23.20	18.60		#301.90x		

A-7D - Discharge of Arkansas River at Frowers, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 19,125 Square Miles			Altitude 3,665A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNL.IN
1900							P	209.0	155.7	9.9	2.7	0.4			
1901		P	1.1												
No. Items			1						1	1	1	1			
Mean			1.10						209.00	155.70	9.90	2.70	0.40	#378.80x	

A-7E - Discharge of Arkansas River near Amity Canal Headgates, Colorado

Unit: 1,000 Acre-Feet				Drainage Area 19,140A Square Miles									Altitude 3,665A Feet			
				ANNUAL											ANNUAL	% MEAN
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN		
1898											13.0	1.4				
1899	3.3	15.8	15.2						39.0	115.0	54.4	4.4				
1900	5.3	14.8	8.1	14.7	11.6	10.5	176.9	274.8	195.8	17.2	5.5	1.3	736.5	101.6		
1901	1.2	6.5	9.2													
No. Items	3	3	3	1	1	1	1	1	2	2	3	3				
Mean	3.27	12.37	10.83	14.70	11.60	10.50	176.90	274.80	117.40	66.10	24.30	2.37	#725.14			
% M.A.	0.45	1.71	1.49	2.03	1.60	1.45	24.39	37.90	16.19	9.11	3.35	0.33	100.00			

A-8 - Discharge of Arkansas River at Lamar, Colorado

Drainage Area 19,800 Square Miles														Altitude 3,570 Feet	
Unit: 1,000 Acre-Feet															
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNL. IN
1913								P		1.0	0.1	0.1			
1914	0.1	0.1	5.4	8.1	3.8*	4.7	0.1*	176.0	165.0	116.7	58.9	0.6	534.9	269.8	
1915	1.1	2.6		8.7	4.3		63.7	71.3	115.0	15.2	83.6	7.4			
1916	0.6	1.2	6.1	11.3*	17.7*	0.8	0.9	0.6	12.1	1.0	59.0	1.4	112.7	56.8	
1917	0.3	6.5	P	21.5	5.4	0.5	0.2	2.1	2.3	2.1	0.2	1.0			
1918	1.2	0.3	4.3	5.9	8.0	2.3	1.6	1.2	4.6	4.4	1.9	3.5	39.2	19.8	
1919	0.3	0.7	4.7			P	33.6	19.8	2.6	9.9	10.2	0.7			
1920	0.8	10.7	10.1	10.8	2.8	1.0	1.2	1.5	0.8	18.5	11.4	8.1	77.7	39.2	
1921	10.3	8.9	7.9	7.9*	6.3*	4.9	0.7	1.5	684.0	190.0	138.0	2.9	1,063.3	536.3	
1922	0.9	0.4	5.1*	8.1	10.5	4.2	1.7	0.6	0.6	2.4	5.9	0.1	40.5	20.4	
1923	0.1	0.4	1.1	0.3	0.3	0.4	0.2	21.8	71.4	76.2	267.0	84.5	523.7	264.2	
1924	121.0	35.3	28.5	59.0*	51.6*	43.0	38.9	4.5	26.4	0.5	0.2	0.1	409.0	206.3	

A-8 - Discharge of Arkansas River at Lamar, Colorado (Continued)

Drainage Area 19,800 Square Miles												Altitude 3,570 Feet		
Unit: 1,000 Acre-Feet												ANNUAL IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1925	0.2	0.2	6.8	8.1*	4.4*	0.3	0.1	4.6	8.0	94.7	34.7	1.3	163.4	82.4
1926	0.4*	8.1*	5.0	9.4	4.4	0.4	2.7	3.0	11.5	6.3	1.1	0.1	52.4	26.4
1927	0.1	0.8	2.4	5.6	1.2	1.3	0.3	0.2	0.8	117.0	164.0	3.3	297.0	149.8
1928	0.2	0.3	6.3*	7.7*	0.7	0.3	0.3	62.1	134.0	6.6	0.6	1.3	220.4	111.2
1929	0.4	2.6	16.2	12.0	9.2*	2.0	0.3	0.6	2.7	2.8	127.0	1.1	176.9	89.2
1930	0.5	11.8	13.3	13.3	10.5	3.6	0.3	1.7	3.8	0.8	17.5	11.8	88.9	44.8
1931	32.3	6.7*	16.9*	5.0E	6.0	2.4*	4.5	2.6	3.0	0.2	0.2	0.1	79.9	40.3
1932	0.1*	0.5	1.2	1.8*	1.0*	0.7*	0.2	0.4	2.5	3.2	2.5	0.1	14.2	7.2
1933	0.1	0.2	0.2	0.3	1.2	0.2	0.1	70.1	13.0	5.0	41.7	24.9	162.0	81.7
1934	0.2	0.2	0.2	1.0	0.9	0.2	0.2	1.1	0.3	2.5	0.7	25.4	32.9	16.6
1935	0.1	0.1	0.1	0.3	0.2	0.1	0.1	26.5	31.7	17.4	5.7	7.4	89.7	45.2
1936	0.2	0.2	0.8	2.6	2.5	0.4	0.4	76.7	7.3	54.4	92.3	0.6	238.4	120.3
1937	0.4	0.3	0.7	1.2	2.2	0.3	0.3	0.5	30.5	1.3	1.0	27.6	66.3	33.4
1938	0.2	0.1	0.7*	0.4*	0.4*	0.2	0.2	3.6	17.7	22.7	2.5*	19.3	68.0	34.3
No. Items	25	25	23	24	24	24	25	25	26	26	26	26		
Mean	6.88	3.97	6.26	8.76	6.48	3.10	6.11	22.18	52.38	29.72	43.38	9.03	#198.25	
% Mean														
Annual	3.47	2.00	3.16	4.42	3.27	1.56	3.08	11.19	26.42	14.99	21.88	4.56	100.00	

A-8A - Discharge of Arkansas River near Granada, Colorado

Drainage Area 23,478 Square Miles												Altitude 3,475 Feet		
Unit: Acre-Feet												ANNL. IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1903											6381	77		
1904	63													
No. Items	1										1	1		
Mean	63.0										6381.0	77.0	#6521.0x	

A-9 - Discharge of Arkansas River at Holly, Colorado

Drainage Area 25,000 Square miles														Altitude 3,387 Feet	
Unit: 1,000 Acre-Feet														ANNUAL % MEAN	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1908	P	9.3	15.9			P	1.1	0.9	25.6	8.2	8.6	F			
1909	F	22.1	18.0	18.0	3.9	2.5	1.0	0.5	27.2	28.7	38.5	93.6			
1910	10.9	9.5	17.3	15.0E	13.0E	11.3	9.6	5.1	3.0	2.6	56.5	0.6	154.4	64.2	
1911	0.6	0.6	1.4	3.3	3.3	3.9	1.0	8.3	2.0	33.5	2.7	0.3	60.9	25.3	
1912	3.4	20.6	24.9		20.8	25.3	8.2	1.0	36.7	6.4	67.3	14.4			
1913	6.1	11.5	12.8*	30.7	24.7	14.0	1.9	0.4	9.4	19.6	1.1	0.8	133.0	55.3	
1914	0.9	1.3	10.6	14.0	8.8	4.0	2.4	172.0	189.0	108.0	54.8	1.5	567.3	235.9	
1915	3.9	5.0		13.5	11.2	16.1	69.6	79.3	146.0	23.5	98.4	12.9			
1916	6.1	7.1	12.0	18.1	28.1	5.6	4.2	0.6	7.1	0.8	48.2	9.1	147.0	61.1	
1917	3.8	8.7		16.5	9.6	5.9	P	P		2.4	4.5	4.4			
1918	3.0	1.4	4.1	6.3	4.6	4.9	2.0	1.7	5.7	8.0	2.6	6.3	50.6	21.0	
1919	2.9	5.2	8.7			21.2	80.9	29.1	3.1	9.2	22.9	4.3			
1920	5.6	16.2	20.2	18.4E	9.9	4.4	5.2	5.6	3.0	29.1	49.6	25.6	192.8	80.2	
1921	19.1	13.7	15.6	14.1*	11.2*	12.9	3.0	2.0	585.0	161.0	144.0	6.0	987.6	410.7	
1922	5.4	5.0	11.9*	14.3*	18.6*	13.5*	12.7	7.9	1.3	0.7	13.2	0.3	104.8	43.6	
1923	0.3	2.8	8.1	4.4	6.9	4.5	2.1	41.8	101.0	82.4	272.0	89.8	616.1	256.2	
1924	121.0	40.5	34.4*	70.1*	57.5*	39.0	47.7	10.6	28.2	1.6	0.3	0.5	451.4	187.7	
1925	1.3*	2.8*	9.2*	13.2*	9.6*	3.0	1.0	8.2	15.0	112.0	38.1	4.8	218.2	90.7	
1926	4.8	13.7	7.9	14.6	12.2	2.2	4.8	6.2	20.3	8.3	0.2	0.1	95.3	39.6	
1927	0.1	2.8	5.2	9.6	5.4	5.2	1.2	0.4	0.2	126.0	255.0	10.0	421.1	175.1	
1928	3.4	4.3	10.9	12.3	7.4	5.2	2.2	40.1	132.0	10.1	1.5	1.8	231.2	96.2	
1929	1.8	6.1	18.6	15.3	10.8*	8.4	1.6	2.0	4.7	1.8	127.0	8.4	206.5	85.9	
1930	4.1	18.4	19.1	13.5	16.7	7.3	1.7	10.0	4.2	1.6	23.1	11.6	131.3	54.6	
1931	53.2	13.6	20.2	17.0	18.6	17.7	13.1	5.8	6.2	0.2	0.5	0.1	166.2	69.1	
1932	0.2	0.6*	5.0	8.8*	6.8*	2.6*	0.9	0.9	11.9	1.4	4.1	0.2	43.4	18.0	
1933	0.2	0.2	0.5	3.9	4.1	0.9	0.5	26.0	10.4	8.6	54.0	29.7	139.0	57.8	
1934	1.2	2.3	3.7	3.9	3.9	2.9	0.7	3.2	3.0	7.9	0.1	10.3	43.1	17.9	
1935	0.3	0.2	0.5	1.7	0.6	0.5	0.2	36.4	46.1	45.7	21.8	14.8	168.8	70.2	
1936	1.9	2.0	4.2	4.8	6.9	2.6	1.1	109.8	28.7	54.7	111.5	1.2	329.4	137.0	
1937	2.6	3.2	6.3	3.8	7.1	4.4	1.8	1.1	39.6	2.8	1.1	59.3	133.1	55.4	
1938	0.9	0.9	3.2	4.1*	2.3	1.4*	3.8	13.8	39.3	35.5	5.8	62.6	173.6	72.2	
No. Items	29	31	29	28	29	30	30	30	30	31	31	30			
Mean	9.28	8.12	11.39	13.69	11.88	8.44	9.57	21.02	51.16	30.40	49.32	16.18	#240.45		
% M.A.	3.86	3.38	4.74	5.69	4.94	3.51	3.98	8.74	21.28	12.64	20.51	6.73	100.00		

A-10 - Discharge of Tennessee Fork near Leadville, Colorado

Unit: 1,000 Acre-Feet				Drainage Area 45 Square Miles					Altitude 10,000 Feet					
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL IN % MEAN
1890								P	8.4	3.2	2.3	2.0		
1891	2.0													
1911					P		P	P	P	P	P	P		
1912	P		P		P		P	P	P	P	P	P		
1913	P	P						P	4.7	1.9	0.9	0.8		
1914	0.7	P			0.4E	0.5*	3.8	13.6	12.1	4.5		0.8		
1915	0.7	0.6		0.1*	0.1*	0.2*	P	P	6.0	1.7	0.9	0.6		
1916	0.5	P			P	P		7.5	6.7	3.3	2.4	1.4		
1917	0.7	P						P	10.1	4.6	0.5	0.4		
1918	0.2	0.3E	0.3E	0.3E	0.6E	0.7E		P	17.9	3.5	0.9	0.7		
1919	0.6	0.7		P	P	P	P	P	4.1	2.4	2.1	0.8		
1920	0.8	P						P	10.7	3.8	1.8	0.9		
1921	0.6	0.4*	0.5*	0.5*	0.4E	0.7*	1.1*	8.1	12.3	4.2	1.9	1.3	32.0	106.0
1922	0.4	0.6	0.6E	0.6*	0.5E	0.6*	1.1*	9.8	7.3	2.0	1.6	0.5	25.6	84.8
1923	0.1					0.7	1.3	10.0	14.2	6.5	2.6	1.5		
1924	1.2*	1.1*	0.6E	0.4*	0.5*	0.5*	3.1	7.7	9.7	2.6	0.6	0.4	28.4	94.1
No. Items	12	6	4	5	6	7	5	6	13	13	12	13		
Mean	0.71	0.62	0.50	0.38	0.42	0.56	2.08	9.45	9.55	3.45	1.54	0.93	#30.19	
% Mean														
Annual	2.35	2.05	1.66	1.26	1.39	1.86	6.89	31.30	31.63	11.43	5.10	3.08	100.00	
1903 Record: Gage heights only.														

1903 Record: Gage heights only.

A-10A - Discharge of Lake Fork near Arkansas Junction, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 21 Square Miles							Altitude 9,750A Feet					
		ANNUAL IN												
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1890							P	19.9	14.5	4.5	2.2	1.5		
1891	2.0													
No. Items	1							1	1	1	1	1		
Mean	2.00							19.90	14.50	4.50	2.20	1.50	#44.60x	
1903 Record: Gage heights only.														

A-10B - Discharge of Half Moon Creek near Leadville, Colorado

Unit: 1,000 Acre-Feet				Drainage Area 30 Square Miles				Altitude 9,675A Feet						
													ANNL.IN	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1911							0.4	1.9	6.8	6.0	2.0	0.9		
1912	1.2	0.8						1.2	8.3	8.8	3.4	1.2		
1913	0.6*							P	5.1	3.1	1.2	0.8		
1914	0.4	0.2						P	7.2	6.6	2.1	0.8		
No. Items	3	2					1	2	4	4	4	4		
Mean	0.73	0.50					0.40	1.55	7.02	6.12	2.18	0.92	#19.42x	

A-10C - Discharge of Lake Creek Inter Lachen, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 104 Square Miles										Altitude 9,190A Feet			
												ANNL. IN			
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1900										P	2.7	P			
No. Items											1				
Mean											2.70		#2.70x		

A-10D - Discharge of Twin Lakes Outlet near Twin Lakes, Colorado

[illegible]

A-10E - Discharge of Lake Creek below Twin Lakes, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 109 Square Miles										Altitude 9,012 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN
1890							1.4*	15.5	32.8	27.4	10.8	4.6		
1891	2.5													
1899									P	P				
1900										P	7.3	P		
No. Items	1						1	1	1	1	2	1		
Mean	2.50						1.40	15.50	32.80	22.40	9.05	4.60		788.25x

A-10F - Discharge of Clear Creek at Granite, Colorado

Unit: 1,000 Acre-Feet													Drainage Area 72 Square Miles				Altitude 3,200A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN	ANNUAL IN				
1890							P	11.5	21.2	14.6	6.0	1.4							
1891	1.0																		
1907								4.6	22.5	27.6	8.7	2.5							
1908	2.3	2.8	2.1	1.4	1.3	1.4	2.0	3.4	16.9	12.0	6.2	1.0	52.8	92.7					
1909	0.6	0.9	1.2	1.0	0.9	0.8	1.1	3.7	27.8	P									
1910								P	14.6	5.3	0.3	0.5							
1911	0.4	0.4																	
No. Items	4	3	2	2	2	2	2	4	5	4	4	4							
Mean	1.08	1.37	1.65	1.20	1.10	1.10	1.55	5.80	20.60	14.88	5.30	1.35	#56.98						
% M. A.	1.90	2.40	2.90	2.11	1.93	1.93	2.72	10.18	36.15	26.11	9.30	2.37	100.00						

A-11 - Discharge of Cottonwood Creek below Hot Springs, Colorado

Drainage Area 72 Square Miles										Altitude 8,000 Feet				
Unit: 1,000 Acre-Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1911							P	6.5	16.5	14.4	5.3	3.6		
1912	4.7	2.6	2.2	1.7*	1.1	1.3	1.2	6.3	15.2	11.8	6.5	2.8	57.4	120.5
1913	2.3	1.6	1.2	1.3	1.1	1.1	1.1	5.5	10.8	P	P	3.3		
1914	3.2	1.8	1.7	1.3	1.2	1.2	1.5	7.8	15.6	13.0	7.3	3.8	59.4	124.7
1915	3.0	1.9	1.4	1.2	1.1	1.4	1.7	4.4	13.2	10.3	3.2	2.6	45.4	95.3
1916	2.4	1.7	1.6	1.4	1.2	1.4	1.8	4.7	15.4	8.1	5.4	3.1	48.2	101.2
1917	2.7	2.1	1.9	1.6	1.3	1.4	1.3	2.2	14.5	11.9	5.0	2.6	48.5	101.8
1918	1.9	1.6	1.5	1.4	1.1	1.1	1.1	4.4	15.6	5.1	2.2	2.8	39.8	83.6
1919	2.1	1.7	1.6	1.5	1.2	1.3	1.6	6.5	8.9	5.3	2.6	2.0	36.3	76.2
1920	1.9	1.6	1.6	1.4	1.3	1.3	1.2	4.4	14.8	9.0	3.6	2.5	44.6	93.6
1921	2.1	1.9	1.7	1.5	1.3	1.5	1.4	5.3	18.1	9.8	4.1	3.0	51.7	108.5
1922	2.0	1.5	1.5	1.4	1.2	1.2	1.2	5.3	11.8	4.6	3.4	2.0	37.1	77.9
1923	1.4	1.5	1.6	1.4	1.1	1.2	1.3	4.7	16.3	10.5	5.7	3.6	50.3	105.6
No. Items	12	12	12	12	12	12	12	13	13	12	12	13		
Mean	2.48	1.79	1.62	1.42	1.18	1.28	1.37	5.23	14.36	9.48	4.52	2.90	#47.63	
% Mean														
Annual	5.21	3.76	3.40	2.98	2.48	2.69	2.88	10.98	30.15	19.90	9.49	6.08	100.00	

A-11A - Discharge of So. Fk. Cottonwood Creek near Buena Vista, Colorado

Unit: 1,000 Acre-Feet												Drainage Area 28 Square Miles		Altitude 9,000A Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL. IN % MEAN	
1890							0.6*	4.4	7.2	6.0	3.3	P			
No. Items							1	1	1	1	1				
Mean							0.60	4.40	7.20	6.00	3.30		#21.50x		

A-11B - Discharge of Middle Fk. Cottonwood Creek near Buena Vista, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 37 Square Miles										Altitude 10,400A Feet		
												ANNUAL IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1890							1.6*	5.1	7.2	4.3	1.5	P		
No. Items							1	1	1	1	1			
Mean							1.60	5.10	7.20	4.30	1.50		#19.70x	

A-11C - Discharge of No. Fk. Cottonwood Creek near Buena Vista, Colorado

Drainage Area 50 Square miles										Altitude 8,200 Feet				
Unit: 1,000 Acre-Feet												ANNUAL IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1912	1.6	1.2	0.6	0.4E	0.3E	0.3	0.5	1.4	4.6	4.9	2.4	1.5	19.7	104.6
1913	0.7	0.7					P	P	P	P	P	1.2		
1914	1.0	0.9	0.7	P		P	P	P	P	P				
No. Items	3	3	2	1	1	1	1	1	1	1	1	2		
Mean	1.10	0.93	0.65	0.40	0.30	0.30	0.50	1.40	4.60	4.90	2.40	1.35	#18.83	
% Mean														
Annual	5.84	4.94	3.45	2.12	1.59	1.59	2.66	7.44	24.43	26.02	12.75	7.17	100.00	

A-11D - Discharge of Chalk Creek (Upper Station) near St. Elmo, Colorado

Unit: 1,000 Acre-Feet				Drainage Area 48 Square Miles								Altitude 10,000 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL IN % MEAN
1914		P	0.6	0.5*	0.4*	0.5	0.8	7.3	13.0	6.9	3.5	1.4		
1915	1.1	0.6		P	0.4*	0.5*	1.0	4.1	10.5	5.1	2.1	1.1		
1916	1.0	0.7	0.6	0.5	0.4	0.6	1.8	6.5	12.7	7.0	4.0	1.8	37.6	103.8
1917	1.5	0.8	0.7	0.7	0.5	0.6	1.3	4.2	18.3	10.9	3.2	1.3	44.0	121.4
1918	0.9	0.7	P				P	8.1	16.5	4.6	1.8	2.4		
1919	1.5	1.0	0.8	0.6	0.5	0.8	1.2	8.4	8.4	5.1	2.2	1.5	32.7	90.2
No. Items	5	5	4	4	5	5	5	6	6	6	6	6		
Mean	1.20	0.76	0.68	0.58	0.44	0.60	1.22	6.43	13.25	6.60	2.92	1.58	#36.24	
% Mean														
Annual	3.31	2.10	1.88	1.60	1.21	1.65	3.37	17.74	36.51	18.21	8.06	4.36	100.00	

A-11E - Discharge of Chalk Creek (Lower Station) near St. Elmo, Colorado

Unit: 1,000 Acre-Feet				Drainage Area 75 Square Miles						Altitude 9,900A Feet				
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUL. IN % MEAN
1911						P	1.2	10.4	23.6	15.9	5.4	3.0		
1912	7.5	1.9	1.4*	1.0*	0.7*	0.6*	0.9	7.8	26.2	17.8	8.3	2.8	76.9	126.0
1913	1.8	1.4	1.0	0.6	0.5	0.6	0.9	8.6	18.2	9.4	P	4.0		
1914	2.3	1.3	1.1	1.0	0.9	1.0	1.3	9.9	19.5	13.5	7.0	2.9	61.7	101.1
1915	2.4	P		P	P	P	1.6	5.9	16.1	7.5	3.3	2.2		
1916	2.1	1.6	1.6	1.4	1.3	1.4								
No. Items	5	4	4	4	4	4	5	5	5	5	4	5		
Mean	3.22	1.55	1.28	1.00	0.85	0.90	1.18	8.54	20.72	12.82	6.00	2.98	#61.02	
% Mean														
Annual	5.28	2.54	2.10	1.64	1.39	1.48	1.93	13.96	33.96	21.01	9.83	4.88	100.00	

A-11G - Discharge of So. Fk. Arkansas River at Poncha Springs, Colorado

Drainage Area 140 Square Miles													Altitude 7,471 Feet	
Unit: 1,000 Acre-Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL IN % MEAN
1911				1.9	1.5	1.3	0.8	3.6	14.6	14.0	1.8	0.8		
1912	4.9	4.3	2.6	1.8E	1.6*	1.6*	1.2	6.3	20.4	5.3	1.0	1.1	52.1	125.9
1913	1.3	2.2	2.1					4.4	P	1.4	1.2	0.4		
1914	P				1.6	1.5	0.5	9.1	15.6	7.9	4.4	0.5		
1915	1.3	2.3	1.8	2.0	1.9	2.0	2.5	5.8	12.0	3.7	1.5	1.1	37.9	91.6
1916	1.5	2.3	3.0	2.7	2.6	2.1	0.9	5.2	11.5	5.2	3.5	0.9	41.4	100.0
1917	1.7	2.2	2.4	2.1	1.7	1.7	0.4	0.7	10.9	4.9	1.6	0.8	31.1	75.1
1918	0.4	1.1	2.6	2.2	1.9	1.4	0.2							
No. Items	6	6	6	6	7	7	7	7	6	7	7	7		
Mean	1.85	2.40	2.42	2.12	1.83	1.66	0.93	5.01	14.17	6.06	2.14	0.80	41.39	
% Mean														
Annual	4.47	5.80	5.85	5.12	4.42	4.01	2.25	12.10	34.24	14.64	5.17	1.93	100.00	

A-12 - Discharge of South Fork Arkansas River near Salida, Colorado

Unit: Acre-Feet Altitude 7,038 Feet
 Drainage Area 208 Square Miles ANNUAL % MEAN

YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1922							1000	3760	2160	18	3	11		
1923	51					P	1600	8180	21700	3690	3860	2370		
1924	4480	4580	4000											
1929									P	1190	8790	7860		
1930	1940	4950			2630	2240	242	577	893	1270	1220	60		
1931	93	1490	P		2450	2600	744	275	65	52	19	49		
1932	31	952	2830	2340	2190	1500	511	5550	3670	368	588	90	20620	72.0
1933	640	1970	2400	2460	2110	775	226	4300	7800	36	18	143	22878	79.9
1934	83	1480	3090	2640	1770	489	2260	1490	46	33	57	92	13530	47.2
1935	294	730	3130	2700	2230	1250	194	1770	16840	1030	335	1270	31823	111.1
1936	2210	2730	3370	3330	2870	1130	722	13310	4710	672	7590	1890	44534	155.5
1937	2580	1970	3280	2640	3140	1950	1890	6850	1440	302	174	189	26405	92.2
1938	228	652	3010	1930	2300	1720	2170	5530	6080	294	99	2400	26413	92.2
No. Items	11	10	8	7	9	9	11	11	11	12	12	12		
Mean	1148.2	2155.4	3138.8	2577.1	2410.0	1517.1	1050.8	4690.2	5945.8	745.4	1896.1	1368.7	#28643.6	
% Mean														
Annual	4.01	7.52	10.96	9.00	8.41	5.30	3.67	16.37	20.76	2.60	6.62	4.78	100.00	

A-12A - Discharge of Poncha Creek at Poncha Springs, Colorado

Unit: 1,000 Acre-Feet				Drainage Area 89 Square Miles								Altitude 7,471 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL. IN % MEAN
1911				0.4	0.4	0.7	1.9	7.4	5.8	5.8	2.4	1.3		
1912	1.7	1.0	0.5	0.3E	0.4*	0.6*	1.1	7.4	7.0	2.0	0.8	0.3	23.1	118.3
1913	0.4	0.4	0.2					3.5	F	1.3	0.7	0.6		
1914	P				0.2	0.2	1.0	6.6	5.2	1.5	1.0	0.4		
1915	0.6	0.5	0.3	0.4	0.4	0.4	1.7	4.7	6.4	1.8	1.0	0.6	18.8	96.3
1916	0.7	0.5	0.5	0.5	0.5	0.7	1.4	5.2	4.8	1.6	1.4	0.6	18.4	94.3
1917	0.5	0.5	0.6	0.5	0.5	0.6	1.0	2.5	5.7	1.8	0.7	0.4	15.3	78.4
1918	0.4	0.4	0.6	0.5	0.4	0.5	0.9							
No. Items	6	6	6	6	7	7	7	7	6	7	7	7		
Mean	0.72	0.55	0.45	0.43	0.40	0.53	1.29	5.33	5.82	2.26	1.14	0.60	#19.52	
% Mean														
Annual	3.69	2.82	2.31	2.20	2.05	2.71	6.61	27.30	29.82	11.58	5.84	3.07	100.00	

A-12B - Discharge of Texas Creek at Mouth, Colorado

Unit: 1,000 Acre-Feet			Drainage Area 150A Square Miles										Altitude 6,400A Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL. IN % MEAN
1923						P	0.9	0.1	0.1	2.0*	3.2	1.8		
1924	1.9	1.6												
No. Items	1	1					1	1	1	1	1	1		
Mean	1.90	1.60					0.90	0.10	0.10	2.00	3.20	1.80	#11.60x	

A-13 - Discharge of Grape Creek near Westcliffe, Colorado

Unit: 1,000 Acre-Feet Drainage Area 346 Square Miles Altitude 7,800 Feet

YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL. IN % MEAN
1925			1.7E	1.6E	1.4E	1.6E	0.6	0.8	0.4	1.6	4.0	1.2		
1926	1.1	2.1	1.7	1.4E	1.4E	3.2	4.9	9.4	10.4	3.1	1.4	0.5	40.6	163.1
1927	0.7	1.2	1.0	1.1*	1.1*	4.2	2.1	0.7	2.8	2.7	4.2	3.0	24.8	99.6
1928	2.6	1.3	1.1E	1.2E	1.1E	2.2*	1.9	9.2	6.3					
1930						P	2.0	0.7	0.7	4.8	4.5	0.9		
1931	0.7	P				6.9	6.6	6.6	5.2	1.6	0.6	1.3		
1932	1.5	1.2*				2.5*	2.7	2.7	3.6	1.9	1.4	0.6		
1933	0.7	P				P	1.8	1.8	7.6	1.8	0.9	0.7		
1934	0.5	P				0.9	0.5	0.5	0.1	0.1	0.3	0.3		
1935	0.3	P				P	0.7	1.6	8.2	3.9	1.5	1.9		
1936	1.0	0.7*				1.2*	1.0	1.6	0.9	0.7	7.6	2.4		
1937	2.6	P				4.9*	5.9	5.9	2.7	0.8	0.5	0.5		
1938	0.6	P				P	2.7	2.7	6.8	2.1	0.7	3.2		
No. Items	11	5	4	4	4	5	12	13	13	12	12	12		
Mean	1.12	1.30	1.38	1.32	1.25	2.48	2.59	3.40	4.28	2.09	2.30	1.38	24.89	
% Mean														
Annual	4.50	5.22	5.55	5.30	5.02	9.96	10.41	13.66	17.20	8.40	9.24	5.54	100.00	

A-13A - Discharge of Grape Creek at Mouth near Canon City, Colorado

Unit: 1,000 Acre-Feet Drainage Area 440A Square Miles Altitude 5,400A Feet

YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL. IN % MEAN
1928				0.8	1.5	3.0*	1.3*							
No. Items				1	1	1	1							
Mean				0.80	1.50	3.00	1.30						46.60x	

Records 1907-1909 consisted of miscellaneous discharges.

A-14 - Discharge of West Beaver Creek near Victor, Colorado

Drainage Area 70 Square Miles													Altitude 8,000 Feet	
Unit: 1,000 Acre-Feet													ANNUAL	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1905				0.4	0.3	0.6	3.2	6.4	7.1	2.6	3.9	1.4		
1906	0.5	0.4	0.1	0.1	0.2	0.3	0.8	1.0	1.4	2.0	1.2	1.2	9.2	63.6
1907	5.2	3.3	0.6	0.3	0.4	0.5	0.5	1.1	0.9	1.1	0.6	0.3	14.8	102.3
1908	0.3	0.2	0.2	0.1	0.1	0.3	0.3	0.3	0.1	0.2	0.5	0.2	2.8	19.4
1909	0.2	0.2	0.1	0.1	0.1	0.2	0.8	0.5	0.6	0.5	1.7	3.2	8.2	56.7
1910	0.8	0.5	0.8	0.5	0.3	1.6	1.5	2.5	1.2	0.6	0.9	0.7	11.9	82.2
1911	0.6	0.4	0.4	0.3	0.2	0.5	0.7	0.9	0.4	1.2	1.2	0.7	7.5	51.8
1912	0.6	0.3	0.3	0.2	0.2	0.3	0.7	1.6	1.4	1.8	1.5	0.7	9.6	66.3
1913	0.7	0.4	0.3	0.1	0.2	0.4	1.0	0.6	2.4	0.9	0.8	0.8	8.6	59.4
1914	0.6	0.5	0.4	0.3	0.4	0.9	2.3	8.7	6.8	7.0	3.8	1.4	33.1	228.7
1915	1.0	0.6	0.6	0.3	0.2	0.5	3.4	2.3	3.8	1.8	1.7	1.0	17.2	118.9
1916	0.7	0.4	0.3	0.2	0.4	0.5	0.5	1.5	0.8	0.5	1.1	0.5	7.4	51.1
1917	0.5	0.3	0.3	0.2	0.2	0.3	0.6	0.8	1.3	0.9	0.8	0.7	6.9	47.7
1918	0.6	0.3	0.3	0.3	0.2	0.5	0.7	1.0	1.0	3.1	1.9	1.0	10.9	75.3
1919	0.8	0.4	0.4	0.3	0.3	0.4	3.1	5.0	2.1	2.9	1.4	0.8	17.9	123.7
1920	0.5	0.4	0.3	0.4	0.5	0.5	0.7	1.4	1.2	0.8	2.3	1.6	10.6	73.3
1921	0.9	0.5	0.3	0.3	0.3	0.9	1.2	4.0	20.1	3.0	3.7	1.8	37.0	255.7
1922	0.9	0.7	0.4	0.3	0.3	0.6	0.9	0.9	0.7	0.8	1.0	0.7	8.2	56.7
1923	0.5	0.4	0.4	0.3	0.2	0.3	0.9	0.9	1.1	4.1	4.3	3.1	16.5	114.0
1924	2.9	1.3	0.8	0.4	0.5	0.4	2.1	2.6	3.5	1.3	0.4	0.3	16.5	114.0
1925	0.4	0.3	0.2	0.6	0.5	0.5	0.6	0.3	0.2	0.4	0.9	0.7	5.6	38.7
1926	0.3	0.1	0.4	0.8	0.7	0.5	0.8	3.0	4.9	4.1	1.9	1.2	18.7	129.2
1927	1.1	1.0	1.0	0.8	0.5	0.6	0.7	0.8	0.8	0.8	1.0	1.1	10.2	70.5
1928	1.1	1.1	1.1	1.0	0.8	0.7	0.6	0.8	2.0	1.3	1.2	1.1	12.8	88.5
1929	1.1	0.9	0.7	0.3	0.2	0.7	1.1	1.4	1.4	3.6	13.0	4.2	28.6	197.7
1930	1.7	1.3	0.6	0.4	0.5	0.6	1.4	1.1	1.3	1.8	5.5	1.4	17.6	118.9
No. Items	25	25	25	26	26	26	26	26	26	26	26	26		
Mean	0.98	0.65	0.45	0.36	0.33	0.54	1.20	1.98	2.63	1.89	2.24	1.22	#14.47	
% M.A.	6.77	4.49	3.11	2.49	2.28	3.73	8.29	13.69	18.18	13.06	15.48	8.43	100.00	

A-15 - Discharge of Boehmer Creek near Pikes Peak, Colorado

Unit: Acre-Feet		Drainage Area 7.2 Square miles										Altitude 11,000 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1910	402	309	278	196	168	224	268	836	493	438	670	368	4650	106.4
1911	248	193	175	92	97	89	161	707	453	885	1140	430	4670	106.8
1912	450	31	112	167	132	36	162	525	970	416	498	201	3700	84.6
1913	269	439	245	87	75	111	130	212	342	627	579	774	3890	89.0
1914	399	175	149	118	88	98	118	1190	2250	2290	1580	555	9010	206.1
1915	303	192	136	83	75	82	80	792	1330	1660	1700	767	7200	164.7
1916	317	267	110	68	71	83	213	343	220	148	470	440	2750	62.9
1917	365	133	96	87	63	68	64	112	477	391	490	140	2492	57.0
1918	219	420	45	34	30	34	42	495	340	799	738	354	3550	81.2
1919	212	137	115	60	50	66	156	1260	1150	972	615	227	5020	114.8
1920	174	205	82	66	295	168	58	327	329	307	769	540	3320	75.9
1921	269	209	153	105	218	97	104	428	1810	1100	1240	857	6590	150.7
1922	234	168	111	83	80	199	49	405	196	433	615	277	2850	65.2
1923	152	94	88	67	41	45	52	255	425	1350	1210	231	4010	91.7
1924	461	361	205	119	71	66	60	732	1310	319	161	845	4710	107.7
1925	65	44	39	25	22	27	58	111	83	130	281	815	1700	38.9
1926	113	74	57	45	41	45	60	905	1400	1190	714	336	4980	113.9
1927	178	107	104	82	60	44	85	372	329	928	941	440	3670	83.9
1928	188	123	121	86	52	51	60	397	1010	489	320	193	3090	70.7
1929	420	73	57	58	36	43	34	159	380	756	2880	904	5800	132.7
1930	413	209	168	141	108	112	147	315	540	600	983	424	4160	95.2
No. Items	21	21	21	21	21	21	21	21	21	21	21	21		
Mean	278.6	188.7	126.3	89.0	89.2	85.1	102.9	518.0	754.1	772.8	845.4	481.8	#4371.9	
% Mean														
Annual	6.37	4.32	2.89	2.03	2.04	1.95	2.35	11.85	17.23	17.69	20.26	11.02	100.00	

A-16 - Discharge of Little Beaver Creek near Fikes Peak, Colorado

Drainage Area 1.0 Square Miles														Altitude 11,000 Feet	
Unit: Acre-Feet															
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1910	32	17	16	22	13	15	18	396	42	12	18	12	613	144.4	
1911	10	10	6	4	3	4	41	70	81	78	62	31	400	94.2	
1912	21	13	10	10	0	10	0	47	127	54	39	18	349	82.2	
1913	13	6	0	0	0	0	0	22	102	74	46	33	296	69.7	
1914	33	21	6	0	0	0	0	106	339	133	141	38	817	192.4	
1915	21	14	0	0	0	0	0	51	340	97	58	32	613	144.4	
1916	25	6	1	0	0	1	4	27	48	30	35	20	197	46.4	
1917	17	6	3	0	0	0	0	0	108	71	53	46	304	71.6	
1918	26	13	8	0	0	0	0	46	61	73	90	38	355	83.6	
1919	20	13	11	10	3	0	17	137	92	86	47	27	463	109.0	
1920	15	7	5	10	6	3	5	42	56	42	78	71	340	80.1	
1921	43	21	12	7	4	3	5	59	239	84	60	55	592	139.4	
1922	34	24	9	6	1	1	1	16	48	44	41	28	253	59.6	
1923	18	18	16	11	9	6	9	52	132	83	93	67	514	121.1	
1924	58	32	15	12	6	6	7	57	185	51	23	13	465	109.5	
1925	15	6	4	3	1	1	4	16	19	22	43	36	170	40.0	
1926	23	11	3	1	1	1	4	110	161	86	50	33	484	114.0	
1927	11	10	10	10	5	3	6	50	58	57	59	43	322	75.9	
1928	24	14	12	8	3	4	5	60	93	57	30	19	329	77.5	
1929	15	9	6	3	4	4	3	22	97	108	283	110	664	156.4	
1930	56	17	10	6	3	3	7	37	65	52	75	45	376	88.6	
No. Items	21	21	21	21	21	21	21	21	21	21	21	21			
Mean	25.2	13.7	7.7	5.9	3.0	3.1	6.5	67.8	118.7	66.4	67.8	38.8	#424.6		
% Mean															
Annual	5.93	3.23	1.80	1.39	0.71	0.73	1.53	15.97	27.96	15.64	15.97	9.14	100.00		

A-17 - Discharge of Sackett Creek near Flkes Peak, Colorado

Unit: Acre-Feet		Drainage Area 0.65 Square Miles										Altitude 11,000 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1910	41	17	14	13	8	14	33	97	61	11	24	13	346	126.9
1911	8	6	6	0	0	0	13	98	46	70	78	20	345	126.6
1912	9	21	0	0	0	4	0	47	123	54	33	19	310	113.7
1913	9	4	0	0	0	0	0	36	53	52	34	28	216	79.2
1914	25	14	0	0	0	0	0	122	189	91	119	24	594	214.2
1915	11	4	0	0	0	0	0	101	199	60	42	27	444	162.9
1916	14	1	0	0	0	1	4	51	58	12	9	6	156	57.2
1917	6	0	0	0	0	0	0	10	75	26	12	6	135	49.5
1918	3*	2*	2*	0	0	0	0	55	51	55	37	16	221	81.1
1919	10	1	0	0	0	0	5	135	43	28	13	7	242	88.8
1920	2	0	0	0	0	0	0	26	27	19	76	50	200	73.4
1921	17	P						P	189	66	59	52		
1922	23	6	0	0	0	0	2	20	26	22	23	15	137	50.3
1923	7	1	0	0	0	0	1	42	65	49	54	38	257	94.3
1924	27	13	3	0	0	0	2	86	103	11	2	1	248	91.0
1925	3	1	0	0	0	0	2	7	3	6	20	14	56	20.5
1926	7	1	0	0	0	0	1	117	171	49	21	8	375	137.6
1927	1	1	0	0	0	0	3	36	29	17	18	13	118	43.3
1928	11	2	1	0	0	1	8	63	117	37	17	8	265	97.2
1929	2	1	1	0	0	1	1	12	61	47	204	79	409	150.0
1930	24	4	3	0	0	0	4	19	35	47	58	17	211	77.4
No. Items	21	20	20	20	20	20	20	20	21	21	21	21		
Mean	12.4	5.0	1.4	0.6	0.4	1.0	3.8	59.0	82.1	39.5	45.4	22.0	#272.6	
% Mean														
Annual	4.55	1.83	0.51	0.22	0.15	0.37	1.39	21.65	30.12	14.49	16.65	8.07	100.00	

Drainage Area 60A Square Miles										Altitude 6,300A Feet				
Unit: 1,000 Acre-Feet										AN.L. IN				
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1926						P	1.7*	4.2	4.5	3.6	1.9	1.1		
No. Items							1	1	1	1	1	1		
Mean							1.70	4.20	4.50	3.60	1.90	1.10	#17.70x	

Unit: 1,000 Acre-Feet										Drainage Area 409 Square Miles			Altitude 5,900 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% ANNUAL	
1922						P	2.7	2.8	5.3	1.8	2.0	0.7			
1923	1.1				1.2E	1.4*	1.4	1.3	5.5	8.2	5.4	4.5E			
1924	5.5E	4.8E				P	8.4	12.9	8.2	2.2	1.8	0.9			
No. Items	2	1			1	1	3	3	3	3	3	3			
Mean	3.30	4.80			1.20	1.40	4.17	5.63	6.33	4.07	3.07	2.05		456.00x	

Drainage Area 886A Square Miles										Altitude 4,675 Feet				
Unit: 1,000 Acre-Feet										ANNUAL IN				
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1922							2.1	4.5	1.0	0.7	4.5	0.1		
1923	0.5	0.3	0.9	0.7	1.2	1.0	0.3	2.5	9.1	23.9	13.0	8.6	62.0	139.5
1924	11.3	10.5	5.5	2.3	4.3	4.5	5.9	11.4	12.9	0.1	0.5	0.1	69.3	156.0
1925	0.5	0.4	1.6	2.4	1.9	0.3	0.1	1.2	0.5	4.0	3.4	0.5	16.8	37.8
No. Items	3	3	3	3	3	3	4	4	4	4	4	4		
Mean	4.10	3.73	2.67	1.80	2.47	1.93	2.10	4.90	5.88	7.18	5.35	2.32	#44.43	
% Mean														
Annual	9.23	8.40	6.01	4.05	5.56	4.34	4.73	11.03	13.23	16.16	12.04	5.22	100.00	

A-18 - Discharge of Lion Creek near Halfway, Colorado

Drainage Area 2.0 Square Miles												Altitude 9,250 Feet	
Unit: Acre-Feet												Annual	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL
1908							39	38	45	28	45	42	
1909	55	45	40	35	32	37	47	53	43	36	62	141	616
1910	115	75	61	53	42	56	59	67	52	53	59	73	750
1911	63	33	37	31	22	26	34	28	23	33	83	79	492
1912	68	56	48	40	34	41	64	86	77	88	120	92	816
1913	81	61	38	40	38	37	71	58	42	33	66	82	632
1914	86	66	58	44	36	42	82	140	148	209	228	143	1282
1915	110	87	67	53	45	47	71	150	111	139	157	132	1150
1916	103	76	64	52	45	47	52	71	45	60	89	87	791
1917	70	50	43	33	28	29	42	65	63	44	56	57	580
1918	56	47	41	33	27	41	45	49	41	52	90	92	614
1919	78	59	45	39	29	32	64	108	71	76	88	70	759
1920	61	51	43	37	36	37	38	50	36	33	47	84	553
1921	106	79	64	38	30	43	64	103	192	139	151	151	1160
1922	118	84	70	47	41	42	53	52	45	40	98	100	790
1923	87	64	49	41	31	33	54	53	48	65	109	128	762
1924	116	94	74	55	42	39	72	117	88	112	87	71	967
1925	68	52	25	13	4	20	30	36	22	27	44	61	402
1926	73	60	42	31	26	37	73	117	69	124	114	85	851
1927	71	52	37	53	31	31	44	39	34	31	87	104	614
1928	82	64	50	40	33	40	55	111	94	110	135	99	913
1929	80	62	50	47	35	44	51	60	42	60	243	190	964
1930	134	98	73	53	41	43	65	65	46	53	111	109	891
No. Items	22	22	22	22	22	22	23	23	23	23	23	23	
Mean	85.5	64.3	50.9	41.3	33.1	38.4	55.2	73.7	63.5	72.0	103.6	98.8	#780.3
5 Year Mean													
Annual	10.96	8.24	6.52	5.29	4.24	4.92	7.07	9.45	8.14	9.23	13.28	12.66	100.00

A-19 - Discharge of Sheep Creek near Halfway, Colorado

Drainage Area 0.73 Square Miles													Altitude 9,100 Feet	
Unit: Acre-Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1908	20	13	13	13	9	9	16	28	14	11	31	29	276	71.4
1909	49	26	18	14	10	21	15	21	19	17	39	88	330	85.3
1910	25	18	17	12	6	7	13	17	9	21	50	34	229	59.2
1911	31	22	18	12	9	12	23	76	76	81	80	48	488	126.2
1912	39	26	16	11	7	10	38	39	29	28	40	43	326	84.3
1913	41	26	20	16	13	18	60	143	127	165	132	61	822	212.6
1914	44	32	21	16	11	14	57	130	107	87	105	74	698	180.5
1915	49	32	22	16	14	15	24	67	52	35	75	47	428	110.7
1916	32	22	17	11	8	9	22	53	51	28	29	24	306	79.1
1917	23	18	12	9	7	14	26	43	30	43	50	35	310	80.2
1918	26	22	20	17	12	12	44	109	37	45	39	28	411	108.3
1919	21	17	14	14	13	14	15	34	23	17	72	51	305	78.9
1920	34	29	18	14	12	18	34	87	176	91	88	76	677	175.1
1921	46	27	21	12	3	6	14	22	21	19	75	41	307	79.4
1922	25	15	13	10	4	8	18	25	22	56	73	80	349	90.3
1923	68	42	26	18	13	10	45	95	62	45	26	13	463	119.7
1924	14	12	8	5	4	6	8	12	5	13	32	29	148	38.3
1925	21	15	8	7	7	10	38	114	50	68	43	23	404	104.5
1926	17	14	14	11	5	8	16	19	13	16	72	47	252	65.2
1927	32	19	14	12	8	12	18	89	58	61	66	31	420	108.6
1928	20	14	12	9	5	8	18	18	9	16	177	77	383	92.0
1929	41	24	13	8	11	14	27	25	19	36	71	42	331	85.6
No. Items	22	22	22	22	22	22	23	23	23	23	23	23		
Mean	32.6	22.0	16.1	12.1	8.7	11.6	26.8	56.7	44.2	44.7	65.4	45.8	#386.7	
% Mean														
Annual	8.43	5.69	4.16	3.13	2.25	3.00	6.93	14.66	11.43	11.56	16.91	11.85	100.00	

A-20 - Discharge of So. Ruxton Creek near Halfway, Colorado

Unit: Acre-Feet		Drainage Area 3.95 Square Miles										Altitude 9,000 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL. IN % MEAN
1906									133	221	181			
1907	125	170	114	83	61	62	70	144	231	158	215	117	1530	98.7
1908	92	70	56	52	42	51	55	53	41	71	264	173	1020	64.9
1909	98	72	64	59	52	58	78	121	148	132	192	365	1440	91.7
1910	177	108	87	78	58	76	107	189	196	152	178	124	1530	97.4
1911	96	76	66	61	50	59	65	88	81	144	155	89	1030	65.6
1912	74	59	49	45	39	42	59	155	435	205	172	106	1240	78.9
1913	87	69	53	45	39	44	68	86	130	156	152	181	1110	70.7
1914	120	82	74	64	50	60	174	446	570	413	352	195	2600	165.5
1915	140	112	92	77	63	63	125	394	532	306	331	225	2460	156.6
1916	166	115	96	80	69	68	83	194	164	125	317	193	1670	106.3
1917	128	96	81	67	53	56	67	131	242	182	155	142	1400	89.1
1918	113	86	73	61	52	68	84	132	140	297	256	158	1520	96.8
1919	115	90	76	67	52	56	143	458	315	278	193	137	1980	126.1
1920	113	82	71	64	55	59	62	121	133	114	363	213	1450	92.3
1921	139	105	85	74	56	69	99	339	893	390	269	202	2720	173.2
1922	140	103	87	64	50	47	64	83	95	130	330	177	1370	87.2
1923	108	81	71	63	50	54	71	129	204	239	287	243	1600	101.9
1924	231	173	114	87	70	67	127	336	409	225	144	107	2090	133.1
1925	97	73	63	53	44	52	53	61	50	64	151	147	908	57.8
1926	83	62	53	40	36	38	84	397	519	240	170	118	1840	117.2
1927	92	65	55	53	46	54	55	73	70	93	224	130	1010	64.3
1928	91	67	57	50	43	44	61	250	328	182	188	109	1470	93.6
1929	87	71	64	56	40	47	76	132	165	151	511	260	1660	105.7
1930	159	108	74	60	36	58	79	83	83	159	283	150	1332	84.8
No. Items	24	24	24	24	24	24	24	24	25	25	25	25		
Mean	119.6	91.5	74.0	62.6	50.2	56.3	83.7	191.5	244.3	193.1	241.3	162.5	#1570.6	
% Mean														
Annual	7.62	5.83	4.71	3.99	3.20	3.58	5.33	12.19	15.55	12.29	15.36	10.35	100.00	

A-21 - Discharge of Cabin Creek near Halfway, Colorado

Drainage Area 2.4 Square Miles												Altitude 9,000 Feet		
Unit: Acre-Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1907	199	142	74	43	32	31	41	103	102	80	121	62	1030	95.8
1908	54	33	25	17	11	20	23	32	19	18	70	86	408	37.9
1909	53	30	20	15	12	14	36	57	92	60	117	240	746	69.4
1910	109	47	30	19	18	37	60	103	90	79	78	80	750	69.7
1911	66	51	38	32	16	31	45	61	53	115	168	82	758	70.4
1912	67	48	39	19	12	24	55	180	251	231	220	104	1250	116.2
1913	75	56	29	17	16	17	67	85	82	88	129	120	781	72.6
1914	93	57	45	36	28	37	118	315	387	419	283	122	1940	180.3
1915	82	57	35	29	25	26	90	263	385	297	290	181	1760	163.6
1916	101	62	50	39	32	37	61	157	100	71	176	124	1010	93.9
1917	69	45	32	16	9	13	31	96	149	80	76	64	680	63.2
1918	53	41	32	23	16	37	52	105	92	132	170	129	882	82.0
1919	92	62	46	35	23	27	102	268	136	164	111	74	1140	106.0
1920	61	48	39	30	25	25	32	100	92	64	196	170	882	82.0
1921	96	62	43	30	29	41	78	244	340	260	247	230	1700	158.0
1922	119	68	52	30	8	22	48	75	86	79	240	142	969	90.1
1923	96	67	50	39	22	29	64	100	112	234	248	249	1310	121.8
1924	203	133	79	54	38	38	101	280	216	154	91	53	1440	133.9
1925	61	43	25	13	5	13	29	42	23	34	108	133	525	48.8
1926	88	60	45	34	27	38	84	302	249	236	130	81	1380	126.3
1927	57	37	32	26	16	25	48	56	60	69	249	172	847	78.7
1928	105	68	50	27	26	43	66	242	252	210	218	103	1410	131.1
1929	71	68	41	35	27	25	48	88	72	87	411	227	1200	111.5
1930	124	75	54	35	33	35	65	67	72	117	231	112	1020	94.8
No. Items	24	24	24	24	24	24	24	24	24	24	24	24		
Mean	91.4	60.8	41.9	28.9	21.1	28.5	60.2	142.5	146.3	140.7	182.6	130.8	11075.7	
% Mean														
Annual	8.50	5.65	3.89	2.69	1.96	2.65	5.60	13.25	13.60	13.08	16.97	12.16	100.00	

A-22 - Discharge of Southerland Creek near Manitou, Colorado

Unit: Acre-Feet														Drainage Area 4.4 Square Miles														Altitude 6,600 Feet																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
														ANNL. IN																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
1918				37	37	46	45	52	57	151	86	57																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
1919	53	50	49	43	37	49	114	299	148	98	67	63	1070	130.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
1920	53	47	46	46	40	43	52	88	71	47	109	75	717	87.5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
1921	48	43	39	34	31	42	82	248	494	202	138	89	1490	181.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
1922	49	33	34	34	33	31	45	61	49	30	89	46	534	65.2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
1923	42	33	34	17	20	28	33	80	50	70	93	80	580	70.8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
1924	99	93	73	31	32	41	98	275	339	97	54	38	1270	155.1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
1925	41	32	30	28	24	29	26	41	23	15	31	33	353	43.1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
1926	33	25	21	22	20	24	75	220	180	88	51	43	802	97.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
1927	30	26	23	25	21	27	47	39	46	42	79	61	466	56.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
1928	40	29	28	25	22	32	43	230	192	105	87	43	876	107.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
1929	41	41	42	34	28	34	51	76	65	32	359	103	912	111.4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
1930	68	58	49	40	34	39	57	93	102	78	174	84	876	107.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
No. Days															12	12	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13

A-23 - Discharge of Bear Creek near Colorado Springs, Colorado

Drainage Area 6.9 Square Miles													Altitude 6,615 Feet	
Unit: Acre-Feet													ANNL.IN	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1918						98	120	135	141	310	204	142		
1919	132	111	100	85	74	109	275	508	231	154	109	132	2020	135.1
1920	114	104	96	87	101	117	114	145	115	84	204	149	1430	95.7
1921	127	126	105	95	85	102	244	420	1137	393	245	171	3250	217.4
1922	133	108	97	75	54	60	71	71	76	60	204	81	1090	72.9
1923	64	62	54	45	32	51	70	64	58	214	180	156	1050	70.2
1924	208	230	140	87	77	82	256	375	382	157	76	50	2120	141.8
1925	53	54	50	43	38	47	36	53	28	57	87	70	616	41.2
1926	59	44	37	29	28	47	222	345	224	175	89	71	1370	91.6
1927	55	48	40	36	27	47	67	46	91	83	250	139	929	62.1
1928	106	73	43	34	26	55	74	302	279	181	138	79	1390	93.0
1929	77	52	45	36	25	46	72	93	112	70	427	195	1250	83.6
1930	127	79	65	41	35	37	71	127	147	130	349	182	1390	93.0
No. Items	12	12	12	12	12	13	13	13	13	13	13	13		
Mean	104.6	90.9	72.7	57.8	50.2	69.1	130.2	206.5	232.4	159.1	197.1	124.4	#1495.0	
% Mean														
Annual	7.00	6.08	4.86	3.87	3.36	4.62	8.71	13.81	15.55	10.64	13.18	8.32	100.00	

A-23½ - Discharge of St. Charles River near San Isabel, Colorado

Drainage Area 18.8 Square Miles												Altitude		Feet	
Unit: Acre-Feet												ANNL.IN		% MEAN	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL		
1937	775	411	184				924	1190	738	365	135	147			
1938	132	130	78	50	57	97	1520	2120	1050	1520	408	344	7506	119.3	
No. Items	2	2	2	1	1	1	2	2	2	2	2	2			
Mean	453.5	270.5	131.0	50.0	57.0	97.0	1222.0	1655.0	894.0	942.5	271.5	245.5	#6289.5		
% Mean															
Annual	7.21	4.30	2.08	0.80	0.91	1.54	19.43	26.31	14.21	14.99	4.32	3.90	100.00		

A-24 - Discharge of St. Charles River at Burnt Mill, Colorado

Drainage Area 166 Square Miles												Altitude 5,500A Feet		
Unit: 1,000 Acre-Feet												ANNUAL IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1923						0.7*	1.9	2.3	0.5	2.1	6.8	4.9		
1924	4.1	2.2	2.0*	1.9*	1.7*	1.6	8.2	10.1	3.8	0.6	0.3	0.2	36.7	168.3
1925	0.2	0.2*	0.2*	0.7*	0.4	0.4	0.4	0.4	0.3	6.6*	3.4	0.5	13.7	62.8
1926	0.3	0.4*	0.6*	0.5*	0.8*	1.9	9.6	13.1	4.0	0.6	0.3	0.2	32.3	148.2
1927	0.2	0.3	P		P	0.2	0.6	0.5	0.9	4.7	12.1	1.6		
1928	1.1	P					4.1	22.4	10.3	3.7	0.7	0.3		
1929	0.4	P			P		1.0	1.9	0.7	1.0	6.8	1.1		
1930	0.5	1.1			P	0.7	1.3	1.0	0.5	1.0	1.3	0.6		
1931	0.3	0.4	0.8*	0.8*	0.6*	1.0	2.6	11.6	5.9	0.7	0.5*	0.4	25.6	117.4
1932	0.4	0.4	0.5*	0.5*	0.5*	0.4	0.8	0.6	0.4	0.4	0.4*	0.2*	5.5	25.2
1933	0.2*	0.2E	0.2*	0.3	0.2	0.2	1.0	12.9	4.4	0.8	0.8	0.9	22.1	101.4
1934	0.4	0.4	P		0.7	0.7	1.2	1.1	0.4	0.2	0.3	0.2		
No. Items	11	9	6	6	6	10	12	12	12	12	12	12		
Mean	0.74	0.62	0.72	0.78	0.70	0.78	2.77	6.42	2.63	1.87	2.81	0.84	#21.80	
% Mean														
Annual	3.40	2.84	3.30	3.58	3.21	3.58	12.71	29.77	12.29	8.58	12.89	3.85	100.00	

A-24A - Discharge of St. Charles River at Mouth, Colorado

Drainage Area 488A Square Miles												Altitude 4,575A Feet		
Unit: 1,000 Acre-Feet												ANNUAL IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1922							0.6	0.9	0.7	0.5	0.8	0.2		
1923	0.2	0.6	0.5	0.3*	0.4	0.8	1.5	1.5	0.8	5.3	31.4	7.3	50.6	171.5
1924	6.5	1.3	1.5E	1.2*	1.0*	1.0	5.7	12.7	5.7	1.4	0.3	0.2	38.5	130.5
1925	0.5	0.4	0.6*	0.5*	0.4	0.4	0.2	1.8	0.5	9.8	3.4	0.7	19.2	65.1
No. Items	3	3	3	3	3	3	4	4	4	4	4	4		
Mean	2.40	0.77	0.87	0.67	0.60	0.73	2.00	4.22	1.92	4.25	8.98	2.10	#29.51	
% Mean														
Annual	8.13	2.61	2.95	2.27	2.03	2.47	6.78	14.30	6.51	14.40	30.43	7.12	100.00	

A-24B - Discharge of Greenhorn Creek at Rye, Colorado

Drainage Area 12 Square Miles													Altitude 6,550A Feet		
Unit: Acre-Feet															ANNUAL IN
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1923				111E	86E	153	199	621	510	381	965	797			
1924	563	333	199*												
No. Items	1	1	1	1	1	1	1	1	1	1	1	1			
Mean	563.0	333.0	199.0	111.0	86.0	153.0	199.0	621.0	510.0	381.0	965.0	797.0	#4918.0		
% Mean															
Annual	11.45	6.77	4.05	2.26	1.75	3.11	4.05	12.63	10.37	7.75	19.61	16.20	100.00		

A-25 - Discharge of Huerfano River at Manzanares Crossing, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 76 Square Miles				Altitude 8,000A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNUAL	
1923										P	4.1	3.0				
1924	2.3	1.8	1.3*	0.9E	0.7E	1.1E	2.7	8.6	8.3	3.9	1.7	1.1	34.4	132.7		
1925	1.0	0.8	0.7E			P	1.5	3.1	2.2	2.1	2.0	1.2				
1926	1.1						1.6	8.1	7.4	3.2	1.4	0.8				
1927	0.8					P	1.2*	3.4	3.4	2.9	3.0	2.5				
1928	1.5					P	1.3	5.8	5.4	2.5	2.6	1.3				
1929	1.3	1.3*					1.3*	5.0	6.2	3.2	5.3	4.2*				
1930	1.8	1.3*					1.6	2.2	3.5	3.2	3.5	1.2				
1931	1.1						1.3	5.2	5.4	2.7	1.3	2.3				
1932	1.7	0.8E				0.9*	2.4	7.4	6.8	4.7	2.9	1.2				
1933	0.9	0.7E					1.0	4.1	8.3	2.7	2.1	2.6				
1934	1.0	P					P	3.4	1.6	1.2	1.0	1.2				
1935	0.9	0.6				0.8	0.8	2.7	8.0	4.7	3.6	1.8				
1936	1.4					0.7	1.5	3.8	3.5	2.9	5.5	2.3				
1937	1.7	1.4	0.7	0.5	0.7	0.8	3.5	8.8	7.2	3.5	1.8	1.4	32.0	123.4		
1938	1.0	0.8*	0.8*	0.5E	0.5E	0.8E	2.2	7.9	9.8	3.4	1.9	2.7	32.3	124.6		
No. Items	15	9	4	3	3	6	14	15	15	15	16	16				
Mean	1.30	1.06	0.88	0.63	0.63	0.85	1.71	5.30	5.80	3.12	2.73	1.92	#25.93			
% Mean																
Annual	5.01	4.09	3.39	2.43	2.43	3.28	6.59	20.44	22.37	12.03	10.53	7.41	100.00			

A-25A - Discharge of Huerfano River at Malachite, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 100A Square Miles										Altitude 7,500A Feet		
		ANNUAL IN												
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1923						P	1.0	2.4	3.0	1.8	3.5	2.5		
No. Items							1	1	1	1	1	1		
mean							1.00	2.40	3.00	1.80	3.50	2.50	#14.20x	

A-25B - Discharge of Huerfano River at Badito, Colorado

Unit: 1,000 Acre-Feet				Drainage Area 550 Square Miles				Altitude 6,400A Feet						
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1912														
1913	0.2	0.2										0.3		
1923							1.0*	2.0	1.2	3.9	4.8	3.1		
1924	1.3	1.5	0.9*	0.9E	1.5*	1.6*	3.6	10.1	5.1	1.6	0.8	0.3	29.2	139.2
1925	0.3	0.7	0.6E			P	0.8	0.9	1.1	1.4	1.4	0.5		
1938							P	1.3	5.1	3.8	2.3	3.2		
No. Items	3	3	2	1	1	1	4	4	4	4	4	5		
Mean	0.60	0.80	0.75	0.90	1.50	1.60	1.68	4.52	2.80	2.30	2.05	1.48	#20.98	
% Mean														
Annual	2.86	3.81	3.57	4.29	7.15	7.63	8.01	21.54	13.35	10.96	9.77	7.06	100.00	

A-25C - Discharge of Huerfano River at Huerfano, Colorado

Unit: Acre-Feet		Drainage Area 712A Square Miles										Altitude 5,625A Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL
1924							714.0	591.0	550.0	334.0	397	0	
1925	2	111				P	20	97	8	261.0	1680	391	
1926	173	244	357E				371	346.0	481.0	146.0	192	97	
1927	70	P				664	149	32	333	275.0	591.0	726	
1928	442					P	34	328.0	241.0	107.0	848	147	
No. Items	4	2	1			1	5	5	5	5	5	5	
Mean	171.8	177.5	357.0			664.0	1542.8	2555.3	1612.2	2246.0	1805.4	272.4	#11,404.7x

ANNUAL IN

A-25D - Discharge of Huerfano River at Undercliffe, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 1,642A Square Miles										Altitude 4,800A Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL
1928								P	14.2	3.0	1.0	3.2	
No. Items									1	1	1	1	
Mean									14.20	3.00	1.00	3.20	#21.40x

ANNUAL IN

A-25E - Discharge of Huerfano River at Mouth, Colorado

Unit: Acre-Feet		Drainage Area 1,810A Square Miles										Altitude 4,450A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1922							121	221	1040	10	570	16		
1923	25	165	787	341*	419*	959	201	95	147	6820	27500	1330	38,789	179.1
1924	2300	1660	3010*	781*	1900*	1220	3720	11300	2110*	248*	563*	60*	28,872	153.3
1925	290*	387*	676*	953*	839*	226	103*	228*	58	6950	707	125	11,542	53.3
No. Items	3	3	3	3	3	3	4	4	4	4	4	4		
Mean	871.7	737.3	1491.0	691.7	1052.7	801.7	1036.2	2961.0	838.3	3507.0	7285.0	382.8	721,656.9	
% Mean														
Annual	4.03	3.41	6.89	3.19	4.86	3.70	4.78	13.67	3.87	14.19	33.64	1.77	100.00	

A-25½ - Discharge of Cucharas River at Boyd's Ranch near La Veta, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 75 Square Miles					Altitude 8,050A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNUAL IN		
1935	0.3	0.2	0.2	0.3	0.3	0.3	0.5	3.6	5.1	2.1	1.3	0.8	15.0	80.7			
1936	0.7	0.5	0.5			0.5	0.7	5.0	2.0	1.0	1.3	0.7					
1937	1.0	0.8	0.7*	0.5*	0.5*	0.7	3.2	8.7	6.6	1.9	0.8	0.5	25.9	139.3			
1938	0.5	0.4	0.6	0.6	0.4*	0.5*	1.6	5.7*	5.2*	2.1	1.1	1.0	19.7	106.0			
No. Items	4	4	4	3	3	4	4	4	4	4	4	4					
Mean	0.62	0.48	0.50	0.47	0.40	0.50	1.50	5.75	4.72	1.78	1.12	0.75	#18.59				
% Mean																	
Annual	3.34	2.58	2.69	2.53	2.15	2.69	8.07	30.93	25.39	9.58	6.02	4.03	100.00				

A-26 - Discharge of Cucharas River near La Veta, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 75 Square Miles				Altitude 8,000 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	3 YEAR MEAN	
1923				0.2*	0.2*	0.5	0.8	2.5	3.2	2.1	3.6	1.0			
1924	0.9	0.8*	0.6E	0.6E	0.7E	1.0*	5.3	16.5	6.6	2.0	0.7	0.4	36.1	220.3	
1925	0.5	0.5	0.3E				0.5	0.9	0.7	0.5	0.6	0.4			
1926	0.3						4.5	19.4	7.5	1.8	0.7	0.4			
1927	0.3	0.5				0.3	0.6	1.3	1.6	1.0	0.7	0.2			
1928							0.8	7.7	5.1	1.3	0.7	0.3			
1929	0.2	0.5	0.6	0.3*	0.3E	0.4E	0.7	3.6	2.4	1.0	1.4	0.9	12.3	75.0	
1930	0.4	P				P	1.3	1.7	1.7	2.2	4.7	0.9			
1931	0.3	0.2*					1.6	7.0	3.6	1.4	0.6	0.2			
1932	0.2	0.2E				0.3*	1.2	3.5	2.4	1.2	0.4	0.2			
1933	0.2	0.1	P				0.4	4.3	6.0	1.5	0.7	0.4			
1934	0.3	0.2*	0.1*				1.3	1.8	0.9	0.4	0.2	0.1			
No. Items	10	8	4	3	3	5	12	12	12	12	12	12			
Mean	0.36	0.38	0.40	0.37	0.40	0.50	1.58	5.85	3.48	1.37	1.25	0.45	#16.39		
% Mean															
Annual	2.20	2.22	2.44	2.26	2.44	3.05	9.64	35.69	21.23	8.36	7.63	2.74	100.00		
Oct. 1924 - Station moved to Boyd's Ranch. See A-251. Records not comparable.															

A-26½ - Discharge of Apishapa River at Aguilar, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 149 Square Miles										Altitude 6,700 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL IN 3 YEARS
1938						0.0	0.1	2.0	0.7	1.4	0.8	0.6		
No. Items						1	1	1	1	1	1	1		
Mean						0.00	0.10	2.00	0.70	1.40	0.80	0.60	#5.60x	

A-26B - Discharge of Apishapa River at Mouth, Colorado

Unit: 1,000 Acre-Feet												Altitude 4,300A Feet		
Drainage Area 1,105A Square Miles												ANNUAL IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1922							3.8	1.2	2.3	3.7	3.8	0.5		
1923	0.5	1.8	2.0	1.2	0.7	0.7	0.4	0.9	2.2*	2.5*	38.6	3.4	54.9	166.6
1924	5.4	2.5	1.6	0.4*	1.7	3.7	5.2	2.1*	1.2	0.4	1.2	0.2	25.6	77.7
1925	0.6	0.4	0.4*	0.2*	0.6*	0.3*	0.1*	1.2	0.1*	12.8	10.4	0.6*	27.7	84.1
No. Items	3	3	3	3	3	3	4	4	4	4	4	4		
Mean	2.17	1.57	1.33	0.60	1.00	1.57	2.38	1.32	1.45	4.85	13.50	1.18	#32.95	
% Mean														
Annual	6.59	4.76	4.04	1.82	3.04	4.76	7.22	4.10	4.40	14.72	40.97	3.58	100.00	

A-26C - Discharge of Timpas Creek at Catlin Syphon, Colorado

Unit: 1,000 Acre-Feet												Altitude 4,160A Feet		
Drainage Area 466A Square Miles												ANNUAL IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1923							0.7*	5.6*	16.0	9.2	20.7*	3.7		
1924	12.4	8.8	3.7	1.1*	3.2	10.1	7.6	2.5	2.6	0.4	0.3	0.3	53.0	125.3
1925	1.3	2.0	1.3	0.7	1.5	1.3	0.2	3.5	0.3	3.0	8.2	1.6	24.9	58.9
1926	3.2	2.8	2.3	2.1	2.4	2.7	1.7	0.9	1.8	0.8	0.7	0.3	21.7	51.3
1927	0.9	3.3				1.4	0.7	0.7	3.7	10.9	9.5	2.5		
No. Items	4	4	3	3	3	5	5	5	5	5	5	5		
Mean	4.45	4.22	2.43	1.30	2.37	3.42	2.18	2.64	4.88	4.86	7.88	1.68	#42.31	
% Mean														
Annual	10.52	9.98	5.74	3.07	5.60	8.08	5.15	6.24	11.53	11.49	18.63	3.97	100.00	

A-26D - Discharge of Timpas Creek at Mouth, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 529A Square Miles				Altitude 4,120A Feet			
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNUAL IN		
1922							4.7	3.5	6.0	4.9	5.6	2.2					
1923	3.8	4.8	4.0	3.7	1.8	3.4	2.0	7.9	18.9	12.3	24.7	6.8					
1924	16.3	12.5	6.3	2.8*	4.9*	12.4	10.1	4.2	6.3	2.2	1.5	2.1					
1925	4.6	4.6	3.8*	1.7*	2.7	3.4	1.6	5.8	2.0	7.8	12.3	4.2					
No. Items	3	3	3	3	3	3	4	4	4	4	4	4					
Mean	8.23	7.30	4.70	2.73	3.13	6.40	4.60	5.35	3.30	6.80	11.02	3.82					
% Mean																	
Annual	11.37	10.09	6.49	3.77	4.32	8.84	6.36	7.39	11.48	9.39	15.22	5.28					

A-26E - Discharge of Crooked Creek at Mouth, Colorado

Unit: Acre-Feet										Drainage Area 79A Square Miles				Altitude 4,250A Feet			
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNUAL IN		
1922							785*	430	881	466	701	165					
1923	97	892	427	922	322	646	347	972	3180	3230	3060	1710					
1924	2230*	1960	756	248*	304	1520	1290	769	1120	278	83	133					
1925	557	994	599*	123*	200	577	97	3080	71	2100	1860	1290					
No. Items	3	3	3	3	3	3	4	4	4	4	4	4					
Mean	961.3	1282.0	594.0	431.0	275.3	914.3	629.8	1312.8	1313.0	1518.5	1466.0	824.5					
% Mean																	
Annual	8.37	11.16	5.17	3.75	2.40	7.96	5.49	11.43	11.45	13.42	12.42	7.18					

A-26F - Discharge of Catlin Canal Waste at Timpas Creek, Colorado

Unit: Acre-Feet		Drainage Area				Square Miles				Altitude		Feet		
												ANNL.IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1927	504	2560				713	321	47	1150	508	2450	1400		
No. Items	1	1				1	1	1	1	1	1	1		
Mean	504.0	2560.0				713.0	321.0	47.0	1150.0	508.0	2450.0	1400.0	#9653.0x	

A-27 - Discharge of Purgatoire River at Trinidad, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 742 Square Miles								Altitude 5,990 Feet				
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1896								4.1	3.6*	21.0	4.7	4.3		
1897	4.4	2.1	2.5E	2.5E	2.8E	3.1E	9.8	45.0	23.9	15.5	15.7	5.8	133.1	200.5
1898	3.7	2.5						16.3	22.4	15.9	11.1	10.3		
1899	2.4	2.5					4.9	6.8	4.2	27.1				

1905														
1906	1.1	2.1	8.2											
1907		2.6	1.7	1.1	0.7									
1908	P	2.3	2.8				2.1	3.5	2.8	16.2	21.4	3.4		
1909	1.6	0.7						P	P	P	P	17.3		
1910	3.1	2.1		0.6	0.6	2.2	9.6	17.8	8.2	4.7	4.1	1.5		
1911	1.2	1.1		0.6	0.3	1.2	0.4	4.3	8.1	35.7	6.6	2.3		
1912	9.4	2.0	0.4	0.6	1.1	3.5	4.4	13.0	23.3	17.7	13.6	3.7	92.7	139.6
1913	3.0	2.2												

1916							1.6	16.0	16.9	3.7	7.4	0.3		
1917	0.5	P				P	0.6	8.2	11.7	10.6	5.1	3.8		
1918	1.6	1.8				P	3.1	3.6	10.5	P				
1919								P	17.6	34.4	9.9	4.7		

A-27 - Discharge of Purgatoire River at Trinidad, Colorado (Continued)

Drainage Area 742 Square Miles										Altitude 5,990 Feet				
Unit: 1,000 Acre-Feet												ANNUAL IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1920	5.7	3.9	2.5			1.2*	1.8	13.3	19.9	7.5	9.1	3.8		
1921	2.6	2.5	1.8	1.8	1.7	1.3	4.0	7.3	31.1	6.6	15.7	7.0	83.4	125.6
1922	1.5	1.4	1.6	1.3*	1.4*	1.8	1.1	4.8	10.1	5.8	4.0	2.8	37.6	56.6
1923	0.8	1.0	0.9E	1.2E	1.3*	1.4	1.3	5.2	20.3	21.0	24.0	17.2	95.6	144.0
1924	17.3	6.7	3.9	3.1*	4.5	4.7	16.9	22.1	17.5	8.2	3.2	1.4	109.5	164.9
1925	1.0	1.1	1.9	1.2	2.3	1.5	0.4	1.7	2.9	16.4	9.6	3.1	43.1	64.9
1926	2.3	2.0	1.4	1.2	1.7	2.9	14.0	22.5	22.4	10.9	6.7	1.4	89.4	134.6
1927	0.7	1.4	0.6	0.9	0.9	1.2	1.0	5.0	7.6	12.6	15.1	4.2	51.2	77.1
1928	2.5	1.2	1.4	1.2	0.9	1.3	3.1	23.1	16.3	5.2	7.1	1.3	64.6	97.3
1929	0.8	1.3	1.5	1.2	1.0	1.7	1.1	8.8	8.2	4.4	16.8	5.8	52.6	79.2
1930	3.0	2.7	1.8*	1.1	1.2	1.4	3.6	5.7	9.9	16.2	21.3	5.2	73.1	110.1
1931	2.8	2.5	1.5*	1.2E	1.5	3.3	5.4	19.4	11.6	6.4	3.3	3.2	62.1	93.5
1932	2.9	1.7	1.2E	1.3*	1.5	1.3	1.6	8.2	18.4	6.3	4.2	1.5	50.1	75.5
1933	1.5	1.2	0.8*	1.2*	1.3*	0.7	0.6	4.1	13.6	8.1	8.8	3.0	44.9	67.6
1934	1.7	1.8	1.0	1.0	1.2	1.4	2.3	5.5	3.4	3.1	2.3	1.2	25.9	39.0
1935	1.0	1.0	1.5	1.0	0.8	0.6	0.8	7.9	18.3	9.2	7.4	3.9	53.4	80.4
1936	2.6	1.6	1.0	1.0	1.0	0.8	1.7	6.2	4.3	3.0	8.1	3.0	34.3	51.7
1937	2.9	1.7	1.0*	0.9*	1.5*	1.5	5.6	15.6	17.7	7.8	8.2	3.9	68.3	102.9
1938	1.6	1.2	1.1*	1.1*	1.1	1.1	2.1	14.9	18.8	9.6	4.3	5.1	62.0	93.4
No. Items	30	31	24	23	23	23	28	30	31	30	29	31		
Mean	2.91	2.00	1.83	1.23	1.40	1.79	3.75	11.33	13.73	12.36	9.61	4.46	#66.40	
% Mean														
Annual	4.38	3.01	2.76	1.85	2.11	2.70	5.65	17.06	20.68	18.61	14.47	6.72	100.00	

A-27A - Discharge of Furgatoire River near Alfalfa, Colorado

Drainage Area 1,300 Square Miles													Altitude 5,250A Feet	
ANNUAL IN														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1905						P	54.2	30.9	14.8	3.1	18.0	3.2		
1906	0.7	0.7	P	1.8	0.9	0.4	1.0	0.8	4.5	26.6	5.5	2.7		
1907	1.4					P	0.5	14.1	18.5	12.2	10.7	0.8		
1924						2.8	11.2	4.5	3.7	3.8	2.9	0.6		
1925	0.8	0.8	0.7E	0.6E	0.5E	0.6*	0.2	0.3	0.0T	18.6*	5.2	2.6	30.9	54.2
1926	1.2	0.9	0.9E	0.7E	1.4E	2.5E	12.1	14.9	8.9	4.5	1.5	0.7	50.2	88.0
1927	0.8	0.9	1.2E	1.5E	1.1E	0.9	0.5	0.1	0.6	15.0	28.3	3.6	54.5	95.5
1928	1.5	1.0E					3.7	6.3	19.0	3.5	5.3	0.7		
No. Days	6	5	3	4	4	5	8	8	3	8	8	8		
Mean	1.07	0.36	0.93	1.15	0.98	1.44	10.42	8.99	8.75	10.91	9.68	1.86	#57.04	
% Mean														
Annual	1.87	1.51	1.63	2.02	1.72	2.52	18.27	15.76	15.34	19.13	16.97	3.26	100.00	
T - Less than 50 Acre-Feet.														

A-28 - Discharge of Furgatoire River at Nine Mile Dam, Colorado

Unit: 1,000 Acre-Feet Drainage Area 2,900 Square Miles Altitude 4,250A Feet

YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1925	0.5	0.9	1.0E	0.6E	0.8E	1.1*	0.5	0.8	2.6	29.1	17.1	3.9	58.9	83.3
1926	1.0	1.5	1.1E	1.2E	1.7E	5.2	17.7	18.9	11.2	12.2	3.5	0.3	75.5	106.8
1927	0.6	1.2	1.3	1.8	1.3	2.1	1.3	0.3	1.6	32.6	84.8	8.6	137.5	194.5
1928	1.7	1.3	1.4	1.5	1.7	1.1	3.9	40.0	38.0	3.4	3.0	0.4	97.4	137.8
1929	1.6	3.2	2.2E	3.4	4.0	4.0	2.7	2.8	5.0	1.6	70.1	3.8	104.4	147.7
1930	2.5	2.2	2.1	1.5*	2.7	1.5	1.3	1.9	4.0	7.3	15.4	3.8	46.2	65.3
1931	12.0	3.7	4.0E	4.6E	7.4	9.9	9.3	12.2	7.9	1.7	2.2	2.5	77.4	109.5
1932	1.2	1.8*	1.3*	2.6E	3.0*	1.6*	2.2	2.2	4.0	4.0	1.2	0.2	25.3	35.8
1933	0.8	1.2	0.7	2.4	1.8	0.8	0.3	6.9	7.0	7.8	16.3	11.9	57.9	81.9
1934	1.1	1.1	1.3	1.0	1.3	1.0	0.3	1.2	3.5	9.2	4.9	24.7	50.6	71.6
1935	0.2	0.1	0.2	0.6	0.5	0.2	0.1	18.9	5.7	17.4	14.4	11.6	69.7	98.6
1936	1.8	0.9	1.1	1.2	1.7	0.3	0.4	13.0	2.8	13.6	21.5	1.5	59.8	84.6
1937	1.5	0.8	0.6	0.4*	0.8*	0.9	0.5	5.0	21.6	5.7	7.8	17.6	63.4	89.4
1938	1.6	1.2	0.7	1.0	0.9	0.9	0.8	5.0	15.3	14.5	7.3	16.2	65.9	93.2
No. Items	14	14	14	14	14	14	14	14	14	14	14	14		
Mean	2.01	1.51	1.36	1.70	2.11	2.19	2.95	9.22	9.30	11.44	12.27	7.64	70.70	
% Mean														
Annual	2.84	2.14	1.92	2.41	2.98	3.10	4.17	13.04	13.15	16.18	27.26	10.81	100.00	

A-29 - Discharge of Purgatoire River at Highland Dam, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 3,320 Square Miles				Altitude 4,000 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN		
1921								5.5	18.9	19.6	20.7	2.6		ANNL. IN		
1922	1.5	3.6	1.2E													
1932	0.7	1.0*	1.1*	1.0*	1.8*	1.2*	1.9	1.6	4.4	7.1	2.4	0.0T	24.2	41.3		
1933	0.2	0.9	0.4	1.2E	4.0*	0.7	0.2	10.3	7.0	6.8	19.6	15.6	66.9	114.1		
1934	0.5	0.6	0.9	0.5	0.8	0.8	0.2	0.8	1.8	8.7	3.5	12.1	31.2	53.2		
1935	0.1	0.1	0.3	0.3	0.0T	0.0T	0.0	22.9	6.4	13.6	10.6	13.0	67.3	114.8		
1936	0.6	0.8	0.8	0.4	0.5	0.1	0.1	18.6	3.8	15.3	24.4	0.9	66.3	113.1		
1937	1.4	0.7	0.6	0.1*	0.5*	0.7*	0.4	2.0	22.2	8.3	10.2	25.0	72.1	123.0		
1938	1.4*	0.9	0.8*	0.6*	0.7*	1.1	0.8	6.7	14.6	16.1*	6.8*	11.8	62.3	106.3		
No. Items	8	8	8	7	7	7	7	8	8	8	8	8				
Mean	0.80	1.08	0.76	0.59	1.19	0.66	0.51	8.55	9.89	11.94	12.52	10.12	458.61			
% Mean																
Annual	1.36	1.84	1.30	1.01	2.03	1.13	0.87	14.59	16.87	20.37	21.36	17.27	100.00			
T - Less than 50 Acre-Feet.																

A-30 - Discharge of Purgatoire River at Mouth, Colorado

Unit: 1,000 Acre-Feet													Altitude 3,850A Feet	
Drainage Area 3,395A Square Miles													ANNL.IN	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1889								1.4*	4.2	16.0	4.2	2.4		
1922							1.4	1.1	2.7	7.5	4.2	0.4		
1923	0.5	1.3	1.7	2.0	1.3	1.0	0.5	3.2*	62.5*	50.8	166.0*	33.9*	324.7	264.3
1924	49.2	13.7	6.3	5.8*	11.2	5.5	16.4	4.3	1.4	3.0	4.5	0.1	121.4	98.8
1925	0.3	1.2	1.0*	0.7*	2.0*	1.2	0.2	2.3	3.8	45.7	25.0	3.1	86.5	70.4
1926	1.7	2.0	1.8	2.1	2.3	2.5	17.3	22.4	17.4	13.8	2.7	0.1	86.1	70.1
1927	0.5	2.2	1.6	1.1	1.0	0.8	0.3	0.1	0.6	81.8	95.3	15.8	201.1	163.7
1928	5.6	1.5	0.9	1.2	3.1	0.6	2.6	46.4	42.9	3.5	7.6	0.2	116.1	94.5
1929	2.4	1.8	2.8	3.7*	2.5E	5.5	2.1	6.2	17.7	11.7	75.6	3.6	135.6	110.4
1930	0.6	0.8	1.7*	1.4*	2.0	1.0	0.4	5.6	2.2	14.8	39.7	9.9	80.1	65.2
1931	36.6	1.9*	3.8*	3.6E	7.1	11.1	11.7	12.7*	6.8*	0.6*	1.3*	1.1*	98.3	80.0
No. Items	9	9	9	9	9	9	10	11	11	11	11	11		
Mean	10.82	2.93	2.40	2.40	3.61	3.24	5.29	9.61	14.75	22.65	38.74	6.42	#122.86	
% Mean														
Annual	8.81	2.38	1.95	1.95	2.94	2.64	4.31	7.82	12.01	18.44	31.53	5.22	100.00	

A-30A - Discharge of North Fork Purgatoire River at Trinidad Water Works, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 15A Square Miles				Altitude 9,000A Feet	
														ANNL.IN	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1923										1.9	1.8	1.4			
1924	1.4	1.1	0.8*							1	1	1			
No. Items	1	1	1							1	1	1			
Mean	1.40	1.10	0.80							1.90	1.80	1.40	#8.40x		

A-30B - Discharge of Brown Creek at Trinidad Water Works, Colorado

Drainage Area 10A Square Miles										Altitude 9,500A Feet				
Unit: Acre-Feet										ANNL.IN				
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1923										49	192	156		
1924	187	168	124*							1	1	1		
No.Items	1	1	1											
Mean	187.0	168.0	124.0							49.0	192.0	156.0	#876.0x	

A-30C - Discharge of Cherry Creek at Trinidad Water Works, Colorado

Drainage Area 10A Square Miles										Altitude 9,500A Feet				
Unit: Acre-Feet										ANNUAL IN				
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1923										36	79	39		
1924	53	39	13							1	1	1		
No. Items	1	1	1											
Mean	53.0	39.0	13.0							36.0	79.0	39.0	#259.0x	

A-30D - Discharge of Whiskey Creek at Trinidad Water Works, Colorado

Unit: Acre-Feet										Drainage Area 10A Square Miles				Altitude 9,500A Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNL.IN
1923										1090	1130	619			
1924	555	443	249*												
No. Items	1	1	1							1	1	1			
mean	555.0	443.0	249.0							1090.0	1130.0	619.0	#4086.0x		

A-30E - Discharge of Middle Fork Purgatoire River at Vigil, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 29A Square Miles			Altitude 7,450A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNL.IN
1923										3.6	4.6	2.0			
1924	1.9	1.6	1.2*							1	1	1			
No.Items	1	1	1							3.60	4.60	2.00	#14.90x		
Mean	1.90	1.60	1.20												

A-30F - Discharge of South Fork Purgatoire River at Weston, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 170A Square Miles			Altitude 7,000A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNL.IN
1923										3.2	4.9	2.8			
1924	2.1	1.2	0.8*							1	1	1			
No.Items	1	1	1							3.20	4.90	2.80	#15.00x		
Mean	2.10	1.20	0.80												

A-30G - Discharge of Big Sandy Creek at Hugo, Colorado

Unit: Acre-Feet		Drainage Area 555A Square Miles										Altitude 5,025A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1910							P	62	0	881	429	31		
1911	31					P	P	78	31	128	7	121		
1912	38					P	P	93	129	186				
No. Items	2						1	3	3	2	2	2		
Mean	34.5						93.0	89.7	72.3	504.5	218.0	76.0	#1088.0x	

A-31 - Discharge of Wild Horse Creek at Mouth, Colorado

Unit: Acre-Feet		Drainage Area 225A Square Miles										Altitude 3,387 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1923	381E	446E	1020*	426	733	184*	268	610	3060	1400	2960	1770	13258	227.1
1924	2570	898	610	202E	40E	91	1110	258	2550	406	143	155	9033	154.7
1925	355	750	633	246E	371	232	0	0	76	799	873	1020	5355	91.7
1926	1510	1370	1810	0	127	282	1330	2720	2110	397	29	0	11685	200.1
1927	28	678	304	0	58	200	42	65	73	1300	232	0	2980	51.0
1928	0	186	335	0	147	30	58	2320	2170	20	373	0	5639	96.6
1929	430	1500	898	98	161	430	18	633	226	6	1170	1010	6580	112.7
1930	1270	1100	437	0	0	0	0	1480	125	28	192	881	5513	94.4
1931	3240	1110	68	10	288	2480	1170	664	82	0	0	0	9112	156.1
1932	119	137	14*	0	258*	325*	339	198*	1330*	151*	36*	4*	2911	49.9
1933	81	607	125	79	258	168	0	144	24	38	695	174	2393	41.0
1934	0	42	31	0	0	80	119	74	0	92	25	0	463	7.9
1935	0	362	18	0	69	2	0	5	278	247	0	0	981	16.8
No. Items	13	13	13	13	13	13	13	13	13	13	13	13		
Mean	768.0	706.6	484.8	81.6	193.1	346.5	342.6	705.5	931.1	375.7	517.5	385.7	#5838.7	
% Mean														
Annual	13.15	12.10	8.30	1.40	3.31	5.94	5.87	12.08	15.95	6.43	8.86	6.61	100.00	

Discharges above, entered Arkansas River below station at Holly previous to Aug. 28th, 1935.

A-32 - Discharge of Holly Drain near Holly, Colorado

Unit: 1,000 Acre-Feet		Drainage Area										Square Miles		Altitude 3,385 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL IN	
1924				0.7E	0.8E	1.2E	1.7E	2.7	3.1	2.5	2.3	2.3			
1925	2.5	2.1	2.0	2.0	1.8	2.0	1.7	1.9	1.9	2.0	2.0	1.8	23.7	111.1	
1926	1.7	1.8*	1.8	1.9	1.4	2.4	2.0	2.7	3.8	2.8	1.9	1.8	26.0	121.8	
1927	1.8	1.6	1.8	1.6	1.6	1.7	2.0	1.8	1.9	2.4*	1.0	1.2	20.4	95.6	
1928	2.1	2.1	1.9	1.9	1.5	1.6	1.6	3.0	2.9	2.3	2.4	1.6	24.9	116.7	
1929	2.1	2.4	1.8	1.7	2.1	2.2	2.5	2.3	2.4	1.9	2.7	2.6	26.7	125.1	
1930	3.5	3.4	1.9	1.8	2.3	2.5	1.9	2.0	2.1	2.0	3.1	3.7	30.2	141.5	
1931	3.1	2.4	1.9	1.8	1.6	2.7	2.0	2.9	2.2	1.7	1.8	1.3	25.4	119.0	
1932	1.4	1.4	1.3	1.3	1.2	1.6	2.0	1.5	3.0	1.4	1.4	1.4	18.9	88.6	
1933	1.7	1.6	1.7	1.2	1.4	2.3	1.8	2.4	1.7	2.2	6.5	2.8	27.3	127.9	
1934	1.8	1.8	1.8	1.8	1.4	2.6	1.5	1.6	1.3	1.4	0.9	1.1	19.0	89.0	
1935	1.5	1.0	1.1	0.9	0.9	1.2	1.1	1.7	3.1	1.2	2.5	0.8	17.0	79.7	
1936	1.3	1.6	1.0	0.4	0.3	0.5	0.4	1.6	1.2	0.2	2.0	0.6	11.1	52.0	
1937	1.8	2.0	0.7	0.3	0.3	0.3	0.4	0.3	1.2	0.1	0.1	1.0	8.5	39.8	
1938	0.7*	0.9*	0.6	0.3	1.0	1.1	1.1	2.1	4.0*	2.3*	1.1	3.2*	18.4	86.2	
No. Items	14	14	14	15	15	15	15	15	15	15	15	15			
Mean	1.93	1.86	1.52	1.31	1.31	1.73	1.58	2.03	2.39	1.76	2.11	1.81	#21.34		
% Mean.															
Annual	9.04	8.72	7.12	6.14	6.14	8.11	7.40	9.51	11.20	8.25	9.89	8.48	100.00		

Miscellaneous Discharges Second-Feet

A-6A	Arkansas River near Manzanola. 1898: May 18th, 847 - Sept. 15, 208.	Ref. W.S.P. 28	USGS
A-7A	Arkansas River at Las Animas. 1898: May 12th, 382; 20th, 119. 1909: Aug. 1st, 117; 3rd, 53 - Nov. 10th, 119.	Ref. W.S.P. 28 & 267	USGS
A-10H	Cottonwood Creek above Hot Springs. 1910: Sept. 23rd, 37 - Oct. 24th, 33 - Nov. 19th, 32 - Dec. 28th, 21. 1911: Feb. 6th, 13.6 - Mar. 11th, 17.1 - April 7th, 21.4.	Ref. W.S.P. 287 & 307	USGS
A-11F	Chalk Creek near Buena Vista. 1910: Sept. 24th, 39 - Oct. 24th, 31 - Nov. 19th, 29 - Dec. 29th, 20.	Ref. W.S.P. 287	USGS
A-13A	Grape Creek at mouth near Canon City (Lower gauge) 1907: July 23rd, 73 - Aug. 14, 86 - Sept. 25th, 28 - Nov. 1st, 2.7. 1908: Feb. 14th, 4.2 - Mar. 22nd, 48 - April 14th, 3.3 - May 20th, 1.0 - June 13th, 1.0 - July 15th, 650; 16th, 2 - Nov. 21st, 4.6. 1909: May 6th, 23 - June 28th, 42.5 - July 21st, 31 - Aug. 21st, 21.7 - Sept. 18th, 232 - Oct. 14th, 30.9 - Nov. 4th, 38.9; 24th, 121 - Dec. 22nd, 19.	Ref. W.S.P. 247 & 267	USGS
A-13B	Oil or Fourmile Creek near Canon City. 1910: April 12th, 21.3 - Sept. 20th, 27.9 - Oct. 31st, 50.7.	Ref. W.S.P. 287	USGS
A-25D	Huerfano River near Undercliffe. 1908: July 31st, 42.2.	Ref. W.S.P. 247	USGS
A-26A	Cucharas River at Walsenburg. 1907: March 28th, 4.2 - May 6th, 132; 24th, 271 - June 15th, 62 - July 21st, 4.5 - Aug. 5th, 78. 1908: March 26th, 1.0 - May 29th, 0.8 - June 29th, 0.8 - November 25th, 0.5.	Ref. W.S.P. 247	USGS

Miscellaneous Discharges Second-Feet (Continued)

A-28A	Purgatoire River at J. J. Ranch near La Junta. 1898: June 13th, 37 - Aug. 5th, 60.	Ref. W.S.P. 28	USGS
A-30H	Big Sandy Creek near Kit Carson. 1910: May 19th, 0 - June 16th, 0 - July 31st, 0 - Aug. 5th, 430; 6th, 454 - Nov. 27th, 0. 1912: June 18th, 400.	Ref. W.S.P. 287 & 327	USGS
A-30I	Big Spring Creek near Arena. 1911: April 20th, 0 - July 8th, 8.3. 1912: June 18th, 0.3.	Ref. W.S.P. 307 & 327	USGS

TABLES OF MONTHLY DISCHARGES

Rio Grande Basin

Rio Grande, Tributaries

and

Closed Basin

Stations in Downstream Order

Drainage Area 163 Square Miles													Altitude 9,380 Feet	
Unit: 1,000 Acre-Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1909									P	27.3	15.2	27.8		
1910									P	10.6	6.2	4.0		
1911	3.8	2.5					P	39.8	78.6	44.1	11.4	7.6		
1912	P						P	47.0	79.7	34.6	15.0	5.8		
1913	4.8	0.5				0.2*	4.0	31.5	26.1	32.7	16.9	7.7		
1914	14.6	P					P	25.8	69.7	47.7	21.2	6.0		
1915	5.8	4.1		0.9	0.8	0.9	0.9	13.0	61.3	50.5	24.3	3.1		
1916	13.2	2.7	1.2	3.2E	2.8E	5.4*	7.9	29.8	24.2	40.8	24.8	5.6	161.6	98.7
1917	36.1	16.7*		1.0*	0.3	0.3	0.4	9.4	109.0	56.0	21.2	9.6		
1918	9.1	5.1*	0.4E	0.5	0.4	0.5	5.7	31.7	39.9	14.3	11.1	3.0	121.7	74.3
1919	4.0	P		0.2	0.3	0.3	2.9	38.4	34.0	31.5	30.8	7.7		
1920	5.7	0.6	0.2	0.2*	0.2*	0.2*	0.6	30.5	79.1	51.8	19.8	7.3	196.2	119.8
1921	6.8	1.6	0.5*	0.5*	0.4*	0.5*	7.9	22.4	102.0	46.9	25.3	7.8	222.6	136.0
1922	14.8	3.0*	0.5E					39.0	60.7	46.4	24.4	7.7		
1923	6.0	1.0*	0.6E	0.6E	0.6E	0.6E	6.5*	31.6	35.6	43.5	26.2	3.7	156.5	95.6
1925								F	45.9	36.5	19.0	13.1		
1926								P	66.6	39.3	29.9	7.3		
1927	0.3	1.3	0.6E	0.6E	0.6E	0.6E	5.6	21.6	67.2	50.5	24.2	16.5	189.6	115.8
1928	21.8	1.7E	1.7E	1.7E	1.6E	1.7E	18.0	30.3	54.9	36.1	14.6	6.3	190.4	116.3
1929	3.8	2.6	2.1E	2.1E	1.9E	2.1E	6.9	16.0	52.6	44.5	24.7	17.1	176.4	107.7
1930	20.8	3.7	0.5*	0.5*	0.4*	0.5*	9.3	35.6	48.2	19.6	19.0	4.8	162.9	99.5
1931	6.2	0.2E	0.2E	0.2E	0.2E	0.2E	4.4	17.3	30.9	8.8	4.4	4.4	77.4	47.3
1932	5.1	0.9*	0.2E	0.2E	0.2E	0.2E	11.8*	13.6	49.2	41.6	32.9	7.4	163.3	99.7
1933	8.0	0.2E	0.2E	0.2E	0.2E	0.2E	7.1	22.9	44.5	30.9	9.8	4.8	129.0	78.8
1934	4.8	1.5*	0.2E	0.2E	0.2E	1.1*	18.6	31.9	8.3	3.3	4.0	7.5	81.6	42.8
1935	2.8	1.3	0.1E	0.1E	0.1E	1.4	8.5	13.8	26.4	36.1	29.0	5.5	125.1	76.4
1936	3.1	0.4*	0.4E	0.4E	0.4E	1.2*	16.4	47.2	37.4	16.6	8.8	6.7	139.0	84.9
1937	0.1	0.1E	0.1E	0.1E	0.1E	0.2E	7.1	21.0	31.2	35.5	23.0	3.4	121.9	74.5
1938	3.5	2.0	0.0T	0.0T	0.0T	0.0T	0.5	4.6	82.8	47.5	28.3	7.0	176.2	107.6
No. Items	24	22	18	20	20	21	21	25	27	29	29	29		
Mean	8.54	2.44	0.54	0.67	0.58	0.87	7.19	26.63	53.56	35.41	19.50	7.80	#163.73	
%Mn. Anl	5.22	1.49	0.33	0.41	0.35	0.53	4.39	16.27	32.71	21.63	11.91	4.76	100.00	

R-2 - Discharge of Rio Grande at Wason near Creede, Colorado

Unit: 1,000 Acre-Feet			Drainage Area 705 Square Miles										Altitude 8,590 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN	
1907							F	102.0	226.0	213.0	62.7	37.4			
1908	20.7	14.0	P			11.0	28.7	73.2	137.0	55.6	48.9	18.6			
1909	13.9	9.7					30.1	134.0	219.0	70.1	38.7	76.2			
1910	26.7	16.8		11.1E	8.3E	29.7	53.6	143.0	107.0	26.8	19.9	14.2			
1911	14.2	11.8	9.4*	9.2	8.0	9.5	29.0	110.0	182.0	114.0	47.6	28.2	572.9	119.6	
1912	79.9	24.6	14.3	11.1	9.4	10.1	20.2	151.0	195.0	84.5	42.1	18.5	660.7	137.9	
1913	17.8	9.1		P	P		19.5	76.9	72.5	59.3	34.7	19.8			
1914							18.0	105.0	182.0	96.0	51.9	37.2			
1915	40.0	14.1	6.3E	5.7E	5.7E	7.0E	16.9	60.8	143.0	91.6	53.1	32.7	477.5	99.7	
1916	26.6	11.5*	6.5E	9.2E	9.3E	17.5*	28.1	98.4	110.0	86.7	69.5	23.1	496.4	103.6	
1917	74.4	35.5				P	17.0	62.7	237.0	122.0	52.4	25.9			
1918	18.9	11.2	5.7*	5.8E	5.0E	8.4*	15.8	70.7	88.7	41.0	41.1	23.4	335.7	70.1	
1919	13.9	9.0		5.8E	6.1E	6.7*	30.3*	129.0	105.0	83.0	62.7	23.7			
1920	15.0	8.5*	7.3E			7.1	13.7	147.0	221.0	112.0	52.5	21.5			
1921	18.9	13.1	9.8*	8.8*	7.9*	12.4	29.1	116.0	273.0	121.0	72.6	33.3	715.9	149.5	
1922	32.2	15.3*	9.2*				P	149.0	167.0	80.6	60.0	25.3			
1923	14.8	8.3*	6.8*	7.1*	5.8E	9.2E	22.6*	105.0	120.0	82.4	64.6	31.4	478.0	99.8	
1924	23.7	18.3	15.9	11.1*	7.4*	11.1E	38.3	132.0	127.0	81.8	50.3	14.6	531.3	110.9	

R-2 - Discharge of Rio Grande at Wason near Creede, Colorado (Continued)

Drainage Area 705 Square Miles												Altitude 8,590 Feet		
Unit: 1,000 Acre-Feet												ANNUAL IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1925	15.6	6.8*	6.0*	5.0*	5.0*	7.6	31.8	84.8	104.0	71.9	39.7	30.7	408.9	85.4
1926	21.0	12.5*	14.4*	10.8*	6.9*	8.3*	18.5*	77.5	126.0	75.6	55.2	21.2*	447.9	93.5
1927	10.9	9.5*	7.7*	6.0*	5.3*	6.2E	30.0*	94.1	141.0	106.0	55.2	73.2	545.1	113.8
1928	49.6	12.6	9.5*	8.9*	7.6*	9.2*	31.2*	87.9	104.0	87.9	36.8	17.5	462.7	96.6
1929	14.6	10.7*	6.8*	6.3*	5.3*	8.1*	26.3	82.4	130.0	93.5	65.8	50.0	499.8	104.4
1930	38.1	12.6	6.8*	5.5*	5.6*	8.0*	33.6	73.2	102.0	59.8	41.6	16.8	403.6	84.3
1931	18.6	8.4*	5.0*	3.1*	4.0*	5.8*	16.8*	47.3	75.0	29.8	15.6	16.3	245.7	51.3
1932	19.2	8.8*	5.8*	5.1*	5.2*	6.8*	31.4	104.0	126.0	87.3	81.8	25.0	506.4	105.7
1933	17.2	5.6*	4.9*	4.9*	4.2*	6.0*	16.9	56.6	99.4	56.8	28.7	18.1	319.3	66.7
1934	14.9	7.9	6.8*	5.5*	4.2*	8.0E	45.0	71.9	22.1	12.7	13.5	13.6	226.1	47.2
1935	9.3	6.1	4.7	4.2	4.2	7.0	21.4	41.5	123.8	76.2	57.4	18.6	374.4	78.2
1936	12.6	6.0	5.0	4.6*	4.3*	6.8	42.0	94.0	59.7	32.4	26.6	18.9	312.9	65.3
1937	7.8	5.6	4.9	4.4*	4.3*	5.6	28.2	85.0	69.4	63.2	43.0	11.1	332.5	69.4
1938	10.4	7.0	4.6*	4.2*	4.4	5.5	27.7	64.7	175.9	87.8	65.5	27.3	485.0	101.3
No. Items	30	30	24	24	24	26	30	32	32	32	32	32		
Mean	23.71	11.70	7.67	6.81	5.97	9.18	27.06	94.71	136.58	80.67	48.51	26.98	4478.95	
% Mean														
Annual	4.95	2.44	1.60	1.42	1.25	1.92	5.65	19.77	28.52	16.72	10.13	5.63	100.00	

R-3 - Discharge of Rio Grande near Del Norte, Colorado

Drainage Area 1,320 Square Miles														Altitude 7,982 Feet	
Unit: 1,000 Acre-Feet															
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY.	JUNE	JULY	AUG.	SEPT.	ANNUAL	AVG. IN.	% MEAN
1890	17.1*	19.0	15.2*	13.5E	11.1E	27.4*	54.3	266.0	230.0	93.2	37.6	22.8	807.2		115.0
1891	28.9	20.2*	18.4E	16.9E	13.9E	26.7E	83.9	202.0	247.0	104.0	40.8	31.4	834.1		118.9
1892	51.9	22.3	19.1*	16.9E	14.4E	19.4*	62.3	160.0	130.0	45.5	27.3	15.6	584.7		83.3
1893	15.9	14.3*	10.8E	9.8E	9.7E	15.4E	31.7	120.0	104.0	24.3	19.9	16.1	391.9		55.8
1894	15.2*	14.2*	10.6*	10.8E	9.7E	18.4*	54.9	147.0	63.7	22.4	23.6	21.1	412.9		58.8
1895	22.1	16.8	13.8*	12.3E	10.6E	26.7*	119.0	141.0	139.0	64.6	45.2	26.7	637.8		90.9
1896	25.8	20.4	18.4E	16.9E	15.5E	30.7E	91.0	151.0	51.6	24.3	16.5	29.7	491.8		70.1
1897	27.9	18.1	13.8E	13.8E	11.1E	27.1*	63.5*	217.0*	202.0*	68.1*	29.2*	37.5*	729.1		103.9
1898	90.5*	39.6*	24.0E	20.0E	16.7E	27.7E	114.0*	167.0*	261.0*	101.0*	31.3*	19.0*	911.8		129.9
1899	16.0*	13.1*	11.1E	11.1E	10.0E	13.4*	36.8*	84.7*	64.9*	43.2*	36.7*	22.0*	368.0		52.4
1900	29.2*	23.8*	12.6E	9.2E	10.6E	15.4E	24.9*	175.0*	160.0*	33.6*	14.0*	15.2*	523.5		74.6
1901	21.0*	14.9*	12.3E	12.3E	9.7E	13.8*	42.2*	158.0*	116.0*	36.5*	28.5*	26.5*	491.7		70.1
1902	16.1*	16.8*	10.8E	9.8E	8.3E	14.1*	38.0*	71.9*	36.8*	9.4*	11.1*	12.5*	255.4		36.4
1903	14.9*	12.9*	12.3E				44.5*	174.0*	309.0*	102.0*	32.3*	30.6*			
1904	21.5*						33.6	71.2	42.6	20.7	42.4	41.2			
1905	89.1						45.2	210.0	352.0	67.1	35.5	22.4			
1906	26.4	17.6*	12.3E	11.1E	10.0E	18.8*	64.9	236.0	296.0	116.0	47.7	42.8	899.6		128.2
1907	54.8	32.5	18.4E					161.0	361.0	279.0	92.8	48.4			
1908	30.4E	20.8E					P	104.0	174.0	65.8	57.2	20.5			
1909	16.7	12.2					P	196.0	284.0	93.5	53.1	98.8			
1910	40.6	24.9	24.4	19.7E	16.3E	39.7*	83.3	210.0	144.0	38.0	30.3	19.8	691.0		98.5
1911	22.3	18.1	13.4*	15.2	13.3	20.7	57.0	204.0	287.0	172.0	59.5	39.7	922.2		131.4
1912	151.0	32.3	25.0	20.9	15.7	17.1	34.4	229.0	260.0	108.0	49.9	26.6	969.9		138.2
1913	23.7	15.6	10.8E				P	144.3	125.6	65.7	42.2	29.2			
1914	34.6	22.8	18.6			P	18.7	172.0	230.0	129.0	66.7	48.6			
1915	54.2	16.5	10.6	11.1	12.4	15.9	37.2	106.0	206.0	116.0	62.1	39.3	687.3		97.9
1916	33.0	17.4	12.5	17.0	16.6	34.1	56.5	181.0	196.0	124.0	99.0	38.1	825.2		117.6
1917	100.0	47.8				P	37.9	114.0	359.0	184.0	65.2	33.8			
1918	25.2	17.6	10.8	11.7	10.8	16.4	28.7	116.0	143.0	64.0	48.6	34.2	527.0		75.1
1919	22.4	15.6	12.0	12.6*	11.7*	18.0*	61.9*	223.0	162.0	116.0	77.5	31.7	764.4		108.9

R-3 - Discharge of Rio Grande near Del Norte, Colorado (Continued)

Unit: 1,000 Acre-Feet														Drainage Area 1,320 Square Miles														Altitude 7,982 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNUAL IN														
1920	24.9	18.3	15.1*	14.6*	15.6*	16.6*	30.2	250.0	350.0	158.0	68.2	29.2	995.7	141.9															
1921	26.6	21.4	15.6*	15.5*	13.7*	24.9	43.0	183.0	371.0	156.0	99.0	50.9	1,020.6	145.4															
1922	42.6	23.3	15.6*	15.9*	15.2*	18.1*	39.8	274.0	305.0	119.0	81.8	33.4	983.7	140.2															
1923	20.0	15.0	13.9*	12.8*	10.6E	16.0*	38.6	188.0	214.0	115.0	83.0	53.9	777.8	110.8															
1924	50.6	33.6	22.2*	17.8*	15.5*	17.2E	68.4*	227.0	202.0	103.0	58.2	18.0	833.5	118.8															
1925	19.1	11.4	12.4*	11.9*	11.9*	22.3*	61.3	141.0	160.0	97.2	58.6	45.8	652.9	93.0															
1926	42.7	24.1	25.8E	17.8E	13.3E	14.8E	34.3*	138.0	198.0	103.0	71.9	27.0	710.7	101.3															
1927	20.2	16.3*	14.1*	11.7*	11.7*	13.5*	54.0	179.0	217.0	161.0	80.6	119.0	898.1	128.0															
1928	75.0	25.1	18.8*	18.1*	17.3*	22.4*	49.0	168.0	165.0	108.0	43.8	25.0	740.5	105.5															
1929	22.1	17.9*	15.1*	13.8*	12.2*	16.0*	50.6	186.0	220.0	117.0	104.0	82.7	857.4	122.2															
1930	57.7	23.4	14.1E	12.3E	12.2E	15.4E	56.6	108.0	140.0	75.6	58.6	23.6	597.5	85.1															
1931	24.5	12.7*	12.1*	8.3*	9.3*	12.3*	28.2*	73.8	93.4	35.4	13.7	23.1	357.8	51.0															
1932	30.4	12.2*	10.2*	11.4*	11.3*	16.5*	66.6*	214.0	236.0	146.0	106.0	30.6	891.2	127.0															
1933	26.3	10.9*	9.5*	10.2*	8.6*	14.4*	23.6	81.2	169.0	79.3	39.4	27.1	499.5	71.2															
1934	24.2	14.7*	12.9*	13.2*	11.1*	15.1	67.2	103.0	28.3	14.7	15.9	17.9	338.2	48.2															
1935	14.4	11.3	8.3	8.5	9.1	15.3	37.1	81.9	263.2	129.8	72.2	27.9	679.0	96.8															
1936	19.5	12.7	8.3	9.3	10.0	13.9	67.3	141.2	89.2	39.6	37.6	27.1	475.7	67.8															
1937	15.1	12.4	9.7	9.8*	9.4E	11.7E	54.6	173.0	129.4	79.8	50.2	17.7	572.8	81.6															
1938	18.7	13.1	10.4	10.2E	11.7E	15.4E	65.8	144.3	270.0	118.1	70.8	43.5	792.0	112.9															
No. Items	49	47	44	40	40	40	45	49	49	49	49	49	49																
Mean	34.98	19.32	14.46	13.32	12.20	19.34	52.48	162.58	195.48	91.56	51.98	33.98	#701.75																
% Mean																													
Annual	4.98	2.75	2.06	1.91	1.74	2.75	7.48	23.17	27.86	13.05	7.41	4.84	100.00																

R-4 - Discharge of Rio Grande near Monte Vista, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 1,740 Square Miles					Altitude 7,655 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL IN		
1926								48.8	77.4	18.4	1.6	1.6				
1927	2.6	14.7					18.2	48.3	107.0	89.8	13.6	98.2				
1928	57.3	18.3					15.5	58.3	48.1	12.4	2.9	3.2				
1929	2.3	9.9*					19.5	56.0	74.4	29.1	60.1	64.3				
1930	35.0	22.4					15.6	29.6	36.4	14.4	13.0	1.5				
1931	3.8	11.6				P	2.0	19.5	27.4	7.7	2.9	4.2				
1932	3.8	5.5*				11.7*	16.8	66.4	100.0	39.4	14.6	3.4				
1933	4.4	12.0	P			P	2.8	22.0	44.0	13.9	4.4	4.4				
1934	3.2	10.1			7.8*	3.4	18.4	33.8	7.2	4.4	3.6	3.2				
1935	0.8	2.4	10.9	11.4	5.8	0.5	4.6	27.0	104.2	31.6	8.5	4.7	212.4	93.2		
1936	4.4	9.7	9.2	9.3	11.1	5.0	17.3	42.3	21.0	6.5	5.4	3.9	145.1	63.6		
1937	3.4	11.7	11.6	7.8*	9.3*	11.2	14.7	43.8	35.9	12.4	4.5	2.1	168.4	73.9		
1938	0.7	6.6	11.6*	9.0*	8.6	9.6	28.5	51.2	142.6	28.8	4.9	18.4	320.5	140.6		
No. Items	12	12	4	4	5	6	12	13	13	13	13	13				
Mean	10.14	11.24	10.82	9.37	8.52	6.90	14.49	42.08	63.51	23.75	10.77	16.39	#227.98			
% Mean																
Annual	4.45	4.93	4.75	4.11	3.74	3.03	6.35	18.45	27.86	10.42	4.72	7.19	100.00			

R-5 - Discharge of Rio Grande at Alamosa, Colorado

Unit: 1,000 Acre-Feet

Drainage Area 1,840 Square Miles

Altitude 7,536 Feet

YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN
1912								P	186.0	40.0	9.0	4.8		ANNUAL
1913	10.5	15.4	F				P	11.3	25.0	1.4	0.4	1.7		% MEAN
1914	23.6	19.2					P	52.3	115.0	39.3	28.2	30.5		
1915	31.9	15.3	10.3E	10.6E	10.9E	16.5*	15.7	36.0	67.2	20.0	12.7	12.7	259.8	103.6
1916	12.4	15.0	14.1	17.5E	18.8*	30.8	15.5	50.8	40.6	10.7	59.8	11.5	297.5	118.6
1917	74.4	54.0				F	18.1	41.0	217.0	92.8	10.1	5.8		
1918	7.8	16.8	14.0*	11.4E	12.2E	18.5*	5.6	3.8	6.8	4.9	0.8	15.8	118.4	47.2
1919	4.3	12.7	14.3	11.7E	10.6E	19.5*	53.5	123.0	30.3	16.8	11.0	1.9	309.6	123.4
1920	5.9	16.8	17.2*	15.8E	16.9*	19.9	20.2	113.0	248.0	58.6	7.5	5.9	545.7	217.6
1921	14.4	25.0*	17.2E	15.7*	14.7*	29.0	12.7	43.9	333.0	59.9	39.7	29.2	632.4	252.2
1922	18.7	20.8	18.9*	20.6	17.7	20.5	13.1	99.6	130.0	21.0	1.8	1.1	383.8	153.0
1923	1.3	12.7	15.6	14.7	17.1	19.6	14.8	16.0	49.8	20.6	29.6	37.9	249.7	99.6
1924	57.2	36.7	24.5*	16.0*	16.1*	17.9	63.1	119.0	37.5	6.0	1.4	1.1	396.5	158.1
1925	2.0	10.8	13.0	9.2*	11.2*	25.3*	10.3	6.1	8.2	4.0	5.8	14.4	120.3	48.0
1926	18.8	22.3	20.9*	16.6*	15.6E	21.0	15.5	18.1	41.1	5.2	0.9*	0.8*	196.8	78.5
1927	1.6	11.5	15.4*	10.8*	15.6*	17.4	13.6	9.3	51.4	87.9	5.0	86.9	326.4	130.1
1928	60.9	27.7	20.6*	17.8*	17.3*	23.1	12.7	28.9	23.3	3.0	2.2	1.3	238.8	95.2
1929	1.4	10.1*	11.7*	11.6*	11.1*	16.4	14.8	18.2	35.8	3.9	50.1	59.4	244.5	97.5
1930	40.6	29.2	19.8	12.9*	17.8E	14.6	7.6	5.2	3.3	7.6	3.4	1.0	163.0	65.0
1931	1.4	7.7*	8.3*	7.7*	12.5*	16.9*	2.4	1.7	3.3	2.8	1.4	1.2	67.3	26.8
1932	0.9	3.6*	11.1*	10.5*	12.5*	18.3*	3.3	24.8	63.7	24.1	2.5	1.9	177.2	70.7
1933	1.9	11.5	15.1*	12.3E	9.7*	10.1*	0.7	2.0	7.0	2.7	2.3	1.3	76.6	30.5
1934	1.0	4.2	13.4*	10.7*	13.1*	4.5*	1.2E	2.2*	3.0	1.8	1.7	1.0	57.8	23.0
1935	0.6	0.9	8.2	7.3	6.9	0.9	0.9	3.2	50.0	6.5	1.6	1.5	88.5	35.3
1936	3.1	5.8	11.1	9.4	11.7	4.9	2.9	5.0	2.9	2.6	3.3	1.5	64.2	25.6
1937	1.7	10.9	12.2	9.0*	11.4	14.0	6.0	10.6	11.9	3.4	1.2	1.0	93.3	37.2
1938	0.9	1.9	13.0	9.7	10.9	10.8	17.2	23.6	90.6	13.0	1.6	4.2	197.4	78.7
No. Items	26	26	23	23	23	23	24	26	27	27	27	27		
Mean	15.35	16.02	14.78	12.59	13.58	16.97	14.22	33.41	69.69	20.76	10.93	12.49	#250.79	
% Mean														

Annual 6.12 6.39 5.89 5.02 5.41 6.77 5.67 13.32 27.79 8.28 4.36 4.98 100.00

Record for 1894-1895 Gage Heights, See WSP #358 Pg. 76. Record for 1903-Miscellaneous measurements Sept. 13th, 56 s.f.; Oct. 11th, 15 s.f.; Nov. 8th, 83 s.f.

R-6 - Discharge of Rio Grande above Trinchera Creek, Colorado

Unit: 1,000 Acre-Feet				Drainage Area				Square Miles				Altitude		Feet
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1936								P	3.7	0.3	4.8	4.3		
1937	6.9	15.5	14.9	10.6	13.3	20.4	21.6	31.6	20.9	5.4	1.2	1.9	164.2	86.3
1938	2.6	4.4	15.2	11.4	15.8	16.4	27.3	43.5	94.6*	22.4*	2.9	1.2	257.7	135.5
No. Items	2	2	2	2	2	2	2	2	3	3	3	3		
Mean	4.80	9.95	15.05	11.00	14.55	18.40	24.45	37.55	39.73	9.37	2.97	2.43	#190.25	
% Mean														
Annual	2.52	5.25	7.91	5.78	7.65	9.67	12.85	19.74	20.88	4.93	1.56	1.28	100.00	

R-7 - Discharge of Rio Grande near Lobatos, Colorado

Unit: 1,000 Acre-Feet			Drainage Area 7,700N Square Miles					Altitude 7,427 Feet							
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL	% MEAN
1899									P	2.6	3.3	6.1			
1900	7.2	15.4*	15.7E	12.3E	13.9E	18.4*	20.2	106.0	108.0	1.2	0.7	1.2	320.4	58.0	
1901	1.7	3.3*	16.9E	15.4E	13.9E	22.3*	16.8	124.0	66.0	5.0	3.4	2.6	291.3	52.7	
1902	3.0	2.1*	9.2E	11.1E	8.9E	18.8*	18.3	28.5	6.7	0.7	0.6	1.0	108.9	19.7	
1903	1.3	1.1	1.6	1.5	1.4	2.1	18.7	124.0	379.0	72.4	2.9	5.4	611.4	110.7	
1904	3.9	8.3*	7.4E	7.4E	6.3E	6.8*	9.1	1.3	1.2	1.1	8.6	11.7	73.1	13.2	
1905	97.8	17.9*	18.4E	21.5E	18.0E	55.2*	46.0	350.0	430.0	16.7	10.0	3.8	1,085.3	196.2	
1906	6.3	13.6	15.4E	16.6E	15.0E	20.9*	45.3	205.0	260.0	90.4	30.9	25.2	744.6	134.8	
1907	56.8	P	30.7E	30.7E	29.2E	47.9	117.0	201.0	411.0	334.0	107.0	73.2			
1908	35.4	28.1	22.0*			41.7	37.4	47.0	68.4	19.4	38.4	18.2			
1909	17.8	14.9	14.8E	18.4E	19.4*	30.1	63.1	213.0	269.0	37.3	28.7	140.0	866.5	156.8	
1910	53.4	33.9	27.1	24.0E	19.7E	76.2*	121.0	207.0	60.1	2.0	4.6	2.6	631.6	114.3	
1911	7.4	13.6	17.8	22.8E	21.1E	23.1	27.4	129.0	243.0	222.0	35.6	41.6	804.4	145.6	
1912	193.0	47.6*	30.7E	30.6E	28.0E	36.7	50.0	262.0	306.0	49.5	17.3	11.7	1,063.1	192.4	
1913	17.4	21.6	18.4E	P	P	P	57.1	50.5	52.7	4.9	2.3	4.1			
1914	23.6	24.0				31.6	38.5	102.0	156.0	48.4	43.7	48.6			

Drainage Area 7,700 N Square Miles														Altitude 7,427 Feet	
Unit: 1,000 Acre-Feet														ANNUAL IN	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1915	45.2	25.5	16.9E	18.0E	16.0E	24.5*	49.0	102.0	125.0	39.7	26.1	16.7	504.6	91.3	
1916	15.6	19.5*	18.9E	22.6E	26.2*	47.8	51.5	164.0	114.0	37.7	83.6	25.5	626.9	113.5	
1917	94.1	65.5				P	55.8	116.0	296.0	157.0	17.6	9.5			
1918	12.1	22.4	22.0*	17.3E	20.5E	33.0*	15.4	28.1	52.2	21.1	3.2	22.5	269.8	48.8	
1919	10.5	19.7	19.7	16.8E	15.4E	34.6*	120.0	237.0	62.7	35.7	20.3	7.1	600.5	108.7	
1920	12.2	25.8*	23.6E	23.1E	27.4*	31.1	33.0	266.0	408.0	119.0	22.1	17.0	1,008.3	182.5	
1921	23.2	37.4	33.3*	30.7*	26.7*	51.6	24.3	92.6	389.0	57.4	63.3	41.3	871.0	157.6	
1922	27.6	31.4	26.8*	29.6*	28.7*	33.0*	25.5	197.0	258.0	41.0	5.8	4.9	709.3	128.4	
1923	6.0	20.2	24.1	23.1	23.6	27.7	23.8	125.0	150.0	28.6	45.0	61.3	566.4	102.5	
1924	80.6	59.5	40.3	24.0E	38.5*	43.5	172.0	329.0	81.5	10.0	4.6	4.2	887.7	160.7	
1925	7.6	17.2	20.9	16.0	26.0	39.6	32.1	38.0	17.7	8.5	18.4	23.4	265.4	48.0	
1926	33.0	35.1	35.2	26.6	30.0	38.8	43.4	113.0	107.0	14.7	3.6	3.7	484.1	87.6	
1927	5.0	16.6	23.2	19.7	27.0	26.7	26.5	96.5	118.0	128.0	16.8	109.0	613.0	110.9	
1928	84.8	43.8	27.0	24.2	24.5	39.2	27.7	94.1	61.0	4.6	3.4	4.1	436.4	79.0	
1929	4.6	17.9	22.1	16.8	15.7	28.0	27.3	120.0	92.2	10.3	76.2	80.9	511.0	92.7	
1930	55.8	42.9	31.7	18.6	24.3	32.6	44.4	38.0	53.0	11.9	16.5	5.5	355.0	64.2	
1931	9.0	15.6*	21.2*	12.0*	17.1*	32.2	14.0	10.9	3.0	1.2	2.0	3.2	141.4	25.6	
1932	5.8	6.9*	17.0*	16.2*	21.7*	32.3*	28.4	168.0	170.0	86.7	11.0	9.3	573.3	103.8	
1933	11.0	20.8	21.0*	16.5*	13.9*	28.7*	11.1	33.0	75.6	9.9	2.8	5.8	250.1	45.3	
1934	7.5	11.7	20.5*	20.0*	22.2*	16.5	8.8	6.7	1.8	0.7	1.2	1.9	119.5	21.6	
1935	3.0	4.7	11.4	12.6	13.0	6.2	1.9	45.5	166.3	48.7	9.3	9.2	331.8	60.1	
1936	12.3	16.3	19.1	15.4	19.8	16.0	60.4	78.7	11.0	1.1	9.0	7.7	266.8	48.3	
1937	13.9	24.7	23.3*	15.6*	16.7*	32.1	88.7	181.0	78.3	19.2	2.2	3.1	498.8	90.3	
1938	5.1	6.8	17.0*	13.2*	16.6*	21.7	70.8	123.7	167.7	30.2	5.0	13.8	497.6	90.1	
No. Items	39	38	37	35	35	37	39	39	39	40	40	40			
Mean	28.50	22.46	21.14	18.88	20.18	31.06	44.66	127.19	150.44	45.71	20.12	22.19	#552.53		
% Mean															
Annual	5.16	4.06	3.83	3.42	3.65	5.62	8.08	23.02	27.23	8.27	3.64	4.02	100.00		
N: Includes 2,940 square miles in Closed Basin, noncontributing.															

N: Includes 2,940 square miles in Closed Basin, noncontributing.

R-8 - Discharge of Clear Creek below Continental Reservoir, Colorado

Unit: 1,000 Acre-Feet				Drainage Area 49 Square Miles				Altitude 10,500 Feet						
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN
1929								7.9	4.6	6.5	3.6	2.2		
1930	1.8	1.2	0.8	0.6	0.6*	0.6*	3.3	5.9	4.2	3.4	2.5	1.3	26.2	123.5
1931	1.1	0.7*	0.6E	0.5E	0.4E	0.6E	1.2*	3.2	2.4*	1.2	0.8	0.7	13.4	63.2
1932	0.8	0.6*	0.6E	0.5E	0.5E	0.5E	1.2E	6.5*	5.1	3.8	3.8	1.4	25.3	119.3
1933	0.7	0.5E	0.5E	0.5E	0.4E	0.5E	0.9	6.3	5.1	2.6	1.4	1.1	20.5	96.7
1934	0.5E	0.5E	0.5E	0.5E	0.4E	0.5E	3.8*	3.2	1.1	1.0	0.6	0.5	13.1	61.8
1935	0.5E	0.5E	0.5E	0.5E	0.4E	0.5E	1.0	4.6	3.2	1.9	2.2	1.1	16.9	79.7
1936	0.6*	0.6E	0.6E	0.6E	0.5E	0.6E	4.8*	4.6	3.0	2.0	1.6	1.2	20.7	97.6
1937	0.7*	0.6E	0.6E				3.3	5.7	2.1	1.8	1.1	0.8		
1938	0.8	0.8E	0.8E	0.8E	0.7E	0.8E	1.4	5.8	6.4	5.3	1.9	1.3	26.8	126.4
No. Items	9	9	9	8	8	8	9	10	10	10	10	10		
Mean	0.83	0.67	0.61	0.56	0.49	0.58	2.32	5.37	3.72	2.95	1.95	1.16	#21.21	
% Mean														
Annual	3.91	3.16	2.88	2.64	2.31	2.73	10.94	25.32	17.54	13.91	9.19	5.47	100.00	
In State Engineers record as North Clear Creek below Continental Reservoir.														

R-8A - Discharge of Clear Creek near Creede, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 139 Square Miles										Altitude 9,000A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN
1910														
1911	P										P	2.6		
No.Items													1	
Mean													2.60	
													#2.60x	

R-8B - Discharge of Goose Creek near Wagon Wheel Gap, Colorado

Unit: 1,000 Acre-Feet
Drainage Area 49 Square Miles
Altitude 8,800A Feet

YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1925	0.7	0.6	0.5	0.6	0.5	0.6	1.8	6.6	9.6	5.7	3.7	3.7	34.6	77.8
1926	4.0	3.1	2.6	1.8	1.4	1.6	2.7	10.0	14.0	P				
No. Items	2	2	2	2	2	2	2	2	2	1	1	1		
Mean	2.35	1.85	1.55	1.20	0.95	1.10	2.25	8.30	11.30	5.70	3.70	3.70	44.45	
% Mean	5.29	4.16	3.49	2.70	2.14	2.48	5.06	18.67	26.55	12.82	8.32	8.32	100.00	

R-9 - Discharge of So. Fk. of Rio Grande at South Fork, Colorado

Unit: 1,000 Acre-Feet	Drainage Area 216 Square Miles	Altitude 8,222 Feet
-----------------------	--------------------------------	---------------------

YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1910											P	2.4		
1911	3.6	2.9	2.5E	2.2E	1.8E	4.0*	15.5	50.3	71.9	41.4	10.4	8.6	215.1	118.2
1912	35.0*	8.4	6.5*	3.6E	2.9E	4.2E	8.8*	57.0	64.7	19.3	5.6	3.2	219.2	120.4
1913	4.6	5.2	2.3*	2.0E	2.1E	2.6E	17.2*	36.9	35.0	7.1	3.6	4.6	121.7	66.9
1914	5.5	4.2	P			P	11.0	37.5	49.3	17.4	7.9	8.9		
1915	12.4	4.5	2.1E	2.0E	3.3E	5.0*	11.3	27.9	56.1	18.3	6.8	3.9	154.1	84.7
1916	3.5	2.6*	2.5E	3.1E	3.1E	7.9E	18.9*	53.1	73.2	27.1	12.7	8.6	216.3	118.9
1917	18.6	P				P	12.6*	31.4	100.0	46.5	9.7	5.1		
1918	3.2	2.8*	2.0E	1.9E	1.8E	4.3*	8.9	29.4	42.7	12.8	6.2	5.5	121.5	66.8
1919	2.8	3.5				P	18.8*	53.4	35.8	17.1	7.8	3.8		
1920	3.5	4.1*	3.7E				8.3	73.2	101.0	55.3	8.5	3.6		
1921	3.4	3.5	3.1*	2.6*	2.6*	7.3*	9.2	37.8	72.0	20.2	12.1	7.1	180.9	99.4
1922	3.0	2.2					12.5	73.2	83.9	18.3	7.3	2.5		
1936								P	27.4	5.4	7.4	5.3		
1937	3.7	3.6	2.7	2.7E	2.8E	3.2E	16.0	63.6	50.8	11.1	3.8	2.7	166.7	91.6
1938	3.2	2.5	2.2*	2.2E	2.2E	2.7E	21.6	47.7	73.1	18.3	5.3	8.5	189.5	104.1
No. Items	14	13	10	9	9	9	14	14	15	15	15	16		
Mean	7.57	3.85	3.01	2.48	2.51	4.58	13.65	48.03	62.33	21.04	7.67	5.27	#181.99	
%M.A.	4.16	2.12	1.65	1.36	1.38	2.52	7.50	26.39	34.25	11.56	4.21	2.90	100.00	

R-10 - Discharge of Pinos Creek near Del Norte, Colorado

Unit, 1,000 Acre-Feet.														Drainage Area 53 square miles		Altitude 8,400A Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	AINL.IN	% MEAN		
1919							3.2E	6.4*	5.6	4.1	1.7	1.0					
1920	0.7	0.7				P	1.3	14.0	20.2	5.5	1.6	0.7					
1921	0.7					P	1.1	6.5	8.1	3.4	2.7	1.8					
1922	0.8						1.5*	13.5	18.7	2.6	1.1	0.6					
1923	0.7						1.5*	8.4	3.2	2.9	2.3	2.0					
1924	1.6	0.9E					4.9	12.9	7.7	1.8	0.6	0.5					
1936							P	5.9	2.6	1.0	1.9	1.0					
1937	0.7	0.8					P	6.5	5.2	1.5	0.6	0.5					
1938	0.5						P	7.2	7.8	2.1	0.9	1.0					
No. Years	7	3					6	9	9	9	9	9					
Mean	0.61	0.60					2.25	9.48	9.34	2.77	1.51	1.01	#27.97x				

R-11 - Discharge of Garnero Creek near La Garita, Colorado

Unit. Acre-Feet		Drainage Area 117 Square Miles										Altitude 8,000 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1919							3.0*	7.9	2.7	1.9	1.0	0.6		
1920	0.5					1.0*	0.8	4.1	2.8	0.8	0.8	0.4		
1921	0.4						1.2	3.2	4.5	1.9	1.8	1.1		
1922	0.6						P	2.8	1.4	0.5	2.1	0.7		
1923	0.6						1.5	2.8	1.1	0.8	2.3	2.0		
1924	1.8						7.9*	10.6	3.5	1.2	0.5	0.2		
1925	0.3	0.3				1.0	0.9	1.0	0.5	0.9	1.3	0.8		
1926	0.6	0.5*	0.3*	0.2*	0.2*	0.6*	2.0	3.0	1.9	1.2	0.7	0.2	11.4	102.2
1927	0.4	0.2*				0.7*	0.7	0.7	0.4	0.5	0.6	0.6		
1928	0.7						2.2	7.4	2.9	0.6	0.6	0.5		
1929	0.4*						P	1.2	0.7	0.6	5.1	1.7*		
1930	0.9						0.8	0.6	0.4	0.8	2.8	0.9		
1931	0.5*						0.9*	0.9	0.5	0.4	0.1	0.1		
1932	0.1						0.6*	1.6	0.8	0.7	0.4	0.1		
1933	0.1						0.4	0.6	0.6	0.5	0.7	0.5		
1934	0.4						0.6	0.6	0.2	0.1	0.2	0.2		
1935	0.2					P	0.7	2.2	2.2	1.3	0.7	0.3		
1936	0.3*						P	1.0	0.6	0.3	1.8	0.7		
1937	0.5	0.3					1.9	1.8	1.1	0.5	0.2	0.3		
1938	0.2						2.6	4.5	2.4	0.7	0.4	1.0		
No Items	19	4	1	1	1	4	17	20	20	20	20	20		
Mean	0.50	0.32	0.30	0.20	0.20	0.82	1.69	2.92	1.56	0.81	1.20	0.64	#11.16	
% Mean														
Annual	4.48	2.87	2.69	1.79	1.79	7.35	15.14	26.16	13.98	7.26	10.75	5.74	100.00	

R-12- Discharge of La Garita Creek near La Garita, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 61 Square Miles				Altitude 6,000 Feet			
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL			
1919							2.3*	9.3	2.7	3.0	2.2	0.6					
1920	0.4					0.4	0.5	5.0	3.8	1.1	1.3	0.6					
1921	0.3					P	0.6	3.2	7.5	4.0	2.8	1.7					
1922	0.5						0.9	4.3	1.9	0.7	1.3	0.6					
1923								3.4	2.3	2.0	2.9	3.1					
1924	2.6						7.5	13.0	4.0	1.1	0.5	0.3					
1925	0.4	0.4					1.0	1.5	0.7	1.8	2.8	1.2					
1926	0.4	0.5*	0.4*	0.3*	0.3*	0.4*	2.3	7.2	3.0	1.2	0.7	0.2	17.3	137.0			
1927	0.2	0.4*					0.9	1.2	0.7	0.7	0.7	0.7*					
1928							0.9*	2.6	1.5	0.9	0.9	0.6					
1929	0.5	0.5*					P	2.4	1.4	0.8	3.6	1.5					
1930							1.0	0.9	0.7	1.0	2.5	0.8					
1931	0.6						0.7*	1.0	0.7	0.4	0.3	0.2					
1932	0.3						0.7*	2.2	1.2	0.9	0.6*	0.3*					
1933	0.7*						0.4*	0.9	1.1	1.0	0.7	0.3					
1934	0.3						0.7	0.6	0.3	0.3	0.3	0.2					
1935	0.2						0.7	1.9	2.9	1.2	0.6	0.5					
1936	0.4	0.2					P	1.1	0.7	0.5	1.4	0.9					
1937	0.6	0.3					1.5	2.3	1.1	0.6	0.4	0.3					
1938	0.3						2.2	4.7	3.2	1.0	0.4	0.7					
No Items	16	6	1	1	1	2	17	20	20	20	20	20					
Mean	0.57	0.38	0.40	0.30	0.30	0.40	1.46	3.44	2.07	1.21	1.34	0.76	#12.63				
% Mean																	
Annual	4.51	3.01	3.17	2.37	2.37	3.17	11.56	27.24	16.39	9.58	10.61	6.02	100.00				

R- 12A - Discharge of San Francisco Creek near Del Norte, Colorado

Unit: Acre-Feet														Altitude 8,800 Feet	
Drainage Area 13.1 Square Miles															
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNL.IN
1936							P	862	320	175	502	217			
1937	137	108					P	1,080	376	182	94	105			
1938	63						P	1,290	875	339	176	352			
No Items	2	1						3	3	3	3	3			
Mean	100.0	108.0						1,077.3	523.3	232.0	257.3	224.7	#2522.6x		

R- 12B (1) Discharge of San Luis Creek, near Villa Grove, Colorado

Unit: 1,000 Acre-Feet													Drainage Area 218 Square Miles		Altitude 7,962 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNL.IN	
1911										P	0.9	0.8				
1912	1.3	0.7						5.6	4.5	1.6	1.3	0.9				
1922							0.9	1.2	0.6	0.3	0.4	0.3				
1923	0.4						0.2*	0.7	2.0	0.6	2.0	2.0				
1924	2.0	1.4	0.7*				9.3	13.1	5.0	0.7	0.6	0.5				
1925	0.5	0.6					0.9	0.9	0.5	0.3	0.6	0.5				
1926	0.5	0.3					1.6	3.6	3.1	0.8	0.7	0.4				
No Items	5	4	1				5	6	6	6	7	7				
Mean	0.94	0.75	0.70				2.58	4.18	2.62	0.72	0.93	0.77	#14.19x			
2 Miles S.E. of Villa Grove. Sec. 18, T. 46N., R. 10E.																

R- 12B (2) Discharge of San Luis Creek, near Villa Grove, Colorado

Unit: 1,000 Acre-Feet														Drainage Area 220A Square Miles														Altitude 7,955A Feet													
																												ANNUAL IN													
																												</													

2 Miles S.E. of Villa Grove, Sec. 5, T. 45N., R. 10E. Records not Comparable with Station R-12B(1). Court decrees for
divisions of 33 second-feet between the two points. -179-

R - 13 Discharge of Kerber Creek near Villa Grove, Colorado

Unit: 1,000 Acre-Feet				Drainage Area 38 Square Miles				Altitude 9,000A Feet						
				ANNUAL IN										
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1912	P	0.9	0.4	0.2	0.3	0.7	1.2	5.2	4.0					
1923									1.9	1.1*	2.0	1.0		
1924	0.7	0.5*					2.6	6.6	5.0	1.0	0.4	0.3		
1925							1.1	2.0	0.9	0.5	0.4	0.3		
1926	0.3E						1.5*	4.3*	3.4*	1.0*	0.3*	0.2*		
1936								2.4	1.2	0.5	1.7	0.6		
1937	0.4	0.3					P	2.5	1.3	0.4	0.2	0.2		
1938	0.2	P					2.3	3.9	2.2	0.5	0.2	0.7		
No Items	4	3	1	1	1	1	5	7	3	7	7	7		
Mean	0.40	0.57	0.40	0.20	0.30	0.70	1.74	3.87	2.49	0.71	0.74	0.47	#12.59	
% Mean														
Annual	3.18	4.53	3.18	1.59	2.38	5.56	13.82	30.74	19.77	5.64	5.88	3.73	100.00	

R - 13A Discharge of Kerber Creek, below Villa Grove, Colorado

Unit: Acre-Feet		Drainage Area 112 Square Miles										Altitude 7,970 Feet		
		ANNUAL IN												
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1922							355	534	155	8	2	0		
No Items							1	1	1	1	1	1		
mean							355.0	534.0	155.0	8.0	2.0	0.0	1,054.0x	

R - 14 Discharge of Saguache Creek near Saguache, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 595 Square Miles										Altitude 7,800 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL % MEAN
1910											P	2.6	
1911	2.6	P				3.7	4.1	8.8	12.9	13.8	8.0	3.8	
1912	6.6	2.8					4.5	16.6	14.0	8.2	7.2	4.3*	
1914									16.5	10.9*	6.8	3.6	
1915	3.1	1.9*	1.0E	1.4E	1.4E	2.6E	7.1*	13.6	14.0	5.7	3.6	3.0	58.4 101.2
1916	2.5	2.2*	2.0E	1.6E	2.1E	3.1*	3.4	11.3	11.5	6.6	9.9	4.2	60.4 104.7
1917	4.0	2.8				2.2E	4.6*	11.5	20.5	11.1	4.5	2.8	
1918	2.6	2.2	1.6E	1.6E	1.7E	2.4*	2.8	8.4	9.2	6.0	4.5	4.7	47.7 82.7
1919	2.9	2.7					6.4*	22.2	15.6	11.3	6.2	3.3	
1920	2.3	3.2*				3.6*	3.4	17.3	19.3	7.1	4.6	3.1	
1921	3.2	3.0*			P		3.1	13.5	26.4	10.1	7.4	4.6	
1922	3.4	2.9					3.4	11.2	13.2	7.0	5.0	2.8	
1923	2.3	2.1*	1.5E	1.0*	1.1E	2.2E	3.5*	9.4	12.5	8.7	10.0	6.8	61.1 105.9
1924	5.8	3.1					15.3*	26.9	16.7	6.8	3.3	2.3	
1925	2.6	1.9*					5.6	8.1	6.6	6.5	6.1	4.5	
1926	4.1	2.3*	1.8*	1.5*	1.2*	1.8*	7.7*	14.8	13.6	6.2	3.7	2.3	61.0 105.7
1927	3.7						5.2*	8.7	8.6	7.0	7.6	7.1	
1928	6.0	3.3*					6.7*	21.4	17.5	6.1	4.2	3.1	
1929	2.7	2.7					4.3	10.5	11.3	6.6	12.2	11.5	
1930	5.2	3.6*					P	5.3	4.9	4.4	7.9	3.3	
1931	2.9						3.3*	6.5	4.5	2.4	1.9	1.8	
1932	1.9	1.5*					3.0*	16.3	10.8	7.3	5.2	2.9	
1933	2.5	2.5*					2.2	5.0	8.3	4.4	4.6	2.1	
1934	2.0	P					3.1	3.8	1.7	1.4	2.2	1.9	

R - 14 Discharge of Saguache Creek near Saguache, Colorado. (Continued.)

Drainage Area 595 Square Miles													Altitude 7,800 Feet	
Unit: 1,000 Acre-Feet													ANNUAL IN	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1935	1.4	1.4				1.7	2.3	4.9	13.2	7.3	4.8	2.6		
1936	2.5				P	1.8	3.8	6.1	4.2	3.0	4.4	2.6		
1937	2.6	2.1					P	9.3	6.6	4.0	2.7	2.3		
1938	2.4	2.1	P				6.2	14.1	16.1	6.2	2.8	3.8		
No Items	26	21	5	5	5	10	24	26	27	27	27	28		
Mean	3.22	2.49	1.58	1.42	1.50	2.51	4.79	11.74	12.25	6.89	5.60	3.70	157.69	
% Mean														
Annual	5.58	4.32	2.74	2.46	2.60	4.35	8.30	20.35	21.24	11.94	9.71	6.41	100.00	

R - 15 Discharge of North Crestone Creek, near Crestone, Colorado.

Unit: 1,000 Acre-Feet		Drainage Area 10.7 Square Miles										Altitude		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL.IN % MEAN
1936								1.4	0.9	1.5	4.3	1.0		
1937	0.6	0.5					0.9	2.9	1.9	0.6	0.4	0.5		
1938	0.3						0.8	2.2	3.4	1.0	0.3	1.4		
No Items	2	1					2	3	3	3	3	3		
Mean	0.45	0.50					0.85	2.17	2.07	1.03	1.67	0.97	19.71x	

1915 Record, Miscellaneous Discharges.

R - 15A Discharge of South Crestone Creek near Crestone, Colorado

Drainage Area 5A Square Miles													Altitude 8,300A Feet		
ANNUAL IN															
Unit: Acre-Feet	YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
	1936								186	105	286	610	276		
	1937	82	64						1	1	1	1	1		
No Items	1	1							1	1	1	1	1		
Mean	82.0	64.0							188.0	105.0	286.0	610.0	278.0	41,613.0x	
1915 Record, Miscellaneous Discharges.															

R - 15B Discharge of Willow Creek, near Crestone, Colorado

Unit: Acre-Feet		Drainage Area 4A Square Miles										Altitude 8,440A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1936								471	513	694	1,970	596		
1937	253	129												
No Items	1	1						1	1	1	1	1		
Mean	253.0	129.0						471.0	513.0	694.0	1,970.0	596.0	#4,626.0x	
1915 Record, Miscellaneous Discharges.														

R - 15C Discharge of Spanish Creek, near Crestone, Colorado

Unit: Acre-Feet		Drainage Area 6A Square Miles										Altitude 7,900A Feet		
												ANNL.IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1936								321	266	466	1,030	296		
1937	140	81												
No Items	1	1						1	1	1	1	1		
Mean	140.0	81.0						321.0	266.0	466.0	1,030.0	296.0	42,600.0x	
1915 Record, Miscellaneous Discharges.														

R - 15D Discharge of Cottonwood Creek near Crestone, Colorado

Unit: Acre-Feet		Drainage Area 7A Square Miles							Altitude 7,750A Feet		AINL.IN			
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1936								603	465	537	1,320	607		
1937	264	199												
No Items	1	1						1	1	1	1	1		
Mean	264.0	199.0						603.0	465.0	537.0	1,320.0	607.0	#3,995.0x	
1915 record, Miscellaneous Discharges.														

R - 15E Discharge of Deadman Creek, near Crestone, Colorado

Unit: Acre-Feet		Drainage Area 10A Square Miles										Altitude 8,000A Feet		
												AINL. IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1936								839	390	743	1,530	772		
1937	359	246												
No Items	1	1						1	1	1	1	1		
Mean	359.0	246.0						839.0	390.0	743.0	1,530.0	772.0	#4,879.0x	
1915 Record, Miscellaneous Discharges.														

R - 15F Discharge of Arena Creek, near Crestone, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 20A Square Miles										Altitude 8,000A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1936								2.7	1.2	1.2	3.6	1.5		
1937	0.9	0.7												
No Items	1	1						1	1	1	1	1		
Mean	0.90	0.70						2.70	1.20	1.20	3.60	1.50	#11.80x	

R - 15G Discharge of Alamosa River at Jasper, Colorado

Unit: 1,000 Acre-Feet			Drainage Area 63A Square Miles										Altitude 9,100A Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1932	P	1.5	1.5*					27.6	43.4	17.6	4.8	1.7		
1933	0.9	0.8	0.7	0.7	0.6	0.7	1.4	9.9	26.4	P				
No Items	1	2	2	1	1	1	1	2	2	1	1	1		
Mean	0.90	1.15	1.10	0.70	0.60	0.70	1.40	18.75	34.90	17.60	4.80	1.70	#84.30	
% Mean														
Annual	1.07	1.36	1.31	0.83	0.71	0.83	1.66	22.24	41.40	20.88	5.69	2.02	100.00	

R - 15H Discharge of Alamosa River, near Monte Vista, Colorado

Unit. 1,000 Acre-Feet		Drainage Area 91 Square Miles										Altitude 8,700A Feet		
												ANIL.IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1912	18.0	3.4	2.2	0.9E	1.0E	1.5	3.8	33.8						
No Items	1	1	1	1	1	1	1	1	1	1				
Mean	16.00	3.40	2.20	0.90	1.00	1.50	3.80	33.80					#64.60x	

R - 16 Discharge of Alamosa River above Terrace Reservoir, Colorado

Unit: 1,000 Acre-Feet															Drainage Area 107 Square Miles		Altitude 8,600 Feet	
YE.	R	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN			
1915								6.1*	17.6	34.9	14.5	4.9	2.5					
1916		1.9*						8.6*	32.5*	35.5	13.5	9.5	3.8					
1917		5.8	P			1.1E	1.2E	5.3*	18.8	P	28.5	7.3	2.9					
1918		1.3*	0.8E			2.1		3.4	18.8	24.3	10.2	4.0						
1919								9.3	34.1	22.9	12.4	5.6	2.0*					
1920		1.0*																
1924		3.5E	4.5E	4.2E	3.6E	2.7E	6.0E	7.8*	35.9	24.8	6.4	2.7	1.4	103.5	101.1			
1925							P	9.9	27.9	19.9	9.4	5.4	3.5					
1926		3.1	P					4.3	23.1	27.3	8.8	4.2	1.4					
1927								7.0	32.3	31.0	14.5	5.7	8.3					
1935		1.0	0.7*					3.9	12.8	56.0	20.3	7.0	2.4					
1936		1.6	1.3					13.3	30.7	12.4	3.5	6.6	3.4					
1937		2.3	2.0					9.2	39.8	25.4	7.8	2.9	2.0					
1938		1.9	P					13.2	30.9	38.9	10.2	4.0	4.5					
No Items		10	5	1	1	2	3	13	13	12	13	13	12					
Mean		2.34	1.86	4.20	3.60	1.90	3.10	7.79	27.32	29.44	12.31	5.37	3.13	102.41				
% Mean																		
Annual		2.28	1.82	4.10	3.52	1.85	3.03	7.61	26.68	28.75	12.02	5.24	3.10	100.00				

Unit: 1,000 Acre-Feet

Drainage Area 116 Square Feet

Altitude 8,400 Feet

YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1909							P	29.2	37.6	11.2				
1910	3.9	2.9	6.0	P		P	11.3	29.0	18.9	5.8	6.6	1.7		
1911	P						7.2	28.6	40.7	21.4	7.4	7.2		
1912	15.4				3.0	3.4	4.1	33.7	33.4	21.8	10.7	3.2		
1913	3.1	2.6												
1915							2.3*	15.0	39.5	17.7	5.7	3.0		
1916	2.3*					2.2	4.6	30.6	45.0	19.8	6.7	4.8		
1917	3.2	2.2	10.2		1.0E	0.5*	1.2	6.6	58.1	36.0	10.6	2.8		
1918	1.4	0.8*	P			2.1E	3.4*	18.8	24.9	9.5	P			
1919							P	26.3	26.3	12.4	5.7	2.2*		
1920	1.3*							27.1	52.8	29.1	12.0	4.7		
1921	2.5													
1922							5.2*	28.5	37.3	13.0	7.2	3.3		
1923	1.5E	1.5E	1.5E	1.5E	1.4E	1.5E	3.1	29.0	29.6	17.5	6.8	6.1	101.0	104.8
1924	2.8*	3.7*	3.8*	3.8*	3.6*	3.8*	8.2	35.7	32.1	10.4	4.8	1.4	115.1	119.5
1925	1.0	1.2	1.2E	1.3E	1.2E	1.4*	9.5	23.8	18.4	10.3	5.7	3.5	78.5	81.5
1926	2.9	2.1*					3.2*	17.6	25.8	11.3	7.9*	2.2		
1927	1.0	0.6E	0.6E	0.6E	0.6E	1.9	6.8	31.2	20.4	14.8	9.5	4.5	92.5	96.0
1928	5.7	3.4E				P	4.5	17.8	20.4	9.2	7.0	1.7		
1929	1.1	1.0	0.4E	0.4E	0.4E	0.7	7.5	24.5	30.2	15.9	10.6	7.1	98.9	102.7
1930	4.8	3.3E	3.0E	2.0E	1.8E	1.7E	8.2	17.5	19.0	5.6	9.1	2.8	79.6	82.6
1931	2.1	1.2E	1.2E	1.2E	1.1E	1.2E	2.8	11.7	13.1	3.9	2.9	4.9	47.3	49.1
1932	5.0	0.9*	0.9E	0.9E	0.9E	0.9*	11.1	25.6	33.0	21.8	14.3	4.5	119.8	124.4
1933	2.8	1.8*	1.1E	0.9E	0.8E	0.9*	1.9	14.6	29.0	11.3	6.5	1.9	73.5	76.3
1934	1.5*	0.9E	0.6E	0.6E	0.7E	1.6	12.5	11.4	2.6	1.5	1.8	1.3	37.0	38.4
1935	1.1	0.6	0.4	0.5	0.5	1.1	4.5	12.3	38.3	20.8	12.0	3.6	95.7	99.3
1936	2.3	2.2	2.2	2.1	1.9	1.9	12.4	23.7	13.6	6.8	7.0	4.6	80.7	83.8
1937	1.9	1.8	1.8*	1.8E	1.7E	1.8E	9.4	30.7	24.3	12.1	8.5	4.6	100.4	104.2
1938	1.6	1.1E	0.6E	0.2E	0.2E	0.6E	5.3	22.8	38.1	15.0	9.3	4.7	99.5	103.3
No items	24	20	16	14	16	18	24	27	27	27	25	25		
mean	3.18	1.79	2.22	1.33	1.20	1.62	6.26	23.11	29.72	14.26	7.85	3.62	96.33	
% Mean														
Annual	3.30	1.86	2.31	1.38	1.35	1.68	6.50	23.99	30.85	14.80	8.15	3.83	100.00	

R - 18 Discharge of Alamosa River near Capulin, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 138 Square Miles										Altitude 8,800A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN
1936								P	3.1	0.4	0.7	0.2		
1937	0.3	0.2												
No Items	1	1							1	1	1	1		
Mean	0.30	0.20							3.10	0.40	0.70	0.20	#11.90x	

R - 19 Discharge of Rock Creek, near Monte Vista, Colorado

Unit. 1,000 Acre-Feet		Drainage Area 33.6 Square Miles										Altitude 8,300A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN
1919							2.4*	4.4	2.6	2.0	1.0	0.4		
1920	0.4	0.5				0.4*	0.8	5.7	4.7	1.8	1.0	0.4		
1921	0.4						0.5	1.8	2.0	0.8	0.8	0.4		
1922	0.2						0.5	3.1	2.5	1.0	0.8	0.4		
1923	0.3						P	2.8	2.0	1.3	0.9	0.9		
1924	0.9	0.5					2.7*	3.8	1.8	0.7	0.3	0.2		
1935								3.2	3.3	1.0	0.8	0.4		
1936	0.2	P					P	2.2	0.8	0.5	1.2	0.5		
1937	0.4	0.4					P	3.2	1.5	0.6	0.3	0.3		
1938	0.2						P	1.8	2.5	0.9	0.4	0.6		
No Items	8	3				1	6	10	10	10	10	10		
Mean	0.38	0.47				0.40	1.45	3.34	2.37	1.06	0.75	0.45	#10.67x	

R- 19A Discharge of Rock Creek near Alamosa, Colorado

Unit: Acre-Feet		Drainage Area 180A Square Miles										Altitude 7,540A Feet			
YEAR		OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1936									P	1,280	67	1,080	734		
1937	1,270	1,000													
No Items	1	1								1	1	1	1		
mean	1,270.0	1,000.0								1,280.0	67.0	1,080.0	734.0	#5431.0x	

R - 19½ Discharge of La Jara Creek, at Gallegos Ranch, near Capulin, Colorado

Unit. 1,000 Acre-Feet										Drainage Area 73 Square Miles					Altitude 8,800A Feet				
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNL. IN				
1936								1.4	0.5	2.0	0.7	0.5							
1937	0.6	0.4					9.0	5.0	1.0	1.3	1.9	0.7							
1938	0.6	P				P	5.6	3.4	0.7	0.8	2.3	0.9							
No Items	2	1					2	3	3	3	3	3							
Mean	0.60	0.40					7.30	3.27	0.73	1.37	1.63	0.70	#16.00x						

R - 20 Discharge of La Jara Creek near Capulin, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 73 Square Miles										Altitude 8,800 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL % MEAN
1916				3.7			3.7	7.0	3.5	3.9	1.3	0.6	
1917	0.7			3.8				5.8	3.1	1.3	1.1	1.1	
1918	1.1	0.8											
1919				6.1			5.7	5.7	6.0	3.6	0.8	0.7	
1920	0.7	0.8		1.4*			10.8	10.8	3.4	3.7	3.2	1.0	
1921	1.0	0.9*		P				4.9	1.3	1.1	0.8	0.6	
1922	0.8			P				5.8	2.4	5.8	1.4	0.6	
1923				P				8.8	1.8*	5.1	2.4	1.7	
1924	1.4	1.2					4.6*	4.6*	2.6	4.8	1.7	1.0	
1925	0.9	0.7		1.0*			3.9	3.4	1.0	0.9	2.0	0.4	
1926	0.4	0.2*						4.7	4.2	2.2	0.6	0.4	
1927	0.4						3.3	4.7	1.8	1.4	0.9	0.9	
1928	0.8			P			2.4	3.3	1.1	2.9	1.0	0.7	
1929	0.5E	0.4E		4.1*				4.8	1.0	2.0	1.0	1.1	
1930	0.6									1.8	1.1	0.7	
1932							3.8	7.1	0.9	0.3	1.2	0.9	
1933	0.5					P	0.9	2.6	0.9	1.0	2.2	0.4	
1934	0.3*	0.4*				P	1.2	0.7	0.6	0.5	0.3	0.2	
1935	0.3	0.2	0.2				1.6	4.2	1.4	0.3	0.3	0.3	
1936	0.4	P											
No Items	16	9	1			1	12	17	17	18	18	18	
Mean	0.68	0.62	0.20			1.00	3.02	5.23	2.18	2.39	1.29	0.74	#17.35x

R - 20A Discharge of La Jara Creek near Sanford, Colorado

Unit: Acre-Feet										Drainage Area 235A Square Miles			Altitude 7,525A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNUAL
1936								P	1,130	305	1,320	907			
1937	1,990	2,170							1	1	1	1			
No Items	1	1							1	1	1	1			
Mean	1,990.0	2,170.0							1,180.0	305.0	1,320.0	987.0			#1,952.0x

R - 20B Discharge of La Jara Creek, at Mouth

Unit: 1,000 Acre-Feet										Drainage Area 265A Square Miles			Altitude 7,520A Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNUAL
1925	1.3*	1.9*	2.3*	1.6*	2.3*	3.4*	2.8	1.5	0.7	1.6	3.6	2.5	25.5	94.5	
1926	1.7	2.9	2.5*	1.8E	1.9*	4.3*	4.6	4.3	3.1	1.9	0.8	1.1	30.9	114.5	
1927	0.7	1.6	1.5*	2.0*	2.2*	2.8*	1.0*	1.0	2.7	2.3	3.9	4.4	26.1	96.7	
1928	5.1	3.6	3.2*	2.3*	2.4*	3.7*	2.0	3.8	1.2	0.2	0.3	0.6	28.4	105.3	
1929	0.5	1.1	1.7*	1.6*	1.3*	3.7*	3.1	4.2	2.0	2.1	4.7	2.0	30.8	114.2	
1930	2.5*	4.2E	4.0*	2.5*	3.3E	3.8	2.6	1.0	0.3	0.8	1.9	0.6	27.5	101.9	
1931	2.3*	2.1E	2.1*	1.5*	1.9*	3.1*	0.9*	0.2	0	0	0	0	14.1	52.3	
1932	1.3						2.6	5.6	4.2	3.9	1.2	1.1			
No Items	8	7	7	7	7	7	8	8	8	8	8	8			
Mean	1.90	2.42	2.47	1.90	2.19	3.54	2.45	2.70	1.78	1.60	2.05	1.91	#26.98		
% Mean															
Annual	7.04	9.23	9.15	7.04	8.12	13.12	9.08	10.01	6.60	5.93	7.60	7.08	100.00		

R - 21 Discharge of Trinchera Creek near Fort Garland, Colorado

Unit: 1,000 Acre-Feet													Drainage Area 45 Square Miles		Altitude 8,490 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ARL.IN		
1923							0.6*	2.7*	3.6*	1.5*	1.4*	1.3*				
1924	1.3	1.1						7.8	7.6	2.5	0.5	0.7				
1925	0.7*	0.5*					1.6*	2.3	1.6	1.0	0.8	0.6				
1926	0.6*						P	8.6	9.1	2.9	1.3	0.7				
1927	1.0	1.0*					1.0	3.8	3.4	1.7	1.0	0.8				
1928	1.0	0.6*	0.4E	0.3E	0.2E	0.6*	1.3	5.6	5.8	1.9	1.2	0.9	19.8	112.7		
1929	0.9	0.7*					0.9*	3.2	3.0	1.1	1.8	1.0				
1930	0.9	0.6					1.7	3.2	3.5	1.6	2.7	1.2				
1931	0.3	0.7*				0.4*	0.6	2.4	3.2	1.4	0.7	0.7				
1932	1.0	0.7*					1.9*	6.1*	4.8*	2.3*	1.2	0.3				
1933	0.7	P				P	0.7	3.0	7.6	2.4	1.0	0.6				
1934	0.6	0.5					1.4	2.4	1.4	0.8	0.7	0.5				
1935	0.5					0.5	0.8	2.7	7.7	2.4	1.2	0.3				
1936	0.3						1.3	3.5	2.3	1.1	2.0	1.0				
1937	1.1	0.6					2.2	8.8	5.6	2.2	1.0	0.8				
1938	0.7	P					1.7	6.2	7.2	2.4	1.3	1.1				
No. Years	15	10	1	1	1	3	14	16	16	16	16	16				
Mean	0.84	0.72	0.40	0.30	0.20	0.50	1.20	4.57	4.84	1.82	1.26	0.84	17.57			
% Mean																
Annual	4.73	4.10	2.28	1.71	1.14	2.34	7.28	26.01	27.55	10.36	7.17	4.78	100.00			

R - 22 Discharge of Trinchera Creek above Mountain Home Reservoir, Colorado

Unit: 1,000 Acre-Feet													Drainage Area 61 Square Miles		Altitude 8,000 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	AVG. IN % RAIN		
1923								1.4*	2.3	0.7	0.9	1.0				
1924	0.6	0.8					1.4*	6.3	3.9	1.2	0.4	0.4				
1925	0.2	0.4				P	0.3	0.9	0.7	0.6	0.6	0.3				
1926	0.1	0.3*					0.6*	6.8	10.4	2.4	0.9	0.4				
1927	0.4	0.3*					0.7	2.5	2.2	1.3	1.0	0.5				
1928	0.3	0.6					0.7	5.4	5.3	1.3	0.8	0.5				
1929	0.2	0.2					0.4	2.4	2.5	1.1	1.4	1.1				
1930	0.9	0.7					0.6	1.9	2.5	2.0	3.2	1.3				
1931	0.8	0.5*					0.6E	1.7*	2.5	1.1	0.8	0.6				
1932	0.8	0.5*				0.6*	1.7	5.3	3.8	1.5	0.8	0.6				
1933	0.6	P					0.7	3.3	7.6	2.0	0.8	0.6				
1934	0.6	0.4					0.8	1.7	1.3	0.6	0.5	0.5				
1935	0.5					P	0.4	1.6	5.6	2.0	1.2	0.7				
1936	0.9	P					1.0	2.3	1.5	0.8	1.7	0.8				
1937	1.0	0.8					1.8	7.2	6.9	1.7	0.9	0.7				
1938	0.6	P					1.7	5.2	5.7	1.4	1.1	0.8				
No. Items	15	11				1	15	16	16	16	16	16				
Mean	0.61	0.50				0.60	0.91	3.51	4.04	1.36	1.06	0.63	13.27x			

R- 23 Discharge of Trinchera Creek below Smith Reservoir, Colorado

Unit: Acre-Feet											
Drainage Area 396 Square Miles											
Altitude 7,700 Feet											
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.
1929	123*	119*					916	1,640	744	569	438
1930	61						1,920	236	663	640	274
1931	71	60	61E	61E	56E	61E	1,670	3,230	1,020	769	173
1932	61*	60*				1,640*	6,720*	7,320	726	1,090	664
1933	101	82				P	1,090	4,030	1,950	466	466
1934	61	60*	61E	61E	222	1,620	2,590	117	298	166	141
1935	61	60	61	31	28	33	175	482	1,560	319	662
1936	99	119E	123E	117E	141	556	643	584	480	275	915
1937	1,150	2,170				P	12,740	17,480	4,980	1,380	246
1938	50	9	6E	6E	6E	1,310	5,320	13,350	2,050	206	123
No Items	10	9	5	5	5	6	10	10	10	10	10
Mean	133.8	304.3	62.4	55.2	90.6	870.0	3,378.4	4,846.9	1,447.4	588.0	410.2
Annual	1.48	2.45	0.50	0.44	0.73	7.01	27.21	39.03	11.66	4.74	3.30
% Mean											
Annual 100.00											

R - 23A Discharge of Trinchera Creek, at Mouth

Unit: Acre-Feet											
Drainage Area 580A Square Miles											
Altitude 7,520A Feet											
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.
1936								173	14	10	419
1937	1,130	2,000									
No Items	1	1						1	1	1	1
Mean	1,130.0	2,000.0						173.0	14.0	10.0	419.0
% Mean											
Annual 100.00											

R - 24 Discharge of Sangre de Cristo Creek, near Ft. Garland, Colorado

Unit: 1,000 Acre-Feet				Drainage Area 137 Square Miles				Altitude 8,000 Feet						
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1916						P	2.9*	5.6*	1.5*	0.6*	0.5*	0.2*		ANL.III
1917	P													
1923							3.9*	3.5*	1.8*	0.8*	0.9*	0.9*		
1924	1.4	1.2					18.1	5.5	5.5	1.4	0.5	0.2		
1925	0.9	0.9					2.0*	1.7	0.3	0.3	0.3	0.1		
1926	0.2	0.3					4.8*	13.8	5.2	1.7	0.4	0.2		
1927	0.4						3.2	3.3	1.2	0.8	0.5	0.4		
1928	0.6						2.0	11.5	4.1	1.0	0.6	0.1		
1929	0.4	0.5*					2.3	4.9	1.6	0.5	0.7	0.5		
1930	0.7*						3.6*	2.6	1.1*	0.7*	0.5*	0.2*		
1932	0.5	0.4*					6.5*	9.4	2.6	0.9	0.5	0.1		
1933	0.6	0.4*					1.4*	6.9	4.6	1.2	0.5	0.5		
1934	0.5	0.4*					2.7	1.5	0.3	0.1	0.0T	0.0		
1935	0.0T						0.9	4.9	2.8	0.6	0.7	0.2		
1936	0.7							2.1	0.6	0.4	1.6	0.4		
1937	1.2	1.5					11.3	15.2	4.3	1.3	0.4	0.3		
1938	0.5	P					5.6	13.4	4.0	1.2	0.3	0.5		
Notations	14	8					14	16	16	16	16	16		
Mean	0.61	0.70					4.15	7.40	2.59	0.94	0.56	0.30	#17.15x	

R - 25 Discharge of Sangre de Cristo Creek, above Smith Reservoir, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 231 Square Miles					Altitude 7,950A Feet				
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANAL.IN	% MEAN				
1929								3.4	1.6	1.3	2.0	1.5							
1930	0.9						2.0*	1.1*	0.8	1.8*	0.8*	0.1							
1931	0.4	0.2*				P	2.3	4.4	1.0	0.3	0.3	0.8							
1932	1.1	0.9*				2.1*	7.0*	8.7	2.0	1.3	0.5	0.3							
1933	0.4	0.4*				P	1.2	4.4	2.7	0.4	0.4	0.6							
1934	0.2	0.5*					2.6	0.5	0.3	0.2	0.2	0.2							
1936							0.6	2.3	0.5	0.9	3.9	1.2							
No Items	5	4				1	6	7	7	7	7	7							
Mean	0.60	0.50				2.10	2.62	3.54	1.27	0.89	1.16	0.67	113.32x						

R - 25A Discharge of Ute Creek, at Upper Station, Colorado

Unit: 1,000 Acre-Feet										Drainage Area 23.3 Square Miles					Altitude 8,800A Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANIL.IN	% MEAN	
1936								P	2.4	P						
No Items										1						
Mean										2.40		142.40x				

R- 26 Discharge of Ute Creek near Ft. Garland, Colorado

Unit: 1,000 Acre-Feet												Drainage Area 32 Square Miles		Altitude 8,800 Feet	
														ANNUAL % MEAN	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY.	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	
1916							P 1.2*	3.5*	3.0*	1.9*	1.5*	0.9*			

1923							3.3*	2.3*	3.4*	1.8*	2.1*	1.6*		
1924	2.1	1.5						6.6	5.2	2.2	0.3	0.5		
1925	0.5	0.4					1.2	1.4	1.0	1.4	1.2	0.7		
1926	0.6	0.7*					2.0	4.7	4.9	1.7	0.6	0.4		
1927	0.3	0.3*					1.5	3.7	2.9	2.8	2.3	1.5		
1928	1.0	0.7					1.0	4.2	3.5	1.6	1.7	0.6		
1929	0.5	0.6					1.3	4.0	4.0	3.0	3.4	2.6		
1930	1.5	1.0					2.2	2.1	2.6	2.4	2.0	0.4		
1931	0.7	0.5*					1.4	4.1	4.6	1.6	0.6	1.5		
1932	1.1	0.8*				0.7*	4.0	6.3	4.3	4.0	1.9	0.3		
1933	0.7					P	0.8	2.1	4.1	1.4	1.7	1.2		
1934	0.6	0.5					2.0	2.4	0.7	0.5	0.5	0.7		
1935	0.4					P	0.6	1.8	6.7	2.8	1.8	0.9		
1936	0.9	P					2.4	3.4	1.9	1.9	4.0	1.4		
1937	1.2	1.0					2.4	9.6	5.6	3.2	1.1	0.8		
1938	0.5	P					2.4	5.9	6.3	2.4	0.9	1.2		
No Items	15	11				1	16	17	17	17	17	17		
Mean	0.84	0.73				0.70	1.86	4.01	3.86	2.15	1.65	1.08		16.88x

R - 26½ Discharge of Conejos River at Platoro, Colorado

Unit: 1,000 Acre-Feet													Altitude	
Drainage Area 44.4 Square Miles													ANNUAL % MEAN	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1937							8.0	38.9	35.5	10.8	1.8	0.9		
1938	1.2	0.8	P				P	23.1	45.0	11.0	2.9	3.4		
No Items	1	1					1	2	2	2	2	2		
Mean	1.20	0.80					8.00	31.00	40.25	10.90	2.35	2.15	#96.65x	
-197-														

-197-

Unit: 1,000 Acre-Feet	Drainage Area 282 Square Miles	Altitude 8,300 Feet
-----------------------	--------------------------------	---------------------

Unit: 1,000 Acre-Feet														Drainage Area 282 Square Miles		Altitude 8,300 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	INCHES	% AVEAN		
1900	22.2																
1903							P	79.4	138.0	39.7	10.6	9.3					
1904	8.5						16.8	31.3	19.0	4.7	19.4	13.9					
1905	31.7						17.4	94.7	132.5	32.5	13.1	5.2					
1906	4.4						P	82.4	P								
1907						P	28.9	52.1	109.0	93.5	26.3	12.9					
1908	6.5	4.9	4.6*			P	13.0	34.7	69.6	26.6	17.7	7.0					
1909	6.3	4.9					P	75.0	119.0	33.7	19.3	27.7					
1910	9.3	5.0	4.9	3.0E	2.8E	10.4	29.9	75.0	43.9	10.9	10.5	3.8	210.0	76.5			
1911	3.9	3.5	3.7E	3.4E	2.5E	5.0*	21.6	85.5	123.0	70.1	20.5	17.1	359.8	131.1			
1912				4.7	3.1	5.6	13.2	113.8	102.7	38.6	9.5	3.8					
1913	5.0	5.1		2.6E	2.4E	3.4E	6.9*	56.0	43.7	12.1	4.1	3.9					
1914	7.4	3.2				P	17.7	58.6	80.6	28.1	18.9	17.0					
1915	13.1	4.4	2.2E	2.3E	2.8E	3.7*	16.4	45.4	92.6	43.0	12.9	6.0	247.0	90.0			
1916	5.0	3.6*	2.5E	2.4E	3.0E	5.2E	21.7*	90.4	129.0	50.2	24.0	10.8	347.8	126.7			
1917	20.4	7.5*					19.4E	46.4*	133.0	76.2	15.4	5.4					
1918	3.1	2.6	1.9*	1.4E	1.8E	4.9*	12.9	56.4	69.3	30.1	9.9	7.1	223.4	81.4			
1919	4.1	3.4					29.5	84.2	61.9	31.4	10.8	5.8					
1920	4.4	3.8*	3.9E			5.1*	9.4	115.0	183.0	67.0	20.7	6.4					
1921	5.2	4.0*	3.2E	2.8*	3.2*	7.1	10.9	63.3	106.0	31.3	19.3	6.6	262.9	95.8			
1922	3.9	3.1	2.5*				11.4	104.0	126.0	32.5	11.3	3.6					
1923	2.9	3.7	3.4E	3.0*	2.2E	4.9*	22.0	121.0	127.0	42.2	23.4	19.7	375.4	136.8			
1924	17.5	6.2	5.3*	4.4*	3.7*	4.9E	34.0*	108.0	81.5	27.2	6.6	3.2	302.5	110.2			

R - 27 Discharge of the Conejos River near Mogote, Colorado (Continued.)

Unit: 1,000 Acre-Feet				Drainage Area 282 Square Miles								Altitude 8,300 Feet		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN
1925	3.9	3.5	3.2*	3.0*	3.0*	5.4*	29.2	71.9	54.7	20.7	14.9	8.5	221.9	80.9
1926	11.2	6.8	3.9*	3.8*	3.1*	4.4*	18.9*	76.9	92.8	27.1	9.2	2.7	260.8	95.0
1927	3.8	3.0*	3.0*	2.7*	1.9*	3.9*	24.2	95.9	99.4	43.5	16.6	28.8	326.7	119.0
1928	14.6	8.4	4.4*	3.4*	2.4*	4.0*	13.7	67.6	61.9	15.6	8.6	5.0	209.6	76.4
1929	3.5	3.0*	3.0E	2.8E	2.7*	5.5*	23.3	101.0	97.0	30.6	32.8	27.1	332.3	121.0
1930	10.1	4.5	2.5*	2.2*	2.8	3.4*	33.3	54.0	63.7	20.5	14.0	3.4	214.4	76.1
1931	3.8	1.8*	2.2*	1.8*	1.8*	3.1*	11.7*	38.1	40.8	9.6	9.2	12.7	136.6	49.8
1932	13.2	4.3*	4.3*	3.2*	3.1*	5.1*	30.1	108.0	118.0	54.6	18.6	6.5	369.0	134.5
1933	4.4	2.9*	2.6*	2.8*	2.2*	4.4*	9.7	44.4	93.4	27.2	11.3	8.3	213.6	77.8
1934	7.1	3.9	2.5*	2.2*	2.5*	5.4*	30.5	36.1	7.0	4.3	4.0	4.4	109.9	40.0
1935	5.3	2.6	1.9	1.9	2.4	4.3	15.1	45.3	135.4	56.8	17.9	6.6	295.5	107.7
1936	5.8	3.6	2.4	2.1	2.5	3.9	47.6	87.9	34.3	8.8	13.3	9.9	222.1	80.9
1937	9.4	7.5	4.1	3.2	2.7	5.0	39.1	126.2	84.1	27.4	7.4	4.6	320.7	116.9
1938	5.4	3.5	2.2*	2.7*	2.9E	4.9	40.3	65.0	117.9	27.6	10.1	11.7	314.2	114.5
Notations	33	30	25	24	24	26	33	36	35	35	35	35		
Mean	7.94	4.27	3.21	2.65	2.65	5.56	21.93	75.36	92.17	34.16	14.63	9.67	#274.42	
% Mean														
Annual	2.89	1.55	1.17	1.04	0.97	2.03	8.00	27.46	33.59	12.45	5.33	3.52	100.00	

R - 28 Discharge of the Conejos River near Mouth, Colorado

Unit: 1,000 Acre-Feet Drainage Area 887 Square Miles Altitude 7,496 Feet

YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNL. IN % MEAN
1921						P	3.5	40.9	72.0	3.7	6.5	4.2		
1922	3.1	3.6	3.7*			5.4*	6.4	110.9	98.8	7.7	0.9	1.6		
1923	1.6	2.2	3.6*	3.7E	4.4	3.7	7.7	109.0	101.0	8.9	11.7	14.0	271.5	145.7
1924	16.1	9.5	6.0	6.5	7.6	8.2	70.2	162.0	35.5	1.5	1.0	1.2	325.3	174.6
1925	2.9	3.6	3.9	3.8	5.4	5.7	13.9	27.2	6.4	0.7	6.3	3.4	83.2	44.7
1926	7.3	6.6	4.6	4.6	5.0	5.8	19.2	84.2	53.3	3.7	1.2	1.4	196.9	105.7
1927	1.4	2.0	3.1	3.6	3.8	3.4	6.4	84.8	74.4	21.0	2.9	25.3	232.1	124.6
1928	14.6	6.4	5.0	5.0	5.4	6.0	6.0	52.3	26.6	0.2	0.3	0.7	128.5	69.0
1929	1.1	2.6	3.4	3.3	4.5	5.1	6.6	94.7	45.7	1.4	18.8	18.2	205.6	110.4
1930	2.5	6.2	4.8	3.8	4.7	5.0	33.3	28.5	27.1	2.9	4.2	1.1	124.1	66.6
1931	2.0	3.3	3.6	3.5	5.3	6.8	4.0	3.6	0.4	0.1	0.3	1.4	34.3	18.4
1932	2.7	2.7*	3.4*	3.6*	6.7*	8.6	11.8	123.0	101.0	38.9	0.7	2.0	305.1	163.8
1933	3.6	4.2	3.8*	3.9*	4.2*	4.8*	1.2	24.8	59.8	1.6	0.5	1.6	113.0	60.7
1934	2.5	3.0	4.0	4.6	4.3	3.4	1.2	0.8	0.1	0.1	0.0	0.5	24.5	13.2
1935	1.1	1.8	2.8	3.0	2.7	2.3	0.8	42.8	110.1	26.4	1.7	2.3	197.8	106.2
1936	3.3	3.7	4.0	4.0	4.6	3.8	54.3	65.2	4.9	0.2	2.8	2.4	153.2	82.2
1937	5.4	7.1	5.4	4.6	6.2	8.0	68.6	146.6	51.0	10.5	0.5	0.8	316.7	170.0
1938	2.3	2.8	3.5	3.6	3.8	4.7	44.5	81.3	68.1	6.5	0.3	2.3	223.7	120.1
Not Items	17	17	17	16	16	17	18	18	18	18	18	18		
Mean	4.32	4.19	4.04	4.07	4.91	5.34	19.99	71.32	51.96	7.56	3.37	5.24	186.31	
% Mean														
Annual	2.32	2.25	2.17	2.18	2.63	2.87	10.75	36.28	27.89	4.06	1.81	2.81	100.00	

R - 29 Discharge of San Antonio River near Ortiz, Colorado

Unit. Acre-Feet		Drainage Area 110 Square Miles										Altitude 8,200 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL % MEAN
1915				0	26	215	4540	4960	1540	510	565	298	
1916	295												
1919							11900E	10600	1140	1740	299	551	
1920	360					1790*	12400	34000*	5000	646	842*	446*	
1921	452*												
1925	135*	218*				P	5130*	2130*	619*	176*	254*	76*	
1926	99	93					8150	14400	940	191	183	61	
1927	89	155*					7740	14000	1710	613	244	666	
1928	448					P	4220	8240	619	299	413	174	
1929	133	238*					10000*	12500	827	615	676	76	
1930	390						P	6580	601	701	494	60	
1931	157							5000	59	42	56	12	
1932							1610*	18800	1930	390	250	141	
1933	296*	P					3570*	9900*	2670	445	63	79	
1934	172	119*					2020	252	24	6	111	89	
1935	61						4790	13280	1950	307	305	184	
1936	180	71				P	15180	4010	306	394	941	182	
1937	467	875					26180	16550	1290	169	329	209	
1938	260	P					12360	10440	981	158	148	282	
No. Items	16	7		1	1	2	15	17	17	17	17	17	
Mean	249.6	252.7		0.0	26.0	1002.5	8652.7	10920.1	1306.2	435.4	563.2	210.9	#23419.3x

R-30 - Discharge of San Antonio River at Mouth, Colorado

Unit: Acre-Feet														Drainage Area 348 Square Miles				Altitude 7,700 Feet			
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN							
1923							6130	45900	19500	941	1280	3690									
1924	3700	2080	1540*	1350*	2300*	3370	42300	73800	9520	579	32	0	140571	186.8							
1925	52	327					12500	15600	3180	593	1810	720									
1926	2280	1260	738*	738*	1110*	1970*	16600	46200	16800	1330	170	12	89208	118.5							
1927	144	333*	246*	307*	389*	369*	6960	52200	26200	5390	422	4530	97490	129.5							
1928	2290	1940	1540*	1410*	1150*	1480*	5470	30100	8570	323	208	28	54509	72.4							
1929	55	119E	61*	31*	167*	474*	7380	47400	10900	1860	4060	3370	75877	100.8							
1930	1900	1490	984*	553*	1940*	1350*	24000	22900	9880	1360	1510	79	67946	90.3							
1931	343	298*	61*	61*	555*	1480*	3290	7560	1230	143	20	0	15041	20.0							
1932	14*	60*	615*	615*	1440*	2150*	10900	62700*	30000	8670	188	76	117428	156.0							
1933	363	547	246*	184E	222*	922*	1170	23700	18800	563	63	34	46814	62.2							
1934	46*	179*	184*	246E	333*	307*	2260	2080	156	0	41	0	5332	7.7							
1935	0	0	6	12	56	63	2580	36530	33270	4090	631	355	77593	103.1							
1936	512	357E	278E	184E	575E	952*	30870	24050	2170	43	880	161	61032	81.1							
1937	1120	1840	793	835*	1060*	2030	45470	70460	14890	1940	5	0	140443	186.6							
1938	3	14	14	31E	217	223	26120	49270	16870	1470	130	89	94451	125.5							
No. Items	15	15	14	14	14	14	16	16	16	16	16	16									
Mean	854.8	722.9	521.9	468.4	822.4	1224.3	15250.0	38153.1	13871.0	1830.9	715.6	821.5	#75256.8								
% Mean																					
Annual	1.14	0.96	0.69	0.62	1.09	1.63	20.26	50.70	18.43	2.44	0.95	1.09	100.00								

R-31 - Discharge of Los Pinos Creek near Ortiz, Colorado

Unit: 1,000 Acre-Feet														Drainage Area 167 Square Miles														Altitude 8,100 Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN	ANNUAL	% MEAN													
1915				0.8E	0.9E	1.5E	14.0*	30.5	28.6	6.3	2.7	1.2																	
1916	1.1	1.2*					15.2*	58.2	37.4*	9.2*	5.3	1.8																	
1917	6.5	P						32.5*	45.7	12.1*	2.0	1.2																	
1918	0.8	0.8*				1.5*	9.1	34.4	19.3	5.1	1.4	1.1																	
1919	1.0	1.2					21.5*	53.1	17.0	7.8	4.6	1.9																	
1920	1.3	1.1				2.0*	8.4	76.2	45.8	9.5	2.7	0.8																	
1921	0.8	0.9*																											
1925	1.5	1.2					20.8	26.4	9.5	3.1	4.4	1.8																	
1926	3.3	1.8*					16.0*	46.1	22.4	4.3	1.7	0.9																	
1927	1.0	1.1*					12.0	56.9	26.4	7.0*	2.6	6.0																	
1928	3.7	2.1E	1.1E	0.9E	0.7E	1.8*	9.3	38.6	13.2	2.8	1.5	1.0	76.7	75.2															
1929	0.9	1.0*					15.9	48.4	17.0	4.7	6.9	5.2																	
1930	3.2	2.3				2.4	28.0	38.6	16.8	3.1*	3.0*	1.2*																	
1931	1.4					P	6.1	17.6	7.3	2.3	1.1	1.4																	
1932	2.2	0.9*				4.3*	18.4	67.0	38.0	13.1	2.6	1.2																	
1933	1.5						6.0	30.8	26.3	5.1	2.0	1.8																	
1934	1.6	1.3					14.8	7.0	1.6	0.8	0.9	1.1																	
1935	0.9	0.8				P	9.7	40.3	42.3	8.0	3.4	1.7																	
1936	1.4	P				P	36.3	32.4	8.4	2.3	2.9	2.0																	
1937	3.3	3.0					34.7	77.5	20.5	4.9	1.4	1.0																	
1938	1.3	P					29.5	47.0	23.1	4.9	1.6	2.1																	
No. Items	20	15	1	2	2	6	19	20	20	20	20	20																	
Mean	1.94	1.38	1.10	0.85	0.80	2.25	17.14	42.98	23.33	5.82	2.64	1.82	#102.05																
% Mean																													
Annual	1.90	1.35	1.08	0.83	0.78	2.21	16.80	42.12	22.86	5.70	2.59	1.78	100.00																

R-31A - Discharge of Culebra River near Chama, New Mexico

Unit: 1,000 Acre-Feet		Drainage Area 284 Square Miles										Altitude 3,400A Feet		
ANNUAL IN														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1924							4.8*	13.7	12.7	4.3	1.8	1.2		
1925	1.0	0.8					3.0	4.7	2.9	2.9	4.1	2.7		
1926	1.8	1.6					P	13.7	15.4	6.7	2.9	0.9		
NOV. 1926	2	2					2	2	3	3	3	3		
Mean	1.46	1.20					3.20	10.74	10.33	4.53	2.93	1.60	7.36	69%

R-32 - Discharge of Culebra River near San Luis, Colorado

Drainage Area 220 Square Miles													Altitude 8,000 Feet	
Unit: 1,000 Acre-Feet														
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	ANNUAL % MEAN
1909								8.7	11.5	7.6	7.9	8.5		
1910	5.0	3.0	1.8	2.5*	2.1*	5.3*	8.1*	13.6*	6.0*	1.7*	2.5*	2.1*	53.7	113.3
1911	2.3*	2.1*	1.8	2.3	1.9	2.4	2.3	4.7	3.5	4.6	3.6	2.0	33.5	70.7
1912	4.4	2.5	3.0	2.6	2.7	2.3	2.7	10.0	11.6	9.6	4.0	2.3	58.7	121.8
1913	2.7	2.4	2.5	2.2	2.0	2.5	2.4	8.6	10.0	9.1	4.2	1.3	49.9	105.3
1914	2.5	2.4	1.8	1.7	1.6	2.2	1.7	4.2	15.8	8.8	4.6	2.5	49.8	105.1
1915	2.9	2.9	2.6	2.5	2.3	2.3	2.6	8.9	19.9	14.2	5.0	2.4	68.5	144.6
1916	2.5	2.6	2.6	2.4	2.5*	3.4*	3.3*	10.6*	18.4*	7.5*	5.1*	2.8*	63.7	134.4
1917	2.6*	2.2*	2.2*	2.2*	2.0*	2.4*	2.1*	3.5*	20.4*	15.8*	7.5*	2.2*	65.1	137.4
1918	2.3*	2.2*	2.1*	2.1*	1.9*	2.2*	1.9*	9.0*	7.1*	11.3*	5.6*	3.4*	51.1	107.9

R-32 - Discharge of Culebra River near San Luis, Colorado (Continued)

Drainage Area 220 Square Miles										Altitude 8,000 Feet			
Unit: 1,000 Acre-Feet													
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL % MEAN
1919	3.0*	2.0E	2.1E				2.1*	4.5*	18.8*	11.1*	7.9*	P	
1927							1.2	6.6	8.9	8.1	4.0*	2.4	
1928	1.8	1.4E	1.4E	1.4E	1.3E	1.3	1.2	4.8	15.5	9.1	4.2	1.0	44.4 93.7
1929	1.4	1.3*	1.2E	1.1E	1.1E	1.2*	0.7	2.1	12.1	5.6	3.4	1.6	32.8 69.2
1930	1.8	2.1	1.5*	1.2E	1.1*	1.3	1.2	3.4	11.3	6.0	5.5	2.7	44.1 93.1
1931	1.8	1.6*	1.5E	1.5E	1.4E	1.5E	1.5E	3.6*	11.7	6.2	3.0	1.5	36.8 77.7
1932	1.6	1.5*	1.5E	1.5E	1.4E	1.4*	1.4	2.4	8.4	7.6	5.5	2.2	36.4 76.8
1933	1.8	1.7	1.7	1.4E	1.1E	1.2E	1.1	3.1	10.8	9.4	6.2	2.4	41.9 88.4
1934	1.7	1.7	1.5	1.5	1.2	1.1	1.1	6.8	6.2	5.8	2.8	1.2	32.6 68.8
1935	1.4	1.1	1.2E	1.2E	0.8E	0.9E	0.6	1.6	9.1	7.5	6.4	1.8	33.6 70.9
1936	2.0	2.0	1.7	1.6	1.2	1.6	1.4	4.4	11.4	5.8	3.0	1.8	37.9 80.0
1937	1.4	1.8	1.4	1.5E	1.4*	1.6	1.7	7.3	9.0	11.4	6.9	1.9	47.3 99.8
1938	1.9	1.6	1.6	1.6	1.4	1.7	1.7	3.0	13.6	12.5	7.0	2.1	49.7 104.9
No. Items	21	21	21	20	20	20	22	23	23	23	23	22	
Mean	2.32	2.00	1.84	1.80	1.62	1.99	2.00	6.10	11.78	8.53	5.03	2.37	47.38
% Mean													
Annual	4.90	4.22	3.88	3.80	3.42	4.20	4.22	12.88	24.86	18.00	10.62	5.00	100.00

R-32A - Discharge of Culebra River at Mouth, Colorado

Drainage Area 450A Square Miles												Altitude 7,510A Feet		
Unit: Acre-Feet												ANNUAL IN		
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1936														
1937	0	0	0					0	0	10	96	0		
No. Items	1	1	1					1	1	1	1	1		
Mean	0.0	0.0	0.0					0.0	0.0	10.0	96.0	0.0	#106.0x	

R-32B - Discharge of San Francisco Creek near San Luis, Colorado

Unit: Acre-Feet		Drainage Area 13A Square Miles										Altitude 9,400A Feet			
												ANNUAL IN			
YEAR		OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1916					184E	161E	243*	552*	1870*	P					
No. Items		1	1	1	1	1	1	1	1						
Mean		184.0	161.0	243.0	552.0	1870.0								#3006.0x	

R-32C - Discharge of Costilla Creek at Mouth near Jarosa, Colorado

Unit: 1,000 Acre-Feet		Drainage Area 75A Square Miles										Altitude 7,510A Feet			
YEAR		OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN
1912								P	11.4	10.2	P				
1913									0	0	0	0	0		
1936									0	0	0	0	0		
1937	0														
No. Items	1								3	3	2	2	2		
Mean	0								3.80	3.40	0	0	0	#7.20x	

R-33A - Discharge of Chama River near Chama, New Mexico

Unit: 1,000 Acre-Feet													Drainage Area 800A Square Miles		Altitude 6,600A Feet	
YEAR	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ANNUAL	% MEAN		
1913	1.8	1.5	0.9	0.8E	0.6E	1.1	13.9	25.5	12.4	3.0	1.6	1.4	64.5	54.9		
1914	2.1	1.6	1.2	0.7	0.9	3.8	18.7	47.7	23.0	6.7	3.9	4.0	114.3	97.3		
1915	7.0	3.2	1.8	1.5*	1.2*	2.8*	22.6	38.2	35.8	10.9	3.4	2.0	130.4	111.0		
1916	1.7	P				P	29.2	62.1	34.3	11.5	5.5	3.2				
1917	9.6	P					P	P	F							
No. Items	5	3	3	3	3	3	4	4	4	4	4	4				
Mean	4.44	2.10	1.30	1.00	0.90	2.57	21.10	42.38	26.38	8.02	3.50	2.55	# 117.44			
% Mean																
Annual	3.78	1.79	1.11	0.85	0.77	2.19	17.97	36.94	22.46	6.83	3.06	2.25	100.00			
Note May 26th 1914 Station moved 2 miles down stream; intervening tributaries unimportant.																
Discharges from USGS publications.																

Miscellaneous Discharges in Second-Feet

R-15 - North Crestone Creek at Crestone.

1915: April 13th, 2.8; 17th, 5.0; 18th, 5.0; 20th, 4.4; 21st, 5.5; 22nd, 6.7; 23rd, 6.7; 24th, 6.7; 29th, 14.0; 30th, 27.0 - May 1st, 17.0; 2nd, 14.0; 4th, 8.0; 12th, 23.0; 14th, 52.0; 22nd, 22.0; 29th, 10.0 - June 5th, 28.0; 12th, 101.0 - July 6th, 66.0; 13th, 29.0; 27th, 211.0; 31st, 25.0 - Aug. 7th, 16.0; 14th, 12.4 - Sept. 6th, 2.1; 7th, 2.2; 23rd, 4.5 - Oct. 2nd, 3.3; 5th, 2.7; 9th, 2.8; 11th, 2.8; 15th, 2.8; 16th, 2.7; 18th, 2.8; 23rd, 3.6; 25th, 3.3; 26th, 2.9; 28th, 3.1; 30th, 3.3 - Nov. 5th, 2.9; 8th, 3.2.

R-15A South Crestone Creek near Crestone.

1915: June 26th, 18.0; 30th, 16.0 - July 3rd, 10.0; 6th, 13.0; 7th, 13.0; 13th, 11.0; 14th, 10.0; 16th, 11.0; 17th, 10.0; 20th, 8.5; 22nd, 8.7; 24th, 9.4; 27th, 114.0; 29th, 30.0; 30th, 16.0; 31st, 7.9 - Aug. 2nd, 5.9; 3rd, 6.1; 4th, 5.2; 5th, 4.3; 6th, 4.2; 7th, 4.1; 10th, 6.0; 11th, 6.0; 12th, 5.8; 13th, 6.0; 14th, 5.5; 16th, 4.5; 17th, 4.5; 18th, 4.8; 19th, 4.8; 21st, 4.8; 27th, 2.3 - Sept. 3rd, 1.9; 7th, 2.1; 10th, 1.8; 11th, 1.6; 13th, 1.6; 14th, 1.6; 15th, 1.5; 17th, 1.5; 18th, 1.4; 20th, 1.4; 22nd, 1.3; 23rd, 1.3; 24th, 1.3; 29th, 1.5 - Oct. 3rd, 1.3; 5th, 1.2; 7th, 1.1; 9th, 1.2; 12th, 1.1; 13th, 1.2; 14th, 0.9; 16th, 0.9; 18th, 1.2; 20th, 0.9; 21st, 0.3; 22nd, 0.8; 25th, 0.8; 26th, 0.8; 28th, 0.7; 29th, 0.7 - Nov. 1st, 0.6; 4th, 0.6; 6th, 0.6; 8th, 0.6; 10th, 0.6.

Miscellaneous Discharges in Second-Feet

R-15B Willow Creek near Crestone.

1915: May 22nd, 2.7 - June 26th, 43.0 - July 1st, 26.0; 3rd, 27.0; 6th, 37.0; 7th, 28.0; 13th, 28.0; 14th, 25.0; 16th, 30.0; 17th, 25.0; 20th, 29.0; 22nd, 23.0; 24th, 27.0; 27th, 154.0; 29th, 45.0; 30th, 30.0; 31st, 25.0 - Aug. 2nd, 16.0; 3rd, 20.0; 4th, 16.0; 5th, 13.0; 6th, 12.0; 7th, 20.0; 10th, 19.0; 11th, 18.0; 12th, 17.0; 13th, 20.0; 14th, 14.0; 16th, 17.0; 17th, 15.0; 18th, 16.0; 19th, 17.0; 21st, 15.0; 23rd, 15.0; 24th, 14.0; 27th, 8.5; 28th, 4.3 - Sept. 1st, 4.3; 2nd, 4.4; 4th, 5.2; 7th, 4.5; 9th, 3.0; 10th, 3.3; 11th, 3.2; 13th, 3.1; 14th, 2.9; 15th, 2.8; 16th, 2.8; 17th, 2.7; 18th, 2.7; 20th, 2.7; 21st, 2.7; 22nd, 2.7; 23rd, 2.7; 24th, 2.7; 25th, 2.5; 27th, 3.1; 28th, 3.1 - Oct. 1st, 3.0; 3rd, 2.6; 5th, 2.5; 7th, 2.2; 9th, 2.3; 12th, 2.1; 13th, 2.1; 14th, 1.9; 16th, 1.8; 18th, 1.8; 20th, 1.8; 22nd, 1.8; 25th, 1.6; 26th, 1.5; 28th, 1.5 - Nov. 1st, 1.3; 4th, 1.2; 6th, 1.2; 8th, 1.3; 10th, 1.3.

R-15C - Spanish Creek near Crestone.

1915: June 18th, 17.0; 25th, 26.0 - July 6th, 16.0; 13th, 7.4; 20th, 10.0; 27th, 53.0 - Aug. 2nd, 3.4; 11th, 3.8, 17th, 3.2; 24th, 2.5 - Sept. 1st, 0.6; 3rd, 0.8; 4th, 0.7; 6th, 0.8; 7th, 0.9; 10th, 0.6; 14th, 0.6; 15th, 0.5; 21st, 0.3; 22nd, 0.2 - Oct. 6th, 0.6; 13th, 0.5; 27th, 0.2; 30th, 0.2 - Nov. 3rd, 0.0.

R-15D Cottonwood Creek near Crestone.

1915: May 11th, 2.5; 15th, 12.4; 22nd, 7.4; 24th, 9.2; 29th, 9.1 - June 4th, 14.0; 5th, 10.0; 18th, 47.0; 26th, 66.0 - July 3rd, 31.0; 17th, 26.0; 24th, 9.9; 29th, 36.0; 30th, 31.0; 31st, 33.0 - Aug. 2nd, 24.0; 3rd, 8.0; 4th, 9.4; 5th, 7.4; 6th, 7.3; 7th, 6.0; 10th, 6.7; 11th, 7.2; 12th, 6.2; 13th, 6.5; 14th, 6.0; 17th, 6.0; 18th, 5.0; 19th, 4.0; 21st, 3.6; 24th, 3.2; 30th, 0.0.

R-15E Deadman Creek near Crestone.

1915: June 25th, 92.0 - July 16th, 22.0; 23rd, 19.0; 30th, 19.0 - Aug. 4th, 15.0; 11th, 12.0; 13th, 12.0; 18th, 10.0; 20th, 8.5; 27th, 8.4 - Sept. 8th, 3.2; 9th, 3.5; 10th, 2.3; 15th, 3.5; 22nd, 2.5 - Oct. 6th, 3.0; 13th, 2.7; 21st, 2.5; 27th, 2.0 - Nov. 3rd, 2.0.