

Arapahoe CMHC: Estimated Population, Community Capacity, and Alternative Ratings for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Children aged 11 and younger who			
a) Have co-occurring medical problems		5	3
b) Have a traumatic brain injury or organic brain disorder		5	3
c) Have a co-occurring developmental disability		2	3
d) Have co-occurring substance abuse		5	3
e) Are girls and have a recent violent history		3	3
f) Are boys and have a recent violent history		5	3
g) Have involvement with the criminal justice system		5	3
h) Have other problem behaviors (e.g., fire setting, running away)		4	3
i) Have a history of sexual offenses or misconduct		4	3
j) Speak primarily Spanish		5	3
k) Do not speak English nor Spanish		1	3
Summary of Age Group		4.0	3.0
Adolescents aged 12-17 who			
a) Have co-occurring medical problems		5	3
b) With a traumatic brain injury or organic brain disorder		5	3
c) Have a co-occurring developmental disability		2	3
d) Have co-occurring substance abuse		5	3
e) Are female and have a recent violent history		2	3
f) Are male and have a recent violent history		5	3
g) Have involvement with the criminal justice system		5	3
h) Have other problem behaviors (e.g., fire setting, running away)		2	3
i) Have a history of sexual offenses or misconduct		4	3
j) Speak primarily Spanish		5	3
k) Do not speak English nor Spanish		2	3
Summary of Age Group		3.8	3.0

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

Arapahoe CMHC: Estimated Population, Community Capacity, and Alternative Ratings for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Adults aged 18 to 59 who			
a) Have co-occurring medical problems		3	3
b) With a traumatic brain injury or organic brain disorder		3	3
c) Have a co-occurring developmental disability		2	3
d) Have co-occurring substance abuse		5	3
e) Are female and have a recent violent history		2	3
f) Are male and have a recent violent history		2	3
g) Have involvement with the criminal justice system		5	3
h) Have other problem behaviors (e.g., fire setting, running away)		4	3
i) Have a history of sexual offenses or misconduct		2	3
j) Speak primarily Spanish		5	3
k) Do not speak English nor Spanish		2	3
Summary of Age Group	0	3.2	3.0
Older Adults aged 60 and over who			
a) Have co-occurring medical problems		2	2
b) With a traumatic brain injury or organic brain disorder		2	2
c) Have a co-occurring developmental disability		2	2
d) Have co-occurring substance abuse		2	2
e) Are female and have a recent violent history		2	2
f) Are male and have a recent violent history		2	2
g) Have involvement with the criminal justice system		2	2
h) Have other problem behaviors (e.g., fire setting, running away)		2	2
i) Have a history of sexual offenses or misconduct		2	2
j) Speak primarily Spanish		2	2
k) Do not speak English nor Spanish		2	2
Summary of Age Group		2.0	2.0
Summary of CMHC for all categories	Not reported	3.3	2.8

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

Aurora CMHC: Estimated Population, Community Capacity, and Alternative Ratings for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Children aged 11 and younger who			
a) Have co-occurring medical problems	3	5	4
b) Have a traumatic brain injury or organic brain disorder	na	na	na
c) Have a co-occurring developmental disability	5	3	3
d) Have co-occurring substance abuse	4	3	2
e) Are girls and have a recent violent history	2	3	3
f) Are boys and have a recent violent history	8	3	3
g) Have involvement with the criminal justice system	0	3	3
h) Have other problem behaviors (e.g., fire setting, running away)	10	3	3
i) Have a history of sexual offenses or misconduct	4	3	3
j) Speak primarily Spanish	0	1	1
k) Do not speak English nor Spanish	0	1	1
Summary of Age Group	36	2.8	2.6
Adolescents aged 12-17 who			
a) Have co-occurring medical problems	7	5	4
b) With a traumatic brain injury or organic brain disorder			
c) Have a co-occurring developmental disability	10	3	3
d) Have co-occurring substance abuse	16	3	2
e) Are female and have a recent violent history	8	3	3
f) Are male and have a recent violent history	22	3	3
g) Have involvement with the criminal justice system	40	3	3
h) Have other problem behaviors (e.g., fire setting, running away)	40	3	3
i) Have a history of sexual offenses or misconduct	16	3	3
j) Speak primarily Spanish	0	1	1
k) Do not speak English nor Spanish	0	1	1
Summary of Age Group	159	2.8	2.6

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

Aurora CMHC: Estimated Population, Community Capacity, and Alternative Ratings for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Adults aged 18 to 59 who			
a) Have co-occurring medical problems		3	3
b) With a traumatic brain injury or organic brain disorder		2	2
c) Have a co-occurring developmental disability	156	2	3
d) Have co-occurring substance abuse	36	3	3
e) Are female and have a recent violent history	6	2	3
f) Are male and have a recent violent history	3	2	3
g) Have involvement with the criminal justice system		2	3
h) Have other problem behaviors (e.g., fire setting, running away)	1	2	3
i) Have a history of sexual offenses or misconduct	1	2	4
j) Speak primarily Spanish	1	2	4
k) Do not speak English nor Spanish	1	2	na
Summary of Age Group	205	2.2	3.1
Older Adults aged 60 and over who			
a) Have co-occurring medical problems	3	4	3
b) With a traumatic brain injury or organic brain disorder	0	2	2
c) Have a co-occurring developmental disability	1	2	2
d) Have co-occurring substance abuse	1	2	3
e) Are female and have a recent violent history	1	2	3
f) Are male and have a recent violent history	0	2	3
g) Have involvement with the criminal justice system	0	2	3
h) Have other problem behaviors (e.g., fire setting, running away)	0	2	3
i) Have a history of sexual offenses or misconduct	0	2	3
j) Speak primarily Spanish	0	2	3
k) Do not speak English nor Spanish	0	2	3
Summary of Age Group	6	2.2	2.8
Summary of CMHC for all categories	406	2.5	2.8

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

Boulder CMHC: Estimated Population, Community Capacity, and Alternative Ratings for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Children aged 11 and younger who			
a) Have co-occurring medical problems	1	1	na
b) Have a traumatic brain injury or organic brain disorder	0	1	na
c) Have a co-occurring developmental disability	0	1	na
d) Have co-occurring substance abuse	0	2	2
e) Are girls and have a recent violent history	2	2	2
f) Are boys and have a recent violent history	3	2	2
g) Have involvement with the criminal justice system	1	5	3
h) Have other problem behaviors (e.g., fire setting, running away)	14	4	3
i) Have a history of sexual offenses or misconduct	1	2	2
j) Speak primarily Spanish	0	3	4
k) Do not speak English nor Spanish	0	2	3
Summary of Age Group	22	2.3	2.6
Adolescents aged 12-17 who			
a) Have co-occurring medical problems	2	1	na
b) With a traumatic brain injury or organic brain disorder	2	1	na
c) Have a co-occurring developmental disability	1	1	na
d) Have co-occurring substance abuse	13	2	2
e) Are female and have a recent violent history	4	2	2
f) Are male and have a recent violent history	10	2	2
g) Have involvement with the criminal justice system	15	5	3
h) Have other problem behaviors (e.g., fire setting, running away)	33	4	3
i) Have a history of sexual offenses or misconduct	5	2	2
j) Speak primarily Spanish	2	3	4
k) Do not speak English nor Spanish	0	2	3
Summary of Age Group	87	2.3	2.6

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

Boulder CMHC: Estimated Population, Community Capacity, and Alternative Ratings for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Adults aged 18 to 59 who			
a) Have co-occurring medical problems	25	4	4
b) With a traumatic brain injury or organic brain disorder	25	4	4
c) Have a co-occurring developmental disability	25	4	4
d) Have co-occurring substance abuse	75	3	2
e) Are female and have a recent violent history	50	4	4
f) Are male and have a recent violent history	50	4	4
g) Have involvement with the criminal justice system	25	4	4
h) Have other problem behaviors (e.g., fire setting, running away)	25	4	4
i) Have a history of sexual offenses or misconduct	25	3	2
j) Speak primarily Spanish	25	4	4
k) Do not speak English nor Spanish	25	3	4
Summary of Age Group	375	3.7	3.6
Older Adults aged 60 and over who			
a) Have co-occurring medical problems	50	4	4
b) With a traumatic brain injury or organic brain disorder	25	4	4
c) Have a co-occurring developmental disability	25	4	4
d) Have co-occurring substance abuse	75	3	2
e) Are female and have a recent violent history	25	4	4
f) Are male and have a recent violent history	25	4	4
g) Have involvement with the criminal justice system	25	4	4
h) Have other problem behaviors (e.g., fire setting, running away)	25	4	4
i) Have a history of sexual offenses or misconduct	25	3	2
j) Speak primarily Spanish	25	4	4
k) Do not speak English nor Spanish	25	3	4
Summary of Age Group	350	3.7	3.6
Summary of CMHC for all categories	834	3	3.1

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

Centennial CMHC: Estimated Population, Community Capacity, and Alternative Ratings for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Children aged 11 and younger who	Centennial did not provide numerical estimates and reported that their community capacity was zero percent.		
a) Have co-occurring medical problems			
b) Have a traumatic brain injury or organic brain disorder			
c) Have a co-occurring developmental disability			
d) Have co-occurring substance abuse			
e) Are girls and have a recent violent history			
f) Are boys and have a recent violent history			
g) Have involvement with the criminal justice system			
h) Have other problem behaviors (e.g., fire setting, running away)			
i) Have a history of sexual offenses or misconduct			
j) Speak primarily Spanish			
k) Do not speak English nor Spanish			
Summary of Age Group	0	0.0	0.0
Adolescents aged 12-17 who			
a) Have co-occurring medical problems			
b) With a traumatic brain injury or organic brain disorder			
c) Have a co-occurring developmental disability			
d) Have co-occurring substance abuse			
e) Are female and have a recent violent history			
f) Are male and have a recent violent history			
g) Have involvement with the criminal justice system			
h) Have other problem behaviors (e.g., fire setting, running away)			
i) Have a history of sexual offenses or misconduct			
j) Speak primarily Spanish			
k) Do not speak English nor Spanish			
Summary of Age Group	0	0.0	0.0

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

Centennial CMHC: Estimated Population, Community Capacity, and Alternative Ratings for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Adults aged 18 to 59 who			
a) Have co-occurring medical problems			
b) With a traumatic brain injury or organic brain disorder			
c) Have a co-occurring developmental disability			
d) Have co-occurring substance abuse			
e) Are female and have a recent violent history			
f) Are male and have a recent violent history			
g) Have involvement with the criminal justice system			
h) Have other problem behaviors (e.g., fire setting, running away)			
i) Have a history of sexual offenses or misconduct			
j) Speak primarily Spanish			
k) Do not speak English nor Spanish			
Summary of Age Group	0	0.0	0.0
Older Adults aged 60 and over who			
a) Have co-occurring medical problems			
b) With a traumatic brain injury or organic brain disorder			
c) Have a co-occurring developmental disability			
d) Have co-occurring substance abuse			
e) Are female and have a recent violent history			
f) Are male and have a recent violent history			
g) Have involvement with the criminal justice system			
h) Have other problem behaviors (e.g., fire setting, running away)			
i) Have a history of sexual offenses or misconduct			
j) Speak primarily Spanish			
k) Do not speak English nor Spanish			
Summary of Age Group	0	0.0	0.0
Summary of CMHC for all categories	0	0	0.0

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

Jefferson CMHC: Estimated Population, Community Capacity, and Alternative Ratings for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Children aged 11 and younger who			
a) Have co-occurring medical problems	8	3	4
b) Have a traumatic brain injury or organic brain disorder	0	na	na
c) Have a co-occurring developmental disability	3	3	3
d) Have co-occurring substance abuse	3	3	2
e) Are girls and have a recent violent history	11	3	2
f) Are boys and have a recent violent history	24	3	2
g) Have involvement with the criminal justice system	10	4	4
h) Have other problem behaviors (e.g., fire setting, running away)	20	4	3
i) Have a history of sexual offenses or misconduct	2	4	2
j) Speak primarily Spanish	1	3	4
k) Do not speak English nor Spanish	0	na	na
Summary Of Age Group	82	3.3	2.9
Adolescents aged 12-17 who			
a) Have co-occurring medical problems	20	3	4
b) With a traumatic brain injury or organic brain disorder	0	na	na
c) Have a co-occurring developmental disability	6	3	3
d) Have co-occurring substance abuse	53	3	2
e) Are female and have a recent violent history	28	3	2
f) Are male and have a recent violent history	73	3	2
g) Have involvement with the criminal justice system	135	4	4
h) Have other problem behaviors (e.g., fire setting, running away)	38	4	3
i) Have a history of sexual offenses or misconduct	14	3	2
j) Speak primarily Spanish	0	na	na
k) Do not speak English nor Spanish	1	3	4
Summary Of Age Group	368	3.2	2.9

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

Jefferson CMHC: Estimated Population, Community Capacity, and Alternative Ratings for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Adults aged 18 to 59 who			
a) Have co-occurring medical problems	93	3	4
b) With a traumatic brain injury or organic brain disorder	8	5	2
c) Have a co-occurring developmental disability	33	2	3
d) Have co-occurring substance abuse	185	3	2
e) Are female and have a recent violent history	35	3	2
f) Are male and have a recent violent history	73	3	2
g) Have involvement with the criminal justice system	154	3	4
h) Have other problem behaviors (e.g., fire setting, running away)	5	4	2
i) Have a history of sexual offenses or misconduct	16	4	2
j) Speak primarily Spanish	2	3	4
k) Do not speak English nor Spanish	3	4	4
Summary Of Age Group	607	3.4	2.8
Older Adults aged 60 and over who			
a) Have co-occurring medical problems	14	3	4
b) With a traumatic brain injury or organic brain disorder	7	5	2
c) Have a co-occurring developmental disability	0	na	na
d) Have co-occurring substance abuse	3	3	2
e) Are female and have a recent violent history	2	3	2
f) Are male and have a recent violent history	1	3	2
g) Have involvement with the criminal justice system	1	3	4
h) Have other problem behaviors (e.g., fire setting, running away)	0	na	na
i) Have a history of sexual offenses or misconduct	1	4	2
j) Speak primarily Spanish	0	na	na
k) Do not speak English nor Spanish	0	na	na
Summary Of Age Group	29	3.4	2.6
Summary of CMHC for all categories	1086	3.3	2.8

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

Larimer CMHC: Estimated Population, Community Capacity, and Alternative Ratings for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Children aged 11 and younger who			
a) Have co-occurring medical problems			
b) Have a traumatic brain injury or organic brain disorder			
c) Have a co-occurring developmental disability	8	2	2
d) Have co-occurring substance abuse			
e) Are girls and have a recent violent history			
f) Are boys and have a recent violent history			
g) Have involvement with the criminal justice system			
h) Have other problem behaviors (e.g., fire setting, running away)	6	2	2
i) Have a history of sexual offenses or misconduct			
j) Speak primarily Spanish			
k) Do not speak English nor Spanish			
Summary Of Age Group	14	2.0	2.0
Adolescents aged 12-17 who			
a) Have co-occurring medical problems			
b) With a traumatic brain injury or organic brain disorder			
c) Have a co-occurring developmental disability	12	2	2
d) Have co-occurring substance abuse			
e) Are female and have a recent violent history			
f) Are male and have a recent violent history			
g) Have involvement with the criminal justice system			
h) Have other problem behaviors (e.g., fire setting, running away)			
i) Have a history of sexual offenses or misconduct	5	2	2
j) Speak primarily Spanish			
k) Do not speak English nor Spanish			
Summary Of Age Group	17	2.0	2.0

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

Larimer CMHC: Estimated Population, Community Capacity, and Alternative Ratings for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Adults aged 18 to 59 who			
a) Have co-occurring medical problems			
b) With a traumatic brain injury or organic brain disorder			
c) Have a co-occurring developmental disability	8	3	2.5
d) Have co-occurring substance abuse			
e) Are female and have a recent violent history			
f) Are male and have a recent violent history			
g) Have involvement with the criminal justice system			
h) Have other problem behaviors (e.g., fire setting, running away)			
i) Have a history of sexual offenses or misconduct			
j) Speak primarily Spanish			
k) Do not speak English nor Spanish			
Summary Of Age Group	8	3.0	2.5
Older Adults aged 60 and over who			
a) Have co-occurring medical problems			
b) With a traumatic brain injury or organic brain disorder			
c) Have a co-occurring developmental disability			
d) Have co-occurring substance abuse			
e) Are female and have a recent violent history			
f) Are male and have a recent violent history			
g) Have involvement with the criminal justice system			
h) Have other problem behaviors (e.g., fire setting, running away)			
i) Have a history of sexual offenses or misconduct			
j) Speak primarily Spanish			
k) Do not speak English nor Spanish			
Summary Of Age Group	0	0.0	0.0
Summary of CMHC for all categories	39	1.8	1.6

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

MHCD: Estimated Population, Community Capacity, and Alternative Ratings for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Children aged 11 and younger who			
a) Have co-occurring medical problems	25	4	3
b) Have a traumatic brain injury or organic brain disorder	na	na	na
c) Have a co-occurring developmental disability	8	2	2
d) Have co-occurring substance abuse	5	5	3
e) Are girls and have a recent violent history	48	5	3
f) Are boys and have a recent violent history	54	5	3
g) Have involvement with the criminal justice system	10	5	2
h) Have other problem behaviors (e.g., fire setting, running away)	66	3	2
i) Have a history of sexual offenses or misconduct	15	2	2
j) Speak primarily Spanish	25	3	3
k) Do not speak English nor Spanish	3	2	3
Summary Of Age Group	260	3.6	2.6
Adolescents aged 12-17 who			
a) Have co-occurring medical problems	12	4	3
b) With a traumatic brain injury or organic brain disorder	na	na	na
c) Have a co-occurring developmental disability	6	2	2
d) Have co-occurring substance abuse	32	3	2
e) Are female and have a recent violent history	8	5	3
f) Are male and have a recent violent history	24	5	2
g) Have involvement with the criminal justice system	14	4	2
h) Have other problem behaviors (e.g., fire setting, running away)	43	3	2
i) Have a history of sexual offenses or misconduct	6	3	3
j) Speak primarily Spanish	14	3	3
k) Do not speak English nor Spanish	2	2	3
Summary Of Age Group	160	3.4	2.5

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

MHCD: Estimated Population, Community Capacity, and Alternative Ratings for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Adults aged 18 to 59 who			
a) Have co-occurring medical problems	150	3	3
b) With a traumatic brain injury or organic brain disorder	25	1	5
c) Have a co-occurring developmental disability	25	2	2
d) Have co-occurring substance abuse	300	2	3
e) Are female and have a recent violent history	13	3	3
f) Are male and have a recent violent history	25	2	2
g) Have involvement with the criminal justice system	200	3	3
h) Have other problem behaviors (e.g., fire setting, running away)	35	1	1
i) Have a history of sexual offenses or misconduct	25	1	na
j) Speak primarily Spanish	10	1	na
k) Do not speak English nor Spanish	5	1	na
Summary Of Age Group	813	1.8	2.8
Older Adults aged 60 and over who			
a) Have co-occurring medical problems	40	3	3
b) With a traumatic brain injury or organic brain disorder	0	1	na
c) Have a co-occurring developmental disability	2	2	2
d) Have co-occurring substance abuse	2	3	2
e) Are female and have a recent violent history	0		
f) Are male and have a recent violent history	0		
g) Have involvement with the criminal justice system	0		
h) Have other problem behaviors (e.g., fire setting, running away)	1	1	5
i) Have a history of sexual offenses or misconduct	1	2	1
j) Speak primarily Spanish	0	2	2
k) Do not speak English nor Spanish	1	2	2
Summary Of Age Group	47	2.0	2.4
Summary of CMHC for all categories	1279.5	2.7	2.6

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

Midwestern CMHC: Estimated Population, Community Capacity, and Alternative Rating for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Children aged 11 and younger who			
a) Have co-occurring medical problems		1	na
b) Have a traumatic brain injury or organic brain disorder		1	na
c) Have a co-occurring developmental disability		1	na
d) Have co-occurring substance abuse		1	na
e) Are girls and have a recent violent history		2	2
f) Are boys and have a recent violent history		2	2
g) Have involvement with the criminal justice system		3	3
h) Have other problem behaviors (e.g., fire setting, running away)		1	na
i) Have a history of sexual offenses or misconduct		1	na
j) Speak primarily Spanish		2	2
k) Do not speak English nor Spanish		na	na
Summary Of Age Group	0	1.5	2.3
Adolescents aged 12-17 who			
a) Have co-occurring medical problems		1	na
b) With a traumatic brain injury or organic brain disorder		1	na
c) Have a co-occurring developmental disability		1	na
d) Have co-occurring substance abuse		3	3
e) Are female and have a recent violent history		1	na
f) Are male and have a recent violent history		1	na
g) Have involvement with the criminal justice system		3	3
h) Have other problem behaviors (e.g., fire setting, running away)		2	2
i) Have a history of sexual offenses or misconduct		2	1
j) Speak primarily Spanish		2	2
k) Do not speak English nor Spanish		na	na
Summary Of Age Group	0	1.7	2.2

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

Midwestern CMHC: Estimated Population, Community Capacity, and Alternative Rating for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Adults aged 18 to 59 who			
a) Have co-occurring medical problems		4	2
b) With a traumatic brain injury or organic brain disorder		4	2
c) Have a co-occurring developmental disability		2	2
d) Have co-occurring substance abuse		4	3
e) Are female and have a recent violent history		2	2
f) Are male and have a recent violent history		2	2
g) Have involvement with the criminal justice system		4	3
h) Have other problem behaviors (e.g., fire setting, running away)		na	na
i) Have a history of sexual offenses or misconduct		1	na
j) Speak primarily Spanish		2	1
k) Do not speak English nor Spanish		1	na
Summary Of Age Group	0	2.6	2.1
Older Adults aged 60 and over who			
a) Have co-occurring medical problems		4	2
b) With a traumatic brain injury or organic brain disorder		4	2
c) Have a co-occurring developmental disability		3	2
d) Have co-occurring substance abuse		4	
e) Are female and have a recent violent history		2	1
f) Are male and have a recent violent history		2	1
g) Have involvement with the criminal justice system		3	2
h) Have other problem behaviors (e.g., fire setting, running away)		3	2
i) Have a history of sexual offenses or misconduct		1	na
j) Speak primarily Spanish		2	2
k) Do not speak English nor Spanish		1	na
Summary Of Age Group	0	2.6	1.8
Summary of CMHC for all categories	0	2.1	2.1

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

North Range CMHC: Estimated Population, Community Capacity, and Alternative Rating for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Children aged 11 and younger who			
a) Have co-occurring medical problems			
b) Have a traumatic brain injury or organic brain disorder			
c) Have a co-occurring developmental disability	9	1	na
d) Have co-occurring substance abuse			
e) Are girls and have a recent violent history			
f) Are boys and have a recent violent history			
g) Have involvement with the criminal justice system			
h) Have other problem behaviors (e.g., fire setting, running away)	10	1	na
i) Have a history of sexual offenses or misconduct	1	1	na
j) Speak primarily Spanish			
k) Do not speak English nor Spanish			
Summary Of Age Group	20	1.0	0.0
Adolescents aged 12-17 who			
a) Have co-occurring medical problems			
b) With a traumatic brain injury or organic brain disorder			
c) Have a co-occurring developmental disability	8	1	na
d) Have co-occurring substance abuse			
e) Are female and have a recent violent history			
f) Are male and have a recent violent history			
g) Have involvement with the criminal justice system	2	2	2
h) Have other problem behaviors (e.g., fire setting, running away)			
i) Have a history of sexual offenses or misconduct	3.5	1	na
j) Speak primarily Spanish			
k) Do not speak English nor Spanish			
Summary Of Age Group	13.5	1.3	2.0

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

North Range CMHC: Estimated Population, Community Capacity, and Alternative Rating for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Adults aged 18 to 59 who			
a) Have co-occurring medical problems			
b) With a traumatic brain injury or organic brain disorder	4	2	2
c) Have a co-occurring developmental disability	4.5	3	2
d) Have co-occurring substance abuse	4	3	2
e) Are female and have a recent violent history			
f) Are male and have a recent violent history			
g) Have involvement with the criminal justice system			
h) Have other problem behaviors (e.g., fire setting, running away)			
i) Have a history of sexual offenses or misconduct			
j) Speak primarily Spanish	1	5	2
k) Do not speak English nor Spanish			
Summary Of Age Group	13.5	3.3	2.0
Older Adults aged 60 and over who			
a) Have co-occurring medical problems			
b) With a traumatic brain injury or organic brain disorder	3	2	2
c) Have a co-occurring developmental disability			
d) Have co-occurring substance abuse			
e) Are female and have a recent violent history			
f) Are male and have a recent violent history	1	1	na
g) Have involvement with the criminal justice system			
h) Have other problem behaviors (e.g., fire setting, running away)	1	1	na
i) Have a history of sexual offenses or misconduct	1	1	na
j) Speak primarily Spanish			
k) Do not speak English nor Spanish			
Summary Of Age Group	6	1.3	2.0
Summary of CMHC for all categories	53	1.7	1.5

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

Pikes Peak CMHC: Estimated Population, Community Capacity, and Alternative Rating for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Children aged 11 and younger who			
a) Have co-occurring medical problems	14	5	3
b) Have a traumatic brain injury or organic brain disorder	1	5	3
c) Have a co-occurring developmental disability	1	3	2
d) Have co-occurring substance abuse	0	NA	NA
e) Are girls and have a recent violent history	1	5	3
f) Are boys and have a recent violent history	2	5	3
g) Have involvement with the criminal justice system	0	na	NA
h) Have other problem behaviors (e.g., fire setting, running away)	1	5	3
i) Have a history of sexual offenses or misconduct	1	3	3
j) Speak primarily Spanish	0	1	1
k) Do not speak English nor Spanish	0	na	na
Summary Of Age Group	21	4.0	2.6
Adolescents aged 12-17 who			
a) Have co-occurring medical problems	10	5	3
b) With a traumatic brain injury or organic brain disorder	0	5	3
c) Have a co-occurring developmental disability	1	3	2
d) Have co-occurring substance abuse	1	5	2
e) Are female and have a recent violent history	0	5	3
f) Are male and have a recent violent history	0	5	3
g) Have involvement with the criminal justice system	5	5	2
h) Have other problem behaviors (e.g., fire setting, running away)	2	5	2
i) Have a history of sexual offenses or misconduct	1	2	2
j) Speak primarily Spanish	0	1	1
k) Do not speak English nor Spanish	0	na	na
Summary Of Age Group	20	4.1	2.3

*Capacity Ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

Pikes Peak CMHC: Estimated Population, Community Capacity, and Alternative Rating for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Adults aged 18 to 59 who			
a) Have co-occurring medical problems	10	5	3
b) With a traumatic brain injury or organic brain disorder	5	5	2
c) Have a co-occurring developmental disability	3	3	2
d) Have co-occurring substance abuse	5	5	2
e) Are female and have a recent violent history	2	5	2
f) Are male and have a recent violent history	3	5	2
g) Have involvement with the criminal justice system	3	5	2
h) Have other problem behaviors (e.g., fire setting, running away)	5	5	2
i) Have a history of sexual offenses or misconduct	2	2	2
j) Speak primarily Spanish	3	1	1
k) Do not speak English nor Spanish	0	na	na
Summary Of Age Group	41	4.1	2.0
Older Adults aged 60 and over who			
a) Have co-occurring medical problems	10	5	3
b) With a traumatic brain injury or organic brain disorder	6	2	2
c) Have a co-occurring developmental disability	1	2	2
d) Have co-occurring substance abuse	2	5	2
e) Are female and have a recent violent history	0	5	2
f) Are male and have a recent violent history	5	5	2
g) Have involvement with the criminal justice system	0	5	2
h) Have other problem behaviors (e.g., fire setting, running away)	0	5	3
i) Have a history of sexual offenses or misconduct	2	1	2
j) Speak primarily Spanish	1	1	2
k) Do not speak English nor Spanish	1	1	1
Summary Of Age Group	28	3.4	2.1
Summary of CMHC for all categories	110	3.9	2.3

*Capacity Ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

San Luis CMHC: Estimated Population, Community Capacity, and Alternative Rating for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Children aged 11 and younger who			
a) Have co-occurring medical problems	0	na	na
b) Have a traumatic brain injury or organic brain disorder	0	na	na
c) Have a co-occurring developmental disability	0	na	na
d) Have co-occurring substance abuse	0	na	na
e) Are girls and have a recent violent history	0	na	na
f) Are boys and have a recent violent history	0	na	na
g) Have involvement with the criminal justice system	0	na	na
h) Have other problem behaviors (e.g., fire setting, running away)	0	na	na
i) Have a history of sexual offenses or misconduct	0	na	na
j) Speak primarily Spanish	0	na	na
k) Do not speak English nor Spanish	0	na	na
Summary Of Age Group	0		
Adolescents aged 12-17 who			
a) Have co-occurring medical problems	0	na	na
b) With a traumatic brain injury or organic brain disorder	0	na	na
c) Have a co-occurring developmental disability	0	na	na
d) Have co-occurring substance abuse	0	na	na
e) Are female and have a recent violent history	0	na	na
f) Are male and have a recent violent history	0	na	na
g) Have involvement with the criminal justice system	0	na	na
h) Have other problem behaviors (e.g., fire setting, running away)	0	na	na
i) Have a history of sexual offenses or misconduct	0	na	na
j) Speak primarily Spanish	0	na	na
k) Do not speak English nor Spanish	0	na	na
Summary Of Age Group	0		

*Capacity Ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

San Luis CMHC: Estimated Population, Community Capacity, and Alternative Rating for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Adults aged 18 to 59 who			
a) Have co-occurring medical problems	0	na	na
b) With a traumatic brain injury or organic brain disorder	0	na	na
c) Have a co-occurring developmental disability	1	na	na
d) Have co-occurring substance abuse	0	na	na
e) Are female and have a recent violent history	1	na	na
f) Are male and have a recent violent history	0	na	na
g) Have involvement with the criminal justice system	3	na	na
h) Have other problem behaviors (e.g., fire setting, running away)	0	na	na
i) Have a history of sexual offenses or misconduct	0	na	na
j) Speak primarily Spanish	0	na	na
k) Do not speak English nor Spanish	0	na	na
Summary Of Age Group	5		
Older Adults aged 60 and over who			
a) Have co-occurring medical problems	1	na	na
b) With a traumatic brain injury or organic brain disorder	0	na	na
c) Have a co-occurring developmental disability	1	na	na
d) Have co-occurring substance abuse	1	na	na
e) Are female and have a recent violent history	0	na	na
f) Are male and have a recent violent history	0	na	na
g) Have involvement with the criminal justice system	0	na	na
h) Have other problem behaviors (e.g., fire setting, running away)	0	na	na
i) Have a history of sexual offenses or misconduct	0	na	na
j) Speak primarily Spanish	0	na	na
k) Do not speak English nor Spanish	0	na	na
Summary Of Age Group	3		
Summary of CMHC for all categories	8		

*Capacity Ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

Spanish Peaks CMHC: Estimated Population, Community Capacity, and Alternative Rating for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Children aged 11 and younger who			
a) Have co-occurring medical problems	2	2	2
b) Have a traumatic brain injury or organic brain disorder	3	2	2
c) Have a co-occurring developmental disability	10	3	3
d) Have co-occurring substance abuse	10	1	na
e) Are girls and have a recent violent history	5	1	na
f) Are boys and have a recent violent history	5	1	na
g) Have involvement with the criminal justice system	0	1	na
h) Have other problem behaviors (e.g., fire setting, running away)	10	1	na
i) Have a history of sexual offenses or misconduct	3	1	na
j) Speak primarily Spanish	0	1	na
k) Do not speak English nor Spanish	0	1	na
Summary Of Age Group	48	1.4	2.3
Adolescents aged 12-17 who			
a) Have co-occurring medical problems	1	5	2
b) With a traumatic brain injury or organic brain disorder	2	5	2
c) Have a co-occurring developmental disability	5	5	2
d) Have co-occurring substance abuse	5	2	2
e) Are female and have a recent violent history	3	3	2
f) Are male and have a recent violent history	7	3	2
g) Have involvement with the criminal justice system	10	3	2
h) Have other problem behaviors (e.g., fire setting, running away)	25	2	2
i) Have a history of sexual offenses or misconduct	5	1	na
j) Speak primarily Spanish	0	na	na
k) Do not speak English nor Spanish	0	na	na
Summary Of Age Group	63	3.2	2.0

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

Spanish Peaks CMHC: Estimated Population, Community Capacity, and Alternative Rating for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Adults aged 18 to 59 who			
a) Have co-occurring medical problems	10	1	
b) With a traumatic brain injury or organic brain disorder	5	1	
c) Have a co-occurring developmental disability	5	1	
d) Have co-occurring substance abuse	40	10	
e) Are female and have a recent violent history	2	1	
f) Are male and have a recent violent history	7	1	
g) Have involvement with the criminal justice system	10	1	
h) Have other problem behaviors (e.g., fire setting, running away)	2	1	
i) Have a history of sexual offenses or misconduct	4	2	
j) Speak primarily Spanish	1	3	
k) Do not speak English nor Spanish	0	1	
Summary Of Age Group	86	2.1	0.0
Older Adults aged 60 and over who			
a) Have co-occurring medical problems	20	2	
b) With a traumatic brain injury or organic brain disorder	na		
c) Have a co-occurring developmental disability	2	1	
d) Have co-occurring substance abuse	3	2	
e) Are female and have a recent violent history	4	1	
f) Are male and have a recent violent history	6	1	
g) Have involvement with the criminal justice system	0	na	
h) Have other problem behaviors (e.g., fire setting, running away)	2	1	
i) Have a history of sexual offenses or misconduct			
j) Speak primarily Spanish	2	2	
k) Do not speak English nor Spanish	na		
Summary Of Age Group	39	1.4	0.0
Summary of CMHC for all categories	236	2.0	1.1

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

Southeastern CMHC: Estimated Population, Community Capacity, and Alternative Rating for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Children aged 11 and younger who	Southeastern reported that they had no consumers fitting these categories.		
a) Have co-occurring medical problems			
b) Have a traumatic brain injury or organic brain disorder			
c) Have a co-occurring developmental disability			
d) Have co-occurring substance abuse			
e) Are girls and have a recent violent history			
f) Are boys and have a recent violent history			
g) Have involvement with the criminal justice system			
h) Have other problem behaviors (e.g., fire setting, running away)			
i) Have a history of sexual offenses or misconduct			
j) Speak primarily Spanish			
k) Do not speak English nor Spanish			
Summary of Age Group			
Adolescents aged 12-17 who			
a) Have co-occurring medical problems			
b) With a traumatic brain injury or organic brain disorder			
c) Have a co-occurring developmental disability			
d) Have co-occurring substance abuse			
e) Are female and have a recent violent history			
f) Are male and have a recent violent history			
g) Have involvement with the criminal justice system			
h) Have other problem behaviors (e.g., fire setting, running away)			
i) Have a history of sexual offenses or misconduct			
j) Speak primarily Spanish			
k) Do not speak English nor Spanish			
Summary of Age Group	0	0.0	0.0

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

Southeastern CMHC: Estimated Population, Community Capacity, and Alternative Rating for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Adults aged 18 to 59 who			
a) Have co-occurring medical problems			
b) With a traumatic brain injury or organic brain disorder			
c) Have a co-occurring developmental disability			
d) Have co-occurring substance abuse			
e) Are female and have a recent violent history			
f) Are male and have a recent violent history			
g) Have involvement with the criminal justice system			
h) Have other problem behaviors (e.g., fire setting, running away)			
i) Have a history of sexual offenses or misconduct			
j) Speak primarily Spanish			
k) Do not speak English nor Spanish			
Summary of Age Group	0	0.0	0.0
Older Adults aged 60 and over who			
a) Have co-occurring medical problems			
b) With a traumatic brain injury or organic brain disorder			
c) Have a co-occurring developmental disability			
d) Have co-occurring substance abuse			
e) Are female and have a recent violent history			
f) Are male and have a recent violent history			
g) Have involvement with the criminal justice system			
h) Have other problem behaviors (e.g., fire setting, running away)			
i) Have a history of sexual offenses or misconduct			
j) Speak primarily Spanish			
k) Do not speak English nor Spanish			
Summary of Age Group	0	0.0	0.0
Summary of CMHC for all categories	0	0.0	0.0

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

Southwest CMHC: Estimated Population, Community Capacity, and Alternative Rating for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Children aged 11 and younger who			
a) Have co-occurring medical problems	0	1	na
b) Have a traumatic brain injury or organic brain disorder	2	1	na
c) Have a co-occurring developmental disability	3	1	na
d) Have co-occurring substance abuse	0	1	na
e) Are girls and have a recent violent history	0	1	na
f) Are boys and have a recent violent history	2	1	na
g) Have involvement with the criminal justice system	1	1	na
h) Have other problem behaviors (e.g., fire setting, running away)	2	1	na
i) Have a history of sexual offenses or misconduct	0	1	na
j) Speak primarily Spanish	0	1	na
k) Do not speak English nor Spanish	0	1	na
Summary of Age Group	10	1.0	0.0
Adolescents aged 12-17 who			
a) Have co-occurring medical problems	1	1	na
b) With a traumatic brain injury or organic brain disorder	0	1	na
c) Have a co-occurring developmental disability	0	2	1
d) Have co-occurring substance abuse	12	2	1
e) Are female and have a recent violent history	6	2	1
f) Are male and have a recent violent history	6	1	na
g) Have involvement with the criminal justice system	6	1	na
h) Have other problem behaviors (e.g., fire setting, running away)	8	3	na
i) Have a history of sexual offenses or misconduct	2	1	na
j) Speak primarily Spanish	0	1	na
k) Do not speak English nor Spanish	0	1	na
Summary of Age Group	41	1.5	1.0

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

Southwest CMHC: Estimated Population, Community Capacity, and Alternative Rating for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Adults aged 18 to 59 who			
a) Have co-occurring medical problems	25	1	2
b) With a traumatic brain injury or organic brain disorder	6	1	na
c) Have a co-occurring developmental disability	9	1	na
d) Have co-occurring substance abuse	28	1	na
e) Are female and have a recent violent history	8	1	na
f) Are male and have a recent violent history	8	1	na
g) Have involvement with the criminal justice system	22	1	na
h) Have other problem behaviors (e.g., fire setting, running away)	12	1	na
i) Have a history of sexual offenses or misconduct	2	1	na
j) Speak primarily Spanish	0	1	na
k) Do not speak English nor Spanish	1	1	na
Summary of Age Group	121	1.0	2.0
Older Adults aged 60 and over who			
a) Have co-occurring medical problems	6	1	
b) With a traumatic brain injury or organic brain disorder	5	1	na
c) Have a co-occurring developmental disability	0	1	2
d) Have co-occurring substance abuse	3	2	na
e) Are female and have a recent violent history	0	3	na
f) Are male and have a recent violent history	1	1	na
g) Have involvement with the criminal justice system	1	1	2
h) Have other problem behaviors (e.g., fire setting, running away)	1	3	na
i) Have a history of sexual offenses or misconduct	0	1	2
j) Speak primarily Spanish	0	2	2
k) Do not speak English nor Spanish	0	3	2
Summary of Age Group	17	1.7	2.0
Summary of CMHC for all categories	189	1.3	1.3

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

West Central CMHC: Estimated Population, Community Capacity, and Alternative Rating for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Children aged 11 and younger who			
a) Have co-occurring medical problems			
b) Have a traumatic brain injury or organic brain disorder	1	5	1
c) Have a co-occurring developmental disability	1	5	2
d) Have co-occurring substance abuse			
e) Are girls and have a recent violent history			
f) Are boys and have a recent violent history			
g) Have involvement with the criminal justice system			
h) Have other problem behaviors (e.g., fire setting, running away)	4	3	2
i) Have a history of sexual offenses or misconduct			
j) Speak primarily Spanish			
k) Do not speak English nor Spanish			
Summary of Age Group	6	4.3	1.7
Adolescents aged 12-17 who			
a) Have co-occurring medical problems			
b) With a traumatic brain injury or organic brain disorder	1	4	2
c) Have a co-occurring developmental disability			
d) Have co-occurring substance abuse			
e) Are female and have a recent violent history			
f) Are male and have a recent violent history			
g) Have involvement with the criminal justice system	5	3	2
h) Have other problem behaviors (e.g., fire setting, running away)			
i) Have a history of sexual offenses or misconduct	1	1	1
j) Speak primarily Spanish			
k) Do not speak English nor Spanish			
Summary of Age Group	7	2.7	1.7

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.

West Central CMHC: Estimated Population, Community Capacity, and Alternative Rating for Harder-to-Serve Consumers

Categories of Consumers with Special Needs	Number of Consumers Needing Hospital or Alternative	Community Capacity Rating*	Effectiveness Rating on a 1 (not effective) to 4 (very effective) scale
Adults aged 18 to 59 who			
a) Have co-occurring medical problems	1	5	3
b) With a traumatic brain injury or organic brain disorder	2	4	3
c) Have a co-occurring developmental disability	3	4	3
d) Have co-occurring substance abuse			
e) Are female and have a recent violent history			
f) Are male and have a recent violent history	1	4	1
g) Have involvement with the criminal justice system			
h) Have other problem behaviors (e.g., fire setting, running away)			
i) Have a history of sexual offenses or misconduct			
j) Speak primarily Spanish			
k) Do not speak English nor Spanish			
Summary of Age Group	7	4.3	2.5
Older Adults aged 60 and over who			
a) Have co-occurring medical problems			
b) With a traumatic brain injury or organic brain disorder	2	5	2
c) Have a co-occurring developmental disability	4	3	2
d) Have co-occurring substance abuse			
e) Are female and have a recent violent history			
f) Are male and have a recent violent history			
g) Have involvement with the criminal justice system			
h) Have other problem behaviors (e.g., fire setting, running away)			
i) Have a history of sexual offenses or misconduct			
j) Speak primarily Spanish			
k) Do not speak English nor Spanish			
Summary of Age Group	6	4.0	2.0
Summary of CMHC for all categories	26	3.8	2.0

*Capacity ratings: 1=0%, 2=less than 25%, 3=26-50%, 4=51-75%, 5=75-100% of need.