

VII. LITERATURE CITED

This section contains all literature cited in the RCP, including literature cited in all appendices.

- Aldridge, C. L., and R. M. Brigham. 2002. Sage-grouse nesting and brood habitat use in southern Canada. *Journal of Wildlife Management* 66:433-444.
- Akaike, H. 1973. Information theory as an extension of the maximum likelihood principle. Pages 267-281 in B. N. Petrov and F. Csaki, editors. Second International Symposium on Information Theory. Akademiai Kiado, Budapest, Hungary.
- Akaike, H. 1978. A Bayesian analysis of the minimum AIC procedure. *Annals of the Institute of Statistical Mathematics* 30:9-14.
- Allen, S. H. 1983. Comparison of red fox litter sizes determined from counts of embryos and placental scars. *Journal of Wildlife Management* 47:860-863.
- Allendorf, F. W. 1983. Isolation, gene flow, and genetic differentiation among populations. Pages 51-65 in C. M. Schonewald-Cox, S. M. Chambers, B. MacBryde, and W. L. Thomas, editors. Genetics and conservation: a reference for managing wild animals and plant populations. Benjamin/Cummings, Menlo Park, California, USA.
- Anderson, D. R. 2001. The need to get the basics right in wildlife field studies. *Wildlife Society Bulletin* 29:1294-1297.
- Andren, H. 1992. Corvid density and nest predation in relation to forest fragmentation: a landscape perspective. *Ecology* 73:794-804.
- Angelstam, P., E. Lindström, and P. Widén. 1984. Role of predation in short-term population fluctuations of some birds and mammals in Fennoscandia. *Oecologia* 62:199-208.
- Apa, A. D. 1998. Habitat use and movement of sympatric sage and Columbian sharp-tailed grouse in southeastern Idaho. Dissertation, University of Idaho, Moscow, Idaho, USA.
- Apa, A.D. 2004. Habitat use, movements, and survival of Gunnison sage-grouse in southwestern Colorado. Unpublished report to the Colorado Division of Wildlife, Colorado, USA.
- Applegate, R .D. 2000. Use and misuse of prairie chicken lek surveys. *Wildlife Society Bulletin* 28:457-459.
- Applegate, R. D. 2001. History of the sage grouse in Kansas. *North American Birds* 55(2):241.

- Autenrieth, R. E. 1981. Sage grouse management in Idaho. Idaho Department of Fish and Game, Wildlife Bulletin 9, Boise, Idaho, USA.
- Autenrieth, R. E., W. Molini, and C. E. Braun. 1982. Sage grouse management practices. Western States Sage Grouse Committee, Technical Bulletin 1, Twin Falls, Idaho, USA.
- Avise, J. C. 1994. Molecular markers, natural history and evolution. Chapman and Hall, New York, New York, USA.
- Back, G. N., M. R. Barrington, and J. K. McAdoo. 1987. Sage grouse use of snow burrows in northeastern Nevada. Wilson Bulletin 99:488-490.
- Ball, I. J. 1996. Managing habitat to enhance avian recruitment. Transactions of the North American Wildlife and Natural Resources Conference 61:109-117.
- Ballou, J. D. 1983. Calculating inbreeding coefficients from pedigrees. Pages 509-520 in C. M. Schonewald-Cox, S. M. Chambers, B. MacBryde, and W. L. Thomas, editors. Genetics and conservation: a reference for managing wild animal and plant populations. Benjamin/Cummings, Menlo Park, California, USA.
- Balser, D. S., H. H. Dill, and H. K. Nelson. 1968. Effect of predator reduction on waterfowl nesting success. Journal of Wildlife Management 32:669-682.
- Barber, H. A. 1991. Strutting behavior, distribution and habitat selection of sage grouse in Utah. Thesis, Brigham Young University, Provo, Utah, USA.
- Barber, T. A. 1968. Function of the cecal microflora in sage grouse nutrition. Thesis, Brigham Young University, Provo, USA.
- Barnett, J. F., and J. A. Crawford. 1994. Pre-laying nutrition of sage grouse hens in Oregon. Journal of Wildlife Management 47: 114-118.
- Basset, P., F. Balloux, and N. Perrin. 2001. Testing demographic models of effective population size. Proceedings of the Royal Society of London, Series B 268:311-317.
- Batterson, 1997. My experiences raising grouse in Oregon. Game Bird and Conservationists' Gazette. April 1997:8-11.
- Batterson, W. M., and W. B. Morse. 1948. Oregon sage grouse. Oregon Game Commission Fauna Series 1, Portland, Oregon, USA.
- Baydock, R. K. and D. A. Hein. 1987. Tolerance of sharp-tailed grouse to lek disturbance. Wildlife Society Bulletin 15:535-539.

- Bean, R. W. 1941. Life history studies of the sage grouse (*Centrocercus urophasianus*) in Clark County, Idaho. Thesis, Utah State Agricultural College, Logan, Utah, USA.
- Beck, T. D. I. 1975. Attributes of a wintering population of sage grouse, North Park, Colorado. Thesis, Colorado State University, Fort Collins, Colorado, USA.
- Beck, T. D. I. 1977. Sage grouse flock characteristics and habitat selection in winter. *Journal of Wildlife Management* 41:18-26.
- Beck, T. D. I., and C. E. Braun. 1978. Weights of Colorado sage grouse. *Condor* 80:241-243.
- Beck, T. D. I., and C. E. Braun. 1980. The strutting ground count: variation, traditionalism, management needs. *Proceedings of the Annual Conference of the Western Association of Fish and Wildlife Agencies* 60:558-566.
- Beier, P., and Noss, R. Do habitat corridors provide connectivity? *Conservation Biology* 12:1242-1252.
- Beissinger, S. R., and M. I. Westphal. 1998. On the use of demographic models of population viability in endangered species management. *Journal of Wildlife Management* 62:821-841.
- Bergerud, A. T. 1988. Mating systems in grouse. Pages 439-472 in A. T. Bergerud and M.W. Gratson, editors. *Adaptive strategies and population ecology of northern grouse*. University of Minnesota Press, Minneapolis, Minnesota, USA.
- Berry, J. D., and R. L. Eng. 1985. Interseasonal movements and fidelity to seasonal use areas by female sage grouse. *Journal of Wildlife Management* 49: 237-240.
- Billings, W. D. 1994. Ecological impacts of cheatgrass and resultant fire on ecosystems in the western Great Basin. Pages 22 – 30 in S. B. Monsen and S. G. Kitchen, compilers. *Proceedings – ecology and management of annual rangelands*. U.S. Forest Service General Technical Report INT-GTR-313.
- Blus, L. J., C. S. Staley, C. J. Henny, G. W. Pendleton, T. H. Craig, E. H. Craig, and D. K. Halford. 1989. Effects of organophosphorus insecticides on sage-grouse in south-eastern Idaho. *Journal of Wildlife Management* 53:1139-1146.
- Borell, A. E. 1939. Telephone wires fatal to sage-grouse. *Condor* 41:85-86.
- Bouzat, J. L., H. H. Cheng, H. A. Lewin, R. L. Westemeier, J. D. Brawn, and K. N. Paige. 1998a. Genetic evaluation of a demographic bottleneck in the greater prairie chicken. *Conservation Biology* 12:836-843.

- Bouzat, J. L., H. A. Lewin, and K. N. Paige. 1998b. The ghost of genetic diversity past: historical DNA analysis of the greater prairie chicken. *American Naturalist* 152:1-6.
- Boyce, M. S. 1990. The red queen visits sage grouse leks. *American Zoologist* 30:263-270.
- Boyce, M. S. 1993. Population viability analysis: adaptive management for threatened and endangered species. *Transactions of the North American Wildlife and Natural Resources Conference* 58:520-527.
- Boyce, M. S. 2001. Population viability analysis: development, interpretation, and application. Pages 123 – 136 in T. M. Shenk and A. B. Franklin, editors. *Modeling in natural resources management*. Island Press, Washington, D.C., USA.
- Boyko, A. R., R. M. Gibson, and J. R. Lucas. 2004. How predation risk affects the temporal dynamics of avian leks: greater sage grouse versus golden eagles. *The American Naturalist* 163:154-165.
- Bradbury, J. W., and R. M. Gibson. 1983. Leks and mate choice. Pages 109-138 in P. Baterson, editor. *Mate choice*. Cambridge University Press, Cambridge, Massachusetts, USA.
- Bradbury, J. W., R. M. Gibson, and I. M. Tsai. 1986. Hotspots and the evolution of leks. *Animal Behavior* 34:1694-1709.
- Bradbury, J. W., S. L. Vehrencamp, and R. M. Gibson. 1989. Dispersion of displaying male sage grouse. I. Patterns of temporal variation. *Behavioral Ecology and Sociobiology* 24:1-14.
- Braun, C. E. 1998. Sage grouse declines in western North America: what are the problems? *Proceedings of the Western Association of State Fish and Wildlife Agencies* 78: 139-156.
- Braun, C. E., O. O. Oedekoven, and C. L. Aldridge. 2002. Oil and gas development in western North America: effects on sagebrush steppe avifauna with particular emphasis on sage-grouse. *Transactions of the North American Wildlife and Natural Resources Conferences* 67:337-349.
- Braun C. E., T. Britt, and R. O. Wallestad. 1977. Guidelines for maintenance of sage grouse habitats. *Wildlife Society Bulletin* 5: 99-106.
- Bryant, E. H., V. L. Backus, M. E. Clark, and D. H. Read. 1999. Experimental tests of captive breeding for endangered species. *Conservation Biology* 13:665-669.
- Bump, G., R. W. Darrau, F. C. Edminster, and W. F. Crissey. 1947. The ruffed grouse: life history-propagation-management. New York State Conservation Department 417-435.

- Bunting, S. C., B. M. Kilgore, and C. L. Bushey. 1987. Guidelines for prescribed burning sagebrush-grass rangelands in the northern Great Basin. General Technical Report INT-231.
- Bureau of Land Management. 1998. State of Colorado coal potential. Available online at <http://www.co.blm.gov/metadata/coacspbrw.htm>. Site accessed February 23, 2004.
- Bureau of Land Management. 1999. State of Colorado oil and gas potential. Available online at <http://www.co.blm.gov/metadata/ogpbrw.htm>. Site accessed February 23, 2004.
- Bureau of Land Management. 2002. BLM Colorado state wide geospatial database Lst24k_100k. Colorado State Office, Lakewood, Colorado. Data obtained November 2002.
- Bureau of Land Management. 2004a. Best management practices (BMP's) for Fluid Minerals. Available online at http://www.blm.gov/nhp/300/wo310/O&G/Ops/WO_Part1_Introduction.pdf; /WO_Part_2_Habitat.pdf; /WO_Part_3_Visual.pdf; /WO_Part_4_Operations.pdf. Site accessed May 10, 2004.
- Bureau of Land Management. 2004b. National sage-grouse habitat conservation strategy. U. S. Department of Interior, Washington, D.C.
- Burkhardt, J. W., and E. W. Tisdale. 1969. Nature and successional status of western juniper vegetation in Idaho. *Journal of Range Management* 22:264-270.
- Burnham, K. P., and D. R. Anderson. 1998. Model selection and inference: a practical information-theoretic approach. Springer-Verlag, New York, New York, USA.
- Burnham, K. P., D. R. Anderson, and J. L. Laake. 1980. Estimation of density from line transect sampling of biological populations. *Wildlife Monographs* 72:1-202.
- CACP. 1998. Gunnison sage grouse conservation plan; Crawford area – Colorado.
- Call, M. W., and C. Maser. 1985. Wildlife habitats in managed rangelands—the Great Basin of southeastern Oregon. Sage grouse. USDA Forest Service, General Technical Report PNW 187, Portland, Oregon, USA.
- Campbell, N. A., J. B. Reece, and L. G. Mitchell. 1999. Biology. Fifth edition. Benjamin/Cummings, Menlo Park, California, USA.
- Canfield, R. H. 1941. Application of the line interception method in sampling range vegetation. *Journal of Forestry* 39:388-394.

- Cannon, R.W., and F. L. Knopf. 1981. Lek numbers as a trend index to prairie grouse populations. *Journal of Wildlife Management* 45:776-778.
- Carhart, A. H. 1943. Sage grouse survey special memorandum: preliminary report on sage grouse disease studies, Great Divide Area, summer 1943. Unpublished memorandum to the Colorado Game and Fish Commission, Colorado, USA.
- Carhart, A. H. 1944. What deer eat. By species, by season, by range and by preference. *American Forests* 50:383-385.
- Caro, T. M., and M. K. Laurenson. 1994. Ecological and genetic factors in conservation: a cautionary tale. *Science* 263:485-486.
- Carr, H. D. 1967. Effects of sagebrush control on abundance, distribution, and movements of sage grouse. Colorado Game, Fish and Parks Department Job Completion Report. W-37-R-20. Job 8a.
- Carr, H. D., and F. A. Glover. 1970. Effects of sagebrush control on sage grouse. *Transactions of the North American Wildlife and Natural Resources Conference* 35:205-215.
- Caughley, G. 1994. Directions in conservation biology. *Journal of Animal Ecology* 63:215-244.
- Centers for Disease Control and Prevention. 2002. Morbidity and mortality weekly report. 52:1129-1133.
- Centers for Disease Control and Prevention. 2003. Statistics, surveillance, and control. [<http://www.cdc.gov/ncidod/dvbid/westnile/surv&control.htm>]. Site accessed August 2003.
- Centers for Disease Control and Prevention 2004a. Entomology. Available at: <http://www.cdc.gov/ncidod/dvbid/westnile/insects.htm>. Site accessed August, 2004.
- Centers for Disease Control and Prevention. 2004b. Statistics, surveillance, and control. [<http://www.cdc.gov/ncidod/dvbid/westnile/surv&control.htm>]. Site accessed December, 2004.
- Centers for Disease Control and Prevention. 2004c. Vertebrate ecology. Available at: <http://www.cdc.gov/ncidod/dvbid/westnile/birdspecies.htm>. Site accessed July, 2004.
- Charlesworth, B., M. T. Morgan, and D. Charlesworth. 1993. The effect of deleterious mutations on neutral molecular variation. *Genetics* 134: 1289-1303.
- Charlesworth, D., and B. Charlesworth. 1987. Inbreeding depression and its evolutionary consequences. *Annual Review of Ecology and Systematics* 18:237-68.

- Chesness, R. A., M. M. Nelson, and W. H. Longley. 1968. The effect of predator removal on pheasant reproductive success. *Journal of Wildlife Management* 32:683-697.
- Coats, J. 1955. Raising lesser prairie chickens in captivity. *Kansas Fish and Game* 13:16-20.
- Collopy, M. W., and W. M. Lammers. 2004. Effects of high voltage transmission lines on dynamics of sage grouse populations: avian predators, progress year 2. Department of Natural Resources and Environmental Science, University of Nevada, Reno, Nevada, USA.
- Colorado Department of Agriculture. 2003. 8 CCR 1203-19: Rules pertaining to the administration and enforcement of the Colorado Noxious Weed Act.
<http://www.ag.state.co.us/DPI/weeds/statutes/weedrules.pdf>. Site accessed March 16, 2004.
- Colorado Department of Agriculture. 2004. Colorado agricultural statistics bulletin.
<http://www.nass.usda.gov/co/pub/buletn04/2004bulletin.pdf>. Site accessed November 15, 2004.
- Colorado Department of Local Affairs. 2004. Draft population forecasts by county, 2000-2030. Available from:
<http://dola.colorado.gov/demog/Population/PopulationTotals/Forecasts/Counties5.pdf>
Date accessed August, 2004.
- Colorado Department of Public Health. 2004. Summary of mosquito-borne virus testing Results, Colorado.
[[<http://www.cdphe.state.co.us/dc/zoonosis/wnv/WNVPublicReport.pdf>]. Site last accessed August, 2004.
- Colorado Division of Wildlife. 1999. Administrative Directive W-7, Establishment of the status of wildlife species, including endangered, threatened, special concern, and undetermined status. Colorado Division of Wildlife, Denver, Colorado, USA.
- Colorado Division of Wildlife. 2002. Candidate status review to U. S. Fish and Wildlife Service. Colorado Division of Wildlife, Grand Junction, Colorado, USA.
- Colorado Division of Wildlife. 2003. Candidate status review to U. S. Fish and Wildlife Service. Colorado Division of Wildlife, Grand Junction, Colorado, USA.
- Colorado Division of Wildlife. 2004a. 2004 Gunnison Basin Gunnison sage-grouse lek count summary and population estimate. Colorado Division of Wildlife, Gunnison Basin, Colorado, USA.
- Colorado Division of Wildlife. 2004b. Colorado vegetation classification project.
<http://www.ndis.nrel.colostate.edu/coveg/>. Site accessed September 18, 2004.

- Colorado Division of Wildlife. 2004c. Commercial game bird parks.
http://wildlife.state.co.us/special_licensing/PublicLists/Commercial%20Parks/Commercial%20Parks%20-%20Game%20Birds%20&%20Waterfowl.pdf. Site accessed April, 2004.
- Colorado Oil and Gas Conservation Commission. 2005. Well locations. Available at <http://oil-gas.state.co.us/>. Site accessed March 2005.
- Commons, M. L. 1997. Movement and habitat use by Gunnison Sage Grouse (*Centrocercus minimus*) in southwestern Colorado. Thesis, University of Manitoba, Winnipeg, Manitoba, Canada.
- Commons, M. L., R. K. Baydack, and C. E. Braun. 1999. Sage grouse response to pinyon-juniper management. Pages 238-239 in S. B. Monsen and R. Stevens, compilers. Proceedings: ecology and management of pinyon-juniper communities. United States Department of Agriculture, Forest Service, RMRS-P9, Fort Collins, Colorado, USA.
- Connelly, J. W., and C. E. Braun. 1997. Long-term changes in sage grouse *Centrocercus urophasianus* populations in western North America. *Wildlife Biology* 3:229-234.
- Connelly, J. W., H. W. Browers, and R. J. Gates. 1988. Seasonal movements of sage grouse in southeastern Idaho. *Journal of Wildlife Management* 52: 116-122.
- Connelly, J. W., Jr. 1982. An ecological study of sage grouse in southeastern Idaho. Dissertation, Washington State University, Pullman, Washington, USA.
- Connelly, J. W., K. P. Reese, and M. A. Schroeder. 2003. Monitoring of greater sage-grouse habitats and populations. *Station Bulletin* 80, University of Idaho, Moscow, USA.
- Connelly, J. W., M. A. Schroeder, A. R. Sands, and C. E. Braun. 2000. Guidelines to manage sage grouse populations and their habitats. *Wildlife Society Bulletin* 28:967-985.
- Connelly, J. W., and O. D. Markham. 1983. Movements and radionuclide concentrations of sage grouse in southeastern Idaho. *Journal of Wildlife Management* 47: 169-177.
- Connelly, J. W., R. A. Fischer, A. D. Apa, K. P. Reese, and W. L. Wakkinen. 1993. Renesting of sage grouse in southeastern Idaho. *Condor* 95: 1041-1043.
- Connelly, J. W., S. T. Knick, M. A. Schroeder, and S. Stiver. 2004. Conservation assessment of greater sage-grouse and sagebrush habitats. Western Association of Fish and Wildlife Agencies. www.wafwa.org.
- Connelly, J. W., W. J. Arthur, and O. D. Markham. 1981. Sage grouse leks on recently disturbed sites. *Journal of Range Management* 52: 153-154.

- Connelly, J. W., W. L. Wakkinen, A. D. Apa, and K. P. Reese. 1991. Sage grouse use of nest sites in southeastern Idaho. *Journal of Wildlife Management* 55: 521-524.
- Conover, M. R. 1989. Potential compounds for establishing conditioned food aversions in raccoons. *Wildlife Society Bulletin* 17:430-435.
- Conover, M. R. 1990. Reducing mammalian predation on eggs by using a conditioned taste aversion to deceive predators. *Journal of Wildlife Management* 54:360-365.
- Cooperrider, A. Y., R. J. Boyd, and H. R. Stuart, editors. 1986. Inventory and monitoring of wildlife habitat. U. S. Department of Interior, Bureau of Land Management, USA.
- Cote, I. M., and W. J. Sutherland. 1997. The effectiveness of removing predators to protect bird populations. *Conservation Biology* 11:395-405.
- Cowardin, L. M., D. S. Gilmer, and C. W. Shaiffer. 1985. Mallard recruitment in the agricultural environment of North Dakota. *Wildlife Monographs* 92:84-173.
- Cowardin, M., and M. Flenner. 2003. Maximize mapping resources, Colorado Division of Wildlife captures institutional knowledge using stand-up, real-time digitizing. *GeoWorld* 16:32-35.
- Crabtree, R. L., and M. L. Wolfe. 1988. Effects of alternate prey on skunk predation of waterfowl nests. *Wildlife Society Bulletin* 16:163-169.
- Crawford, J. A., R. A. Olson, N. E. West, J. C. Mosley, M. A. Schroeder, T. D. Whitson, R. F. Miller, M. A. Gregg, and C. S. Boyd. 2004. Ecology and management of sage-grouse and sage-grouse habitat. *Journal of Range Management* 57:2-19.
- Crnokrak, P. and D. A. Roff. 1999. Inbreeding depression in the wild. *Heredity* 83:260-270.
- Crooks, K. R., and M. E. Soulé. 1999. Mesopredator release and avifaunal extinctions in a fragmented system. *Nature* 400:563-566.
- Crow, J. F. and M. Kimura. 1970. Introduction to population genetics theory. Harper and Row, New York, New York, USA.
- Czaran, T. 1998. Spatiotemporal models of population and community dynamics. Chapman and Hall, New York, New York, USA.
- Dalke, P. D., D. B. Pyrah, D. C. Stanton, J. E. Crawford, and E. F. Schlatterer. 1963. Ecology, productivity and management of sage grouse in Idaho. *Journal of Wildlife Management* 27:811-841.

- Dantzker, M.S., G. B. Deane, and J. W. Bradbury. 1999. Directional acoustic radiation in the strut display of male sage grouse *Centrocercus urophasianus*. *The Journal of Experimental Biology* 202:2893-2909.
- Daubenmire, R. 1959. A canopy-coverage method of vegetational analysis. *Northwest Science* 33:43-64.
- DCCP. 1998. Gunnison sage grouse conservation plan; Dove Creek, Colorado.
- Decker, J. D., M. E. Krasny, G. R. Goff, C. R. Smith, and D. W. Gross. 1991. Challenges in the conservation of biological resources: a practitioner's guide. Westview Press, Boulder, Colorado, USA.
- DeLong, A. K., J. A. Crawford, and D. C. DeLong, Jr. 1995. Relationships between vegetational structure and predation of artificial sage grouse nests. *Journal of Wildlife Management* 59:88-92.
- Dingman, J. D. 1980. Characteristics of sage grouse leks, North Park, Colorado. Thesis, University of Denver, Denver, Colorado, USA.
- Drut, M. S. 1994. Status of sage grouse with emphasis on populations in Oregon and Washington. Audubon Society of Portland, Portland, Oregon, USA.
- Drut, M. S., J. A. Crawford, and M. A. Gregg. 1994a. Brood habitat use by sage grouse in Oregon. *Great Basin Naturalist* 54:170-176.
- Drut, M. S., W. H. Pyle, and J. A. Crawford. 1994b. Diets and food selection of sage-grouse chicks in Oregon. *Journal of Range Management* 47:90-93.
- Duebbert, H. F., and H. A. Kantrud. 1974. Upland duck nesting related to land use and predator reduction. *Journal of Wildlife Management* 38:257-265.
- Duebbert, H. F., and J. T. Lokemoen. 1976. Duck nesting in fields of undisturbed grass-legume cover. *Journal of Wildlife Management* 40:39-49.
- Duebbert, H. F., and J. T. Lokemoen. 1980. High duck nesting success in a predator-reduced environment. *Journal of Wildlife Management* 44:428-437.
- Dunn, P. O., and C. E. Braun. 1985. Summer habitat use by adult female and juvenile sage grouse. *Journal of Wildlife Management* 50:228-235.
- Dunn, P. O., and C. E. Braun. 1987. Natal dispersal and lek fidelity of sage grouse. *Auk* 102:621-627.
- Dunning, J. B., J. B. Danielson, and H. R. Pulliam. 1992. Ecological processes that affect populations in complex landscapes. *Oikos* 65:169-175.

- Edwards, T. C., Jr., C. G. Homer, S. D. Bassett, A. Falconer, R. D. Ramsey, and D.W. Wight. 1995. Utah Gap Analysis: an environmental information system. Technical report 95-1, Utah Cooperative Fish and Wildlife Research Unit, Utah State University, Logan, Utah, USA.
- Ellis, K. L. 1984. Behavior of lekking sage grouse in response to a perched golden eagle. *Western Birds* 15: 37-38.
- Ellis, K. L. 1987. Effects of a new transmission line on breeding male sage grouse at a lek in northeastern Utah. Abstract, Transactions of the 15th Sage Grouse Workshop.
- Ellis K. L., J. R. Murphy, and G. H. Richins. 1987. Distribution of breeding male sage grouse in northeastern Utah. *Western Birds* 18:117-122.
- Ellner, S. P., J. Fieberg, D. Ludwig, and C. Wilcox. 2002. Precision of population viability analysis. *Conservation Biology* 16:258-261.
- Elphick, C., J. B. Dunning, Jr., and D. A. Sibley, editors. 2001. *The Sibley guide to bird life and behavior*. The National Audubon Society. Alfred A. Knopf, New York, New York, USA.
- Emmel, T. C. 1976. *Population Biology*. Harper and Row, New York, New York, USA.
- Emmerich, W. E. 1985. Tebuthiuron – environmental concerns. *Rangelands* 7:14-16.
- Emmons, S. R. 1980. Lek attendance of male sage grouse in North Park, Colorado. Thesis, Colorado State University, Fort Collins, Colorado, USA.
- Emmons, S. R., and C. E. Braun. 1984. Lek attendance of male sage grouse. *Journal of Wildlife Management* 48:1023-1028.
- Eng, R. L. 1952. A two-summer study of the effects on bird populations of chlordane bait and aldrin spray as used for grasshopper control. *Journal of Wildlife Management* 16:326-337.
- Eng, R. L. 1963. Observations on the breeding biology of male sage grouse. *Journal of Wildlife Management* 27:841-846.
- Eng, R. L., and P. Schladweiler. 1972. Sage grouse winter movements and habitat use in central Montana. *Journal of Wildlife Management* 36:141-146.
- Entwistle, P. G., A. M. DeBolt, J. H. Kaltenecker, and K. Steenhof, compilers. 2000. Proceedings: sagebrush steppe ecosystems symposium. Bureau of Land Management Publication Number BLM/ID/PT-001001+1150, Boise, Idaho, USA.

- Etter, A. G. 1963. When a state spray kills the state bird. *Audubon Magazine* 65:134-137.
- Evans, R. A., and J. A. Young. 1975. Aerial applications of 2,4-D plus picloram for green rabbitbrush control. *Journal of Range Management* 28:315-318.
- Evans, R. A., and J. A. Young. 1977. Weed control-vegetation systems for big sagebrush-downy brome rangelands. *Journal of Range Management* 30:331-339.
- Fahrig, L. 1997. Relative effects of habitat loss and fragmentation on population extinction. *Journal of Wildlife Management* 61:603-610.
- Fahrig, L. 2001. How much habitat is enough? *Biological Conservation* 100:65-74.
- Fahrig, L. 2002. Effect of habitat fragmentation on the extinction threshold: a synthesis. *Ecological Applications* 12:346-353.
- Fahrig, L., and J. Paloheimo. 1988a. Determinants of local population size in patchy habitats. *Theoretical Population Biology* 34:194-213.
- Fahrig, L., and J. Paloheimo. 1988b. Effect of spatial arrangement of habitat patches on local population size. *Ecology* 69:468-475.
- Falconer, D. S. 1981. Introduction to quantitative genetics. Longman Group, New York, New York, USA.
- Fischer, R. A. 1994. The effects of prescribed fire on the ecology of migratory sage grouse in southeastern Idaho. Dissertation, University of Idaho, Moscow, Idaho, USA.
- Fischer, R. A., K. P. Reese, and J. W. Connelly. 1996a. An investigation on fire effects within xeric sage grouse brood habitat. *Journal of Range Management* 49: 194-198.
- Fischer, R. A., K. P. Reese, and J. W. Connelly. 1996b. Influence of vegetal moisture content and nest fate on timing of female sage grouse migration. *Condor* 98: 868-872.
- Fleskes, J. P., and E. E. Klaas. 1991. Dabbling duck recruitment in relation to habitat and predators at Union Slough National Wildlife Refuge, Iowa. U.S. Fish and Wildlife Service, Technical Report 32.
- Forcada, J. 2000. Can population surveys show if the Mediterranean monk seal colony at Cap Blanc is declining in abundance? *Journal of Applied Ecology* 37:171-181.
- Foster, W. A., and E. D. Walker. 2002. Mosquitoes (Culicidae). Pages 203-262 in G. Mullen and L. Durden, editors. *Medical and veterinary entomology*. Academic Press, New York, New York USA.

- Frankel, O. H., and M. E. Soulé. 1981. Conservation and evolution. Cambridge University Press, Cambridge, UK.
- Frankham, R. 1995. Effective population size/adult population size ratios in wildlife: a review. *Genetical Research* 66:95-107.
- Frankham, R., D. A. Briscoe, and J. D. Ballou. 2002. Introduction to conservation genetics. Cambridge University, New York, New York, USA.
- Franklin, I. R. 1980. Evolutionary change in small populations. Pages 135-149 in M. E. Soulé and B. A. Wilcox, editors. *Conservation biology*. Sinauer Associates, Sunderland, Massachusetts, USA.
- Friend, M., and J. C. Franson, editors. 1999. Field manual of wildlife diseases: general field procedures and diseases in birds. U.S. Geological Survey Biological Resources Division, Information and Technology Report 1999-001.
- Fritzell, E. K. 1978. Habitat use by prairie raccoons during the waterfowl breeding season. *Journal of Wildlife Management* 42:118-127.
- Garrettson, P. R., F. C. Rohwer, J. M. Zimmer, B. J. Mense, and N. Dion. 1996. Effects of mammalian predator removal on waterfowl and non-game birds in North Dakota. *Transactions of the North American Wildlife Natural Resources Conference* 61:94-101.
- Gates, R. J. 1983. Sage grouse, lagomorphs, and pronghorn use of a sagebrush grassland burn site on the Idaho National Engineering Laboratory. Thesis, Montana State University, Bozeman, Montana, USA.
- Gates, R. J. 1985. Observations of the formation of a sage grouse lek. *Wilson Bulletin* 97:219-221.
- GBCP. 1997. Gunnison sage grouse conservation plan; Gunnison Basin – Colorado.
- Gese, E. M., O. J. Rongstad, and W. R. Mytton. 1989. Population dynamics of coyotes in southeastern Colorado. *Journal of Wildlife Management* 53:174-181.
- Gibson, R. M. 1992. Lek formation in sage grouse: the effect of female choice on male territorial settlement. *Animal Behavior* 43:443-450.
- Gibson, R. M. 1996. A re-evaluation of the hotspot settlement in lekking sage grouse. *Animal Behavior* 52:993-1005.
- Gibson, R. M., C. E. Taylor, and D. R. Jefferson. 1990. Lek formation by female choice: a simulation study. *Behavioral Ecology* 1:36-42.

- Gibson, R. M., and J. W. Bradbury. 1985. Sexual selection in lekking sage grouse: phenotypic correlates of male mating success. *Behavioral Ecology and Sociobiology* 18: 117-123.
- Gibson, R. M., J. W. Bradbury, and S. L. Vehrencamp. 1991. Mate choice in lekking sage grouse revisited: the roles of vocal display, female site fidelity, and copying. *Behavioral Ecology* 2:165-180.
- Giesen, K. M. 1995. Upland bird research: evaluation of livestock grazing and residual herbaceous cover on sage grouse nest success. Job final report, project number CO W-167-R/Job 18/Wk.Pl. 3, Colorado Division of Wildlife, Colorado, USA.
- Giesen, K. M. 1998. Lesser prairie-chicken (*Tympanuchus pallidicinctus*). In A Poole, and F. Gill, editors. *The birds of North America*, No. 364. The Academy of Natural Sciences, Philadelphia, Pennsylvania and The American Ornithologists' Union, Washington, D.C., USA.
- Giesen, K. M. and J. W. Connelly. 1993. Guidelines for management of Columbian sharp-tailed grouse habitats. *Wildlife Society Bulletin* 21:325-333.
- Giesen, K. M., T. J. Schoenberg, and C. E. Braun. 1982. Methods for trapping sage grouse in Colorado. *Wildlife Society Bulletin* 10:224-231.
- Giezentanner, K. I., and W. H. Clark. 1974. The use of western harvester ant mounds as strutting locations by sage grouse. *Condor* 76:218-219.
- Gill, R. B. 1965. Distribution and abundance of a population of sage grouse in North Park, Colorado. Thesis, Colorado State University, Fort Collins, Colorado, USA.
- Gilpin, M. E., and Soulé, M. E. 1986. Minimum viable populations: processes of species extinction. Pages 19-34 in M. E. Soulé, editor. *Conservation biology: the science of scarcity and diversity*. Sinauer Associates, Sunderland, Massachusetts, USA.
- Girard, G. L. 1937. Life history, habits, and food of the sage grouse, *Centrocercus urophasianus* Ibonaparte. University of Wyoming, Publication 3, Laramie, Wyoming, USA.
- Grahame, J. D., and T. D. Sisk, editors. 2002. Exotic and invasive species on the Colorado Plateau, http://cpluhnna.nau.edu/Biota/invasive_exotics.htm In Canyons, cultures and environmental change: an introduction to the land-use history of the Colorado Plateau. [03/16/04] <http://www.cpluhnna.nau.edu/>. Site accessed April, 2004.
- Gray, G. M. 1967. An ecological study of sage grouse broods with reference to nesting, movements, food habits and sagebrush strip spraying in the Medicine Lodge drainage, Clark County, Idaho. Thesis, University of Idaho, Moscow, Idaho, USA.

- Greenwood, R. J. 1986. Influence of striped skunk removal on upland duck nest success in North Dakota. *Wildlife Society Bulletin* 14:6-11.
- Greenwood, R. J., and A. B. Sargeant. 1994. Age-related reproduction in striped skunks (*Mephitis mephitis*) in the upper Midwest. *Journal of Mammalogy* 75:657-662.
- Greenwood, R. J., A. B. Sargeant, D. H. Johnson, L. M. Cowardin, and T. L. Shaffer. 1987. Mallard nest success and recruitment in prairie Canada. *Transactions of the North American Wildlife and Natural Resources Conference* 52:299-309.
- Greenwood, R. J., A. B. Sargeant, D. H. Johnson, L. M. Cowardin, and T. L. Shaffer. 1995. Factors associated with duck nest success in the Prairie Pothole Region of Canada. *Wildlife Monographs* 59:1-57.
- Greenwood, R. J., A. B. Sargeant, J. L. Piehl, D. A. Buhl, and B. A. Hanson. 1999. Foods and foraging of prairie striped skunks during the avian nesting season. *Wildlife Society Bulletin* 27:823-832.
- Greenwood, R. J., D. G. Pietruszewski, and R. D. Crawford. 1998. Effects of food supplementation on depredation of duck nests in upland habitat. *Wildlife Society Bulletin* 26:219-226.
- Greenwood, R. J., and M. A. Sovada. 1996. Prairie duck populations and predation management. *Transactions of the North American Wildlife and Natural Resources Conference* 61:31-42.
- Greenwood, R. J., P. M. Arnold, and B. G. McGuire. 1990. Protecting duck nests from mammalian predators with fences, traps, and a toxicant. *Wildlife Society Bulletin* 18:75-82.
- Gregg, M. A., J. A. Crawford, M. S. Drut, and A. K. DeLong. 1994. Vegetational cover and predation of sage grouse nests in Oregon. *Journal of Wildlife Management* 58:162-166.
- Griner, L. A. 1939. A study of sage grouse (*Centrocercus urophasianus*) with reference to life history, habitat requirements, and numbers and distribution. Thesis, Utah State Agriculture College, Logan, Utah, USA.
- Grover, G. 1944. Disease among sage grouse. *Colorado Conservation Comments* 7:14-15.
- Haddad, N. 1999. Corridor use predicted from behaviors at habitat boundaries. *American Naturalist* 153:215-227.
- Haensly, T. F., J. A. Crawford, and S. M. Meyers. 1987. Relationships of habitat structure to nest success of ring-necked pheasants. *Journal of Wildlife Management* 51:421-425.

- Hagen, C. A., B. E. Jamison, K. M. Giesen, and T. Z. Riley. 2004. Guidelines for managing lesser prairie-chicken populations and their habitats. *Wildlife Society Bulletin* 32:69-82.
- Handley, C. O. 1935. Raising prairie chickens in captivity. *Transactions of the American Game Conference* 21:220-223.
- Hanf, J. M., P. A. Schmidt, and E. B. Groshens. 1994. Sage grouse in the high desert of central Oregon: results of a study, 1988-1993. BLM/OR/WA/PT-95/002-4120.7, U.S. Department of Interior, Bureau of Land Management, Prineville, Oregon, USA.
- Hanna, W. C. 1936. Sage grouse breeding in California. *Condor* 38: 38.
- Hanski, I., and D. Simberloff. 1997. The metapopulation approach, its history, conceptual domain, and an application to conservation. Pages 5-26 in I. Hanski and M.E. Gilpin, editors. *Metapopulation biology: ecology, genetics and evolution*. Academic Press, New York, New York, USA.
- Harris, R. B., and F. W. Allenforf. 1989. Genetically effective population size of large mammals: an assessment of estimators. *Conservation Biology* 3:181-191.
- Hartl, D. L. and A. G. Clark. 1997. *Principles of Population Genetics*. Sinauer Associates, Sunderland, Massachusetts, USA.
- Hartzler, J. E. 1972. An analysis of sage grouse lek behavior. Dissertation, University of Montana, Missoula, Montana, USA.
- Hartzler, J. E. 1974. Predation and the daily timing of sage grouse leks. *Auk* 91:532-536.
- Hartzler, J. E., and D. A. Jenni. 1988. Mating choice by female sage grouse. Pages 240-269 in A. T. Bergerud and M. W. Gratson, editors. *Adaptive strategies and population ecology of northern grouse*. University of Minnesota Press, Minneapolis, Minnesota, USA.
- Hausleitner, D. 2003. Population dynamics, habitat use and movements of greater sage-grouse in Moffat County, Colorado. Thesis, University of Idaho, Moscow, Idaho, USA.
- Hedrick, P. W. 2000. *Genetic populations*. Second edition. Jones and Barlett Publishers, Boston, Massachusetts, USA.
- Hedrick, P. W., and S. T. Kalinowski. 2000. Inbreeding depression in conservation biology. *Annual Review of Ecology and Systematics* 31:139–162.

- Henein, K., and G. Merriam. 1990. The elements of connectivity where corridor quality is variable. *Landscape Ecology* 4:157-170.
- Herkert, J. R. 1994. The effects of habitat fragmentation on Midwestern grassland bird communities. *Ecological Applications* 4:461-471.
- Hjorth, I. 1970. Reproductive behavior in Tetraonidea with special reference to males. *Viltrevy* 7: 381-587.
- Hobbs, N. T., D. L. Baker, G. D. Bear, and D. C. Bowden. 1996. Ungulate grazing in sagebrush grassland: mechanisms of resource competition. *Ecological Applications* 6:200-217.
- Hobbs, R. J. 1992. The role of corridors in conservation: solution or bandwagon? *Trends in Ecology and Evolution* 7:389-392.
- Holloran, M. J., and S. H. Anderson. 2003. Direct identification of northern sage-grouse, *Centrocercus urophasianus*, nest predators using remote sensing cameras. *Canadian Field-Naturalist* 117:308-310.
- Holt, H. R., and J. A. Lane. 1987. A birder's guide to Colorado. L & P Press, Denver, Colorado, USA.
- Honess, R. G., and G. Post. 1968. Sage grouse coccidiosis. Pages 4-22 in Part 1: History of an epizootic in Sage Grouse. University of Wyoming Agricultural Experiment Station, Science Monograph 14, Laramie, Wyoming, USA.
- Howard, J. L. 1999. *Artemesia tridentata wyomingensis*. In Fire effects information system, [online]. U. S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory, <http://www.fs.fed.us/database/feis/>. Site accessed April 7, 2004.
- Hulet, B. V. 1983. Selected responses of sage grouse to prescribed fire, predation, and grazing by domestic sheep in southeastern Idaho. Thesis, Brigham Young University, Provo, Utah, USA.
- Hupp, J. W. 1987. Sage grouse resource exploitation and endogenous reserves in Colorado. Dissertation, Colorado State University, Fort Collins, Colorado, USA.
- Hupp, J. W., and C. E. Braun. 1989a. Endogenous reserves of adult male sage grouse during courtship. *Condor* 91:266-271.
- Hupp, J. W., and C. E. Braun. 1989b. Topographic distribution of sage grouse foraging in winter. *Journal of Wildlife Management* 53:823-829.

- Hupp, J. W., and C. E. Braun. 1991. Geographic variation among sage grouse in Colorado. *Wilson Bulletin* 103:255-261.
- Hurvich, C. M., and C. Tsai. 1989. Regression and time series model selection in small samples. *Biometrika* 76:297-307.
- Huwer, S. L. 2004. Evaluating greater sage-grouse brood habitat using human-imprinted chicks. Thesis, Colorado State University, Fort Collins, Colorado, USA.
- Jenni, D. A., and J. E. Hartzler. 1978. Attendance at a sage grouse lek: implications for spring censuses. *Journal of Wildlife Management* 42:46-52.
- Jiménez, J. A., K. A. Hughes, G. Alaks, L. Graham, and R. C. Lacy. 1994. An experimental study of inbreeding depression in a natural habitat. *Science* 266:271-273.
- Johnson, D. H., A. B. Sargeant, and R. J. Greenwood. 1989. Importance of individual species of predators on nesting success of ducks in the Canadian Prairie Pothole Region. *Canadian Journal of Zoology* 67:291-297.
- Johnson, G. D., and M. S. Boyce. 1990. Feeding trials with insects in the diet of sage-grouse chicks. *Journal of Wildlife Management* 54:89-91.
- Johnson, K. A. 2000. *Artemisia tridentata vaseyana*. In Fire effects information system, [online]. U. S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory, <http://www.fs.fed.us/database/feis/>. Site accessed April 7, 2004.
- Johnson, K. H., and C. E. Braun. 1999. Viability and conservation of an exploited sage grouse population. *Conservation Biology* 13:77-84
- Johnson, K. H., and M. S. Boyce. 1991. Survival, growth, and reproduction of captive-reared sage grouse. *Wildlife Society Bulletin* 19: 88-93.
- Johnson, R. G., and S. A. Temple. 1986. Assessing habitat quality for birds nesting in fragmented tallgrass prairies. Pages 245-249 in J. Verner, M. L. Morrison, and C. J. Ralph, editors. *Wildlife 2000: modeling habitat relationships of terrestrial vertebrates*. University of Wisconsin, Madison, Wisconsin, USA.
- Johnson R. G., and S. A. Temple. 1990. Nest predation and brood parasitism of tallgrass prairie birds. *Journal of Wildlife Management* 54:106-111.
- June, J. W. 1963. Wyoming sage grouse population measurement. *Proceedings of the Western Association of State Game and Fish Commissions* 43:206-211.
- Jurries, R., N. J. Silvy, and L. A. Linum. 1998. Endangered and threatened species conservation: Attwater's prairie chicken restoration project. Final Report, Project number TX E-001-9/Project 24. Texas Parks and Wildlife Department, Texas, USA.

- Kahn, N. W., C. E. Braun, J. R. Young, S. Wood, D. R. Mata, and T. W. Quinn. 1999. Molecular analysis of genetic variation among large- and small-bodied sage grouse using mitochondrial control-region sequences. *Auk* 116:819-824.
- Keeton, W. T., and J. L. Gould. 1986. Biological science. Fourth edition. W. W. Norton & Company, Inc., New York, New York, USA.
- Keister, G. P., and M. J. Willis. 1986. Habitat selection and success of sage grouse hens while nesting and brooding. Progress Report W-87-R-2, Subproject 285. Oregon Department of Fish and Wildlife, Portland, Oregon, USA.
- Keller, L. F., and D. M. Waller. 2002. Inbreeding effects in wild populations. *Trends in Ecology and Evolution* 17:230-241.
- Kimura M. 1983. The neutral theory of molecular evolution. Cambridge University Press, Cambridge, United Kingdom.
- Kimura, M., and T. Ohta. 1971. Theoretical aspects of population genetics. Princeton University Press, Princeton, New Jersey, USA.
- Kirkpatrick, S., and E. Stoll. 1981. A very fast shift-register sequence random number generator. *Journal of Computational Physics* 40:517.
- Kirsch, L. M. 1974. Habitat management considerations for prairie chickens. *Wildlife Society Bulletin* 2:124-129
- Klebenow, D. A. 1969. Sage grouse nesting and brood habitat in Idaho. *Journal of Wildlife Management* 33:649-661.
- Klebenow, D. A. 1970. Sage grouse verses sagebrush control in Idaho. *Journal of Range Management* 23:396-400.
- Klebenow, D. A. 1972. The habitat requirements of sage grouse and the role of fire in management. *Tall Timbers Fire Ecology Conference* 12:305-315.
- Klebenow, D. A., and G. M. Gray. 1968. Food habits of juvenile sage-grouse. *Journal of Range Management* 21:80-83.
- Klott, J. H., and F. G. Lindzey. 1989. Comparison of sage and sharp-tailed grouse leks in south central Wyoming. *Great Basin Naturalist* 49:275-278.
- Klott, J. H., and F. G. Lindzey. 1990. Brood habitats of sympatric sage grouse and Columbian sharp-tailed grouse in Wyoming. *Journal of Wildlife Management* 54:84-88.

- Knick, S. T., D. S. Dobkin, J. T. Rotenberry, M. A. Schroeder, W. M. Vander Haegen, and C. Van Riper, III. 2003. Teetering on the edge or too late? Conservation and research issues for avifauna of sagebrush habitats. *Condor* 105:611-634.
- Knight R. L., and K. J. Gutzwiller, editors. 1995. Wildlife and recreationists, coexistence through management and research. Island Press, Washington, D.C., USA.
- Knowlton, F. F. 1972. Preliminary interpretation of coyote population mechanics with some management implications. *Journal of Wildlife Management* 36:369-382.
- Knowlton, G. F., and H. F. Thornley. 1942. Insect food of the sage grouse. *Journal of Economic Entomology* 35: 107-108.
- Komar et al. 2003. Experimental infection of North American birds with the New York 1999 strain of West Nile virus. *Emerging Infectious Diseases* 9:311-323.
- Krauss, G.D., H. B. Graves, and S. M. Zervanos. 1987. Survival of wild and game-farm cock pheasants released in Pennsylvania. *Journal of Wildlife Management* 51:555-559.
- Kruse, A. D. 1984. Simplified methods for the mass propagation of greater prairie chickens. *Game Bird Breeders Gazette* 33:8-15.
- Kuehl, A. K., and W. R. Clark. 2002. Predator activity related to landscape features in northern Iowa. *Journal of Wildlife Management* 66:1224-1234.
- Kullback, S., and R. A. Leibler. 1951. On information and sufficiency. *Annals of Mathematical Statistics* 22:79-86.
- Lacy, R. C. 1992. The effects of inbreeding on isolated populations: Are minimum viable population sizes predictable? Pages 277-296 in P. L. Fiedler and S. K. Jain editors. *Conservation biology: the theory and practice of nature conservation, preservation and management*. Chapman and Hall, New York, New York, USA.
- Lacy, R. C. 1993/1994. What is population (and habitat) viability analysis? *Primate Conservation* 14/15:27-33.
- Lacy, R. C. 1993b. Impacts of inbreeding in natural and captive populations of vertebrates: implications for conservation. *Perspectives in Biology and Medicine* 36:480-496.
- Lacy, R.C. 2000. Structure of the *VORTEX* simulation model for population viability analysis. *Ecological Bulletins* 48:191-203.
- Lacy, R. C., and Ballou, J. D. 1998. Effectiveness of selection in reducing the genetic load in populations of *Peromyscus polionotus* during generations of inbreeding. *Evolution* 52:900-909.

- Laikre, L., and N. Ryman. 1991. Inbreeding depression in a captive wolf (*Canis lupus*) population. *Conservation Biology* 5:33-40.
- Lancia, R. A., J. D. Nichols, and K. H. Pollock. 1994. Estimating the number of animals in wildlife populations. Pages 215 – 253 in T. A. Bookout, editor. *Research and management techniques for wildlife and habitats*. Fifth edition. The Wildlife Society, Bethesda, Maryland, USA.
- Lande, R. 1988. Genetics and demography in biological conservation. *Science* 241:1455-1460.
- Lande, R. 1995a. Breeding plans for small populations based on the dynamics of quantitative genetic variance. Pages 318 - 341 in J. D. Ballou, M. Gilpin, and T. Foose, editors. *Population management for survival and recovery: analytical methods and strategies in small population conservation*. Columbia University Press, New York, New York, USA.
- Lande, R. 1995b. Mutation and conservation. *Conservation Biology* 9:782-791.
- Lande, R. and G. F. Barrowclough. 1987. Effective population size, genetic variation, and their use in population management. Pages 87-123 in M. E. Soulé, editor. *Viable populations for conservation*. Cambridge University Press, New York, New York, USA.
- Larivierre, S., L. R. Walton, and F. Messier. 1999. Selection of striped skunk (*Mephitis mephitis*) of farmsteads and buildings as denning sites. *American Midland Naturalist* 142:96-101.
- Latter, B. D. H., J. C. Mulley, D. Reid, and L. Pascoe. 1995. Reduced genetic load revealed by slow inbreeding in *Drosophila melanogaster*. *Genetics* 139:287-297.
- Latour, A. 1986. Polar normal distribution. *Byte* (August 1986):131-132.
- Leach, H. R., and A. L. Hensley. 1954. The sage grouse in California, with special reference to food habits. *California Fish and Game* 40: 385-394.
- Leach, H. R., and B. M. Browning. 1958. A note on the food of sage grouse in the Madeline Plains area of California. *California Fish and Game* 44:73-76.
- Leif , A. P. 1994. Survival and reproduction of wild and pen-reared ring-necked pheasant hens. *Journal of Wildlife Management* 58:501-506.
- Life Science Glossary. 2004.
<http://www.biochem.northwestern.edu/holmgren/Glossary/Definitions.html>. Site accessed 10 March 2004.

- Ligon, J. S. 1951. Prairie chickens, highways, and powerlines. *The Conservationist: News and Views of the State Department of Game and Fish, New Mexico Department of Game and Fish* 1951:29.
- Lindzey, D. 2001. Vertebrate zoology. First edition. McGraw-Hill, New York, USA.
- Liukkonen-Antilla, T. 2001. Nutritional and genetic adaptation of galliform birds: implications for hand-rearing and restocking. Dissertation, University of Oulu.
- Livezey, B. C. 1981. Duck nesting in retired croplands at Horicon National Wildlife Refuge, Wisconsin. *Journal of Wildlife Management* 45:27-37
- Lokemoen, J. T. 1984. Examining economic efficiency of management practices that enhance waterfowl production. *Transactions of the North American Wildlife and Natural Resources Conference* 49:584-607.
- Lokomoen, J. T., H. A. Doty, D. E. Sharp, and J. E. Neaville. 1982. Electric fences to reduce mammalian predation on waterfowl nests. *Wildlife Society Bulletin* 10:318-323.
- Lumsden, H. G. 1968. The displays of the sage grouse. Research Report 83. Ontario Department of Lands and Forest, Toronto, Canada.
- Lutz, R. S. 1979. The response of Attwater's prairie chicken to petroleum development. Thesis, Texas A&M University, College Station, Texas, USA.
- Lynch, C. B., and Walsh, B. 1998. Genetics and analysis of quantitative traits. Sinauer Associates, Sunderland, Massachusetts, USA.
- Lynch, M., J. Conery, and R. Bürger. 1995. Mutation accumulation and the extinction of small populations. *The American Naturalist* 16:489-518.
- Lyon, A. G. 2000. The potential effects of natural gas development on sage grouse (*Centrocercus urophasianus*) near Pinedale, Wyoming. Thesis, University of Wyoming, Laramie, Wyoming, USA.
- Lyon, A. G., and S. H. Anderson. 2003. Potential gas development impacts on sage-grouse nest initiation and movement. *Wildlife Society Bulletin* 31:486-491.
- Maier, W. L. 1991. A fast pseudo random number generator. *Dr. Dobb's Journal* (May 1991):152-157.
- Mankin, P. C., and R. E. Warner. 1992. Vulnerability of ground nests to predation on agricultural habitat island in east-central Illinois. *American Midland Naturalist* 128:281-291.

- Mann, C. C., and M. L. Plummer. 1995. Are wildlife corridors the right path? *Science* 270:1868-1871.
- Manville, A.M., II. 2004. Prairie grouse leks and wind turbines: U.S. Fish and Wildlife Service justification for a 5-mile buffer from leks; additional grassland songbird recommendations. Division of Migratory Bird Management, U. S. Fish and Wildlife Service, Arlington, Virginia, USA.
- Martin, N. S. 1970. Sagebrush control related to habitat and sage grouse occurrence. *Journal of Wildlife Management* 34:313-320.
- Massey, M. 2001. Long-range plan for management of lesser prairie chickens in New Mexico, 2002-2006. Federal Aid in Wildlife Restoration Grant W-104-R41, Project 3.4, New Mexico Game and Fish, New Mexico, USA.
- McCarthy, M. A., H. P. Possingham, J. R. Day, and A. J. Tyre. 2001. Testing the accuracy of population viability analysis. *Conservation Biology* 15:1030-1038.
- McCarthy, M. A., S. J. Andelman, and H. P. Possingham. 2003. Reliability of relative predictions in population viability analysis. *Conservation Biology* 17:982-989.
- McCullough, D. R., editor. 1996. Metapopulations and wildlife conservation. Island Press, Washington, D. C., USA.
- McEwen, L. C., D. B. Knapp, and E. A. Hilliard. 1969. Propagation of prairie grouse in Captivity. *Journal of Wildlife Management* 33:276-283.
- McGarigal, K., and B. J. Marks. 1995. FRAGSTATS. Spatial analysis program for quantifying landscape structure. USDA Forest Service General Technical Report PNW-GTR-351.
- McKechnie, J. L. 1983. Webster's new universal unabridged dictionary. Second edition. New World Dictionaries/Simon and Schuster, New York, New York, USA.
- McMurray, N. 1986. *Artemisia nova*. In Fire effects information system, [online]. U. S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory, <http://www.fs.fed.us/database/feis/>. Site accessed April 12, 2004.
- Meffe, G. K., and C. R. Carroll. 1997. Principles of conservation biology. Sinauer Associates, Sunderland, Massachusetts, USA.
- Messmer, T. A., M. W. Brunson, D. Reiter, and D. G. Hewitt. 1999. United States public attitudes regarding predators and their management to enhance avian recruitment. *Wildlife Society Bulletin* 27:75-85.

- Miller, P. S. 1994. Is inbreeding depression more severe in a stressful environment? *Zoo Biology* 13:195-208.
- Miller, P. S. 2004. Preliminary population viability assessment for the Gunnison sage grouse (*Centrocercus minimus*). Report prepared for Gunnison Sage Grouse Rangewide Conservation Plan Science Team. Apple Valley, Minnesota, USA.
- Miller, P.S., and R.C. Lacy. 2003a. *VORTEX: A Stochastic Simulation of the Extinction Process*. Version 9 User's Manual. Conservation Breeding Specialist Group (SSC/IUCN), Apple Valley, Minnesota, USA.
- Miller, P. S., and R. C. Lacy. 2003b. *VORTEX* simulation model for population viability analysis. *Ecological Bulletins* 48:191-203.
- Miller, R. F., and J. A. Rose. 1995. Historic expansion of *Juniperus occidentalis* (western juniper) in southeastern Oregon. *The Great Basin Naturalist* 55:37-45.
- Miller, R. F., and L. L. Eddleman. 2000. Spatial and temporal changes of sage grouse habitat in the sagebrush biome. *Oregon State University Agricultural Experiment Station Technical Bulletin* 151. Corvallis, Oregon, USA.
- Miller, R. F., T. J. Svejcar, and J. A. Rose. 2000. Impacts of western juniper on plant community composition and structure. *Journal of Range Management* 53:574-585.
- Monsen, S. B. 2005. Restoration manual for Colorado sagebrush and associated shrubland communities. Colorado Division of Wildlife, Colorado, USA.
- Moos, L. M. 1941. Sage hen eats grasshoppers. *Auk* 58: 255.
- Morton, N. E., J. F. Crow, and H. J. Muller. 1956. An estimate of the mutational damage in man from data on consanguineous marriages. *Proceedings of the National Academy of Sciences* 42:855-863.
- Musil, D. D., J. W. Connelly, and K. P. Reese. 1993. Movements, survival, and reproduction of sage grouse translocated into central Idaho. *Journal of Wildlife Management* 57:85-91.
- Myers, O. B. 1992. Sage grouse habitat enhancement: effects of sagebrush fertilization. Dissertation, Colorado State University, Fort Collins, Colorado, USA.
- Naugle, D. E., C. L. Aldridge, B. L. Walker, T. E. Cornish, B. J. Moynahan, M. J. Holloran, K. Brown, G. D. Johnson, E. T. Schmidtmann, R. T. Mayer, C. Y. Kato, M. R. Matchett, T. J. Christiansen, W. E. Cook, T. Creekmore, R. D. Falise, E. T. Rinkes, and M. S. Boyce. 2004. West Nile virus: pending crisis for greater sage-grouse. *Ecology Letters* 7:704-713.
- Neel, L. A., editor. 2001. Nevada sage grouse conservation strategy. Nevada, USA.

- Nehring, J. A., and A. D. Apa. 2000. Gunnison sage-grouse population augmentation to Poncha Pass, Saguache County and Sims Mesa, Montrose County, Spring 2000. Unpublished report to the Colorado Division of Wildlife, Colorado, USA.
- Nehring, J. A., and C. E. Braun. 2000. Gunnison sage grouse investigations, Poncha Pass area, Colorado, April – December 1999. Unpublished report to Colorado Division of Wildlife. Colorado, USA.
- Nelle, P. J., K. P. Reese, and J. W. Connelly. 2000. Long-term effects of fire on sage grouse habitat. *Journal of Range Management* 53:586-591.
- Nicolaus, L. K. 1987. Conditioned aversions in a guild of egg predators: implications for aposematism and prey defense mimicry. *American Midland Naturalist* 117:405-419.
- Nicolaus, L. K., J. F. Cassel, R. Carlson, and C. R. Gustavson. 1983. Taste aversion conditioning of crows to control predation on eggs. *Science* 220:212-214.
- Nicolaus, L. K., T. E. Hoffman, and C. R. Gustavson. 1982. Taste aversion conditioning in free ranging raccoons (*Procyon lotor*). *Northwest Scientist* 56:165-169.
- O'Brien, S. J., and J. F. Evermann. 1988. Interactive influence of infectious disease on genetic diversity of natural populations. *Trends in Ecology and Evolution* 3:254-259.
- Olson, R.A. and T. D. Whitson. 2002. Restoring structure in late-successional sagebrush communities by thinning with tebuthiuron. *Restoration Ecology* 10:146-155.
- Oyler-McCance, S. J. 1999. Genetic and habitat factors underlying conservation strategies for Gunnison sage grouse. Dissertation, Colorado State University, Fort Collins, Colorado, USA.
- Oyler-McCance, S. J., J. St. John, S. E. Taylor, and T. W. Quinn. In press. Population genetics of Gunnison sage-grouse: implications for management. *Journal of Wildlife Management* 000:000-000.
- Oyler-McCance, S. J., K. P. Burnham, and C. E. Braun. 2001. Influence of changes in sagebrush on Gunnison sage grouse in southwestern Colorado. *Southwestern Naturalist* 46:323-331.
- Oyler-McCance, S. J., N. W. Kahn, K. P. Burnham, C. E. Braun, and T. W. Quinn. 1999. A population genetic comparison of large- and small- bodied sage grouse in Colorado using microsatellite and mitochondrial DNA markers. *Molecular Ecology* 8:1457-1465.

- Oyler-McCance, S. J., S. E. Taylor, and T. W. Quinn. In review. A multilocus population genetic survey of greater sage-grouse across their range. *Molecular Ecology* 0:000-000.
- Parker, H. 1984. Effects of corvid removal on reproduction of willow ptarmigan and black grouse. *Journal of Wildlife Management* 48:1197-1205.
- Parker, R. P., C. B. Phillip, and G. E. Davis. 1932. Tularemia: occurrence in the sage hen, *Centrocercus urophasianus*. U. S. Public Health Report 47: 479-487.
- Patterson, R. L. 1952. The sage grouse in Wyoming. Sage Books, Denver, Colorado, USA.
- Patton, D. R. 1992. Wildlife habitat relationships in forested ecosystems. Timber Press, Inc., Portland, Oregon, USA.
- Peterson, B. E. 1980. Breeding and nesting ecology of female sage grouse in North Park, Colorado. Thesis, Colorado State University, Fort Collins, Colorado, USA.
- Peterson, J. G. 1970. The food habits and summer distribution of juvenile sage grouse in central Montana. *Journal of Wildlife Management* 34:147-155.
- Phillips, J. B. 1990. Lek behaviour in birds: do displaying males reduce nest predation? *Animal Behavior* 39:555-565.
- Phillips, M. L., W. R. Clark, M. A. Sovada, D. J. Horn, R. R. Koford, R. J. Greenwood. 2003. Predator selection of prairie landscapes features and its relation to duck nest success. *Journal of Wildlife Management* 67:104-114.
- Phillips, M. L., W. R. Clark, S. M. Nusser, M. A. Sovada, and R. J. Greenwood. 2004. Analysis of predator movement in prairie landscapes with contrasting grassland composition. *Journal of Mammalogy* 85:187-195.
- PMCP. 2000. Gunnison sage grouse conservation plan; Piñon Mesa, Colorado.
- Post, G. 1951. Effects of toxaphene and chlordane on certain game birds. *Journal of Wildlife Management* 15:381-386.
- Potter, K. 1995. Sage grouse research in Montrose and the Gunnison Basin area. Upland Bird Research Report W-167-R. Colorado Division of Wildlife, Fort Collins, Colorado, USA.
- PPCP. 2000. The Poncha Pass Gunnison sage grouse conservation plan.
- Preisser, E. L., and J. R. Yelin. 1999. Attwater's prairie chicken: the conservation challenge and recommendations. *Endangered Species Update* 16: 2-8.

- Price, M. V., and N. M. Waser. 1979. Pollen dispersal and optimal outcrossing in *Delphinium nelsoni*. *Nature* 277:294-297.
- Profera, J. 1985. Nonconsumptive use of wildlife: development of sage grouse viewing tours in North Park, Colorado. Job Final Report. Project Number: CO N-5-R; CO 02-06-200. Colorado Division of Wildlife, Colorado, USA.
- Pyle, W. H., and J. A. Crawford. 1996. Availability of foods of sage grouse chicks following prescribed burning in sagebrush-bitterbrush. *Journal of Range Management* 49: 320-324.
- Pyrah, D. 1960. Sage grouse population trend study and sage grouse trapping study. Job Completion Report, Wyoming Federal Aid Project Number W-50-R-8, Work Plan 2, Jobs 1 and 2. Wyoming Game and Fish Department, Wyoming, USA.
- Pyrah, D. B. 1963. Sage grouse investigations. Wildlife Restoration Division Job Completion Report, Project W125-R-2. Pp 1-71. Idaho Fish and Game Department, Idaho, USA.
- Pyrah, D. B. 1964. Sage grouse investigations. Wildlife Restoration Division Job Completion Report, Project W 125-R-3. Pp 1-34. Idaho Fish and Game Department, Idaho, USA.
- Quattro, J. M., and R. C. Vrijenhoek. 1989. Fitness differences among remnant populations of the endangered Sonoran topminnow. *Science* 245:976-978.
- Ralls, K., and J. Ballou. 1983. Extinction: lessons learned from zoos. Pages 35-56 in C. M. Schonewald-Cox, S. M. Chambers, B. MacBryde, and L. Thomas, editors. *Genetics and conservation: a reference for managing wild animal and plant populations*. Benjamin Cummings, Menlo Park, California, USA.
- Ralls, K., P. H. Harvey, and A. M. Lyles. 1984. Inbreeding in natural populations of birds and mammals. Pages 35-56, in M. E. Soulé, editor. *Conservation biology: the science of scarcity and diversity*. Sinauer Associates, Sunderland, Massachusetts, USA.
- Ralls, K., J. D. Ballou, and A. Templeton. 1988. Estimates of lethal equivalents and the cost of inbreeding in mammals. *Conservation Biology* 2:185-193.
- Ramey, D. 1935. And now! The prairie chicken. *Game Breeder and Sportsman* 39(1):6.
- Rasmussen, D. I., and L. A. Griner. 1938. Life history and management studies of sage grouse in Utah, with special reference to nesting and feeding habitats. *Transactions of the North American Wildlife and Natural Resources Conference* 3: 852-864.

- Read, D. H., and E. H. Bryant. 2000. Experimental test of minimum viable population size. *Animal Conservation* 3:7-14.
- Reed, J. M., D. D. Murphy, and P. F. Brussard. 1998. Efficacy of population viability analysis. *Wildlife Society Bulletin* 26:244-251.
- Reed, J. M., L. S. Mills, J. B. Dunning, Jr., E. S. Menges, K. S. McKelvey, R. Frye, S. R. Geissinger, M. Anstett, and P. Miller. 2002. Emerging issues in population viability analysis. *Conservation Biology* 16:7-19.
- Remington, T. E., and C. E. Braun. 1985. Sage grouse food selection in winter, North Park, Colorado. *Journal of Wildlife Management* 49:1055-1061.
- Remington, T. E., and C. E. Braun. 1988. Carcass composition and energy reserves of sage grouse during winter. *Condor* 90:15-19.
- Ricklefs, R. E. 1979. Ecology. Second edition. Chiron, New York, New York, USA.
- Riebsame, W. E., H. Gosnell, and D. M. Theobald. 1996. Land use and landscape change in the Colorado mountains I: theory, scale, and pattern. *Mountain Research and Development* 16: 395-405.
- Robel, R.J., J. A. Harrison, C. A. Hagen, J. C. Pitman, and R. R. Reker. In press. Effect of energy development and human activity on the use of sand sagebrush habitat by lesser prairie-chickens in southwestern Kansas. *Transactions of the 69th North American Wildlife and Natural Resources Conferences*.
- Robertson, M. D. 1991. Winter ecology of migratory sage grouse and associated effects of prescribed fire in southeastern Idaho. Thesis, University of Idaho, Moscow, Idaho, USA.
- Robinson, S. K., F. R. Thomson III, T. M. Donovan, D. R. Whitehead, and J. Faaborg. 1995. Regional forest fragmentation and the nesting success of migratory birds. *Science* 267:1987-1990.
- Rogers, C. M., and M. J. Caro. 1998. Song sparrows, top carnivores and nest predation: a test of the mesopredator release hypothesis. *Oecologia* 116:227-233.
- Rogers, G. E. 1964. Sage grouse investigations in Colorado. *Colorado Game, Fish, and Parks Department Technical Publication* 16, Denver, Colorado, USA.
- Root, T. 2002. Gunnison sage-grouse seasonal habitat use study annual report, 1, October 2001 – 30 September 2002. Unpublished report to the National Park Service, Black Canyon of the Gunnison National Park and Curecanti National Recreation Area, Colorado, USA.

- Rose, R. I. 2004. Pesticides and public health: integrated methods of mosquito management. Emerging Infectious Diseases 7. (<http://www.cdc.gov/ncidod/eid/vol7no1/rose.htm>).
- Rosenberg, D. K., B. R. Noon, and E. C. Meslow. 1997. Biological corridors: form, function, and efficiency. BioScience 47:677-687.
- Rosenberg, K. V., B. Kott, R. S. Hames, R. W. Rohrbaugh, Jr., S. B. Swarthout, and J. D. Lowe. 2004. Effects of recreational development on forest-breeding birds in U.S. national forests. Cornell Lab of Ornithology, Ithaca, New York, USA.
- Rothenmaier, D. 1979. Sage grouse reproductive ecology: breeding season movements, strutting ground attendance and nesting. Thesis, University of Wyoming, Laramie, Wyoming, USA.
- Rowland, M. 2004. Effects of management practices on grassland birds: greater sage-grouse. Northern Prairie Wildlife Research Center, Jamestown, North Dakota, USA.
- Sandfort, W. W. 1954. Surveys to determine the population status of sage grouse. Federal Aid Progress Report, Colorado Project W-37-R-7, Work Plan 3, Job 1. Colorado Division of Wildlife, Colorado, USA.
- Sargeant, A. B. 1972. Red fox spatial characteristics in relation to waterfowl predation. Journal of Wildlife Management 36:225-236.
- Sargeant, A. B., A. D. Kruse, and A. D. Afton. 1974. Use of small fences to protect ground bird nests from mammalian predators. Prairie Naturalist 6:60-63.
- Sargeant, A. B., M. A. Sovada, and T. L. Shaffer. 1995. Seasonal predator removal relative to hatch rate of duck nests in waterfowl production areas. Wildlife Society Bulletin 23:507-513.
- Sargeant, A. B., R. J. Greenwood, M. A. Sovada, and T. L. Shaffer. 1993. Distribution and abundance of predators that affect duck production - Prairie Pothole Region. U.S. Fish and Wildlife Service Resource Publication 194.
- Sargeant, A. B., S. H. Allen, and J. O. Hastings. 1987. Spatial relations between sympatric coyotes and red foxes in North Dakota. Journal of Wildlife Management 51:285-293.
- Sargeant, A. B., S. H. Allen, and T. Eberhardt. 1984. Red fox predation on breeding ducks in midcontinent North America. Wildlife Monographs 89:1-41.
- Savage, D. E. 1968. The relationship of sage grouse to upland meadows in Nevada. Thesis, University of Nevada, Reno, Nevada, USA.

- Savage, D. E. 1969. Relation of sage grouse to upland meadows in Nevada. Job Completion Report, Project W-39-R-9, Job 12. Nevada Fish and Game Commission Reno, USA.
- Schoenberg, T. J. 1982. Sage grouse movements and habitat selection in North Park, Colorado. Thesis, Colorado State University, Fort Collins, Colorado, USA.
- Schranck, B. W. 1972. Waterfowl nest cover and some predation relationships. Journal of Wildlife Management 36:182-186.
- Schroeder, M. A. 1997. Unusually high reproductive effort by sage grouse in a fragmented habitat in north-central Washington. Condor 99:933-941.
- Schroeder, M. A., C. L. Aldridge, A. D. Apa, J. R. Bohne, C. E. Braun, S. D. Bunnell, J. W. Connelly, P. A. Deibert, S. C. Gardner, M. A. Hilliard, G. D. Kobriger, S. M. McAdam, C. W. McCarthy, J. J. McCarthy, D. L. Mitchell, E. V. Rickerson, and S. J. Stiver. 2004. Distribution of sage-grouse in North America. Condor:106:363-376.
- Schroeder, M. A., J. R. Young, and C. E. Braun. 1999. Sage grouse (*Centrocereus urophasianus*). No. 425 in A. Poole and F. Gill, editors. The birds of North America. The Birds of North America, Inc., Philadelphia, Pennsylvania, USA.
- Schroeder, M. A., and R. K. Baydack. 2001. Predation and the management of prairie grouse. Wildlife Society Bulletin 29:24-32.
- Science Dictionary. 2004. <http://www.sciedictionary.org> Site accessed August 25, 2004.
- Scott, J. W. 1942. Mating behavior of the sage grouse. Auk 59: 477-498.
- Shaffer, M. L. 1981. Minimum population sizes for species conservation. Bioscience 31:131-134.
- Shaffer, M. L. 1987. Minimum viable populations: coping with uncertainty. Pages 69 - 87 in M. E. Soulé, editor. Viable populations for conservation. Cambridge University Press, New York, New York, USA.
- Shaffer, M. L. 1991. Population viability analysis. Pages 107 – 118 in D. J. Decker, M. E. Krasny, G. R. Goff, C. R. Smith, and D. W. Gross, editors. Challenges in the conservation of biological resources. Westview Press, Boulder, Colorado, USA
- Shoemaker, H. H. 1964. Report on studies of captive prairie chickens. Illinois Wildlife 19(3):6-8.
- Shutkin, W. A. 2000. The land that could be: environmentalism and democracy in the twenty-first century. MIT Press, Massachusetts, USA

- Simberloff, D., and J. Cox. 1987. Consequences and costs of conservation corridors. *Conservation Biology* 1:63-71.
- Sime, C. A. 1999. Domestic dogs in wildlife habitats. Pages 8.1-8.17 in G. Joslin and H. Youmans, coordinators. Effects of recreation on Rocky Mountain wildlife: a review for Montana. Committee on Effects of Recreation on Wildlife, Montana Chapter of the Wildlife Society, Montana, USA.
- SJCCP. 2000. Gunnison sage grouse *Centrocercus minimus* conservation plan; San Juan County, Utah.
- Slater, S. J. 2003. Sage-grouse (*Centrocercus urophasianus*) use of different-aged burns and the effects of coyote control in southwestern Wyoming. Thesis, University of Wyoming, Laramie, Wyoming, USA.
- SMBCP. 1998. Gunnison sage grouse conservation plan; San Miguel Basin, Colorado.
- Smith, G. J. 1987. Pesticide use and toxicology in relation to wildlife: organophosphorus and carbamate compounds. U.S. Fish and Wildlife Service Resource Publication 170.
- Smith, R. 1993. Attwater's prairie-chicken captive propagation program at Fossil Rim Wildlife Center, Glen Rose, Texas. *Transactions of the 1st Joint Meeting, 20th Prairie Grouse Technical Council and 18th Western States Sage/Columbian Sharp-tailed Grouse Workshop*: 29 (abstract only).
- Soulé, M. E. 1980. Thresholds for survival: maintaining fitness and evolutionary potential. Pages 151-170 in M. E. Soulé and B. A. Wilcox, editors. *Conservation biology: an evolutionary-ecological perspective*. Sinauer Associates, Sunderland, Massachusetts, USA.
- Soulé, M. E. 1987. Viable populations for conservation. Cambridge University Press, New York, New York, USA.
- Soulé, M. E., D. T. Bolger, A. C. Alberts, J. Wright, M. Sorice, S. Hill. 1988. Reconstructed dynamics of rapid extinctions of chaparral-requiring birds in urban habitat islands. *Conservation Biology* 2:75-92.
- Soulé, M. E., and L.S. Mills. 1998. No need to isolate genetics. *Science* 282:1658-1659.
- Soulé, M., M. Gilpin, W. Conway, and T. Foose. 1986. The millennium ark: how long a voyage, how many staterooms, how many passengers? *Zoo Biology* 5:101-113.
- Sovada, M. A., A. B. Sargeant, and J. W. Grier. 1995. Differential effects of coyotes and red foxes on duck nest success. *Journal of Wildlife Management* 59:1-9.

- Stinson, D. W., D. W. Hays, and M. A. Schroeder. 2004. Washington state recovery plan for the greater sage-grouse. Washington Department of Fish and Wildlife, Olympia, Washington, USA.
- Strickberger, M. W. 1985. Genetics. Macmillan Publishing Co., New York, New York, USA.
- Sugden, L. G., and G. W. Beyersbergen. 1986. Effect of density and concealment on American crow predation of simulated duck nests. *Journal of Wildlife Management* 50:9-14.
- Sugden, L. G., and G. W. Beyersbergen. 1987. Effect of nesting cover density on American crow predation of simulated duck nests. *Journal of Wildlife Management* 51:481-485.
- Svedarsky, W. D. 1988. Reproductive ecology of female greater prairie-chickens in Minnesota. Pages 193-239 in A. T. Bergerud and M. W. Gratson, editors. Adaptive strategies and population ecology of northern grouse. University of Minnesota Press, Minneapolis, Minnesota, USA.
- Sveum, C. M., J. A. Crawford, and W. D. Edge. 1998a. Use and selection of brood-rearing habitat by sage grouse in south central Washington. *Great Basin Naturalist* 58:344-351.
- Sveum, C. M., W. D. Edge, and J. A. Crawford. 1998b. Nesting habitat selection by sage-grouse in south-central Washington. *Journal of Range Management* 51:265-269.
- Swenson, J. E. 1986. Differential survival by sex in juvenile sage grouse and gray partridge. *Ornis Scandinavica* 17:14-17.
- Swenson, S. G. 2003. Summer ecology of Gunnison sage-grouse (*Centrocercus minimus*) in San Juan County, Utah. Thesis, Utah State University, Logan, Utah, USA.
- Tate, J., Jr., M. S. Boyce, and T. R. Smith. 1979. Response of sage grouse to artificially created display ground. Pages 464-468 in G. A. Swanson, technical coordinator. The mitigating losses of fish and wildlife habitats. United States Department of Agriculture, Forest Service, General Technical Report RM-65, Fort Collins, Colorado, USA.
- Taylor, J. R. 1992. Sagebrush country: a wildflower sanctuary. Mountain Press Publishing Company, Missoula, Montana, USA.
- Taylor, P. D., L. Fahrig K. Henein, and G. Merriam. 1993. Connectivity is a vital element of landscape structure. *Oikos* 68:571-573.

- Templeton, A. R., and B. Read. 1983. The elimination of inbreeding depression in a captive herd of Speke's gazelle. Pages 241-261 in C. M. Schonewald-Cox, S. M. Chambers, B. MacBryde, and W. L. Thomas, editors. Genetics and conservation: a reference for managing wild animal and plant populations. Benjamin / Cummings Publishing Company, Menlo Park, California, USA.
- Tessmann, S., J. Bohne, B. Oakleaf, B. Rudd, S. Smith, V. Stelter, D. Stroud, and S. Wolff. 2004. Minimum programmatic standards recommended by the Wyoming Game and Fish Department to sustain important wildlife habitats affected by oil and gas development: a strategy for managing energy development consistently with the FLPMA principles of multiple use and sustained yield. Oil and Gas Mitigation Working Group, Wyoming Game and Fish Department, Wyoming, USA.
- The Nature Conservancy. 2002. The Nature Conservancy in Colorado; Conservation Planning Workbook: Gunnison Basin. Unpublished document from The Nature Conservancy, Colorado, USA.
- The Nature Conservancy. 2004. Community based conservation.
<http://nature.org/wherewework/northamerica/states/newyork/eastern/about/art5708.html>. Site accessed September 24, 2004.
- Theobald, D. M. 2003. Targeting conservation action through assessment of protection and exurban threats. *Conservation Biology*. 17:1624-1637.
- Theobald, D. M. (in review). Sprawling in the USA? Landscape effects of urban and exurban development. *Ecology and Society*.
- Theobald, D. M., H. Gosnell, and W. E. Riebsame. 1996. Land use and landscape change in the Colorado mountains II: a case study of the east river valley. *Mountain Research and Development* 16: 407-418.
- Thompson, W. L., G. C. White, and C. Gowan. 1998. Monitoring vertebrate populations. Academic Press, San Diego, California, USA.
- Tirmenstein, D. 1999. *Artemesia tridentata tridentata*. In Fire effects information system, [online]. U. S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory, <http://www.fs.fed.us/database/feis/>. Site accessed April 7, 2004.
- Toepfer, J. E., R. L. Eng, and R. K. Anderson. 1990. Translocating prairie grouse: what have we learned? *Transactions of the North American Wildlife and Natural Resources Conference* 55:569-579.

- Trautman, C. G. 1982. History, ecology, and management of the ring-necked pheasant in South Dakota. South Dakota Department of Game, Fish, and Parks, South Dakota Pittman-Robertson Federal Aid Project, W-75-R, Wildlife Research Bulletin No. 7, Pierre, South Dakota, USA.
- Trautman, M. B., C. F. Walker, and R. H. King. 1933. Recent experimental work with upland game birds in Ohio. Proceedings of the Convention of the International Association of Game, Fish and Conservation Commissions 27:108-110.
- Trueblood, R. W. 1954. The effect of grass reseeding in sagebrush lands on sage grouse populations. Thesis, Utah State Agricultural College, Logan, Utah, USA.
- Tueller, P. T., and R. A. Evans. 1969. Control of green rabbitbrush and big sagebrush with 2,4-D and picloram. Weed Science 17:233-235.
- Turell, M. J., M. R. Sardelis, D. J. Dohm, and M. L. O'Gunn. 2001. Potential North American vectors of West Nile Virus. Annals of the New York Academy of Sciences 951:317-324.
- Turner, M. G. 1989. Landscape ecology: the effect of pattern on process. Annual Review of Ecology and Systematics 20:171-197.
- Turner, M. G., and R.H. Gardner. 1991. Quantitative methods in landscape ecology. Springer-Verlag, New York, New York, USA.
- Turner, M. G., R. H. Gardner, and R. V. O'Neill. 2001. Landscape ecology: in theory and practice. Springer-Verlag, New York, New York, USA.
- U. S. Geological Survey. 2003. Species found positive for WNV in surveillance efforts. http://www.nwhc.usgs.gov/research/west_nile/wnvaffected.html. Site accessed September, 2003.
- U. S. Department of Agriculture. 1994. Animal damage control program: final environmental impact statement. United States Department of Agriculture, Animal and Plant Health Inspection Service, Washington, D. C., USA.
- Utah Department of Health. 2004. Utah West Nile virus update. Available at: <http://health.utah.gov/wnv/DiseaseStatus/Uweekly/Weekly.htm>.
- Utah Division of Oil, Gas and Mining. 2004. Well ata. Available at <http://ogm.utah.gov/oilgas/DOWNLOAD/downpage.htm>. Site accessed 2004.
- Utah Division of Wildlife Resources. 2002. Strategic management plan for sage-grouse. Publication 02-20, Utah Division of Wildlife Resources, Utah Department of Natural Resources, Utah, USA.

- Utah Division of Wildlife Resources. 2005. Utah sensitive species list. <http://dwrcdc.nr.utah.gov/ucdc/ViewReports/SSL020805.pdf>. Site accessed February, 2005.
- U. S. Fish and Wildlife Service. 2005. Candidate conservation agreements with assurances for non-federal property owners. <http://endangered.fws.gov/listing/cca.pdf>. Site accessed January 10, 2005.
- Vallentine, J. F. 1989. Range development and improvements. Third edition. Academic Press, San Diego, California, USA.
- Vander Haegen, W. M., M. A. Schroeder, and R. M. DeGraaf. 2002. Predation on real and artificial nests in shrubsteppe landscapes fragmented by agriculture. *Condor* 104:496-506.
- Vickery, P. D., M. L. Hunter, Jr., and J. V. Wells. 1992. Evidence of incidental nest predation and its effect on nests of threatened grassland birds. *Oikos* 63:281-288
- Voigt, D. R., and B. D. Earle. 1983. Avoidance of coyotes by red fox families. *Journal of Wildlife Management* 47:852-857.
- Wakkinen, W. L. 1990. Nest site characteristics and spring-summer movements of migratory sage grouse in southeastern Idaho. Thesis, University of Idaho, Moscow, Idaho, USA.
- Wakkinen, W. L., K. P. Reese, and J. W. Connelly. 1992. Sage grouse nest locations in relation to leks. *Journal of Wildlife Management* 56:381-383.
- Wallestad, R. O. 1971. Summer movements and habitat use by sage grouse broods in central Montana. *Journal of Wildlife Management* 35:129-136.
- Wallestad, R. O. 1975. Life history and habitat requirements of sage grouse in central Montana. Montana Fish and Game Department, Technical Bulletin, Helena, Montana, USA.
- Wallestad, R. O., J. G. Peterson, and R. L. Eng. 1975. Foods of adult sage grouse in central Montana. *Journal of Wildlife Management* 39:628-630.
- Wallestad, R. O., and D. B. Pyrah. 1974. Movement and nesting of sage grouse hens in central Montana. *Journal of Wildlife Management* 38:630-633.
- Wallestad, R. O., and P. Schladweiler. 1974. Breeding season movements and habitat selection of male sage grouse. *Journal of Wildlife Management* 38:634-637.
- Walsh, D. P. 2002. Population estimation techniques for greater sage-grouse. Thesis, Colorado State University, Fort Collins, Colorado, USA.

- Walsh, D. P., G. C. White, and T. E. Remington. 2004. Evaluation of the lek count index for prairie grouse. *Wildlife Society Bulletin* 32:56-68.
- Wambolt, C. L., A. J. Harp, B. L. Welch, N. Shaw, J. W. Connelly, K. P. Reese, C. E. Braun, D. A. Klebenow, E. D. McArthur, J. G. Thompson, L. A. Torell, and J. A. Tanaka. 2002. Conservation of greater sage-grouse on public lands in the western U.S.: implications of recovery and management policies. *Policy Analysis Center for Western Public Lands*, Caldwell, Idaho, USA.
- Ward, J. C., M. Martin, and W. J. Allred. 1942. The susceptibility of sage grouse to strychnine. *Journal of Wildlife Management* 6:55-57.
- Watters, M. E., T. L. McLash, C. L. Aldridge, and R. M. Brigham. 2002. The effect of vegetation structure on predation of artificial greater sage-grouse nests. *Ecoscience* 9:314-319.
- Webb, R. 2000. Status review and petition to list the Gunnison sage grouse (*Centrocercus minimus*). Document prepared for Net Work Associates – Ecological Consulting, Eugene, Oregon, USA.
- Welch, B. L., F. J. Wagstaff, and J. A. Roberson. 1991. Preference of wintering sage grouse for big sagebrush. *Journal of Range Management* 44: 462-465.
- Welch, B. L., J. C. Pederson, and R. L. Rodriguez. 1988. Selection of big sagebrush by sage grouse. *Great Basin Naturalist* 48:274-279.
- Wenger, S. R., M. R. Grode, and A. D. Apa. 2003. Inventory of sagebrush defoliation and mortality in Gunnison and Dry Creek Basins, final report. Unpublished report to Colorado Division of Wildlife, Colorado, USA.
- Westemeier, R. L., J. D. Brawn, S. A. Simpson, T. L. Esker, R. W. Jansen, J. W. Walk, E. L. Kershner, J. L. Bouzat, and K. N. Paige. 1998. Tracking the long-term decline and recovery of an isolated population. *Science* 282:1695-1698.
- Western Wild Health Committee. 2003. Disease testing recommendations for wild turkeys. Unpublished report to the U.S. Animal Health Association's Committee on Wildlife Diseases, San Diego, California, USA.
- Whisenant, S. G. 1990. Changing fire frequencies on Idaho's Snake River Plains: ecological and management implications. Pages 4-10 in E . D. McArthur, E. M. Romney, S. D. Smith, and P. T. Tueller, compilers. *Proceedings – symposium on cheatgrass invasion, shrub die-off, and other aspects of shrub biology and management*. U. S. Forest Service General Technical Report INT-276.

- White, G. C., D. R. Anderson, K. P. Burnham, and D. L. Otis. 1982. Capture-recapture and removal methods for sampling closed populations. Los Alamos National Laboratory, Los Alamos, New Mexico, USA.
- Wilcove, D. S. 1985. Nest predation in forest tracts and the decline of migratory birds. *Ecology* 66:1211-1214.
- Wiley, R. H. 1970. Territoriality and non-random mating in sage grouse. *Centrocercus urophasianus*. Dissertation, Rockefeller University, New York, New York, USA.
- Wiley, R. H. 1973a. Territoriality and non-random mating in sage grouse, *Centrocercus urophasianus*. *Animal Behavior Monographs* 6:87-169.
- Wiley, R. H. 1973b. The strut display of male sage grouse: a “fixed” action pattern. *Behaviour* 47: 129-152.
- Wiley, R. H. 1974. Evolution of social organization and life-history patterns among grouse. *Quarterly Review of Biology* 49:201-227.
- Wiley, R. H., Jr. 1978. The lek mating system of the sage grouse. *Scientific American* 238(5):114-125.
- Wilson, E. O. 1992. The diversity of life. W. W. Norton & Company, Inc., New York, New York, USA.
- Wilson, G. J., A. C. Frantz, L. C. Pope, T. J. Roper, T. A. Burke, C. L. Cheeseman, and R. J. Delahay. 2003. Estimation of badger abundance using faecal DNA typing. *Journal of Applied Ecology* 40:658-666.
- Winward, A. H. 1983. Using sagebrush ecology in the management of wildlands. Pages 15-19 in K. L. Johnson, editor. *Proceedings--first Utah shrub ecology workshop; 1981 Sept. 9-10, Ephraim, Utah*. College of Natural Resources, Utah State University, Logan, Utah, USA.
- Winward, A. H. 2004. Sagebrush of Colorado: taxonomy, distribution, ecology, and management. Colorado Division of Wildlife, Denver, Colorado, USA.
- Wirth, T. A., and D. A. Pyke. 2003. Restoring forbs for sage grouse habitat: fire, microsites, and establishment methods. *Restoration Ecology* 11:370-377.
- Wiseman, A., and E. Bird. 1969. Artificial propagation of sage grouse. *Proceedings of the Sixth Biennial Western States Sage Grouse Workshop*:103-110. Rock Springs, Wyoming, USA.
- With, K. A. 2002. Using percolation theory to assess landscape connectivity and effects of habitat fragmentation. Pages 105-130 in K. J. Gutzwiller, editor. *Applying landscape ecology in biological conservation*. Springer-Verlag, New York, New York, USA.

- With, K. A., and T. O. Crist. 1995. Critical thresholds in a species' response to landscape structure. *Ecology* 76:2446-2459.
- Woods, C. P., and C. E. Braun. 1995. Sage grouse investigations Glade Park and Pinon Mesa, Mesa County, Colorado. Unpublished report to the Colorado Division of Wildlife, Colorado, USA.
- Wright, H. A., and A. W. Bailey. 1982. Fire ecology. John Wiley & Sons, New York, New York, USA.
- Wright, S. 1977. Evolution and genetics of populations. Volume 3, Experimental and evolutionary deductions. University of Chicago Press, Chicago, Illinois, USA.
- Wyoming Game and Fish Department. 2003. Wyoming greater sage-grouse conservation plan. Wyoming Game and Fish Department, Cheyenne, Wyoming, USA.
- Yahner, R. H. 1996. Forest fragmentation, artificial nest studies and predator abundance. *Conservation Biology* 10:672-673.
- Young, J. A., and R. A. Evans. 1981. Demography and fire history of a western juniper stand. *Journal of Range Management* 34:501-506.
- Young, J. A., R. E. Eckert, Jr., and R. A. Evans. 1979. Historical perspectives regarding the sagebrush ecosystem. Pages 1 – 13 in *The sagebrush ecosystem: a symposium: Proceedings*. Utah State University, College of Natural Resources, Logan, Utah, USA.
- Young, J. R. 1994. The influence of sexual selection on phenotypic and genetic divergence among sage grouse populations. Dissertation, Purdue University, West Lafayette, Indiana, USA.
- Young, J. R. 2003. The Gunnison sage-grouse.
<http://www.western.edu/bio/young/gunnsg/gunnsg.htm#Colorado%20distribution>.
Site accessed September 19, 2004.
- Young, J. R., C. E. Braun, S. J. Oyler-McCance, J. W. Hupp, and T. W. Quinn. 2000. A new species of sage-grouse (Phasianidae: *Centrocercus*) from southwestern Colorado. *Wilson Bulletin* 112:445-453.
- Young, J. R., J. W. Hupp, J. W. Bradbury, and C. E. Braun. 1994. Phenotypic divergence of secondary sexual traits among sage grouse populations. *Animal Behavior* 47:1353-1362.
- Zablan, M. A. 1993. Evaluation of sage grouse banding program in North Park, Colorado. Thesis, Colorado State University, Fort Collins, Colorado, USA.

Zablan, M. A., C. E. Braun, and G. C. White. 2003. Estimation of greater sage-grouse survival in North Park, Colorado. *Journal of Wildlife Management* 67:144-154.

Zeller, M. 1999. Stewardship of land, an investigation into the state of the art, The INNW Fund, Menlo Park, California; <ftp://cnlm.org/pub/stewardship.pdf>.