


***AIR MONITORING DATA REPORT
ON THE
ROCKY FLATS
MONITORING NETWORK***

~~~~~ 2000 ~~~~~



**COLORADO DEPARTMENT OF PUBLIC
HEALTH & ENVIRONMENT**

AIR POLLUTION CONTROL DIVISION

AIR MONITORING DATA REPORT

ON THE

ROCKY FLATS

MONITORING NETWORK

-- 2000 --



**Colorado Department
of Public Health
and Environment**

**Air Pollution Control Division
APCD-TS-B1
4300 Cherry Creek Drive South
Denver, CO 80246-1530
(303) 692-3100**

TABLE OF CONTENTS

ACRONYMS	iii
<u>1.0 INTRODUCTION</u>	1
<u>1.1 Purpose of Report</u>	1
<u>1.2 Purpose of Monitoring</u>	1
<u>1.3 History</u>	1
<u>1.4 Air Quality Standards</u>	2
<u>2.0 AMBIENT AIR MONITORING NETWORK AROUND THE <u>ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE</u></u>	2
<u>2.1 Pollutants Monitored</u>	3
<u>2.1.1 Particulates</u>	3
<u>2.1.2 Gaseous</u>	3
<u>2.1.3 Meteorological</u>	4
<u>2.2 Monitoring Methods</u>	4
<u>2.2.1 Particulate Matter</u>	5
<u>2.2.1.1 TSP</u>	5
<u>2.2.1.2 PM₁₀</u>	5
<u>2.2.1.3 Filter Analysis</u>	5
<u>2.2.2 Gaseous</u>	5
<u>2.2.2.1 Oxides of Nitrogen</u>	6
<u>2.2.2.2 Volatile Organic Compounds</u>	6
<u>2.2.2.3 Ozone</u>	6
<u>2.2.3 Meteorological</u>	6
<u>2.3 Monitoring Locations</u>	7
<u>2.3.1 X-1</u>	7
<u>2.3.2 X-2</u>	7
<u>2.3.3 X-3</u>	7
<u>2.3.4 X-4</u>	7
<u>2.3.5 X-5</u>	7
<u>3.0 DATA RESULTS</u>	8
<u>3.1 TSP</u>	8
<u>3.2 PM₁₀</u>	8
<u>3.3 Oxides of Nitrogen</u>	9
<u>3.4 Volatile Organic Compounds</u>	9
<u>3.5 Ozone</u>	10
<u>3.6 Beryllium</u>	10
<u>3.7 Plutonium</u>	11
<u>3.8 Americium</u>	11

TABLE OF CONTENTS (continued)

3.9 Uranium		11
3.10 Meteorology		11
3.11 Comparisons to Other Sites		12
3.11.1 Particulates		12
3.11.2 NO_x		12
3.11.3 Ozone		13
4.0 SUMMARY		13
APPENDIX A	TABLES	15
APPENDIX B	MAPS	19
APPENDIX C	TSP DATA	23
APPENDIX D	PM ₁₀ DATA	29
APPENDIX E	OXIDES OF NITROGEN DATA	35
APPENDIX F	VOLATILE ORGANIC COMPOUNDS DATA	43
APPENDIX G	OZONE DATA	73
APPENDIX H	RADIONUCLIDES AND METALS DATA	79
APPENDIX I	METEOROLOGICAL DATA	85
APPENDIX J	COMPARISON DATA	103

ACRONYMS

ACGIH	American Conference of Governmental Industrial Hygienists
AIP	Agreement In Principle
Am	Americium
APCD	Air Pollution Control Division
AQCC	Air Quality Control Commission
ASTM	American Society for Testing Materials
Be	Beryllium
CDPHE	Colorado Department of Public Health & Environment
CO	Carbon monoxide
D&D	Decontamination and decommissioning
DOE	United States Department of Energy
EPA	United States Environmental Protection Agency
GC/MS	Gas chromatograph/mass spectrophotometer
ICAP	Inductively coupled argon plasma
LARS	Laboratory and Radiation Services Division
m ³	Cubic meter
NAAQS	National Ambient Air Quality Standards
NCPP	National Conversion Pilot Project
NESHAP	National Emission Standards for Hazardous Air Pollutants
NIOSH	National Institute for Occupational Safety and Health
NO	Nitric oxide
NO ₂	Nitrogen dioxide
NO _x	Oxides of nitrogen
O ₃	Ozone
OSHA	Occupational Safety and Health Administration
Pb	Lead
pCi/m ³	Picocuries per cubic meter
PM ₁₀	Particulate matter 10 microns and smaller in diameter
ppb	Parts per billion
ppm	Parts per million
Pu	Plutonium
RFETS	Rocky Flats Environmental Technology Site
SO ₂	Sulfur dioxide
TRAC	Terrain Responsive Atmospheric Code
TLV	Threshold limit value
TSP	Total Suspended Particulates
U	Uranium
µg	Microgram
µg/m ³	Micrograms per cubic meter
VOC	Volatile organic compound

1.0 INTRODUCTION

1.1 Purpose of the Report

This report is being written to provide interested parties the data obtained from ambient air monitoring around the Rocky Flats Environmental Technology Site that is conducted by the Colorado Department of Public Health and Environment, Air Pollution Control Division. This report includes information on monitoring sites, equipment, sampling methods, analytical methods, site locations, monitoring data, comparisons with data from other monitoring sites in the Denver metropolitan area and compliance status as determined by the monitoring data.

1.2 Purpose of Monitoring

The Colorado Department of Public Health and Environment, Air Pollution Control Division has established a monitoring network around the Rocky Flats Environmental Technology Site under the Agreement In Principle, discussed further in section 1.3 below. The network provides data to determine compliance with environmental standards, impact on ambient air quality and risks to the general public.

1.3 History

The Agreement In Principle between the State of Colorado and the United States Department of Energy was signed June 28, 1989. The agreement was designed to assure the citizens of Colorado that health, safety and environment are being protected through increased oversight of the Rocky Flats Environmental Technology Site activities by the State of Colorado. One of the major activities included in the agreement is monitoring to be conducted by the State of Colorado, specifically the Colorado Department of Public Health and Environment, and by the Department Of Energy. In accord with the Agreement In Principle, the Air Pollution Control Division committed to and established the ambient air monitoring network around the Rocky Flats Plant.

As part of the review of the existing monitoring of the Rocky Flats Environmental Technology Site, the Governor's Rocky Flats Scientific Panel on Monitoring Systems (Panel) was established. The Panel reviewed and evaluated the existing monitoring being conducted by the Colorado Department of Public Health and Environment and the Department Of Energy at and near the Rocky Flats facility. Several recommendations for additional monitoring and changes to the existing program for both the Colorado Department of Public Health and Environment and the Department of Energy were made.

The Air Pollution Control Division, working with the Department Of Energy and its contractors, compiled a comprehensive emissions inventory of the plant. Using the emissions inventory, past experience, and the Panel recommendations, specific pollutants which were most likely to have an ambient air and public health impact were identified. After identification of the pollutants using emission type, United States Environmental Protection Agency criteria, past experience and Panel recommendations, specific monitoring equipment and methods were selected. Data from the comprehensive emissions inventory were used in a computer model to estimate the major points of potential air pollution impacts for areas located off the Rocky Flats property.

Five locations were selected for monitoring sites using model results and Environmental Protection Agency siting criteria, thus placing a ring around the Rocky Flats Environmental Technology Site.

Monitoring commenced in July of 1992 at three sites. The first sites were located on the north and east side of the plant since these areas were determined by modeling to have the highest potential impact from air pollutants released by the Rocky Flats facility. Two additional sites, one on the south and one on the west, began monitoring in January of 1995.

1.4 Air Quality Standards

The Environmental Protection Agency has established National Ambient Air Quality Standards for six pollutants, known as "criteria" pollutants. They are carbon monoxide (CO), ozone (O₃), nitrogen dioxide (NO₂), sulfur dioxide (SO₂), particulate matter 10 microns in aerodynamic diameter and smaller (PM₁₀), and lead (Pb). The particulate standard was changed during 1987 from measurement of total suspended particulates (TSP) to PM₁₀. In 1997, the Environmental Protection Agency established new standards for ozone and revised the form of the standard for PM₁₀. Additionally, a new standard for fine particulate matter was established as PM_{2.5} (particulate matter 2.5 microns in aerodynamic diameter and smaller) in 1997.

The current National Ambient Air Quality Standards are presented in [Table 1](#) on page A-1 of [Appendix A](#). Pollutant concentrations higher than the standards are considered unhealthy. Concentrations below the standards are considered acceptable. Primary standards are intended to protect public health while secondary standards are intended to protect public welfare (e.g., nuisance, property damage, etc.). Since the standards take into account both the concentration level of the pollutant and the duration of exposure, they are expressed in terms of a concentration level averaged for a certain period of time.

Determination of a violation of a standard is dependent on the pollutant and standard in question, e.g., ozone and PM₁₀ violations are calculated as an average over three years of data. A violation occurs when the standard is exceeded more than an average of once per year over a three year period for O₃ and PM₁₀. The standards for the criteria pollutants are listed in [Table 1](#) of [Appendix A](#). The standards included in the table are annual for NO₂, SO₂, PM₁₀ and PM_{2.5}, quarterly for Pb, 24 hour for SO₂, PM₁₀ and PM_{2.5}, eight-hourly for CO and O₃, and hourly for CO, O₃, and SO₂. The old TSP standards are included for reference.

Most pollutants do not currently have National Ambient Air Quality Standards. Some pollutants other than those mentioned above may have adverse effects or play a role in a problem for which standards are being contemplated. Therefore, monitoring of some non-criteria pollutants unique to the Rocky Flats site is conducted by the Air Pollution Control Division. These non-criteria pollutant levels may be assessed through comparison to research data on toxicity and workplace standards (such as those of the National Institute Of Safety and Health, the Occupational Safety and Health Act, and the American Conference of Governmental Industrial Hygienists). Additionally, the State of Colorado has an ambient air quality standard with a monthly average concentration of less than 1.5 µg/m³ for lead.

2.0 AMBIENT AIR MONITORING NETWORK AROUND ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE

The air pathway is one of the major concerns in protecting public health and welfare in the vicinity of the Rocky Flats facility. To assure that the emissions impacting on the public are within regulatory and known health limits, the Air Pollution Control Division has established an ambient air monitoring network around the outer perimeter of the plant boundaries. This ambient air monitoring network began operating in July of 1992 and was expanded in January 1995.

2.1 Pollutants Monitored

Some of the pollutants monitored are not normally part of the general list of analytes for the Air Pollution Control Division. All the volatile organic compounds (VOCs) checked are not normally monitored throughout the state nor are the metals and radionuclides which are specific to the Rocky Flats Environmental Technology Site. The Air Pollution Control Division used several sources to establish the list of pollutants to be monitored around the Rocky Flats facility.

Those sources included the comprehensive emissions inventory conducted by the Air Division and the Department Of Energy based on chemical/material usage, Colorado Air Quality Control Commission Regulations, Air Division inspection reports, Agreement In Principle requirements, Environmental Protection Agency criteria pollutants and National Emission Standards for Hazardous Air Pollutants lists, and recommendations from the Governor's Rocky Flats Scientific Panel on Monitoring Systems. As a result of those reviews, the Air Pollution Control Division determined that the pollutants to be monitored include both particulates and specific gaseous compounds.

2.1.1 Particulates

Two types of particulates are collected, total suspended particulates (TSP) and PM₁₀ (particulate matter 10 µm and smaller). In addition to the gross weight calculated in micrograms per cubic meter (µg/m³) the particulates of both types of particulate filters are analyzed for specific metals and radionuclide concentrations. The metals and radionuclides monitored are beryllium (Be), plutonium (Pu), americium (Am) and uranium (U). Specific collection equipment and frequency of sampling are discussed in [Section 2.2](#).

2.1.2 Gaseous

Gaseous sampling is conducted for oxides of nitrogen (NO_x) and thirty three VOCs. The two NO_x compounds measured in parts per million (ppm) are nitric oxide (NO) and nitrogen dioxide (NO₂).

The VOCs being analyzed include:

1,1,1,2-tetrafluoroethane (H-134a)	chlorodifluoromethane (Freon-22)
dichlorodifluoromethane (Freon-12)	chloromethane
dichlorotetrafluoroethane (Freon-114)	vinyl chloride
1,3-butadiene	ethyl chloride
dichlorotrifluoroethane (Freon-123)	trichlorofluoromethane (Freon-11)
1,1-dichloroethene	dichloromethane (methylene chloride)
trichlorotrifluoroethane (Freon-113)	methyl tertiary butyl ether
1,1-dichloroethane	chloroform
1,2-dichloroethane	1,1,1-trichloroethane
carbon tetrachloride	benzene
trichloroethylene	1,1,2-trichloroethane
toluene	tetrachloroethylene
chlorobenzene	ethyl benzene
m- + p-xylene	styrene
1,1,2,2-tetrachloroethane	o-xylene
methyl ethyl ketone	methyl butyl ketone
methyl isobutyl ketone	

Three VOCs, carbon tetrachloride, 1,1,1-trichloroethane and methylene chloride, are target compounds due to historically high usage levels at the Rocky Flats facility. The other VOCs on the above list were used occasionally or historically, or may be emitted during remediation activities. All VOC results are reported in parts per billion (ppb).

While not an originally selected pollutant, ozone (O₃) is also being monitored at one site as part of the Air Pollution Control Division's Denver Metropolitan Area Network. It is reported in parts per million.

2.1.3 Meteorological Monitoring

Meteorological monitoring is conducted at each site for wind speed and direction (both vector and scalar) and temperature. Separate vane and cups are used for the wind direction and speed with a naturally aspirated vane shield used around the temperature sensor. The vane and cups are at the top of a ten meter high tower with the temperature probe located at 6 meters above the ground. Wind speed results are reported in miles per hour, wind direction in degrees and temperature in degrees Fahrenheit.

2.2 Monitoring Methods

Upon selection of the pollutants to be monitored, the Air Pollution Control Division reviewed previously used and current EPA-recommended sampling techniques for each chemical compound. Based on the review and recommendations of the Governor's Rocky Flats Panel on Monitoring Systems the specific equipment was selected. The monitoring equipment consists of particulate and gaseous monitors. All sampling and analytical methods are approved by the EPA as reference/equivalent methods, or follow suggested EPA guidelines.

2.2.1 Particulate Matter

There are two particulate monitoring systems being operated by the Air Pollution Control Division in the vicinity of the Rocky Flats facility: TSP and PM₁₀. The Colorado Department Of Public Health and Environment's Laboratory and Radiation Services Division conducts all analyses of particulate matter.

2.2.1.1 TSP

TSP is collected on glass fiber filter pads. The samplers are made by General Metal Works and use a vacuum cleaner motor to draw air through the filter. Each unit operates for twenty-four hours every sixth day. The units are identical to those used by the Air Pollution Control Division throughout the state.

2.2.1.2 PM₁₀

PM₁₀ samplers collect particulate matter 10 microns and smaller in aerodynamic diameter on quartz fiber filters. The samplers are made by Wedding & Associates and use a vacuum cleaner motor to draw air through the filter. Each unit operates for twenty-four hours every sixth day. The units are identical to those used by the Air Pollution Control Division throughout the state and meet the Environmental Protection Agency requirements as a reference method under EPA RFPS-1087-062.

2.2.1.3 Filter Analysis

The TSP and PM₁₀ filters are weighed both before and after sampling to determine the particulate loading. The weight of particulate loading in micrograms (μg) divided by the cubic meters (m^3) of air drawn through the filter gives the ambient air concentration in $\mu\text{g}/\text{m}^3$.

The metal analyses performed on the filters were done on monthly composites of the filters for each particulate sampler from July 1992 through September 1993. All composites beginning with October 1993 are quarterly composites due to low levels of pollutants found. There is a composite performed for each separate sampler being operated. The composite samples are analyzed for beryllium (Be) using inductively coupled argon plasma (ICAP) and results are provided in micrograms of pollutant per cubic meter of air ($\mu\text{g}/\text{m}^3$). Uranium (U), Plutonium (Pu) and Americium (Am) analyses are by alpha spectrometry and provide results in picocuries of radiation per cubic meter (pCi/m^3).

2.2.2 Gaseous

There are three gaseous monitoring systems being operated by the Air Pollution Control Division in the vicinity of the Rocky Flats Plant. One is for oxides of nitrogen (NO_x), the second is for volatile organic compounds (VOCs) and the third is for ozone (O₃).

2.2.2.1 Oxides of Nitrogen (NO_x)

Two compounds, NO and NO₂, are analyzed on a continuous basis. The analyzers used at the two sites are an API 200 at X-5 and an API 200A at X-3. Both of these units operate using the chemiluminescent principle. The units meet the EPA requirements as reference methods under RFNA-0691-082 for the API 200 and RFNA-1194-099 for the API 200A. The data from each day of sampling are transmitted to the Air Pollution Control Division computer for data storage once each day via cellular phone. Automatic zero and span checks are run each day as part of the quality assurance. Calibrations are performed every quarter and independent audits are performed at least once per year.

Monitoring for oxides of nitrogen at X-1 and X-4 was discontinued in January 1999 due to low levels being recorded.

2.2.2.2 Volatile Organic Compounds (VOC)

Gaseous sampling for VOCs is conducted using multi-bed solid sorbent tubes filled with Carbopack-B, Carbopack-C and molecular sieve. The tubes are thermally desorbed followed by gas chromatography/ mass spectrometry (GC/MS) analysis, according to EPA Method TO-17 guidelines. Samples are taken for 24 hours every sixth day by drawing ambient air through the sorbent tubes, which adsorb VOCs. One tube is used during each sampling period. Backup tubes to check for sample break-through of the primary tube were discontinued. A second tube at one site is not exposed to any air flow and is used as a field blank for quality assurance. Additionally, one tube is also transported, but never opened, as a trip blank to check for potential storage contamination. Each tube is analyzed for VOCs in the Colorado Department of Public Health and Environment Laboratory following EPA Method TO-17 guidelines. (See compound list in [Section 2.1.2](#)). Flow checks are performed monthly. Calibrations are performed twice per year and an independent audit is performed at least once per year.

2.2.2.3 Ozone (O₃)

O₃ is analyzed on a continuous basis. The analyzer is a Monitor Labs 8810, which uses ultraviolet absorption. The EPA equivalency method is EQOA-0881-053. The data from each day of sampling are transmitted to the Air Pollution Control Division computer for data storage once each day via cellular phone. Automatic zero and span checks are run each day as part of the quality assurance. Calibrations are performed every quarter and independent audits are performed at least once per year.

2.2.3 Meteorological

The meteorological equipment operates on a continuous basis. The equipment being used is manufactured by Met-One Instruments. The meteorological equipment provides wind speed, wind direction and temperature data. The equipment is mounted on a ten meter tower with the information being transmitted to the Air Pollution Control Division computer once each day via cellular phone. Calibrations are performed twice per year and an independent audit is performed once per year.

The meteorological data are also shared with the DOE via a special data link to feed the data into the Rocky Flats CAPARS (TRAC) model which is used for emergency situations.

2.3 Monitoring Locations

Three Air Pollution Control Division monitoring sites located just off the north and east property boundaries of the Rocky Flats facility commenced operation in June 1992. Two additional sites, to the south and west, were activated in January 1995. The sites were selected using modeling techniques to determine the major impact points for emissions from the plant to the general public. An additional goal was to determine the location of a nearby background/ upwind site not normally influenced by the plant. The five sites chosen now complete a ring around the Rocky Flats Environmental Technology Site, providing complete air monitoring coverage. The sites are designated X-1 through X-5. [Figure 1](#) on page B-1 of [Appendix B](#) shows the locations of the monitoring sites.

2.3.1 X-1

X-1 is located to the north-north east of the plant on the south side of Colorado Highway 128, approximately 1 1/4 miles to the west of Indiana Street (16600 W. Hwy. 128). Monitoring at this site includes TSP, PM₁₀, Be, U, VOC, meteorology and O₃. NO_x monitoring at this site was discontinued in January 1999.

2.3.2 X-2

X-2 is located to the east-northeast of the plant on the west side of Indiana Street approximately 1 mile north of the East Access Gate in the Walnut Creek drainage (11501 Indiana St.). Monitoring at this site includes TSP, PM₁₀, Be, U, VOC and meteorology.

2.3.3 X-3

X-3 is located to the east-southeast of the plant on the west side of Indiana Street approximately 1 mile south of the East Access Gate in the Woman Creek drainage (9901 Indiana St.). Monitoring at this site includes TSP, PM₁₀, Be, U, VOC, NO_x and meteorology.

2.3.4 X-4

X-4 is located on the south side of Colorado Highway 72 approximately 2 miles east of Colorado Highway 93 (18000 West Highway 72). Monitoring at this site includes TSP, PM₁₀, Be, U, VOC, and meteorology. NO_x monitoring at this site was discontinued in January 1999.

2.3.5 X-5

X-5 is located on the east side of Colorado Highway 93 approximately 1 mile north of the West Access Gate (11190 Highway 93). Monitoring at this site includes TSP, PM₁₀, Be, U, Am, Pu, VOC, NO_x and meteorology. This site was designed as an upwind/background site. However, it sometimes records the highest TSP and PM₁₀ results, due to the presence of a nearby sawmill and gravel aggregate operations.

3.0 DATA RESULTS

The following subsections discuss the data obtained from the Air Pollution Control Division ambient air monitoring network around the Rocky Flats Environmental Technology Site by pollutant. Tables and graphs depicting the ambient air monitoring data are in Appendices C through I. [Subsection 3.11](#) contains a narrative on comparisons of the data found around the Rocky Flats Site with other Air Pollution Control Division monitoring sites in the Denver metropolitan area. These data and comparisons are contained in [Appendix J](#).

3.1 TSP

Particulates may be released into the atmosphere from a number of sources at Rocky Flats. The main sources are any machining, grinding, earth moving, combustion, foundry or forming/molding sources. Additionally, the wind or other mechanical actions may cause particulates to be re-entrained in the air. TSP is generally defined as particles less than 100 microns in aerodynamic diameter, however, the major catch on the TSP filters is 40 microns in diameter or less. The levels of TSP have so far been very low with the exception of the summer of 1995. During this period, particularly in August 1995, construction of the Woman Creek Diversion Reservoir was taking place immediately across the street from the X-3 site. As a result of earth moving operations, TSP levels at X-3 were very high with a maximum of 501 $\mu\text{g}/\text{m}^3$. This level significantly exceeds the former NAAQS for TSP of 260 $\mu\text{g}/\text{m}^3$ for a 24-hour sample. After completion of the reservoir, TSP levels decreased.

The average and maximum data for TSP results by month for 2000, both in table and graph form, are in [Appendix C](#). For 2000, the maximum 24-hour value recorded was 124 $\mu\text{g}/\text{m}^3$ at X-3 and the maximum annual average was 51 $\mu\text{g}/\text{m}^3$ at X-5. Both of these values are well below the former NAAQS. Data in 2000 were slightly higher than levels seen in 1999. X-5 was almost always the highest recording site for each month, probably due to its proximity to Highway 93, a nearby sawmill and nearby quarries. Therefore, contrary to network planning expectation, it is not a “background” site. Appendix C also includes a table and graph of historical quarterly average data and shows that the data for 2000 were typical.

Note that there are two TSP samplers at X-1, which are run simultaneously to provide a quality control check on the monitors.

3.2 PM₁₀

Particulates may be released into the atmosphere from a number of sources at the Rocky Flats facility. The main sources are any machining, grinding, earth moving, combustion, foundry or forming/molding sources. Additionally, the wind or other mechanical actions may cause particulates to be re-entrained in the air. PM₁₀ particles are 10 microns or less in aerodynamic diameter. These particles are easily inhaled and can cause respiratory problems. With the exception of the summer of 1995, the PM₁₀ levels detected so far have been well below those that would cause any health concern. During that period, particularly in August 1995, construction of the Woman Creek Diversion Reservoir was taking place immediately across the

street from the X-3 site. As a result of earth moving operations, PM₁₀ levels at X-3 were elevated with a maximum of 87 µg/m³, which is still well below the NAAQS for PM₁₀ of 150 µg/m³ for a 24-hour sample. After completion of the reservoir, PM₁₀ levels decreased.

The average and maximum data for PM₁₀ results by month for 2000, both in table and graphic form, are in [Appendix D](#). For 2000, the maximum 24-hour value recorded was 36 µg/m³ at X-1, and the maximum annual average was 15 µg/m³ at X-2, X-3, and X-5. Both of these values are well below the National Ambient Air Quality Standards. In past years, TSP data showed a typical trend of being higher in March, most likely due to blowing dust in gusty wind conditions. In the year 2000, highest values occurred in the late summer to mid-fall. This is also due to blowing dust, which occurs more frequently in the dry summer period. [Appendix D](#) also includes a table and graph of historical quarterly average data and shows that the data for 2000 were about equal to levels observed in previous years.

Note that there are two PM₁₀ samplers at X-2, which provides a quality control check on the monitors.

3.3 Oxides of Nitrogen (NOx)

Oxides of nitrogen (NOx) are typically a by-product of combustion, which is the major source of NOx at the Rocky Flats Environmental Technology Site. There have historically been large amounts of nitric acid use at the plant. In the presence of sunlight nitric acid (HNO₃) can degrade to NO₂ and OH. Nitric acid use decreased greatly after the shutdown of plant production in 1990. Therefore, the levels of NOx detected in ambient air in recent years have been very low. It is likely that automotive traffic on the roads surrounding the Rocky Flats site is the major emissions source of oxides of nitrogen.

The data for average NOx results, as nitric oxide (NO) and nitrogen dioxide (NO₂) by month for the calendar year 2000, both in table and graph form, are in [Appendix E](#). The Appendix also includes a table and graph of quarterly averages for 1998 through 2000 and monthly 1-hour maximum data for 2000. For NO, a maximum 1-hour value of 0.150 ppm was recorded in 2000 at X-3 and the maximum annual average of 0.008 ppm occurred at X-5. For NO₂, a maximum 1-hour value of 0.060 ppm was recorded at X-3 and the maximum annual average 0.011 ppm also occurred at X-3. NOx levels are slightly higher in the winter than in the summer, probably due to seasonal temperature inversions that trap air close to the ground, permitting buildup of air pollutant concentrations. The quarterly averages show that levels in 2000 were typical compared to previous years.

3.4 Volatile Organic Compounds (VOC)

VOCs released from the Rocky Flats Environmental Technology Site are mainly solvents. The three major VOCs used at the plant during production were carbon tetrachloride, 1,1,1-trichloroethane and methylene chloride. In 2000, thirty three VOCs were analyzed following EPA Method TO-17 guidelines. Of these, 25 were detected at some time in 2000. Freons, probably from refrigeration units (industrial and automotive) as well as automotive-related combustion by-products/compounds, such as benzene, toluene and xylenes, were consistently detected. Additionally, chloromethane, methylene chloride (dichloromethane), 1,1,1-

trichloroethane, vinylidene chloride, tetrachloroethene, chloroform, and carbon tetrachloride were consistently detected. Trichloroethene, styrene, and methyl tert butyl ether (MTBE) were seen during certain seasons. All levels were well below threshold limit values.

The data for monthly average VOCs for 2000 are presented in a table in [Appendix F](#). Graphs are also presented for compounds that were detected during the year.

3.5 Ozone (O₃)

Ozone is a secondary pollutant formed by the reaction of nitrogen oxides and hydrocarbons in the presence of sunlight. Thus, high ozone concentrations generally occur during the summer months and in the early afternoon during the peak sunlight hours. Since high levels of nitrogen oxides and hydrocarbons can break down ozone, high ozone concentrations most often occur away from urban centers. The area around the Rocky Flats Environmental Technology Site is outside of the Denver core area and meteorologically is often downwind of Denver during late mornings and early afternoons. The entire western foothills area, from Chatfield Reservoir in the south to Rocky Mountain National Park in the north, is often an area of high ozone concentrations. Maximum concentrations in 2000 were consistent with concentrations recorded in previous years and are below the old 1-hour NAAQS of 0.12 ppm with a maximum 1-hour value of 0.103 ppm being recorded. Compared to the new 8-hour NAAQS of 0.08 ppm, the maximum concentration recorded in 2000 of 0.084 ppm is just below this standard after rounding. The standard actually looks at the average of the fourth maximum 8-hour value over three years. In 2000, this fourth maximum value was 0.081 ppm.

The average monthly data for O₃ results by month for the calendar year of 2000, both in table and graphic form, are in [Appendix G](#) and show a typical trend of being higher in the summer. The Appendix also includes a table and graph of quarterly averages for 1998 through 2000 and monthly 1-hour and 8-hour maximum data. Quarterly average values, compared to previous years, were typical.

Note that ozone is not a planned monitored pollutant at the Rocky Flats Site. However, as part of a previous special Denver metropolitan area study, O₃ monitoring was initiated at X-1.

3.6 Beryllium (Be)

Be is a naturally occurring element in the form of mineral beryl, which is found in the soils around the Rocky Flats Environmental Technology Site at low levels, as well as being a metal formerly used in the processing at the plant. Be is on the National Emission Standards for Hazardous Air Pollutants (NESHAPS) list and is one of the compounds listed in the Colorado Air Quality Control Commission's Regulation No. 8 as a hazardous or toxic substance.

The data for Be results, by quarter, for the calendar year 2000 are in [Appendix H](#). These quarterly results are for composite samples for each sampler. As can be seen, no Be was detected at any of the five sites in 2000 and thus no graphing or averaging was done.

3.7 Plutonium (Pu)

Pu is considered to be a man-made element and does not occur naturally. Therefore, any Pu detected can be related to the Rocky Flats Plant or to worldwide fall-out created by testing of nuclear weapons.

Pu emissions were analyzed, in both TSP and PM₁₀, at X-5. The Colorado Department of Public Health and Environment Laboratory has continued to monitor for Pu at other locations around the Rocky Flats Site but those data are not part of this Air Pollution Control Division report. The data for Pu results, by quarter, for the calendar year of 2000 are in [Appendix H](#). These quarterly results are for composite samples. As can be seen, no Pu was detected in 2000.

3.8 Americium (Am)

Am is a man-made element and a by-product of Pu which is not naturally occurring. Any Am detected is considered to be connected with the plant or to worldwide fall out created by testing of nuclear weapons.

Am emissions were analyzed, in both TSP and PM₁₀, at X-5. The Colorado Department of Public Health and Environment Laboratory has continued to monitor for Am at other locations around the plant but those data are not part of this report, which discusses only monitoring at the Rocky Flats perimeter sites X-1 through X-5. The data for Am results, by quarter, for the calendar year of 2000 are in [Appendix H](#). These quarterly results are for composite samples. No Americium was detected in PM₁₀, but a single detection did occur in the TSP size fraction.

3.9 Uranium (U)

U is a naturally occurring element in the soils around the Rocky Flats Environmental Technology Site. However, the plant is also a source that must be monitored.

The data for U results, by quarter, for the calendar year of 2000 are in [Appendix H](#). These quarterly results are for composite samples for each sampler. Note that for the year 2000, uranium analyses were reported by isotope. Uranium 234 and 238 were present in both TSP and PM₁₀ size fractions, with the PM₁₀ levels about a quarter of those found in TSP. Uranium 235 was present in low levels in the TSP size fraction, but was not at detectable levels in PM₁₀.

3.10 Meteorology

Meteorological data are presented in [Appendix I](#) and include monthly and quarterly average data for wind speed and temperature as well as monthly 1-hour maximum data. Wind rose plots for wind speed and direction are also presented in Appendix I.

The data show the Rocky Flats area to have very high wind speeds. A 1-hour maximum wind speed of 64 miles per hour was recorded at the X-1 site in 2000 and a maximum annual average of 9.8 miles per hour was also measured at site X-1. [Graphs of the quarterly average data](#) show that wind speeds in 2000 were comparable to previous years and show a typical pattern of being

higher in the winter. The wind rose diagrams show predominant winds from the west-northwest, especially at night when down slope wind conditions prevail. During the daytime, winds are often from the south-southeast to east, which is more indicative of up slope conditions and convection heating. It can also be seen that the wind directions are less variable at X-2 and X-3 as they are in drainage valleys.

The maximum 1-hour temperature recorded in 2000 was 95 degrees Fahrenheit at X-2 and X-3. Quarterly average data show that temperatures in 2000 were comparable to previous years.

3.11 Comparisons to Other Sites

The data obtained from the Air Pollution Control Division monitors around the Rocky Flats Site were compared to available data from other monitoring sites around the Denver metropolitan area where some or all of the pollutants were monitored. The comparison stations that were used are the CAMP Station (downtown Denver), Adams City, Arvada, NREL (South Table Mountain), South Boulder Creek, Boulder Chamber and Welby. [Table 2](#) on page A-2 of [Appendix A](#) lists the monitoring sites, locations and pollutants sampled. [Figure 2](#) on page B-2 of [Appendix B](#) is a map showing the locations of the Rocky Flats and the Denver area sites used for comparisons.

In 2000 the only Air Pollution Control Division monitoring stations to sample for metals/radionuclides were at the Rocky Flats site. The CAMP site sampled for VOCs during only part of the year 2000. Therefore, no comparisons were made with other sites for those pollutants. Nor will there be any comparisons made with meteorological data since the purpose of the report is not to assess impacts from point sources of air pollution. Most of the large point sources at the Rocky Flats site are no longer active.

3.11.1 Particulate Matter

[Appendix J](#) contains tables and graphs for TSP and PM₁₀ that compare data from the Rocky Flats sites to other sites. In both cases the monitoring results for monthly average particulate concentrations are much lower at the Rocky Flats sites than at the CAMP and Adams City sites. Monthly average PM₁₀ concentrations are slightly lower than at the Boulder Chamber site. Similarly, the monthly 24-hour maximum particulate concentrations at the Rocky Flats sites for TSP are much lower than at the CAMP and the Adams City sites. (It should be noted that due to the temporary closure of the CAMP site for re-building, 1999 data at CAMP are not complete). For 24-hour maximum PM₁₀ concentrations, the Rocky Flats sites are much lower than at the CAMP or Adams City sites and slightly lower than the Boulder Chamber site.

3.11.2 NO_x

[Appendix J](#) contains tables and graphs comparing NO and NO₂ monthly averages to those found at the CAMP and Welby stations. For both NO and NO₂, the Rocky Flats Environmental Technology sites are well below the monthly averages noted for the other two stations. Comparing monthly 1-hour maximums at the same locations, the Rocky Flats locations are again well below the other two stations.

3.11.3 O₃

Ozone is not one of the pollutants designated for monitoring in the Rocky Flats network. Although the site emits some volatile organic compounds, current cleanup operations at Rocky Flats are not expected to create large concentrations of ozone. However, as noted previously, the western foothills area of metropolitan Denver is an area of high ozone concentrations. Therefore the Rocky Flats X-1 station is used as part of the Air Pollution Control Division special ozone study network and has provided valuable information. [Appendix J](#) presents ozone data from X-1 compared to four other sites. Three of these other sites, NREL, South Boulder Creek, and Arvada, are along the western foothills corridor where ozone levels are a concern. The fourth location, Welby, is located northeast of the Denver core area, along the down wind Platte River drainage. Monthly average data show that the X-1 site is generally higher than these other sites. The monthly 1-hour maximum data show that the X-1 values frequently track along with the other foothills stations. Site X-1 and NREL tend to show the highest values during the summer period. These sites are in close proximity to one another. (See [Figure 2](#)).

4.0 SUMMARY

The monitoring conducted around the boundaries of the Rocky Flats Environmental Technology Site shows values for the pollutants of concern which are below those in other portions of the Denver metropolitan area. In fact the values are typical of the values found on the edges of the Denver area. A major reason for the low values is the change of mission at the plant, which ceased production in October 1990.

This has allowed the Air Pollution Control Division to determine what could be considered to be near background levels in the area. As decontamination and decommissioning (D&D) operations have continued at the Rocky Flats facility, air pollutant levels at the site borders have continued to remain typical of an edge-of-Denver situation. Thus, the air pollution monitoring network at the Rocky Flats perimeter has not measured significant impacts from site remediation activities. This is probably due to the large buffer zone between the site cleanup activities, and the Rocky Flats site boundaries. With these five Air Pollution Control Division sites in operation, the Rocky Flats plant has been ringed by monitors and the resulting data, up and down wind, provides answers to the level of impact the Rocky Flats facility has on the ambient air and the general public.

APPENDIX A

TABLES

Table 1
NATIONAL AMBIENT AIR QUALITY STANDARDS

POLLUTANT	AVERAGING TIME	STANDARD
Carbon Monoxide (CO)		
Primary Standard	1 Hour ^(a)	35 ppm
Primary Standard	8 Hour ^(a)	9 ppm
Ozone (O ₃)		
Primary and Secondary Standards (up to 1997)	1 Hour ^(b)	0.12 ppm
Primary and Secondary Standards (as of July 1997)	8 Hour ^(c)	0.08 ppm
Nitrogen Dioxide (NO ₂)		
Primary and Secondary Standards	Annual Arithmetic Mean	0.053 ppm
Sulfur Dioxide (SO ₂)		
Primary Standard	Annual Arithmetic Mean	0.030 ppm
Primary Standard	24 Hour ^(a)	0.14 ppm
Secondary Standard	3 Hour ^(a)	0.5 ppm
Particulates (PM ₁₀)		
Primary and Secondary Standards	Annual Arithmetic Mean ^(d)	50 µg/m ³
Primary and Secondary Standards	24 Hour ^(b) prior to July 1997, ^(e) as of July	150 µg/m ³
Fine Particulates (PM _{2.5}) (as of July 1997)		
Primary and Secondary Standards	Annual Arithmetic Mean ^(d)	15.0 µg/m ³
Primary and Secondary Standards	24 Hour ^(f)	65 µg/m ³
Lead (Pb)		
Primary and Secondary Standards	Calendar Quarter Average	1.5 µg/m ³
Total Suspended Particulates (TSP)		
Primary Standard	Annual Geometric Mean ^(g)	75 µg/m ³
Primary Standard	24 Hour ^(g)	260 µg/m ³
Secondary Standard	Annual Geometric Mean ^(g)	60 µg/m ³
Secondary Standard	24 Hour ^(g)	150 µg/m ³

- (a) Not to be exceeded more than once per year.
- (b) Statistically estimated number of days with concentrations above this level averaged over a three year period, is not to be more than 1 per year.
- (c) The three year average of the fourth maximum value for each year is not to exceed this level.
- (d) The average of three years of annual averages (based on quarterly averages) is not to exceed this level.
- (e) The three year average of the 99th percentile for each year is not to exceed this level.
- (f) The three year average of the 98th percentile for each year is not to exceed this level.
- (g) The TSP standard was replaced by the PM₁₀ standard on July 1, 1987. The Colorado state standard for TSP has been abolished. It is listed here for data analysis purposes only.

Table 2
Stations Used For Comparisons


SITE NAME	LOCATION	TSP	PM ₁₀	NO _x	O ₃	MET
RFETS X-1	16600 W. Colorado Hwy. 128	X	X		X	X
RFETS X-2	11501 Indiana Street	X	X			X
RFETS X-3	9901 Indiana Street	X	X	X		X
RFETS X-4	18000 W. Colorado Hwy. 72	X	X			X
RFETS X-5	11190 Colorado Hwy. 93	X	X	X		X
DENVER (CAMP)	2105 Broadway	X	X	X		X
WELBY	78 th Avenue & Steele Street		X	X	X	X
ADAMS CITY	4301 E. 72 nd Avenue	X	X			
ARVADA	57 th Avenue & Garrison Street				X	X
NREL (S. TABLE MTN.)	20 th Avenue & Quaker Street				X	
SOUTH BOULDER CREEK	1405 1/2 S. Foothills Highway				X	
BOULDER - CHAMBER	2440 Pearl Street		X			

APPENDIX B

MAPS

**APPENDIX B
Figure 1**


**COLORADO DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT
AIR POLLUTION CONTROL DIVISION - SAMPLING LOCATIONS**



<u>Site</u>	<u>Location</u>
X-1	16600 West Highway 128 --- Rocky Flats north property boundary, outside of boundary fence on the south side of Colorado Highway 128, approximately 1.3 miles to the west of Indiana Street.
X-2	11501 Indiana Street --- Rocky Flats east property boundary, outside the boundary fence on the west side of Indiana Street, approximately 1 mile north of the Rocky Flats East access road.
X-3	9901 Indiana Street --- Rocky Flats east property boundary, outside the boundary fence on the west side of Indiana Street, approximately 1 mile south of the Rocky Flats East access road.
X-4	18000 West Highway 72 --- On south side of Colorado Highway 72 on south edge of an unused parking lot, approximately 2 miles east of Colorado Highway 93.
X-5	11190 Highway 93 --- On east side of Colorado Highway 93 and south side of 112 th Avenue, approximately 1 mile north of the Rocky Flats West access road.

APPENDIX B
Figure 2

COLORADO DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT
AIR POLLUTION CONTROL DIVISION - COMPARISON SITES



Site

Rocky Flats - N (X-1)
Rocky Flats - NE (X-2)
Rocky Flats - SE (X-3)
Rocky Flats - S (X-4)
Rocky Flats - W (X-5)
CAMP
Welby
Adams City
Arvada
NREL (South Table Mtn.)
Boulder Chamber - Particulate
South Boulder Creek

Location

16600 West Highway 128
11501 Indiana Street
9901 Indiana Street
18000 West Highway 72
11190 Highway 93
2105 Broadway, Denver
78th Avenue and Steele Street
4301 East 72nd Avenue
57th Avenue and Garrison Street
20th Avenue & Quaker Street
2440 Pearl Street
1405 1/2 South Foothills Highway

APPENDIX C

TOTAL SUSPENDED PARTICULATE DATA


AIR MONITORING AT RFETS

Total Suspended Particulates 2000

Monthly Arithmetic Average Data ($\mu\text{g}/\text{m}^3$)

	2000												2000
Site	1	2	3	4	5	6	7	8	9	10	11	12	Avg
X-1	27	39	N/A	33	45	41	47	45	50	46	34	29	40
X-1-C	22	22	N/A	31	42	40	44	43	34	46	34	30	36
X-2	28	18	N/A	33	43	49	52	52	40	58	44	37	41
X-3	22	21	N/A	32	52	46	43	47	33	52	45	28	38
X-4	28	27	34	33	40	55	47	46	35	46	43	31	39
X-5	43	39	N/A	33	23	64	62	73	48	88	43	42	51

N/A Not Available




AIR MONITORING AT RFETS

Total Suspended Particulates 2000

Monthly 24 Hour Maximum Data (ug/m3)

	2000 Months												2000
Site	1	2	3	4	5	6	7	8	9	10	11	12	Max
X-1	40	39	N/A	41	65	79	60	64	91	58	62	46	91
X-1-C	36	37	N/A	36	61	83	54	64	85	57	64	45	85
X-2	38	18	N/A	53	74	102	65	70	96	69	78	56	102
X-3	24	21	N/A	46	124	97	56	67	76	78	76	51	124
X-4	43	35	35	52	66	108	59	71	84	55	77	56	108
X-5	80	54	N/A	36	23	110	85	111	104	110	73	66	111




AIR MONITORING AT RFETS

Total Suspended Particulates 2000

Quarterly Arithmetic Average Data (3 years) ug/m³

	1998				1999				2000			
Site	1	2	3	4	1	2	3	4	1	2	3	4
X-1	24	33	42	23	29	31	33	30	33	40	47	36
X-1C	23	33	41	23	31	28	32	27	22	38	40	37
X-2	33	43	49	30	37	40	42	35	23	42	48	46
X-3	31	41	41	42	34	32	37	31	22	43	41	42
X-4	26	38	41	28	38	32	31	28	30	43	43	40
X-5	56	64	78	49	50	49	54	48	41	40	61	58



APPENDIX D

PM₁₀ DATA


AIR MONITORING AT RFETS

PM₁₀

2000

**Monthly Arithmetic Average Data
($\mu\text{g}/\text{m}^3$)**

	2000												2000
Site	1	2	3	4	5	6	7	8	9	10	11	12	Avg
X-1	9	9	8	N/A	8	15	18	18	14	21	14	12	13
X-2	12	13	9	10	13	16	21	21	14	22	17	13	15
X-2-C	12	12	9	11	13	15	21	20	15	21	17	13	15
X-3	11	12	9	11	13	16	20	21	15	20	16	13	15
X-4	10	10	8	11	12	16	20	20	13	19	15	12	14
X-5	13	12	11	7	16	20	20	25	13	22	13	12	15




AIR MONITORING AT RFETS

PM₁₀

2000

**Monthly 24-Hour Maximum Data
($\mu\text{g}/\text{m}^3$)**

	2000												2000
Site	1	2	3	4	5	6	7	8	9	10	11	12	Max
X-1	16	16	11	N/A	14	22	23	22	36	31	27	19	36
X-2	18	20	13	14	18	25	25	28	30	29	33	21	33
X-2-C	18	20	13	15	18	20	25	27	31	30	34	20	34
X-3	17	18	12	15	21	25	23	29	27	26	32	23	32
X-4	17	16	11	14	18	25	23	29	27	25	31	25	31
X-5	21	19	19	14	24	33	26	32	29	26	27	20	33




AIR MONITORING AT RFETS

PM₁₀

2000

**Quarterly Arithmetic Average Data (3-years)
($\mu\text{g}/\text{m}^3$)**

	1998				1999				2000			
Site	1	2	3	4	1	2	3	4	1	2	3	4
X-1	10	14	16	10	10	13	14	10	9	12	17	16
X-2	11	15	18	12	11	13	15	12	11	13	19	17
X-2-C	11	15	18	13	12	14	15	12	11	13	19	17
X-3	11	16	17	13	12	13	15	20	11	13	19	16
X-4	9	15	17	12	12	11	14	7	9	13	18	15
X-5	11	18	18	13	13	12	14	12	12	14	19	16



APPENDIX E

**OXIDES OF
NITROGEN DATA**

AIR MONITORING AT RFETS


Nitric Oxide (NO)

2000

Monthly Arithmetic Average Data

(ppm)

	2000												2000
Site	1	2	3	4	5	6	7	8	9	10	11	12	Avg
X-1													
X-3	0.009	0.007	0.006	0.005	0.004	0.004	0.003	0.004	0.005	0.007	0.010	0.011	0.006
X-4													
X-5	0.010	0.009	0.009	0.007	0.006	0.006	0.006	0.006	0.007	0.011	0.012	0.012	0.008




AIR MONITORING AT RFETS

Nitric Oxide (NO)

2000

Monthly 1-Hour Maximum Data (ppm)

	2000												2000
Site	1	2	3	4	5	6	7	8	9	10	11	12	Max
X-1													
X-3	0.069	0.081	0.067	0.064	0.046	0.032	0.041	0.032	0.057	0.049	0.081	0.150	0.150
X-4													
X-5	0.069	0.053	0.066	0.053	0.074	0.036	0.043	0.043	0.053	0.069	0.116	0.142	0.142




AIR MONITORING AT RFETS

Nitric Oxide (NO)

2000

**Quarterly Arithmetic Average Data (3-years)
(ppm)**

	1998				1999				2000			
Site	1	2	3	4	1	2	3	4	1	2	3	4
X-1	0.007	0.005	0.005	0.007	0.006							
X-3	0.009	0.004	0.006	0.007	0.006	0.004	0.005	0.007	0.007	0.004	0.004	0.009
X-4	0.008	0.005	0.005	0.007	0.006							
X-5	0.008	0.005	0.006	0.007	0.006	0.006	0.007	0.010	0.009	0.006	0.006	0.012




AIR MONITORING AT RFETS

Nitrogen Dioxide (NO₂)

2000

Monthly Arithmetic Average Data (ppm)

	2000												2000
Site	1	2	3	4	5	6	7	8	9	10	11	12	Avg
X-1													
X-3	0.013	0.011	0.010	0.009	0.008	0.008	0.008	0.011	0.010	0.012	0.015	0.014	0.011
X-4													
X-5	0.010	0.009	0.011	0.008	0.007	0.008	0.009	0.009	0.008	0.011	0.014	0.012	0.010




AIR MONITORING AT RFETS

Nitrogen Dioxide (NO₂) 2000

Monthly 1-Hour Maximum Data (ppm)

	2000												2000
Site	1	2	3	4	5	6	7	8	9	10	11	12	Max
X-1													
X-3	0.045	0.052	0.056	0.051	0.035	0.036	0.041	0.055	0.050	0.051	0.059	0.060	0.060
X-4													
X-5	0.048	0.057	0.057	0.032	0.056	0.057	0.037	0.036	0.033	0.050	0.056	0.057	0.057




AIR MONITORING AT RFETS

Nitrogen Dioxide (NO₂)

2000

**Quarterly Arithmetic Average Data (3-years)
(ppm)**

	1998				1999				2000			
Site	1	2	3	4	1	2	3	4	1	2	3	4
X-1	0.010	0.005	0.006	0.011	0.008							
X-3	0.012	0.006	0.009	0.011	0.009	0.008	0.009	0.012	0.011	0.008	0.010	0.014
X-4	0.012	0.006	0.008	0.012	0.008							
X-5	0.008	0.005	0.006	0.009	0.007	0.007	0.008	0.010	0.010	0.008	0.009	0.012



APPENDIX F

**VOLATILE ORGANIC
COMPOUNDS DATA**

AIR MONITORING AT RFETS

Volatile Organic Compounds (VOCs)

2000

**Monthly Arithmetic Average Data
(In Parts Per Billion)**

Data are in Parts Per Billion.

Year 2000 Monthly Averages

Site	Compound	1	2	3	4	5	6	7	8	9	10	11	12	Avg
X-1	Freon 134a (1,1,1,2-Tetrafluoroethane)	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.02	0.00
X-2	CAS # 811-97-2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-3		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
X-4		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-5		0.00	0.00	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.49	0.03	0.02	0.06
X-1	Freon 22 (Chlorodifluoromethane)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.00
X-2	CAS # 75-45-6	0.05	0.00	0.00	0.00	0.01	0.00	0.00	0.05	0.06	0.01	0.03	0.01	0.02
X-3		0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.03	0.00	0.01	0.03	0.01	0.01
X-4		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
X-5		0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.07	0.00	0.03	0.00	0.01
X-1	Freon 12 (Dichlorodifluoromethane)	0.51	0.38	0.43	0.60	0.40	0.35	0.30	0.42	0.60	0.41	0.59	0.43	0.45
X-2	CAS # 75-71-8	0.36	0.23	0.30	0.38	0.33	0.32	0.19	0.31	0.53	0.29	0.38	0.26	0.32
X-3		0.35	0.20	0.27	0.33	0.36	0.26	0.25	0.25	0.45	0.26	0.37	0.29	0.30
X-4		0.40	0.37	0.35	0.37	0.45	0.28	0.34	0.31	0.57	0.34	0.38	0.30	0.37
X-5		0.28	0.19	0.17	0.31	0.24	0.21	0.16	0.22	0.40	0.23	0.30	0.23	0.25
X-1	Chloromethane (Methyl chloride)	0.26	0.14	0.01	0.00	0.00	0.00	0.03	0.00	0.00	0.50	0.09	0.05	0.09
X-2	CAS # 74-87-3	0.09	0.14	0.02	0.04	0.01	0.00	0.01	0.04	0.00	0.22	0.04	0.06	0.06
X-3		0.11	0.13	0.01	0.03	0.01	0.00	0.02	0.03	0.00	0.13	0.13	0.06	0.06
X-4		0.19	0.18	0.02	0.03	0.00	0.00	0.02	0.05	0.00	0.01	0.05	0.07	0.05
X-5		0.20	0.09	0.01	0.00	0.01	0.00	0.02	0.00	0.00	0.10	0.06	0.07	0.05
X-1	Freon 114 (1,2-Dichloro-1,1,2,2-tetrafluoroethane)	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.03	0.01	0.02	0.01
X-2	CAS # 76-14-2	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.00
X-3		0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00
X-4		0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.02	0.01	0.01	0.01
X-5		0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00
X-1	Vinyl chloride	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-2	CAS # 75-01-4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-3		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
X-4		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.01
X-5		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00

Site	Compound	1	2	3	4	5	6	7	8	9	10	11	12	Avg
X-1	1,3-Butadiene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-2	CAS # 106-99-0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-3		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-4		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-5		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-1	Chloroethane (Ethyl chloride)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-2	CAS # 75-00-3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-3		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
X-4		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-5		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-1	Freon 123 (2,2-Dichloro-1,1,1-trifluoroethane)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-2	CAS # 306-83-2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-3		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-4		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-5		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-1	Freon 11 (Trichlorofluoromethane)	0.06	0.09	0.10	0.10	0.07	0.14	0.13	0.11	0.08	0.11	0.09	0.09	0.10
X-2	CAS # 375-69-4	0.11	0.14	0.11	0.09	0.14	0.17	0.12	0.12	0.10	0.09	0.09	0.08	0.11
X-3		0.11	0.14	0.13	0.13	0.19	0.17	0.22	0.10	0.09	0.10	0.11	0.11	0.13
X-4		0.11	0.11	0.12	0.09	0.17	0.18	0.23	0.11	0.09	0.12	0.10	0.07	0.13
X-5		0.06	0.05	0.04	0.07	0.06	0.10	0.08	0.07	0.05	0.07	0.05	0.06	0.06
X-1	Vinylidene chloride (1,1-Dichloroethene)	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.02	0.02	0.01
X-2	CAS # 75-35-4	0.02	0.01	0.00	0.03	0.04	0.01	0.00	0.01	0.01	0.02	0.02	0.03	0.02
X-3		0.01	0.01	0.00	0.03	0.03	0.01	0.01	0.03	0.03	0.02	0.02	0.03	0.02
X-4		0.01	0.01	0.00	0.04	0.03	0.01	0.00	0.00	0.00	0.03	0.03	0.02	0.02
X-5		0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.01	0.01	0.00
X-1	Dichloromethane (Methylene chloride)	0.01	0.00	0.00	0.06	0.00	0.02	0.00	0.06	0.09	0.04	0.13	0.03	0.04
X-2	CAS # 75-09-2	0.06	0.05	0.01	0.04	0.03	0.04	0.03	0.09	0.08	0.06	0.16	0.07	0.06
X-3		0.06	0.05	0.02	0.04	0.06	0.03	0.06	0.09	0.07	0.05	0.12	0.12	0.06
X-4		0.07	0.03	0.00	0.04	0.02	0.02	0.05	0.07	0.05	0.06	0.10	0.07	0.05
X-5		0.02	0.00	0.00	0.03	0.01	0.00	0.00	0.02	0.03	0.02	0.07	0.02	0.02


Site	Compound	1	2	3	4	5	6	7	8	9	10	11	12	Avg
X-1	Freon 113 (1,1,2-Trichloro-1,2,2-trifluoroethane)	0.08	0.09	0.09	0.08	0.09	0.11	0.15	0.08	0.06	0.07	0.07	0.07	0.09
X-2	CAS # 76-13-1	0.08	0.09	0.08	0.07	0.08	0.09	0.12	0.07	0.06	0.06	0.07	0.06	0.08
X-3		0.07	0.08	0.09	0.08	0.08	0.09	0.12	0.06	0.06	0.06	0.07	0.08	0.08
X-4		0.08	0.09	0.10	0.08	0.08	0.09	0.14	0.07	0.06	0.07	0.07	0.08	0.08
X-5		0.05	0.03	0.03	0.04	0.03	0.05	0.08	0.05	0.04	0.04	0.04	0.04	0.04
X-1	Methyl tert-butyl ether (MTBE)	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.03	0.01
X-2	CAS # 1634-04-4	0.00	0.05	0.02	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01
X-3		0.00	0.02	0.01	0.00	0.01	0.00	0.03	0.00	0.00	0.00	0.00	0.02	0.01
X-4		0.00	0.03	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.01
X-5		0.00	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-1	1,1-Dichloroethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-2	CAS # 75-34-3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-3		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-4		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-5		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-1	Chloroform	0.02	0.01	0.03	0.00	0.03	0.02	0.00	0.00	0.00	0.01	0.02	0.00	0.01
X-2	CAS # 67-66-3	0.02	0.02	0.02	0.00	0.03	0.02	0.01	0.02	0.03	0.02	0.01	0.00	0.02
X-3		0.02	0.02	0.02	0.00	0.03	0.02	0.01	0.02	0.01	0.02	0.00	0.00	0.01
X-4		0.02	0.03	0.03	0.00	0.02	0.03	0.01	0.03	0.02	0.02	0.00	0.00	0.02
X-5		0.02	0.02	0.01	0.00	0.02	0.00	0.02	0.00	0.00	0.02	0.01	0.00	0.01
X-1	1,2-Dichloroethane (Ethylene dichloride)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-2	CAS # 107-06-2	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00
X-3		0.00	0.00	0.01	0.00	0.00	0.02	0.00	0.00	0.01	0.01	0.00	0.01	0.01
X-4		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00
X-5		0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-1	1,1,1-Trichloroethane (Methylchloroform)	0.08	0.07	0.09	0.08	0.08	0.06	0.06	0.11	0.08	0.08	0.05	0.06	0.08
X-2	CAS # 71-55-6	0.06	0.05	0.06	0.06	0.05	0.04	0.04	0.06	0.04	0.05	0.04	0.04	0.05
X-3		0.04	0.04	0.05	0.05	0.04	0.04	0.03	0.05	0.04	0.04	0.03	0.04	0.04
X-4		0.07	0.06	0.07	0.07	0.06	0.04	0.04	0.10	0.03	0.07	0.04	0.05	0.06
X-5		0.05	0.03	0.05	0.05	0.05	0.04	0.01	0.08	0.05	0.05	0.02	0.03	0.04

Site	Compound	1	2	3	4	5	6	7	8	9	10	11	12	Avg
X-1	Carbon tetrachloride	0.09	0.15	0.16	0.12	0.12	0.06	0.16	0.14	0.15	0.12	0.09	0.11	0.12
X-2	CAS # 56-23-5	0.09	0.11	0.12	0.11	0.08	0.08	0.09	0.10	0.08	0.09	0.09	0.09	0.09
X-3		0.07	0.11	0.11	0.09	0.08	0.07	0.09	0.10	0.08	0.08	0.08	0.10	0.09
X-4		0.11	0.13	0.13	0.12	0.10	0.08	0.14	0.13	0.09	0.12	0.09	0.11	0.11
X-5		0.07	0.08	0.09	0.07	0.07	0.04	0.10	0.10	0.07	0.08	0.05	0.06	0.07
X-1	Benzene	0.25	0.24	0.17	0.12	0.10	0.12	0.12	0.15	0.16	0.21	0.30	0.21	0.18
X-2	CAS # 71-43-2	0.34	0.31	0.23	0.17	0.17	0.17	0.15	0.19	0.17	0.27	0.38	0.27	0.24
X-3		0.29	0.30	0.24	0.18	0.16	0.18	0.20	0.20	0.17	0.26	0.44	0.33	0.25
X-4		0.35	0.25	0.20	0.13	0.13	0.14	0.16	0.16	0.14	0.24	0.34	0.28	0.21
X-5		0.19	0.11	0.07	0.07	0.08	0.08	0.08	0.10	0.09	0.14	0.16	0.11	0.11
X-1	Trichloroethene	0.01	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
X-2	CAS # 79-01-6	0.03	0.02	0.01	0.00	0.02	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01
X-3		0.03	0.02	0.01	0.00	0.02	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.01
X-4		0.05	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.01
X-5		0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-1	1,1,2-Trichloroethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-2	CAS # 79-00-5	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-3		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-4		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-5		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-1	Toluene (Methyl benzene)	0.36	0.28	0.13	0.08	0.10	0.11	0.14	0.21	0.20	0.27	0.46	0.23	0.21
X-2	CAS # 108-88-3	0.44	0.39	0.19	0.16	0.19	0.21	0.15	0.34	0.28	0.45	0.58	0.36	0.31
X-3		0.42	0.36	0.21	0.25	0.17	0.22	0.24	0.36	0.32	0.38	0.63	0.45	0.33
X-4		0.51	0.25	0.12	0.08	0.14	0.15	0.20	0.24	0.22	0.38	0.49	0.34	0.26
X-5		0.18	0.17	0.06	0.04	0.07	0.08	0.10	0.12	0.11	0.21	0.21	0.12	0.12
X-1	Tetrachloroethene (Perchloroethylene)	0.03	0.03	0.01	0.00	0.00	0.00	0.01	0.00	0.01	0.02	0.02	0.02	0.01
X-2	CAS # 127-18-4	0.04	0.03	0.02	0.00	0.01	0.01	0.01	0.01	0.00	0.02	0.02	0.02	0.02
X-3		0.02	0.03	0.02	0.01	0.01	0.01	0.01	0.01	0.00	0.02	0.03	0.02	0.02
X-4		0.04	0.02	0.02	0.00	0.01	0.02	0.01	0.00	0.00	0.02	0.02	0.02	0.02
X-5		0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.01	0.01	0.01


Site	Compound	1	2	3	4	5	6	7	8	9	10	11	12	Avg
X-1	Chlorobenzene	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-2	CAS # 108-90-7	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-3		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-4		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-5		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-1	Ethyl benzene (Phenylethane)	0.03	0.07	0.03	0.00	0.00	0.00	0.00	0.00	0.02	0.05	0.04	0.03	0.02
X-2	CAS # 100-41-4	0.04	0.06	0.03	0.00	0.01	0.00	0.02	0.05	0.01	0.05	0.05	0.04	0.03
X-3		0.04	0.05	0.04	0.00	0.01	0.00	0.04	0.05	0.01	0.04	0.05	0.05	0.03
X-4		0.06	0.05	0.04	0.00	0.00	0.00	0.05	0.01	0.01	0.07	0.06	0.04	0.03
X-5		0.02	0.04	0.03	0.00	0.00	0.00	0.04	0.00	0.01	0.04	0.02	0.01	0.02
X-1	m- + p-Xylene (1,3- + 1,4-Dimethylbenzene)	0.11	0.10	0.03	0.00	0.01	0.00	0.05	0.04	0.02	0.04	0.06	0.03	0.04
X-2	CAS # n/a	0.13	0.13	0.03	0.01	0.04	0.01	0.02	0.07	0.03	0.06	0.08	0.06	0.06
X-3		0.15	0.11	0.03	0.00	0.02	0.02	0.04	0.09	0.03	0.05	0.08	0.07	0.06
X-4		0.20	0.07	0.02	0.00	0.02	0.01	0.04	0.03	0.02	0.08	0.09	0.06	0.05
X-5		0.07	0.06	0.02	0.00	0.02	0.01	0.02	0.03	0.01	0.03	0.03	0.02	0.03
X-1	Styrene	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
X-2	CAS # 100-42-5	0.01	0.02	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.02	0.01	0.02	0.01
X-3		0.02	0.02	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.02	0.01	0.01	0.01
X-4		0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.02	0.01
X-5		0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00
X-1	1,1,2,2-Tetrachloroethane	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-2	CAS # 79-34-5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-3		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-4		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-5		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
X-1	o-Xylene (1,2-Dimethylbenzene)	0.04	0.05	0.03	0.00	0.00	0.00	0.00	0.00	0.01	0.03	0.04	0.03	0.02
X-2	CAS # 95-47-6	0.04	0.04	0.02	0.00	0.01	0.00	0.00	0.03	0.01	0.04	0.05	0.04	0.02
X-3		0.04	0.03	0.02	0.00	0.01	0.00	0.00	0.04	0.01	0.03	0.06	0.05	0.02
X-4		0.06	0.01	0.01	0.00	0.00	0.00	0.00	0.01	0.01	0.05	0.06	0.04	0.02
X-5		0.02	0.03	0.02	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.02	0.01	0.01

NOTE: 0.000 = Less than analytical detection level (0.000 used for year averages).


VOC's --- Freon 134a
2000 Monthly Averages




VOC's --- Freon 22
2000 Monthly Averages




VOC's --- Freon 12
2000 Monthly Averages




VOC's --- Chloromethane
2000 Monthly Averages




VOC's --- Freon 114
2000 Monthly Averages




VOC's --- Vinyl Chloride
2000 Monthly Averages




VOC's --- Chloroethane
2000 Monthly Averages




VOC's --- Freon 11
2000 Monthly Averages




VOC's --- Vinylidene Chloride
2000 Monthly Averages




VOC's --- Dichloromethane (Methylene Chloride)
2000 Monthly Averages




VOC's --- Freon 113
2000 Monthly Averages




VOC's --- Methyl Tert-Butyl Ether (MTBE)
2000 Monthly Averages




VOC's --- Chloroform
2000 Monthly Averages




VOC's --- 1, 2-Dichloroethane (Ethylene Dichloride)
2000 Monthly Averages




VOC's --- 1,1,1-Trichloroethane (Methylchloroform)
2000 Monthly Averages




VOC's --- Carbon Tetrachloride
2000 Monthly Averages




VOC's --- Benzene
2000 Monthly Averages




VOC's --- Trichloroethene
2000 Monthly Averages




VOC's --- Toluene
2000 Monthly Averages




VOC's --- Tetrachloroethene (Perchloroethylene)
2000 Monthly Averages




VOC's --- Ethyl Benzene (Phenylethane)
2000 Monthly Averages




VOC's --- m- and p-Xylene (1,3- and 1/4-Dimethylbenzene)
2000 Monthly Averages



VOC's --- Styrene
2000 Monthly Averages



VOC's --- o-Xylene (1,2-Dimethylbenzene)
2000 Monthly Averages



APPENDIX G
OZONE DATA

AIR MONITORING AT RFETS


Ozone

2000

Monthly 8-Hour Maximum Data

(PPM)

	2000												2000
Site	1	2	3	4	5	6	7	8	9	10	11	12	Max
X-1	0.045	0.055	0.060	0.059	0.082	0.077	0.084	0.083	0.066	0.047	0.040	0.042	0.084




AIR MONITORING AT RFETS

Ozone

2000

**Quarterly 8-Hour Maximum Data (3-years)
(ppm)**

	1998				1999				2000			
Site	1	2	3	4	1	2	3	4	1	2	3	4
X-1	0.068	0.091	0.101	0.056	0.062	0.078	0.092	0.053	0.060	0.082	0.084	0.047



AIR MONITORING AT RFETS


Ozone

2000

Monthly 1-Hour Maximum Data

(ppm)

	2000												2000
Site	1	2	3	4	5	6	7	8	9	10	11	12	Max
X-1	0.048	0.058	0.063	0.066	0.094	0.090	0.103	0.097	0.072	0.053	0.043	0.045	0.103




AIR MONITORING AT RFETS

Ozone

2000

Quarterly 1-Hour Maximum Data (3-years)
(ppm)

	1998				1999				2000			
Site	1	2	3	4	1	2	3	4	1	2	3	4
X-1	0.075	0.103	0.120	0.062	0.066	0.090	0.105	0.054	0.063	0.094	0.103	0.053



APPENDIX H

**RADIONUCLIDE AND
METALS DATA**

AIR MONITORING AT RFETS

Total Suspended Particulates (TSP) Metals and Radionuclides

2000

Quarterly Composite Data ($\mu\text{g}/\text{m}^3$)

TSP Site	Item	Months 01-03 Composite	Months 04-06 Composite	Months 07-09 Composite	Months 10-12 Composite
X-1	Be	<0.0011	<0.0011	N/A	<0.0011
X-1-C	Be - Coll	<0.0011	<0.0011	<0.0011	<0.0011
X-2	Be	<0.0011	<0.0011	<0.0011	<0.0011
X-3	Be	<0.0011	<0.0011	<0.0011	<0.0011
X-4	Be	<0.0011	<0.0011	<0.0011	<0.0011
X-5	Be	<0.0011	<0.0011	<0.0011	<0.0011

Quarterly Composite Data (pCi/m^3)

TSP Site	Item	Months 01-03 Composite	Months 04-06 Composite	Months 07-09 Composite	Months 10-12 Composite
X-1	U-234	0.000296	<0.000074	N/A	0.000066
X-1-C	U-234 - Coll	0.000416	<0.000061	0.000085	0.000097
X-2	U-234	0.000444	0.000062	0.000170	<.000047
X-3	U-234	0.000203	<0.000097	0.000071	<0.000051
X-4	U-234	0.000254	0.000232	0.000196	0.000173
X-5	U-234	0.000164	0.000158	0.000158	0.000123
X-1	U-235	0.000017	<0.000015	N/A	<0.000010
X-1-C	U-235 - Coll	0.000019	<0.000012	0.000003	<0.000007
X-2	U-235	0.000020	<0.000011	<0.000012	<0.000009
X-3	U-235	0.000010	<0.000019	<0.000011	<0.000010
X-4	U-235	0.000019	0.000012	0.000016	<0.000010
X-5	U-235	<0.000009	<0.000010	0.000016	<0.000013
X-1	U-238	0.000289	<0.000075	N/A	0.000087
X-1-C	U-238 - Coll	0.000417	<0.000061	0.000098	0.000091
X-2	U-238	0.000433	<0.000057	0.000172	<0.000047
X-3	U-238	0.000202	<0.000098	0.000066	<0.000051
X-4	U-238	0.000257	0.000200	0.000199	0.000178
X-5	U-238	0.000196	0.000153	0.000158	0.000159
X-5	Pu-239	<0.000013	<0.000009	<0.000013	<0.000015
X-5	Am-241	<0.000014	0.000032	<0.000029	<0.000030



AIR MONITORING AT RFETS



PM₁₀ Metals and Radionuclides 2000 Quarterly Composite Data ($\mu\text{g}/\text{m}^3$)



PM-10 Site	Item	Months 01-03 Composite	Months 04-06 Composite	Months 07-09 Composite	Months 10-12 Composite
X-1	Be	<0.0011	<0.0011	<0.0011	<0.0011
X-2	Be	<0.0011	<0.0011	<0.0011	<0.0011
X-2-C	Be - Coll	<0.0011	<0.0011	<0.0011	<0.0011
X-3	Be	<0.0011	<0.0011	<0.0011	<0.0011
X-4	Be	<0.0011	<0.0011	<0.0011	<0.0011
X-5	Be	<0.0011	<0.0011	<0.0011	<0.0011



Quarterly Composite Data (pCi/m^3)



PM-10 Site	Item	Months 01-03 Composite	Months 04-06 Composite	Months 07-09 Composite	Months 10-12 Composite
X-1	U-234	<0.000059	0.000279	<0.000086	0.000091
X-2	U-234	<0.000082	<0.000073	<0.000057	<0.000046
X-2-C	U-234 - Coll	0.000125	<0.000063	<0.000091	<0.000054
X-3	U-234	<0.000069	0.000076	<0.000068	0.000190
X-4	U-234	<0.000071	<0.000066	<0.000044	0.000077
X-5	U-234	<0.000069	<0.000090	<0.000094	<0.000059
X-1	U-235	<0.000012	0.000018	<0.000017	<0.000011
X-2	U-235	<0.000016	<0.000015	<0.000011	<0.000009
X-2-C	U-235 - Coll	<0.000013	<0.000013	<0.000018	<0.000011
X-3	U-235	<0.000013	<0.000013	<0.000014	<0.000012
X-4	U-235	<0.000014	<0.000013	<0.000009	<0.000012
X-5	U-235	<0.000014	<0.000018	<0.000018	<0.000012
X-1	U-238	<0.000059	0.000250	<0.000087	0.000106
X-2	U-238	<0.000082	<0.000074	<0.000058	<0.000046
X-2-C	U-238 - Coll	0.000150	<0.000064	<0.000091	<0.000054
X-3	U-238	<0.000069	0.000071	<0.000068	0.000191
X-4	U-238	<0.000071	<0.000067	<0.000044	0.000076
X-5	U-238	<0.000070	<0.000090	<0.000094	<0.000059
X-5	Pu-239	<0.000009	<0.000011	<0.000017	<0.000008
X-5	Am-241	<0.000008	<0.000021	<0.000013	<0.000010











APPENDIX I

METEOROLOGICAL DATA


AIR MONITORING AT RFETS

Wind Speed (vector)

2000

Monthly Arithmetic Average Data (miles per hour)

Site	1	2	3	4	5	6	7	8	9	10	11	12	Avg
X-1	11.4	11.8	10.5	10.9	9.5	9.6	8.5	8.7	8.5	7.6	9.6	11.5	9.8
X-2	9.8	9.9	8.6	9.0	7.9	7.8	7.2	7.2	7.4	6.7	7.9	9.2	8.2
X-3	8.9	9.3	8.1	8.6	7.4	7.6	7.0	6.7	7.0	6.5	7.3	8.1	7.7
X-4	8.7	9.4	8.2	8.9	7.6	7.3	6.6	6.4	5.6	5.6	8.0	8.9	7.6
X-5	9.2	10.2	8.9	8.7	8.0	7.4	6.7	6.9	7.1	6.1	8.5	10.0	8.1




AIR MONITORING AT RFETS

Wind Speed (vector)

2000

Monthly 1-Hour Maximum Data (miles per hour)

Site	1	2	3	4	5	6	7	8	9	10	11	12	Max
X-1	47	53	64	51	53	43	27	34	40	30	48	51	64
X-2	45	45	58	46	47	29	23	31	33	25	45	45	58
X-3	45	41	50	39	42	26	23	30	27	22	42	40	50
X-4	45	45	52	41	49	26	23	28	29	23	44	50	52
X-5	50	47	60	46	43	31	26	30	37	27	36	46	60




AIR MONITORING AT RFETS

Wind Speed (vector)

2000

**Quarterly Arithmetic Average Data (3-years)
(miles per hour)**

	1998				1999				2000			
Site	1	2	3	4	1	2	3	4	1	2	3	4
X-1	10.1	9.2	8.1	8.0	11.0	8.9	8.1	9.7	11.2	10.0	8.6	9.6
X-2	8.6	7.8	6.8	7.9	12.1	7.8	6.8	8.1	9.4	8.2	7.3	7.9
X-3	7.9	7.7	6.5	7.3	9.9	8.0	6.5	7.4	8.8	7.9	6.9	7.3
X-4	8.4	7.9	6.8	7.4	10.2	7.7	6.5	6.8	8.8	7.9	6.2	7.5
X-5	8.8	7.5	6.3	8.2	9.7	6.8	6.4	8.0	9.4	8.0	6.9	8.2




AIR MONITORING AT RFETS

Temperature

2000

Monthly Arithmetic Average Data (Degrees Fahrenheit)

Site	1	2	3	4	5	6	7	8	9	10	11	12	Avg
X-1	36	40	40	50	61	66	75	73	63	50	31	31	51
X-2	36	40	41	50	60	67	75	72	63	49	31	31	51
X-3	35	40	40	50	60	66	74	72	62	49	31	30	51
X-4	36	40	40	50	60	66	74	72	63	49	31	31	51
X-5	36	40	39	49	59	65	74	72	62	49	31	31	51



AIR MONITORING AT RFETS


Temperature

2000

Monthly 1-Hour Maximum Data

(Degrees Fahrenheit)

Site	1	2	3	4	5	6	7	8	9	10	11	12	Max
X-1	60	61	67	73	91	90	93	91	89	80	52	56	93
X-2	61	63	69	75	92	91	95	94	91	82	54	57	95
X-3	62	64	69	75	93	91	95	93	91	83	54	58	95
X-4	60	62	66	72	90	89	93	91	89	80	53	56	93
X-5	60	61	66	71	89	88	92	90	88	80	54	56	92




AIR MONITORING AT RFETS

Temperature

2000


**Quarterly Arithmetic Average Data (3-years)
(degrees Fahrenheit)**

	1998				1999				2000			
Site	1	2	3	4	1	2	3	4	1	2	3	4
X-1	36	55	70	42	40.0	53.0	67.0	47.3	38.7	59.0	70.3	37.3
X-2	36	55	70	42	40.0	53.3	67.0	45.7	39.0	59.0	70.0	37.0
X-3	35	54	69	41	39.7	53.0	66.0	44.3	38.3	58.7	69.3	36.7
X-4	35	54	69	42	40.0	52.3	66.0	46.3	38.7	58.7	69.7	37.0
X-5	35	53	69	43	39.0	51.0	65.3	46.0	38.3	57.7	69.3	37.0



WIND ROSE PLOT

Rocky Flats N. (RFX1), 16600 W. Hwy 128




<p>Wind Speed (m/s)</p>	<p>MODELER Bill Hague</p>	<p>DATE 10/4/01</p>	<p>COMPANY NAME CDPHE-TSS</p>
	<p>DISPLAY Wind Speed</p>	<p>UNIT m/s</p>	<p>COMMENTS</p>
	<p>AVG. WIND SPEED 4.72 m/s</p>	<p>CALM WINDS 0.22%</p>	
	<p>ORIENTATION Direction (blowing from)</p>	<p>PLOT YEAR-DATE-TIME 2000 Jan 1 - Dec 31 Midnight - 11 PM</p>	<p>PROJECT/PLOT NO.</p>

WRPLOT View 3.05 by Lakes Environmental Software - www.lakes-environmental.com

WIND ROSE PLOT

Rocky Flats N.E. (RFX2), 11501 Indiana St.




<p>Wind Speed (m/s)</p>	<p>MODELER Bill Hague</p>	<p>DATE 10/4/01</p>	<p>COMPANY NAME CDPHE-TSS</p>
	<p>DISPLAY Wind Speed</p>	<p>UNIT m/s</p>	<p>COMMENTS</p>
	<p>AVG. WIND SPEED 3.98 m/s</p>	<p>CALM WINDS 0.38%</p>	
	<p>ORIENTATION Direction (blowing from)</p>	<p>PLOT YEAR-DATE-TIME 2000 Jan 1 - Dec 31 Midnight - 11 PM</p>	<p>PROJECT/PLOT NO.</p>

WRPLOT View 3.05 by Lakes Environmental Software - www.lakes-environmental.com

WIND ROSE PLOT

Rocky Flats S.E. (RFX3), 9901 Indiana St.




<p>Wind Speed (m/s)</p>	<p>MODELER Bill Hague</p>	<p>DATE 10/4/01</p>	<p>COMPANY NAME CDPHE-TSS</p>
	<p>DISPLAY Wind Speed</p>	<p>UNIT m/s</p>	<p>COMMENTS</p>
	<p>AVG. WIND SPEED 3.84 m/s</p>	<p>CALM WINDS 0.09%</p>	
	<p>ORIENTATION Direction (blowing from)</p>	<p>PLOT YEAR-DATE-TIME 2000 Jan 1 - Dec 31 Midnight - 11 PM</p>	<p>PROJECT/PLOT NO.</p>

WRPLOT View 3.05 by Lakes Environmental Software - www.lakes-environmental.com

WIND ROSE PLOT

Rocky Flats S. (RFX4), 18000 W. Hwy 72




<p>Wind Speed (m/s)</p> <ul style="list-style-type: none"> > 20.00 7.50 - 20.00 6.00 - 7.50 3.50 - 6.00 2.00 - 3.50 0.50 - 2.00 	<p>MODELER Bill Hague</p>	<p>DATE 10/4/01</p>	<p>COMPANY NAME CDPHE-TSS</p>	
	<p>DISPLAY Wind Speed</p>	<p>UNIT m/s</p>	<p>COMMENTS</p>	
	<p>AVG. WIND SPEED 3.68 m/s</p>	<p>CALM WINDS 0.17%</p>		
	<p>ORIENTATION Direction (blowing from)</p>	<p>PLOT YEAR-DATE-TIME 2000 Jan 1 - Dec 31 Midnight - 11 PM</p>	<p>PROJECT/PLOT NO.</p>	

WRPLOT View 3.05 by Lakes Environmental Software - www.lakes-environmental.com

WIND ROSE PLOT

Rocky Flats W. (RFX5), 11190 Hwy 93



<p>Wind Speed (m/s)</p>	<p>MODELER Bill Hague</p>	<p>DATE 10/4/01</p>	<p>COMPANY NAME CDPHE-TSS</p>
	<p>DISPLAY Wind Speed</p>	<p>UNIT m/s</p>	<p>COMMENTS</p>
	<p>AVG. WIND SPEED 3.96 m/s</p>	<p>CALM WINDS 0.25%</p>	
	<p>ORIENTATION Direction (blowing from)</p>	<p>PLOT YEAR-DATE-TIME 2000 Jan 1 - Dec 31 Midnight - 11 PM</p>	<p>PROJECT/PLOT NO.</p>

WRPLOT View 3.05 by Lakes Environmental Software - www.lakes-environmental.com

APPENDIX J

COMPARISON DATA

Total Suspended Particulates (TSP) Comparison



2000



Monthly Arithmetic Average Data ($\mu\text{g}/\text{m}^3$)

		RF X-1	RF X-2	RF X-3	RF X-4	RF X-5	CAMP	Adams City
Jan	2000	27	28	22	28	43	--	116
Feb	2000	39	18	21	27	39	84	66
Mar	2000	--	--	--	34	--	107	99
Apr	2000	33	33	32	33	33	101	114
May	2000	45	43	52	40	23	93	93
Jun	2000	41	49	46	55	64	99	98
Jul	2000	47	52	43	47	62	77	82
Aug	2000	45	52	47	46	73	102	134
Sep	2000	50	40	33	35	48	79	98
Oct	2000	46	58	52	46	88	104	135
Nov	2000	34	44	45	43	43	74	85
Dec	2000	29	37	28	31	42	81	77

Monthly 24-Hour Maximum Data ($\mu\text{g}/\text{m}^3$)

		RF X-1	RF X-2	RF X-3	RF X-4	RF X-5	CAMP	Adams City
Jan	2000	40	38	24	43	80	--	156
Feb	2000	39	18	21	35	54	89	75
Mar	2000	--	--	--	35	--	141	142
Apr	2000	41	53	46	52	36	147	162
May	2000	65	74	124	66	23	122	124
Jun	2000	79	102	97	108	110	129	132
Jul	2000	60	65	56	59	85	88	129
Aug	2000	64	70	67	71	111	128	172
Sep	2000	91	96	76	84	104	141	172
Oct	2000	58	69	78	55	110	129	201
Nov	2000	62	78	76	77	73	99	127
Dec	2000	46	56	51	56	66	115	89





PM₁₀ Comparison



2000



Monthly Arithmetic Average Data (µg/m³)

		RF X-1	RF X-2	RF X-3	RF X-4	RF X-5	CAMP	Adams City	Bldr Cham
Jan	2000	9	12	11	10	13	N/A	45	26
Feb	2000	9	13	12	10	12	35	44	20
Mar	2000	8	9	9	8	11	29	35	20
Apr	2000	N/A	10	11	11	7	32	43	19
May	2000	8	13	13	12	16	32	36	21
Jun	2000	15	16	16	16	20	33	46	23
Jul	2000	18	20	20	20	20	33	42	24
Aug	2000	18	21	21	20	25	38	51	30
Sep	2000	14	14	15	13	13	33	44	20
Oct	2000	21	22	20	19	22	43	44	25
Nov	2000	14	17	16	15	13	31	44	26
Dec	2000	12	13	13	12	12	37	37	18

Monthly 24-Hour Maximum Data (µg/m³)

		RF X-1	RF X-2	RF X-3	RF X-4	RF X-5	CAMP	Adams City	Bldr Cham
Jan	2000	16	18	17	17	21	N/A	127	38
Feb	2000	16	20	18	16	19	45	134	26
Mar	2000	11	13	12	11	19	43	83	26
Apr	2000	N/A	14	15	14	14	44	135	28
May	2000	14	18	21	18	24	41	97	31
Jun	2000	22	25	25	25	33	44	96	37
Jul	2000	23	25	23	23	26	36	83	27
Aug	2000	22	28	29	29	32	51	100	39
Sep	2000	36	30	27	27	29	57	90	41
Oct	2000	31	29	26	25	26	60	91	32
Nov	2000	27	33	32	31	27	49	111	36
Dec	2000	19	21	23	25	20	48	62	30





Nitric Oxide (NO) Comparison 2000



Monthly Arithmetic Average Data (ppm)

		RF X-3	RF X-5	CAMP	Welby
Jan	2000	.009	.010	--	.072
Feb	2000	.007	.009	--	.055
Mar	2000	.006	.009	--	.028
Apr	2000	.005	.007	--	.022
May	2000	.004	.006	--	.018
Jun	2000	.004	.006	--	.014
Jul	2000	.003	.006	--	.013
Aug	2000	.004	.006	.027	.017
Sep	2000	.005	.007	.065	.035
Oct	2000	.007	.011	.075	.045
Nov	2000	.010	.012	.100	.064
Dec	2000	.011	.012	.110	.070

Monthly 1-Hour Maximum Data (ppm)

		RF X-3	RF X-5	CAMP	Welby
Jan	2000	0.069	0.069	--	0.426
Feb	2000	0.081	0.053	--	0.585
Mar	2000	0.067	0.066	--	0.246
Apr	2000	0.064	0.053	--	0.288
May	2000	0.046	0.074	--	0.196
Jun	2000	0.032	0.036	--	0.284
Jul	2000	0.041	0.043	--	0.16
Aug	2000	0.032	0.043	0.228	0.291
Sep	2000	0.057	0.053	0.433	0.389
Oct	2000	0.049	0.069	0.654	0.394
Nov	2000	0.081	0.116	0.572	0.546
Dec	2000	0.15	0.142	0.734	0.536

CAMP down for building reconstruction, January – July 2000.





**Nitrogen Dioxide (NO₂) Comparison
2000
Monthly Arithmetic Average Data (ppm)**

		RF X-3	RF X-5	CAMP	Welby
Jan	2000	.013	.010	--	.011
Feb	2000	.011	.009	--	.018
Mar	2000	.010	.011	--	.013
Apr	2000	.009	.008	--	.004
May	2000	.008	.007	--	.008
Jun	2000	.008	.008	--	.011
Jul	2000	.008	.009	--	.019
Aug	2000	.011	.009	.041	.016
Sep	2000	.010	.008	.027	.011
Oct	2000	.012	.011	.035	.018
Nov	2000	.015	.014	.040	.028
Dec	2000	.014	.012	.040	.029

Monthly 1-Hour Maximum Data (ppm)

		RF X-3	RF X-5	CAMP	Welby
Jan	2000	.045	.048	--	.078
Feb	2000	.052	.057	--	.120
Mar	2000	.056	.057	--	.065
Apr	2000	.051	.032	--	.044
May	2000	.035	.056	--	.047
Jun	2000	.036	.057	--	.141
Jul	2000	.041	.037	--	.067
Aug	2000	.055	.036	.095	.068
Sep	2000	.050	.033	.094	.052
Oct	2000	.051	.050	.089	.064
Nov	2000	.059	.056	.094	.104
Dec	2000	.060	.057	.092	.105

CAMP down for building reconstruction, January – July 2000





Ozone (O₃) Comparison 2000

Monthly 8-Hour Maximum Data (ppm)

		RF X-1	Welch	Arvada	NREL	S. Boulder Creek	Welby
Jan	2000	0.045	0.04	0.04	0.044	0.041	0.038
Feb	2000	0.055	0.048	0.049	0.054	0.054	0.051
Mar	2000	0.06	0.05	0.052	0.057	0.059	0.054
Apr	2000	0.058	0.052	0.051	0.058	0.057	0.053
May	2000	0.082	0.066	0.076	0.075	0.067	0.066
Jun	2000	0.076	0.063	0.065	0.071	0.071	0.061
Jul	2000	0.084	0.072	0.079	0.089	0.067	0.062
Aug	2000	0.083	0.07	0.07	0.083	0.078	0.062
Sep	2000	0.066	0.061	0.06	0.071	0.06	0.045
Oct	2000	0.047	0.043	0.038	0.049	0.046	0.03
Nov	2000	0.04	0.033	0.037	0.043	0.04	0.026
Dec	2000	0.042	0.036	0.037	0.042	0.039	0.029

Monthly 1-Hour Maximum Data (ppm)

		RF X-1	Welch	Arvada	NREL	S. Boulder Creek	Welby
Jan	2000	.048	.042	.042	.046	.043	.041
Feb	2000	.058	.051	.056	.057	.058	.058
Mar	2000	.063	.055	.057	.060	.063	.068
Apr	2000	.066	.057	.061	.064	.061	.068
May	2000	.094	.071	.096	.099	.082	.080
Jun	2000	.090	.071	.083	.085	.084	.074
Jul	2000	.103	.098	.102	.118	.080	.076
Aug	2000	.097	.081	.090	.107	.099	.070
Sep	2000	.072	.072	.075	.080	.069	.054
Oct	2000	.053	.049	.048	.055	.052	.041
Nov	2000	.043	.041	.042	.047	.042	.034
Dec	2000	.045	.039	.040	.044	.041	.035





**Colorado Department
of Public Health
and Environment**