

GO37/1.8/H19/1973
c.1

A GUIDEBOOK
TO DENVER
FOR THE HANDICAPPED



COLORADO STATE PUBLICATIONS LIBRARY
GO37/1.8/H19/1973 local
/A guidebook to Denver for the handicapp



3 1799 0001 5503



FOREWORD

This guide has been prepared to help those people with physical limitations enjoy Denver by knowing in advance the facilities which they will encounter. It is, of course, impossible to include all public places in a metropolitan city, therefore, only a representative sampling is given. It is recommended that an advance telephone call be made if there is a special problem or additional information is desired.

Handicaps due to age as well as to specific disabilities were considered in gathering the information. Specific measurements such as width of doorways and number of steps have been listed to aid those in wheelchairs or with leg braces and/or crutches. It is hoped, however, that those who are less severely handicapped, as well as the general public, will also find this guide useful.

ACKNOWLEDGMENTS

The Denver Architectural Barriers Committee acknowledges with appreciation the generous co-operation of the following in helping to make this Guide possible:

The Sewall Rehabilitation Center Auxiliary
The Governor's Committee to Promote Opportunities for the Handicapped (The Governor's Committee on Employment of the Handicapped)

Gratitude is also expressed to the courteous managers and owners of the various buildings whose understanding of the purpose of the survey made the information available.

TABLE OF CONTENTS

	Page
The Problem	1
The Solution	1
General Comments	2
Government Buildings	
Federal	12
Post Offices	13
State	9
City and County	6
Libraries	6
Educational Facilities	
High Schools	16
Colleges and Universities	20
Churches	23
Hospitals	24
Medical Buildings	27
Office Buildings	31
Banks	35
Hotels and Motels	37
Restaurants	41
Retail Stores	44
Shopping Centers	47
Theatres	50
Museums	53
Recreational Facilities	55
Transportation Facilities	59



State of Colorado

EXECUTIVE CHAMBERS

DENVER

JOHN D. VANDERHOOF
Governor

October, 1973

I take special pride in the publication of this guidebook to aid handicapped persons who live and visit in Denver. I commend the Governor's Committee to Promote Opportunities for the Handicapped for its outstanding work in the rehabilitation and placement of the physically and mentally impaired.

Through the efforts of volunteer groups and the active support of state and federal agencies, the public is becoming increasingly aware that our handicapped citizens can lead useful and productive lives. Many of our public facilities have already been modified to make them fully accessible to wheelchair employees and visitors.

Although many job opportunities are now open to the handicapped in Colorado, it is my hope that we will be able to place every employable handicapped person in a self-supporting, productive position in our state in the near future. With the help of the Governor's Committee and citizen education and awareness, I am confident we can provide the needed opportunities for the creative participation of the less fortunate citizens of our state.

Sincerely,

A handwritten signature in cursive script, reading "John D. Vanderhoof".

John D. Vanderhoof
Governor

JDV:mem

THE PROBLEM

"Architectural Barriers" make back-door citizens of millions of persons in wheelchairs, on crutches, with heart and pulmonary conditions, paralysis, and artificial limbs. Across this country, a great number of our citizens, because of physical disabilities, are prevented from using many of our public and private buildings.

Some of these barriers are:

1. Lack of proper parking facilities for the disabled.
2. Inaccessible entrances with stairs or steep inclines or narrow doorways.
3. Restroom facilities without grab bars and not able to accommodate wheelchairs.
4. Telephones, because of narrow booth doors or dials too high from floor, unavailable to persons in wheelchairs.

THE SOLUTION

The American Standards Association has prepared certain standards as a guide to make all public buildings and facilities accessible and usable by the disabled, aged and, moreover, the general public.

According to the Journal of American Insurance, September 1964, surveys of buildings that have aids for the disabled indicated a lower incidence of tripping and falling accidents, thus reducing public liability claims, and, accordingly, insurance rates. Fewer accidents in public buildings would also reduce losses and

rates under health insurance plans. As it is much easier to construct buildings without architectural barriers than to eliminate them later, interested citizens can help by urging architects and contractors to consider the specifications prepared by the American Standards Association A177.1.

GENERAL COMMENTS

The guide contains a representative sampling of the public buildings of the Denver metropolitan area. It neither recommends nor endorses any of the facilities listed, but gives a factual statement of conditions as they exist so that each person may determine in advance the availability of that building in relation to his own condition.

Entrances listed are those found to be most accessible by the surveyors for persons confined to wheelchairs. If special assistance is required to enter any building listed, it is recommended that an advance telephone call be made.

Curbs and steps are found only where they are mentioned; otherwise the entrance can be assumed to be ground level.

Addresses given are in the city of Denver unless otherwise designated.

Avenues run east and west, **Streets**, outside of downtown Denver, run north and south and have not been titled.

GOVERNMENT BUILDINGS

CITY AND COUNTY

Adams County Hall of Justice, 1931 East Bridge, Brighton, 659-1161. Parking on grounds. W entrance; 5 steps, handrail, door 72". N entrance through coffee shop; no steps. Second floor, E entrance; ramp, door 72". Toilet doors 26", stalls 23". Phone booth 20". Assistance available.

Adams County Service Building, 4201 East 72nd Avenue, Commerce City, 287-0171. Parking on grounds. Passenger loading front entrance, door 29". Men's toilet main hall to left; women's through hall to right; doors 28", stalls 23". Wall phone main hall. Assistance available.

Arapahoe County Court (Division A), 2629 West Main, Littleton, 798-4591. Parking in front; doors 36". Toilets to left off main hall; doors 24", stalls 24". Wall phone main hall, 60". Desk phone available in office. Wheelchairs accomodated in courtroom. Assistance available.

Arapahoe County Court (Division B), 16100 East Colfax (Alters School), Aurora, 364-7626. Parking on grounds. Passenger loading E and W entrances; doors 36". Toilets main floor; doors 24", stalls 28". Wall phone in hallway. Assistance available.

Arvada Municipal Building, 8101 Ralston Road, Arvada, 421-2550. Parking N and S of building. Main level entrance S; curb, steps. Toilets down hall to right; 34", stalls 27". All doors 36", with panic bars. City Council and Court

GOVERNMENT BUILDINGS (Continued)

chambers have amplification system with portable remote control microphones. Wheelchairs accomodated at back. 49" stairway to lower level; handrails. Lower level entrance N. Toilets left of entrance. Drive-in window to pay water bills. Heating units to keep sidewalk dry.

Aurora City Government, 1470 Emporia, Aurora, 366-3591. Parking on grounds. Passenger loading NW corner; ramp, 1 step to entrance, double door 72". 10 steps to lower level; 10 steps to main level. Elevator service all floors, after reaching lower or main level by stairways; handrails. Men's toilet fourth floor; women's lower level; doors 28", stalls 24". Wall phones, 48".

Aurora Health Department, 1633 Florence, Aurora, 366-1561. Parking adjacent front entrance, door 38". Desk phone. Assistance by prior arrangement.

Commerce City Municipal Building, 6015 Forest Drive, Commerce City, 288-6843. Parking on grounds. Passenger loading E entrance; 1 step, door 35". Toilets left of entrance; doors 29", stalls 26". Phone booth outside S entrance, 20". Assistance available.

Denver City and County Building, 1437 Bannock, 297-2242. Commercial parking between West 13th Avenue and West 14th Avenue on Cherokee. Passenger loading front entrance; 1 step, door 37"; or back entrance, ramp. Elevator service all floors. Toilets all floors; doors

GOVERNMENT BUILDINGS (Continued)

33", stalls 24". Wall phone main lobby, over 48".

Denver Department of Welfare, 320 West 8th Avenue, 292-4100. Parking on Delaware. Passenger loading W entrance. Door 35". Toilets main floor; stalls 26". Wall phone lobby, over 48".

Englewood City Hall, 3400 So. Elati, Englewood, 761-1140. Parking on grounds. Passenger loading W entrance, door 70". Steps to second floor area, handrail. Toilets all floors; doors 31", stalls 22". Phone booth outside entrance, over 48".

Glendale City Hall, 4499 East Tennessee, Glendale, 757-5451. Parking adjacent. Passenger loading front S entrance; 1 step, door 56". Courtroom door 54". Men's toilet right hall; women's by entrance; doors 27", stalls 24". Desk phone available.

Jefferson County Courthouse, 1700 Arapahoe, Golden, 279-6511. Parking on grounds. Passenger loading W entrance; 3 steps, handrail, door 20". 5 steps between entrance and corridor, handrail. Toilets in basement; 14 steps, handrail; doors 32", stalls 23". Phone booth first floor, 20".

Jefferson County Hall of Justice, 1700 Arapahoe, Golden, 279-6511. Parking across street to SE. Passenger loading W entrance; ramp, door 5'. Elevator service all floors. Toilets third floor;

GOVERNMENT BUILDINGS (Continued)

doors 32" ,stalls 21". Phone booth main floor, 31".

Jefferson County Health Department, 260 So. Kipling, Golden, 238-6301. Parking on grounds, curb. Passenger loading NW entrance, door 35". Toilets E end; doors 31", stalls 22". Desk phone W end, 30".

Littleton City Hall, 2450 West Main, Littleton, 794-4214. Parking in front. Passenger loading N entrance; 5 steps, handrail, door 41". 5 steps to second floor, handrail. Toilets all floors; doors 24", stalls 25". Phone booth at entrance on right, 18".

Denver Maternal and Child Health Center, 655 Cherokee, 893-6000. Parking on Cherokee. Passenger loading main entrance, door 32". Ramp on Speer Boulevard and Bannock for wheelchairs and stretchers. Call system in lobby area; interpreter for sign language. Assistance available.

Westminster City Hall, 3031 West 76th Avenue, Westminster, 429-1546. Parking on grounds. Passenger loading W entrance; 2 steps, door 32". 3 steps to lobby. Toilets down 15 steps; doors 27", stalls 21".

LIBRARIES

Arvada Public, 8555 West 57th Avenue, Arvada, 424-5527. Parking on grounds. Passenger loading main entrance, door 34". Toilets

LIBRARIES (Continued)

main floor; doors 28", stalls 30". Wall phone at front door.

Aurora Public, 1298 Peoria, Aurora, 364-9358. Parking on grounds. Passenger loading main entrance; ramp, door 33". 18 steps to lower level, handrail. Toilets main floor; doors 20", stalls 23". Wall phone main floor.

Bemis, 6014 So. Datura, Littleton, 794-4229. Parking adjacent to building. Passenger loading front entrance; ramp, door 26". Toilets main level; doors 27", stalls 24". Wall phone at entrance, over 48".

Decker Branch, East Florida Avenue and So. Logan, 733-7584. Street parking. Passenger loading front entrance; 7 steps, door 63". Toilets down 20 steps; doors 26". Desk phone.

Denver Main, 1357 Broadway, 573-5152. Commercial parking West 13th Avenue and Acoma. Passenger loading main entrance, door 32". Handrails all stairways. Elevator service all floors. Toilets lower level; doors 29", stalls 23". Wheelchairs accommodated. Assistance available.

Denver University - Penrose, 2150 East Evans Avenue, 753-2500. Parking S of building, some metered. Passenger loading S. Ramp to entrance, doors 36". Toilets first floor near "reserve" section; doors 35", 1 30" stall in each, grab bars in 1 stall each. Elevators to right of

LIBRARIES (Continued)

entrance; service to all floors. Wall phone downstairs by stairway, 46". Library tables 29".

Englewood City, 3400 So. Elati, Englewood, 761-1140. Parking on grounds. Passenger loading main entrance, door 70". Toilets main floor; doors 27", stalls 24". Wall phone main floor, 52". Assistance available.

Field Branch, 810 So. University Boulevard, 777-2301. Parking adjacent. Curb (to avoid, take sidewalk around corner to University) ramp to entrance, 2 sets doors, 34". Toilets in entrance hall; doors 33", stalls 24". Desk phone available. Persons wishing to enter back door should knock. Assistance available. Library tables 28".

Hadley Branch, West Jewell Avenue and So. Grove, 935-4267. Parking on grounds. Passenger loading E entrance, door 33". Toilets near W entrance; doors 28", stalls 21". Assistance available.

Park Hill Branch, Montview Boulevard and Dexter, 322-3631. Parking at front of building. S entrance; 3 steps, door 72". 7 steps to lobby, handrail. Toilets downstairs. Desk phone available. Assistance available.

Ross Barnum Branch, West 1st Avenue and Lowell Boulevard, 935-1891. Parking across street. Passenger loading rear of building, door 29". Toilets; ask directions at main desk; doors

LIBRARIES (Continued)

25", stalls 22". Desk phone available. Assistance available.

Ross Cherry Creek Branch, 305 Milwaukee, 388-4011. Parking on grounds. Passenger loading; ramp, door 32". Toilets up 23 steps, handrail; doors 27", stalls 24". Library tables 28". Desk phone available. Assistance available.

Ross University Hills Branch, 4310 East Amherst Avenue, 757-2714. Parking on grounds. Passenger loading E of building. E entrance; 1 step, door 32". Toilets E end of building; doors 27", stalls 22". Desk phone available. Assistance available.

Smiley Branch, West 46th Avenue and Utica, 477-3622. Offstreet parking on 46th. Passenger loading main entrance; 2 steps, doors 29". 6 steps inside, handrail.

Warren Branch, East 34th Avenue and High, 244-0454. Parking on street. 13 steps, door 48". Toilets down 15 steps; doors 29", stalls 26". Desk phone available.

Westminster Public, 3031 West 76th Avenue, Westminster, 429-8311. Parking on grounds. Passenger loading front entrance; 5 steps, handrail, door 32". Toilets main level; doors 24", stalls 21".

STATE

Aurora-Adams County Driver License Bureau, 11897 East 14th Avenue, 364-7489. Limited

STATE GOVERNMENT BUILDINGS (Continued)

parking. 1 step door will accommodate wheelchair.

Colorado Motor Vehicle Division, 140 West 6th Avenue, 825-9061. Parking on grounds. Passenger loading W entrance, door 32". Toilet N side, door 28". Wall phone near entrance, 60". Examination tables 42". Assistance available.

Colorado State Capitol, 200 East Colfax, 222-9911. Commercial parking within 2 blocks. Passenger loading NW entrance on Colfax; ramp, door 40". Elevator service all floors. Men's toilet E of entrance, women's W of entrance; doors 32", stalls 20". Phone booth lower level near cafeteria, door 21". Restaurant lower level, tables 29". Assistance available.

Colorado State Capitol Annex, 130 East 14th Avenue, 222-9911. Parking 1 block west on Lincoln. Passenger loading Sherman entrance; 2 steps, handrail, door 30". Elevator service all floors. Men's toilets SE corridor near entrance, women's SW corridor; doors 27", stalls 22". Phone booth SW corridor, door 20". Assistance by prior arrangement.

Colorado Department of Employment, 14th Avenue and Broadway, 893-2400. Parking on grounds. Passenger loading N side 14th, door 48". Elevator service all floors. Toilets E end of building all floors; doors 36", stalls 26".

STATE GOVERNMENT BUILDINGS (Continued)

All type phones, some amplified. Assistance available.

Colorado Department of Employment, 251 East 12th Avenue, 893-2400. Parking on grounds. Passenger loading NE corner Grant or basement drive-in. NE entrance Grant; ramp, door 32". Toilets W. end main floor; doors 32", stalls 26", handrails in toilet stalls. Assistance available.

Colorado State Department of Public Health, 4210 East 11th Avenue, 388-6111. Parking on grounds. Passenger loading rear of building, ramp. Front W entrance; 10 steps, handrail, door 32"; 3 steps to lobby. Elevator service all floors. Toilets main floor; doors 26", stalls 24". Wall phone right main lobby. Assistance available.

Colorado Services for the Blind, 100 West 7th Avenue, 892-2734. Parking on grounds, accessible from Acoma. Passenger loading main entrance; 3 steps, door 42". Elevator service all floors. Toilets main floor; doors 32", stalls 22". Assistance available. Workshop for the blind.

Colorado Social Services Building, 1575 Sherman Street, 892-2561 (892-2763 for Rehabilitation services for Blind.) Parking garage ramp. Ramp at entrance. Toilets 3 floors; grab bars.

Colorado State Office Building, 201 East Colfax, 222-9911. Commercial parking Sherman NW of building. Passenger loading Colfax; ramp, door

STATE GOVERNMENT BUILDINGS (Continued)

27". Elevator service all floors. Toilets all floors, SE corridors; 1 step, doors 29"; men's stalls 25", women's 24". Phone booth W corridor, 20". Assistance by prior arrangement.

Youth Opportunity Center, 500 Lincoln, 892-3591. 2 hour street parking or commercial lot adjacent. One step to main door. Phones available. Assistance available.

FEDERAL

Air Force Finance Center, 3800 York, 825-1161. Parking on grounds. Passenger loading at each entrance; 5 steps, ramp, door 72". Steps between essential areas in administration building, handrail. Toilets each working area, stalls 36", grab bars. Desk phones in working areas. Assistance by prior arrangement.

New Customs House, 1950 Stout, 837-4083. Metered street parking, commercial parking within 1 block. Passenger loading at 20th Street entrance through court; 1 step, door 40". Elevator service all floors. Toilets all floors; doors 31", stalls 24". Wall phone main lobby, 54". Assistance.

United States Courthouse, 1929 Stout, 837-3495. Commercial parking across street, 19th and Champa or 20th and Stout. Passenger loading Stout entrance, door 41". Elevator service all floors. Toilets all floors adjacent to courts; doors 31", men's stalls 24", women's stalls 23". Phone main lobby, 54".

FEDERAL GOVERNMENT BUILDINGS (Continued)

United States Federal Center, West Alameda Avenue and Kipling, 234-2225. Parking on grounds, some covered. Passenger loading main entrance; 41 steps, door 38". Buildings 22 and 67 have ramps and handrails. Freight elevators. Toilets all buildings; stalls 24". Restaurant tables 28".

United States Federal Office Building, 1961 Stout, 837-4083. Commercial parking across street, 19th and Champa or 20th and Stout. Passenger loading, Stout entrance, door 41". Elevator service all floors. Men's toilets center all floors just off elevators; doors 31", stalls 24"; women's each end of each floor; doors 31", stalls 23". Restaurant second floor, tables 27". Phone main lobby, 54".

United States Mint, Colfax Avenue and Cherokee, 837-4289. Parking SW corner, West 14th and Cherokee. Passenger loading main entrance, door 30". Toilets review room area; 17 steps, handrail, doors 39", stalls 22". Wall phone mezzanine, 48".

POST OFFICES

Aurora, 1590 Elmira, Aurora, 364-9215. Parking on street. Door 34".

Cherry Creek Branch, 245 Columbine, 837-4215. Parking on grounds. Passenger loading front entrance; 6 steps, handrail, door 28". Steep loading ramp rear of building.

Commerce City, 7351 Magnolia, Commerce City,

POST OFFICES (Continued)

288-2100. Parking on grounds. Passenger loading front entrance; ramp, handrail, double door, 60". Assistance available.

Denver Main, 18th Street and Stout, 837-3536. Metered parking, commercial parking 19th and Stout. 14 steps to entrance; handrail, automatic door, 40". Amplifiers in auditorium.

Englewood, 915 West Lehigh, Englewood, 761-0474. Parking adjacent to building. Lehigh entrance, double door, 60".

Highlands Branch, 3125 Federal Blvd., 837-4120. Parking rear and N side of building. 4 steps to entrance; door 32", inner double door 60" Assistance available.

Littleton, 5753 So. Prince, Littleton, 798-2461. Parking on grounds. Passenger loading front entrance; 6 steps, handrail; double door 58".

Montclair Branch, 1355 Kearney, 837-4000. Parking on street. Passenger loading main entrance; ramp, handrail, double door 60". Assistance available.

Santa Fe Branch, 1350 Santa Fe Drive, 837-4154. Parking on grounds. Passenger loading front entrance; ramp, door 35". Emergency assistance available.

Wellshire Branch, 2171 So. Grape, 837-4523. Parking on grounds. Passenger loading left of entrance; ramp, door 26".

Westminster, 7262 Meade, Westminster, 429-

EDUCATIONAL FACILITIES (Continued)

Arvada West, 11325 So. Allendale Drive, Arvada, 422-2326. Parking on grounds. Passenger loading W entrance; 6 steps, handrail, door 34". Toilets all floors; doors 36"; men's stalls 34"; women's stalls 22". Desk phone main lobby, 60'. Wheelchairs accommodated at front of auditorium. Assistance available.

Aurora Central, 10th and Newark, Aurora, 364-9257. Parking on grounds. Passenger loading E entrance; ramp, door 34". Toilets main floor; doors 30", stalls 22". Phone booth main floor, door 20".

Bear Creek, 3490 So. Kipling, Denver, 985-4444. Parking on grounds. Passenger loading W center entrance; 2 steps, door 36". Automatic doors E and W and between old and new buildings; ramp between buildings. Toilets near auditorium E and W halls; doors 32", stalls 24". Wall phones main entrance.

Brighton, 270 So. 8th Avenue, Brighton, 659-3361. Parking on grounds. Passenger loading S entrance; 1 step, door 32". Stairs, handrail to second floor classrooms. Toilets first floor; doors 27", stalls 22". Phone booth first floor, 20". Wheelchairs accommodated in auditorium. Assistance available.

Cherry Creek, 9300 East Union, 771-3562. Parking on grounds. Passenger loading NE entrance; 2 steps, door 34". Toilets all floors; doors 36", stalls 26". Desk phone in office, 48". Assistance by prior arrangement.

POST OFFICES (Continued)

0340. Parking on grounds. Passenger loading main entrance, door 48".

Wheatridge, 3810 Pierce, Wheatridge, 421-2855. Parking on grounds, N side. Passenger loading main entrance; sloping driveway to sidewalk; curb; door 27".

EDUCATIONAL FACILITIES

HIGH SCHOOLS

Abraham Lincoln, 2285 So. Federal, 936-7291. Parking on grounds. Passenger loading SE entrance, door 33", 4 steps to gym, auditorium, elevator. Elevator service all floors. Toilets by gym and auditorium in main hall doors 33", stalls 22". Phone booth main hall, door 20". Wheelchairs accommodated at rear outer aisle of auditorium.

Alameda, 1255 So. Wadsworth, 985-4421. Parking on grounds. Passenger loading SW entrance; ramp, door 31". Men's toilet near cafeteria, door 29"; women's near office door 31", stalls 25". Wall phone front hall. Wheelchairs accommodated in gym, cafeteria, and auditorium. Assistance available.

Arapahoe, 2201 East Dry Creek Road, 794-4895. Parking on grounds. 6 steps up from lot. Passenger loading front entrance; curb, ramp, doors 36". Toilets near cafeteria, E end; doors 34", stalls 35". Wall phone in cafeteria, 60". Ramp to auditorium, wheelchairs accommodated. Cafeteria tables 29". Assistance available.

EDUCATIONAL FACILITIES (Continued)

East Denver, 1545 Detroit, 388-5603. Street parking or parking in area between Colfax and East 16th Avenue on York. Passenger loading W entrance; curb, 4 steps, doors 36". Elevator service all floors during school hours. Women's toilets left of main entrance, men's right of entrance; doors 33", stalls 22". Phone booth at office or Detroit entrance, 22".

Englewood, 3900 So. Logan, Englewood, 761-2881. Parking adjacent to building. Passenger loading SE entrance, door 30". Toilets all floors and through W door of gym; doors 33", stalls 22". Wall phones in recreation area of gym and main hall.

George Washington, 655 So. Monaco, 399-2214. Parking on grounds. Passenger loading E entrance, door 35". Elevator service all floors. Toilets N of auditorium entrance; men's door 28", stalls 22"; women's door 28", stalls 30". Wall phone N of auditorium entrance, 43". Wheelchairs accommodated at front of auditorium. Assistance available.

Heritage, 7109 South Gallup, Littleton, 795-1353. Parking on grounds, curb; ramps to south entrances, doors 36". Elevator service all levels. Toilets main level; doors 35", 1 stall 31", grab bars. Wall phone main hall, 60". Auditorium and gym main level; wheelchairs accommodated.

Hinkley, 1250 Chambers Road, Aurora, 364-9383. Parking on grounds. Passenger loading

EDUCATIONAL FACILITIES (Continued)

S entrance; 7 steps, handrail, door 42". Toilets all floors; doors 30", stalls 35". Wall phone.

Jefferson, 2305 Pierce, 238-1361. Parking on grounds. Passenger loading N entrance; 1 step, ramp. Toilets main floor; doors 29", stalls 24". Wall phone lobby, over 48". Wheelchairs accommodated in back hall auditorium. Assistance available.

John F. Kennedy, 2855 So. Lamar, 985-8746. Parking on grounds. Passenger loading NE entrance; ramp, handrail, door 36". Elevator service all floors. Toilets left of entrance; doors 36", stalls 21". Wall phone main floor.

Lakewood, 9700 West 8th Avenue, Lakewood, 238-0566. Offstreet parking N. Passenger loading NE entrance; door 35", 3 steps, handrail. Auditorium, cafeteria main level; gym down 10 steps, handrail. Toilets W corridor upstairs; doors 26"; men's stalls open, women's stalls 24".

Littleton, 199 East Littleton, Littleton, 798-2438. Parking on grounds. Passenger loading W main entrance, door 35". Essential areas on main floor. Toilets first floor; doors 35", men's stalls 24", women's stalls 22". Wall phone first floor near gym. Wheelchairs accommodated rear of auditorium and gym.

Manual, 1700 East 28th Avenue, 222-8691. Parking on grounds. Passenger loading front entrance; 9 steps, door 66". Toilets S of en-

EDUCATIONAL FACILITIES (Continued)

trance; doors 33", stalls 28". Phone booth main entrance, 29".

North Denver, 2960 No. Speer Boulevard, 433-2511. Parking on grounds. Passenger loading adjacent to N entrance; ramp, door 48". Elevator service all floors. Toilets all floors; doors 28", stalls 24". Desk phone in office. Assistance available.

Opportunity School, 1250 Welton, 244-8899. Metered parking in front of building; commercial parking within 1/2 block. Passenger loading E entrance; ramp, door 30". Elevator service all floors. Toilets all floors; doors 36", stalls 22". Toilets on fourth floor accommodate wheelchairs. Phone booth main floor.

Sheridan, 4701 So. Federal, Sheridan, 789-1865. Parking on grounds. Passenger loading E front entrance, door 58". Toilets near main entrance; doors over 32", stalls under 28". Wall phone inside front door, 54".

South Denver, 1700 East Louisiana Avenue, 777-4421. Parking on grounds. Passenger loading N central service entrance, East Louisiana Avenue and Williams; 1 step, double doors. Toilets off main hall next to auditorium; doors 26", stalls 22". Phone booth at entrance. Stadium area: toilet doors 52", stalls 22". Ramp, handrail to stadium seats.

Thomas Jefferson, 3950 So. Holly, 755-9926. Parking on grounds. Passenger loading S entrance; 1 step, door 34". Elevator service all

EDUCATIONAL FACILITIES (Continued)

floors. Handrails all stairways. Toilets all floors; doors 24", stalls 24". Wall phone front lobby, 48". Assistance by prior arrangement.

West Denver, 988 Elati, 222-3545. Parking on grounds. Passenger loading N court on W side; 1 step, doors 36". Elevator service all floors. Toilets all floors; doors 36", stalls 24". Desk phone in office. Wheelchairs accommodated rear of auditorium, 3 steps. Assistance by prior arrangement.

Wheat Ridge, 9505 West 32nd Avenue, Wheat-Ridge, 238-1281. Parking on grounds. Passenger loading SE entrance; curb, door 33". Toilets at entrance; doors 24", stalls 22". Wall phone at entrance, over 48". Assistance available.

COLLEGES AND UNIVERSITIES

Arapahoe Community College, 5900 South Santa Fe Drive, 798-8531. Parking on street or commercial lot behind school. Passenger loading front and back. Ramps. Toilets main hall first floor; doors 31", men's stall 30", women's 25". Wall phone main hall first floor, 60". Assistance available.

Colorado Women's College

Mason Hall, 1800 Pontiac, 394-6012. Offstreet parking and passenger loading East 19th Avenue and Olive; curb, ramp, handrail. S en-
Community Colleges of Denver, Central Campus, 1201 Acoma, 892-3464. Metered street parking; lot at East 12th Avenue and Acoma. Entrance

EDUCATIONAL FACILITIES (Continued)

door 43". Toilets W wall center of Student Center; doors 27", stalls 22". Wall phone in Student Lounge, 62"; phones also available in offices. Eating tables in Student Lounge 29".

Loretto Heights Administration Building, 3001 South Federal, 922-4011. Parking on grounds. Passenger loading W rear entrance; ramp, door 33". Elevator service all floors. Toilets ground floor N end of hall; men's door 29", stalls 22"; women's door 33", stalls 20". Wall phone main hall.

Metropolitan State College, 250 West 14th Avenue, 292-5190. Commercial parking adjacent to building. Passenger loading main entrance, door 33". Elevator service all floors. Toilets all floors; doors 29", stalls 22".

Regis Administration Building, West 50th Avenue and Lowell, 433-8471. Parking on grounds. Passenger loading NW end of building, doors 33". Elevator service all floors. Toilets second floor; doors 32", stalls 24". Wall phone S entrance to gym. Restaurant SW entrance, tables 28".

trance door 34". Toilets left of main entrance; doors 33", stalls 30". Wall phone left of main entrance, over 48".

Treat Hall, Pulliam Auditorium, 1800 Pontiac, 394-6838. Offstreet parking East 19th Avenue and Quebec. Passenger loading NE rear; ramp, door 33". Elevator service all floors. Men's

EDUCATIONAL FACILITIES (Continued)

toilet left of auditorium main entrance; doors 32", stalls 22"; women's toilet right of auditorium main entrance; doors 32", stalls 28". Wall phone across from women's toilet, over 48".

University of Colorado, Denver Campus, 1100 nue, 892-1117. Parking on grounds. Passenger 14th Avenue, 892-1117. Parking on grounds. Passenger loading front entrance; ramp, door 36". Elevator services all floors. Toilets all floors; doors 35", stalls 22". Phone booths main floor, 48". Auditorium second floor annex, 12 steps. Wheelchair space may be reserved.

University of Denver

Admissions Building, 2199 So. University, 753-2284. Parking to SW. Passenger loading S entrance; 11 steps, handrail, door 66". Toilets down 21 steps; doors 35", stalls 25". Wall phone in basement.

Civic Center, 1445 Cleveland Place, 297-2151. Parking on grounds. Passenger loading opposite NE entrance; 2 steps, door 21". Classrooms second floor, handrail. Toilets main floor; doors 33", stalls 22". Phone booth main floor, 21".

Student Union, 2050 East Evans Avenue, 753-1964. Adjacent offstreet parking. Passenger loading W parking lot, step, door 33". 18 steps from East Evans Avenue to auditorium, handrail. 12 steps, handrail, from cafeteria to auditorium. Toilets second floor; women's left of

EDUCATIONAL FACILITIES (Continued)

stairs, men's to right; doors 33", stalls 22". Cafeteria tables 29". Phone booth main floor to right, 22". Wheelchairs permitted in auditorium.

CHURCHES

Central Presbyterian, 1660 Sherman, 534-7101. Parking corner East 16th Avenue and Sherman. Passenger loading East 17th Avenue and Sherman or NE entrance on alley, door 44". Toilets main floor; doors 27", stalls 26". Wall phone main lobby, over 48". Wheelchairs accommodated front and rear of sanctuary. Assistance available.

First Baptist, East 14th Avenue and Grant, 255-4054. Offstreet parking. Passenger loading Grant; 2 steps, handrail, door 55". Toilets center main hall; doors 27", stalls 22". Desk phone in office. Wheelchairs accommodated. Assistance available.

Immaculate Conception, 1530 Logan 623-0233. Parking adjacent to building. Passenger loading E of building on alley, door 34". Phone in parish house. Assistance available.

St. John's Episcopal, 1313 Clarkson, 623-8401. Parking on grounds. Passenger loading from parking lot; steps, handrail. Toilets all floors; men's door 21", women's door 27", stalls 21". Phone in sacristy. Assistance available.

St. Paul's Lutheran, 1600 Grant, 222-1639.

CHURCHES (Continued)

Parking adjacent to building. Passenger loading front entrance; 2 steps, handrail, door 36". Handrails all stairways. Toilets main floor; doors 24", stalls 25". Wall phone S entrance, over 48". Wheelchairs accommodated in small chapel main floor. Reservations may be made for additional wheelchair space. Assistance available.

Temple Emanuel, 51 Grape, 388-4015. Parking on grounds. Passenger loading E entrance; 1 step, door 35". Toilets N of auditorium, main hall; doors 33", stalls 28". Phone booth N of auditorium, main hall, door 36". Assistance available.

Trinity Methodist, 1820 Broadway, 623-0147. Commercial parking rear of church. Passenger loading front entrance, doors 24". Elevator service all floors. Men's toilet main floor rear; door 27", stall 22"; women's main floor; door 27', stall 22". Desk phone in office. Wheelchairs accommodated in rear of church.

As can be expected in a city the size of Denver, there are numerous churches reflecting as many distinct beliefs. Those enumerated are contiguous to the downtown district. Any telephone directory will show a complete listing without architectural data.

HOSPITALS

Children's, 1056 East 19th Avenue, 244-4377. Parking on grounds separated by driveway. Passenger loading main N entrance; ramp, 3 steps, handrail, door 39". Toilets S of waiting

HOSPITALS (Continued)

room; doors 29", stalls 22". Phone booth south of waiting room, door 21". Coffee shop down 2 steps, tables 30". Elevator service all floors. Assistance available.

Colorado General, 4200 East 9th Avenue, 394-8446. Parking on grounds. Passenger loading NE emergency or 11th Avenue parking lot, door 72". Elevator service all floors. Desk phone main floor. Assistance available.

Denver General, West 8th Avenue and Cherokee, 893-6000. Metered parking on street, some 2 hour parking near emergency entrance. Passenger loading Bannock and Cherokee, door 60". Elevator N end main lobby; service all floors. Toilets N end main lobby; doors 34", stalls 25", one handrail. Wall phone N end main lobby, 62". Wheelchair space provided in chapel. Assistance available.

Fitzsimons General, 12101 East Colfax, 366-5311. Parking on grounds. Passenger loading front entrance. Elevator service all floors. Toilets all floors; doors 36", stalls 28". Stall phones each floor, 48". Assistance available.

General Rose, 1050 Clermont, 333-8511. Parking on grounds. Passenger loading S emergency entrance, door 32". Elevator service all floors. Handrails all stairways. Toilets all floors, doors 28". Phone booth main floor, 48". Assistance available.

Mercy, 1619 Milwaukee, 388-6288. Offstreet parking off East 17th Avenue between Mil-

HOSPITALS (Continued)

waukee and Fillmore. Passenger loading emergency entrance; ramp, door 42". Toilet doors 22", stalls 21". Wall phone main lobby right of entrance near elevator, over 48". Assistance available.

Presbyterian, 1719 East 19th Avenue, 534-9011. Parking on grounds. Passenger loading main S entrance, door 32". Elevator service all floors. Toilets all floors; doors 32", stalls 22". Restaurant tables 29". Wall phones all waiting areas, 52". Assistance available.

Rocky Mountain Osteopathic, 4701 East 9th Avenue, 388-5588. Parking on grounds. Passenger loading E entrance off Dahlia; ramp, door 48". Elevator service all floors. Toilets all floors waiting room areas. Wheelchairs accommodated throughout building. Assistance available.

St. Anthony's, 4231 West 16th Avenue, 825-9011. Parking on grounds. Passenger loading main entrance and emergency entrance, E side of S wing, doors 5'. Elevator service all floors. Toilets all floors; doors 22'. Restaurant tables 32". Assistance available.

St. Joseph, 1835 Franklin, 623-9495. Commercial parking across Franklin. Passenger loading main Franklin entrance; ramp, door 29". Elevator service all floors. Toilets left of entrance; doors 27", stalls 24". Coffee shop in Tower-teria, tables 29". Wall phone N wall right of

HOSPITALS (Continued)

entrance, 59". Outpatient entrance on Humboldt. Assistance available.


St. Luke's, 601 East 19th Avenue, 292-0600. Commercial parking 19th Avenue and Washington. Passenger loading front entrance; ramp, door 36". Elevator service all floors. Toilets all floors; doors 23", stalls 22". Phone booths all floors, 48". Assistance available.


Swedish, 501 E. Hampden Avenue, 761-0560. Parking on grounds. Passenger loading emergency entrance and E. Hampden entrance, door 42". Elevator service all floors. Men's toilet NE main lobby; women's E end main lobby; doors 26", stalls 22". Wall phone W end of lobby, 60". Assistance available.

Veteran's Administration, 1055 Clermont, 399-8020. Parking on grounds. Passenger loading S entrance, door 48". Handrails all stairways. Elevator service all floors. Toilets all floors, waiting room areas. Desk phones all floors. Wheelchairs accommodated throughout building. Assistance available.

MEDICAL BUILDINGS

Cherry Creek Medical Building, 3535 Cherry Creek No. Drive, 297-5608. Parking on grounds. Passenger loading S entrance; curb, door 66". Elevator service all floors. Toilets all floors; doors 25". Wall phone main floor. Assistance and wheelchairs available.





Walking time from 16th and Curtis Street

Brooks Towers	2	Minutes
Brown Palace Hotel	8	Minutes
City and County Building	12	Minutes
Civic Center	13	Minutes
Convention Center	7	Minutes
Federal Complex	6	Minutes
Federal Reserve Bank	1	Minute
Larimer Square	5	Minutes
State Capitol and Office Building	14	Minutes
U.S. Customs	7	Minutes

MEDICAL BUILDINGS (Continued)

Majestic Building, 209 16th Sreet, 534-2944. Commercial parking within 1/2 block. Passenger loading N alley, door 32". Elevator service all floors. Toilets all floors; doors 28", stalls 24". Assistance by prior arrangement.

Medical Center Associates, 3705 East Colfax, 333-5451. Commercial parking across alley. Passenger loading Garfield, door 33". Elevator service all floors. Toilets all floors; doors 30", men's stalls 24", women's 22". Snack bar main floor. Wall phone main floor.

Metropolitan Building, 1612 Court Place, 534-4972. Commercial parking across street and adjacent to building. Passenger loading N entrance, door 42". Elevator service all floors. Toilets all floors; doors 32", stalls 24". Wall phone lobby, over 48". Assistance available.

Professional Arts Building, 1245 East Colfax, 222-9607. Parking on grounds. Passenger loading entrance from commercial parking lot in rear. Elevator service all floors. Toilets all floors; doors 28", stalls 22". Wall phone main floor, 61". Assistance available.

Sewall Rehabilitation Center, 1360 Vine, 399-1800. Parking adjacent to building. Passenger loading W entrance, automatic doors, 36". Elevator service all floors. Toilets all floors; doors 32", open stalls with grab bars. Railings throughout. Desk phone. Assistance available.

Republic Building, 1612 Tremont, 534-5271. Commercial parking adjacent to building. Pas-

MEDICAL BUILDINGS (Continued)

senger loading W entrance on Tremont; 1 step, door 36". Elevator service all floors. Toilets all floors; men's doors 36", open stalls; women's doors 36", stalls 22". Desk phone entrance from parking lot. Wheelchairs available at parking entrance.

The Denver Clinic, 701 East Colfax, 623-2161. Parking adjacent to building. Passenger loading from parking lot; ramp, door 34". Toilets main entrance and parking entrance; doors 30", stalls 22". Wall phone back hall, over 48". Assistance available.

OFFICE BUILDINGS

American National Bank, 818 17th Street, 297-5442. Parking lot adjacent to building. Passenger loading main entrance, door 36". Elevator service all floors. Toilets all floors, doors 30".

Banker's Union Life, 200 Josephine, 297-5403. Parking on grounds. Passenger loading from parking lot; 3 steps, door 32"; 7 steps to main floor, handrail. Elevator service all floors. Toilets all floors; doors 25", stalls 22".

Blue Cross-Blue Shield, 244 University, 388-4441. Parking on grounds. Passenger loading main entrance; 3 steps, handrail; door 32"; 5 steps, handrail from lobby. Elevator service all floors. Toilets in hall off main entrance; 5 steps, handrail; doors 29", stalls 23". Desk phone main lobby. Assistance available.

Blue Cross-Blue Shield (under construction), 700

OFFICE BUILDINGS (Continued)

Broadway, 292-6565. Parking under ground, automatic doors. Toilets first floor. Elevator service all floors. Phone in lobby. Ramps to core area.

Capitol Life Center, 1600 Sherman, 266-0341. Parking on grounds. Passenger loading main entrance; ramp, double doors. Elevator service all floors. Toilets all floors; doors 26", stalls 22". Desk phone main floor. Assistance available.

Central Bank and Trust, 1108 15th Street, 893-3456. Parking on grounds. Passenger loading on 15th or Arapahoe, doors 51". Elevator service all floors. Toilets all floors; doors 29", stalls 23". Desk phone main floor. Drive-in banking facilities. Assistance available.

Denver Club Building, 518 17th Street, 222-1828. Commercial parking between 16th and 17th on Welton. Passenger loading main entrance, door 34". Elevator service all floors. Doors to all offices 35".

Equitable, 730 17th Street, 222-8621. Commercial parking in block. Passenger loading Stout entrance, 1 step. Elevator service all floors. Toilets all floors, 1 step; doors 41", stalls 22". Phone booth lobby, 20".

First National Bank, 621 17th Street, 893-2211. Parking on grounds. Passenger loading rear parking lot, 1 step. Elevator service all floors. Toilets 28th floor; doors 26", stalls 22". Sky

OFFICE BUILDINGS (Continued)

Deck, 5 steps, handrail. Phone at Sky Deck desk. Assistance available.

Insurance Exchange, 910 15th Street, 534-7728. Commercial parking across street. Passenger loading main entrance, door 42". Elevator service all floors. Toilets all floors; doors 42", stalls 32". Desk phone front office.

Midland Savings and Loan, 444 17th Street, 244-9054. Parking on grounds. Passenger loading on 17th, automatic door 34". Elevator service all floors. Toilets all floors; doors 25", stalls 22". Assistance available.

Mountain Bell—Business Office, 1401 Champa, 825-4121. Metered parking on street, commercial parking across street. Door 35". Toilets first floor; doors 27", stalls 24". Elevator service all floors; elevator adjoining office. Table phone, amplifier.

Petroleum Club, 110 16th Street, 623-6534. Commercial parking adjacent to building. Passenger loading on Broadway, door 30". Elevator service all floors. Toilets all floors; doors 26", stalls 22". Wall phone lobby.

Prudential Plaza, 1050 17th, 892-1573. Underground parking, metered parking on street. 5 steps on 17th Street side, 5 steps on Arapahoe Street side, ramp on Curtis Street side; door 35". Elevator 17th Street, Tower Building; service to all floors. Elevator in Plaza area to second floor. Toilets second floor Plaza area. Phone booth in Plaza area, 20".

OFFICE BUILDINGS (Continued)

Public Service, 550 15th Street, 297-5442. Parking adjacent to building. Passenger loading front entrance, automatic doors. Elevator service all floors. Phone booth main floor, 58". Assistance by prior arrangement (297-7010).

Security Life, 1616 Glenarm, 222-0718. Parking Tremont across alley, covered walkway. Passenger loading Glenarm entrance, door 40". Elevator service all floors. Toilets lower level and second floor; doors 34", stalls 22". Wall phone second floor lobby, 48". Restaurant tables 28".

Six Fifty Five, 655 Broadway, 292-6565. Parking on grounds. Passenger loading Broadway entrance, door 33". Elevator service all floors. Toilets from lobby; doors 25", stalls 26". Table phone first floor. Assistance available.

Symes, 820 16th Street, 297-5442. Parking across street. Passenger loading front entrance, door 36". Elevator service all floors. Toilets all floors; doors 32", stalls 30". Phone front of building on sidewalk. Assistance available.

Title, 909 17th Street, 892-1111. Commercial parking next door. Passenger loading on 17th, door 64". Elevator service all floors. Toilets all floors, 1 step; doors 25", stalls 31". Wall phone rear main floor, 57". Restaurant rear main floor.

United Bank of Denver Center, 1740 Broadway, 297-5461. Parking on Lincoln between East 17th and East 18th Avenues; con-

OFFICE BUILDINGS (Continued)

necting overpass to third floor bank building. Automatic entrance door. Elevator service all floors. Toilets NW corner concourse level; men's door 29", women's 34"; stalls 21". Desk phone main floor W side of building. Assistance available.

United Way, 1375 Delaware, 573-7000. Parking W, S, and E. Passenger loading W entrance; ramp, double doors. Elevator service all floors. Toilets first floor; doors 30"; men's stall open, 32", grab bars; women's stall open, 40", grab bars. Desk phone W end first floor, 39". Wheelchairs accommodated auditorium and canteen. Tables 29". Assistance available. Groups wishing to reserve meeting space should contact office.

University, 910 16th Street, 297-5442. Commercial parking within 2 blocks. Passenger loading on 16th Street, door 39". Elevator service all floors. Toilets all floors; doors 33", stalls 22". Wall phone main lobby.

Western Federal Savings and Loan, 718 17th Street, 292-3700. Commercial parking adjacent to building. Passenger loading on 17th Street, door 33". Elevator service all floors. Toilets all floors near elevators; doors 30", stalls 30". Wall phone lobby, over 48".

BANKS

Arapahoe County Bank, 5804 So. Datura, Littleton, 794-4291. Parking adjacent to building.

BANKS (Continued)

Passenger loading front entrance; low curb, door 33". Phone at desk. Assistance available.

Arvada State Bank, 9509 Ralston Road, Arvada, 421-3773. Parking on grounds. Passenger loading main entrance; 2 steps, door 72". Toilets down 20 steps, handrail; doors 36", stalls 30". Desk and wall phones both floors. Assistance available.

Capitol Federal Savings, 9890 West 58th Avenue, 758-4141. Parking on grounds. Passenger loading main entrance; 1 step, door 72". Toilets down hall; doors 27", stalls 24". Wall phone outside meeting room; some desk phones available. Assistance available.

Cherry Creek National Bank, East 1st Avenue and St. Paul, 388-4331. Parking on grounds. Passenger loading S entrance, door 66". Wall phone main floor, over 48". Drive-in banking facilities. Assistance available.

Colfax National Bank, 5901 East Colfax, 388-5957. Parking on grounds. East Colfax entrance door 31". Toilets main floor through hallway; doors 29", men's stalls 18", women's 22". Desk phone 30". Drive-in banking facilities. Assistance available.

Columbia Savings and Loan, 16th and Broadway, 292-9900. Parking on grounds. Passenger loading Broadway entrance, door 30". Toilets rear of bank; doors 27", stalls 23". Desk phone rear right. Assistance available.

BANKS (Continued)

Western Federal Savings, 6011 West 44th Avenue, 292-1771. Parking on grounds. Passenger loading NW entrance, ramp on N side, door 33". Toilets downstairs.

HOTELS AND MOTELS

Albany Hotel, 17th Street and Stout, 534-5211. Parking on grounds. Passenger loading Stout, door 37". Toilets W side lobby along N corridor; doors 29", stalls 22". Guestroom doors 31', bathroom doors 25"; annex guestroom doors 36", bathroom doors 27". Restaurant tables 30". Phones W side lobby near center; wall phones 60', booths 48". Assistance available.

Brown Palace Hotel, 17th Street and Tremont, 825-3111. Motor lobby and parking garage in Brown Palace East. Elevator service all floors. Toilets all main floors; men's doors 27", stalls 23"; women's doors 26", stalls 23". Guestroom doors 32". Special facilities with advance notification. Assistance available, entrance Brown Palace East.

Colburn Hotel, 980 Grant, 623-6261. Parking on grounds. Passenger loading main entrance; 5 steps, handrail, doors 36". Elevator service all floors. Men's toilet center of basement; women's E side lobby; doors 27", stalls 22". Guestroom doors 31", bathroom doors 25". Restaurant tables 27". Wall phones in lobby, 56". Assistance available.

HOTELS AND MOTELS (Continued)

Cosmopolitan Hotel, 1800 Broadway, 623-2181. Commercial parking within one block. Passenger loading Broadway entrance, door 31". Elevator service all floors. Men's toilets basement and mezzanine; women's rear of lobby and mezzanine; doors 27", stalls 23". Guestroom doors 34", bathroom doors 23". Restaurant tables 28'. Desk phone rear of lobby. Assistance available.

Essex House, 5390 So. Santa Fe, Littleton, 798-2551. Parking on grounds. Passenger loading N entrance, door 46". Guestroom doors 46", bathroom doors 23".

Four Winds Motor Hotel, 4600 West Colfax, 244-8011. Parking on grounds. Passenger loading S entrance, door 38". Elevator service all floors. Toilets off lobby, doors 22". Guestroom doors 30"; bathroom doors 21". Restaurant tables 28". Wall phone off lobby near restaurant, 48". Assistance available.

Heart O'Denver, 1150 East Colfax, 244-9221. Parking on grounds. Passenger loading main entrance. Elevator service all floors. Toilets off lobby; doors 30", stalls 22". Guestroom doors 30"; bathroom doors 21", grab bars. Restaurant main floor, tables 29". Wall phone in lobby, 62". Assistance available.

Hilton Hotel, 16th Street and Court, 893-3333. Commercial parking Blue "B" level, direct entrance from motor lobby to hotel. Elevator service all floors. Toilets all essential areas; 4 steps

HOTELS AND MOTELS (Continued)

mezzanine, handrail; doors 34", stalls 28". Guestroom doors 31", bathroom doors 22". Restaurant tables 30". Phone booths all areas, 20". Assistance available.

Holiday Inn, 13800 East Colfax, 364-2671. Parking adjacent. Passenger loading in front; curb door 36". Toilets through lobby; doors 24", stalls 24". Wall phone lobby, 62". Guestroom doors 36", bathroom doors 24". Restaurant tables 30".

Howard Johnsons Motor Lodge, 6300 East Hampden Avenue, 755-9911. Parking on grounds. Passenger loading restaurant entrance; 1 step, door 38". Ramp to first floor. Toilets all floors and restaurant; doors 23", stalls 27". Guestroom doors 33"; bathroom doors 31", stalls 27"; grab bars on shower doors. Restaurant tables 30". Phones office and guestrooms. Wheelchairs accommodated rear of auditorium. Assistance available.

Quality Motel, 1840 Sherman, 244-4171. Parking on grounds. Passenger loading main entrance, door 48". Elevator service all floors. Toilets off lobby; doors 27", stalls 22". Guestroom doors 30"; bathroom doors 30"; grab bars in bath and shower. Restaurant tables 28'. Wall phones in lobby, over 48". Assistance available.

Ramada Inn, 7150 West Colfax, 238-1251. Parking on grounds. Passenger loading main entrance, door 32". Toilets near coffee shop;

HOTELS AND MOTELS (Continued)

doors 22", stalls 20". Guestrooms 101 through 125 ramped; 126 through 129, 1 step, doors 29". Restaurant tables 30". Wall phone in coffee shop, 48". Assistance available.

Regency Inn, 3900 Elati, 322-6131. Parking adjacent to building. Passenger loading front entrance; 3 steps, handrail, ramp, door 64". Elevator service all floors. Toilets off lobby; doors 29"; men's stall 22", womens 24"; 27" hall between door and stalls. Phone booth off lobby, 30". Guestroom doors 34". Restaurant tables 28". Assistance available.

Sheraton Inn, 3535 Quebec, 333-7711. Parking adjacent. Passenger loading in front; curb, ramp, door 42". Elevator S of entrance; service to all floors. Toilets left, then right from lobby; doors 30", stalls 30". Wall phone near rest rooms, 60". Guestroom doors 32", bathroom doors 30". Rooms 204 and 205 equipped for handicapped with bathroom rails and hook over bed; bathroom doors 32". Restaurant tables 28". Wheelchairs accommodated in meeting rooms.

Writer's Manor, 1730 South Colorado Boulevard, 756-8877. Parking on grounds. Passenger loading main N entrance; 1 step, door 32". Guestrooms available from back parking lot; curb, 3 steps from lobby into guestrooms. Guestroom doors 29"; bathroom doors 21"; grab bars. Toilets off lobby; doors 27", stalls 22". Restaurant tables 27". Wall phone in

HOTELS AND MOTELS (Continued)

ladies lounge, 58". Phone booth in lobby, door 21". Assistance available.

YMCA, 25 East 16th Avenue, 244-4393. Parking adjacent to building. Passenger loading Lincoln entrance; 4 steps, door 36"; 3 steps between entrance and main area, handrail. Elevator service all floors. Steps and handrails between areas not serviced by elevator. Toilets Lincoln entrance; doors 31", stalls 24". Desk phone in lobby, 31".

RESTAURANTS

Aeroplane, 3312 West Alameda Avenue, 934-9414. Parking on grounds. Passenger loading NE corner; ramp, door 32". Toilets to S; men's door 36", open stalls; women's door 32", stall 32". Tables 30".

Baur's, Cherry Creek Shopping Center, 388-5743. Adjacent parking, curb; W entrance door 68". Main dining room street floor; cafeteria down 24 steps, handrail. Toilets both floors; doors 28", stalls 21". Phone at cashier desk. Assistance available.

Denver Drumstick, 6301 East Colfax Avenue, 237-0423. Parking on grounds. Passenger loading main entrance; curb, door 27". Toilets main floor; doors 22", stalls 22". Wall phone main entrance. Tables 28".

Hungry Dutchman, 7209 So. Clinton, Englewood, 771-0286. Parking adjacent. Passenger loading

RESTAURANTS (Continued)

side and front of building. 1 step and 3" rise at end of ramp to front entrance; handrail, door 6'. Toilets left of dining room; doors 29", stalls 21". Wall phone hallway off lobby, 60". Dining tables 29". Preferential seating available for handicapped. Assistance available.

Hungry Farmer, 6925 West Alameda Avenue, 238-4321. Parking on street or adjacent to building. 1 step, door 33". Phone booth off entrance, door 24", height 42". Toilets off entrance hall; doors 27", stalls 22". Dining tables 29".

International House of Pancakes, 1409 West Littleton Boulevard, Littleton, 798-2244. Parking adjacent to building. Passenger loading main entrance; 1 step, door 32". Toilets main floor; doors 21", stalls 22". Wall phone over 48". Tables 28". Assistance available.

Ken's Family Hearth, 7105 East Hampden, 757-8043. Parking adjacent. Passenger loading entrance; curb, door 30". Toilets straight through entrance; doors 28"; men's stall 24", women's stall 22". Wall phone straight through entrance, 48". Dining tables 28".

Le Profil, 1560 Sherman, 222-0758. Commercial parking NW corner 16th and Sherman. Passenger loading, door 33". Toilet doors 24", stalls 22". Wall phone entrance. Dining tables 28". Assistance available.

Manning's Cafeteria, 1616 Welton, 255-5381.

RESTAURANTS (Continued)

Commercial parking across street. Passenger loading front entrance, door 33". Elevator service all floors. Toilets toward basement; doors 33", stalls 25". Wall phone basement, 60".

Mr. Steak, 850 Wadsworth, Lakewood, 233-5015. Parking adjacent to building. Passenger loading front entrance; 1 step door 34". Toilets SE corner; doors 32", stalls 22". Wall phone near front entrance, 60". Dining tables 28". Assistance available.

Sperte's Laffite, 14th Street and Larimer, 222-5811. Parking on grounds. Passenger loading front entrance, door 32". Toilets main floor; men's door 27", women's 23". Wall phone off entrance, 55". Dining tables 29". Assistance available.

Top of the Rockies, Security Life Building, 1616 Glenarm, 825-3321. Parking nearby. Elevators, both within and without, to restaurant. Men's toilet door 29", women's 31". Men's stall 22", women's 31". Phone booth 35", door 24". Front door 24". Dining tables 25". Assistance available.

Wyatt's Cafeteria, Villa Italia Shopping Center, 936-1758. Parking in shopping center; curb, ramps; door 35". Toilet doors 21", stalls 22". Dining tables 29"; cafeteria aisle 43" wide; cafeteria table 32" high.

RESTAURANTS (Continued)

Yum-Yum Tree, 3707 Cherry Creek Drive No., 399-2725. Parking and passenger loading in front of building. Ramp to entrance; 2 sets double doors, 53"; first set automatic. Toilets near entrance; doors 28", stalls 21". Wall phone by entrance, 67". Eight restaurants, all cafeteria style. Dining tables 30".

Zuider Zee, 4120 East Alameda Avenue, 355-3501. Parking S and W of building. Curb, door 36". Toilets near front entrance; doors 32", stalls 22". Wall phone near entrance, 56". Dining tables 29".

RETAIL STORES

Denver Dry Goods, 16th Street and California, 534-2111. Commercial parking across street. Passenger loading California entrance, door 32". Elevator service all floors. Toilets fifth floor and basement; doors 33". Restaurant fifth floor, tables 29". Wall phone men's department. Nurse on duty. Assistance available.

Gano-Downs, 16th Street and Stout, 825-3311. Commercial parking across street. Passenger loading Stout entrance, door 32". Elevator service all floors. Men's toilet second floor; women's toilet fourth floor; doors 24", stalls 24". Assistance available.

Goodwill Industries, 3181 West Alameda Avenue, 934-4008. Parking on street W on Hooker;

RETAIL STORES (Continued)

J. C. Penney, 1600 California, 753-8411. Commercial parking N adjacent to building. Curb, double doors, 30". Phone at check-out counter.

Commercial parking adjacent to building. Passenger loading California entrance, door 32". Elevator service all floors. Men's toilet second floor and basement; women's toilet third floor; doors 33", stalls 21". Wall phone California entrance, 56".

Joslin's, 16th Street and Curtis, 534-0441. Commercial parking adjacent to building. Passenger loading Curtis entrance. Elevator service all floors. Men's toilets basement and fifth floor; women's toilets third and fifth floor; doors 42", stalls 24". Wall phone near Curtis entrance. Assistance available.

K-Mart, 2150 South Monaco Parkway, 757-1243. Parking and passenger loading adjacent. Doors 25". Toilets near lay-away department; doors 27", stalls 25". Table phone in entrance, 30". Restaurant tables 30". Assistance available.

May D-F, 16th Street and Tremont, 292-8377. Parking budget floor. All entrance doors 30". Elevator service all floors. Men's toilets main, third, and budget floors; doors 30", open stalls; women's toilets all floors; doors 30", stalls 22". Wall phones all floors, over 48". Assistance by prior arrangement.

RETAIL STORES (Continued)

Montgomery Ward, 555 So. Broadway, 744-3737. Parking on grounds. Passenger loading Broadway entrance, doors 32". Elevator service all floors. Toilets center hall, main floor; doors 32", stalls 24". Wall phone at entrance, 58". Restaurant tables 28".

Neusteter's, 720 16th Street, 534-3311. Commercial parking adjacent to building. Entrance from parking lot, door 32". Elevator service all floors. Men's toilets second and fifth floors; women's toilets all floors except main; doors 26", stalls 22". Phone booth main floor SE corner. Wheelchair and assistance available.

Sears Roebuck, East 1st Avenue and University, 892-8700. Parking on grounds. Passenger loading W and E entrances, doors 53". Escalator service all floors. Toilets basement and second floor; doors 33", stalls 21". Wall phones stair entrances and near coffee shop, over 48". Assistance by prior arrangement.

Tang's Imports, 3755 Cherry Creek Drive No., 388-4046. Parking and passenger loading in front of building. Ramp to entrance; automatic entrance and exit doors, 32". Aisles accommodate wheelchairs.

Target Stores, Inc., 4301 East Virginia Avenue, 399-0890. Parking and passenger loading in front, door 34". Toilets left of entrance; doors 29", stalls 22". Wall phones left of entrance, 62". Restaurant tables 30".

RETAIL STORES (Continued)

Woolworth's, 820 16th Street, 292-6720. Commercial parking across street. Passenger loading E and NE entrances, doors 32". Toilets down escalator, doors 26", stalls 28". Wall phones on landings between levels, over 48". Assistance by prior arrangement.

SHOPPING CENTERS

Alameda, 2200 West Alameda Avenue. Parking on grounds. Passenger loading store entrances, 1 step. Toilets at bowling alley; 20 steps. Phone booths in parking area. 33 stores.

Arvada Plaza, West 58th Avenue and Independence Road, Arvada, 421-2372. Parking on grounds. Curb, store doors 36". Toilets rear of Howell's Department Store; doors 22", stalls 22". Phone booth front of Albertson's, 18". Drive-up bank, theatre. 30 stores.

Bear Valley, 3100 So. Sheridan, 934-4634. Parking on grounds. Doors over 32". Phone booth doors 21". 40 stores.

Buckingham Square, East Mississippi Avenue and So. Havana, Aurora, 755-3232. Parking all sides. Passenger loading; curb, ramps at Dave Cook's, Safeway, and N mall entrance, doors 34". Doors into mall 34". Toilets center of mall, W side, down hall; doors 30", stalls 22". Wall phones center of mall, W side, 60". Some 33" doors in mall shops, most open. Mall ramped. 76 stores. Forum Cafeteria; tables 30"; cafeteria table 32", aisle 34"; Handicapped peo-

SHOPPING CENTERS (Continued)

ple provided with assistance through cafeteria line by bus girls.

Chaffee Park, West 48th Avenue and Pecos, 455-4711. Parking on grounds; curb, doors 33". Phone booths near Safeway and drug stores. 14 stores.

Cherry Creek, East 1st Avenue and University, 388-2522. Parking on grounds. Ramp W side Denver Dry Goods, curb all other areas. Phone booth on mall near Miller's, door 20". Toilets in Denver Dry Goods; men's first floor; doors 31", stalls 24"; women's second floor, needlework; doors 30", stalls 22". Assistance available. 42 stores.

Cinderella City, 701 West Hampden Avenue, Englewood, 761-2290. Parking and passenger loading in center. Curbs, ramps at each main entrance; doors 36". Elevators in Joslin's and Neusteter's. Men's toilets by Joslin's elevator, womens by Joslin's S entrance; doors 30", stalls 24"; attendants. Wall phones throughout center, 65".

Heritage Square, So. of Golden, 279-2517. Parking below, E of village. Curb, 2 gravel inclines up to village; 1 step to most shops, doors 36". Toilets center of village across from outdoor eating area; doors 32", stalls 22". Desk phone available in manager's office, behind candle shop, NW corner. 2 steps up, S side, to outdoor eating area; tables 28". Specialty and craft shops.

SHOPPING CENTERS (Continued)

Lakeside, 5801 West 44th Avenue, 297-5000. Parking on grounds. All entrances accessible. Toilets in building near Luby's, doors 33". Wall phone near Luby's. 25 stores.

Larimer Square, 1400 Larimer. Metered parking on street; commercial parking on Larimer between 14th and 15th Streets. Streets ramped to sidewalks at corners. Phone booths on mall, 18". Specialty shops and restaurants.

Northglenn Mall Shopping Center, Valley Highway and 104th Avenue, 466-1065. Parking all sides. Store entrance doors 36". Toilets in Sears N end near credit office; doors 35", stalls 26". Wall phones W, N, S entrances, 56".

University Hills, 2700 So. Colorado Boulevard, 222-4701. Parking on grounds. Passenger loading at store entrances; curb, doors 33". Toilets May-D&F second floor; doors 33", stalls 22". Phone booths on mall, 34 stores.

Villa Italia, West Alameda Avenue and So. Wadsworth, 936-7424. Parking in center. Curb, ramps throughout center, doors 64". Elevator in J. C. Penney's near catalogue department. Toilets in Joslin's; men's in men's department, women's in beauty salon; doors 29", stalls 25". Wall phones in mall, 64".

Westland, 10405 West Colfax Avenue, Lakewood, 237-9557. Parking on grounds. Shopping area covers several blocks. 5" curb from parking area to store level. Wall phones W side of

SHOPPING CENTERS (Continued)

Wyatt's Cafeteria, May-D&F, and Safeway, 48". Enclosed mall. 42 stores.

Woodlawn, West Littleton Boulevard and Windemere, 794-7751. Parking on grounds Doors 32". Toilets Woodlawn Theatre and J. C. Penney's; doors 27", stalls 22". Phone booths in parking area. 27 stores.

THEATRES

Aladdin, 2010 East Colfax Avenue, 388-6401. Parking on grounds. Passenger loading Colfax entrance; ramp, door 35". Toilets main floor; doors 48", stalls 22". Wall phone over 48". Wheelchairs permitted rear of theatre. Assistance and wheelchair reservation space by prior arrangement.

Bonfils, East Colfax Avenue and Elizabeth, 322-7725. Parking across alley. Passenger loading N side Elizabeth; door 33". Attendant. Toilet main floor right of last entrance on right aisle; door 29", stall 22". Desk phone in office. 1 wheelchair permitted rear of theatre. Assistance by prior arrangement.

Centennial Drive-In, West Bellevue Avenue and So. Federal, 794-6062. Parking on grounds. Concessions building; S entrance, door 80". Toilet doors 32", stalls 23". Wall phone. Persons confined to wheelchairs may give food orders at gate upon entering and order will be brought to them.

THEATRES (Continued)

Centre, 216 16th Street, 222-4797. Commercial parking within 2 blocks. Toilets down 18 steps, handrail; doors 28", stalls 24". Wall phone off main lobby, over 48". Wheelchairs accommodated along aisle. Assistance available.

Century 21, 1370 So. Colorado Boulevard, 757-8401. Parking and passenger loading behind and on sides of building; curb, door 33". Table phones S lobby, 30". Men's toilet SE corner lobby; door 30", stall 23". Wheelchairs accommodated. Assistance available.

City Auditorium and Arena, 1323 Champa, 297-2638. Commercial parking across street. Passenger loading on 13th Street; 3 steps, handrail, door 60". Toilets basement and second floor; 20 steps, handrail; doors 36", stalls 36". Wall phone second floor. Persons may remain in wheelchairs at front of first floor. Assistance available.

Country Dinner Playhouse, 6875 So. Clinton, Englewood, 771-1419. Private parking front of building. Passenger loading; 3" rise to door, 6'. Wall phone main lobby, 40". Toilets main floor; doors 36", stalls 23". Wheelchairs accommodated. Special seating for handicapped by prior arrangement.

Denham, 635 18th Street, 255-4636. Passenger loading front entrance; double doors. Toilets basement, 15 steps; doors 29", stalls 22". Phone booths downstairs, 58". Wheelchairs permitted in side aisles. Assistance available.

THEATRES (Continued)

Denver, 510 16th Street, 534-5339. Commercial parking across Glenarm. Passenger loading front entrance, automatic door. Steps inside. Toilets downstairs. Wheelchairs permitted aisles 1 and 5. Assistance available.

Denver University, East Evans Avenue and So. University Boulevard, 753-2510. Passenger loading at bookstore on University between East Evans and Warren; 6 steps to E entrance, door 36". Toilets second floor to right of theatre entrance; doors 29", stalls 22". 21 steps to balcony. Phone booth SE side main floor, door 22".

Paramount, 519 16th Street, 534-5388. Commercial parking across street. Passenger loading Glenarm; ramp, wide double doors; steps, handrail. Toilets downstairs, handrail. Wall phone lobby, 60". Wheelchairs permitted outer aisles. Assistance available for parking and entering.

Phipps Auditorium, City Park, 322-1808. Parking on grounds. Call ahead for passenger loading N entrance; 1 step, door 27"; 11 steps to stage area, handrail. Men's toilet S side; women's N side; doors 30", stalls 22". Phone booth down 28 steps. Wheelchairs permitted at back by prior arrangement. Assistance available.

Valley Drive-In, 6360 East Evans Avenue, 756-3031. Parking on grounds, blacktop. Toilet doors 32", stalls 27". Wall phone, snack bar.

THEATRES (Continued)

Wadsworth Drive-In, 5100 Wadsworth, 421-9370. Gravel parking lot. Snack bar door 38". Toilets center of building; doors 30", men's stalls open, women's stalls 30". Wall phone center of building.

MUSEUMS

Botanic Gardens, 1005 York, 297-2547. Street parking on York; private lot across street, accessible from York or Josephine; curb from parking lot to landing, 12 steps, 2 more curbs. Passenger loading at entrance, door 31". Toilets W wall lobby; men's door 31", stall 22"; women's door 32", stalls 22"; grab bars. Wall phone W wall lobby in 27" alcove, 54". Wheelchairs accommodated in Horticulture Hall; conservatory accessible. One wheelchair and assistance available.

Denver Art Museum, 100 West 14th Avenue, 297-2793. Metered parking or commercial parking on 13th between Acoma and Bannock. Passenger loading zone at front or on 13th between Acoma and Bannock. Ramp, handrail at 13th Avenue entrance. Toilets to left off elevator first and sixth floors; mens door 31", stalls 33", grab bars; women's door 33", stalls 33", grab bars. Elevator service all floors. Phone booth main lobby, or desk phone available. Two wheelchairs and assistance available.

Denver Museum of Natural History, Montview Boulevard and Colorado Boulevard, 322-1808.

MUSEUMS (Continued)

Parking N side. Passenger loading, door 31". Toilets third floor across from snack bar 27", stalls 31", grab bars; women's door 31", stalls 31", grab bars. Elevator service all floors. Wall phones first floor, 50". Wheelchairs accommodated Planetarium and NW Auditorium. 2 wheelchairs available. Handicapped persons planning trips to Planetarium should call ahead for assistance.

Houston Center—Colorado Woman's College, 1800 Pontiac. Parking on street, private lot adjacent. Passenger loading in front; curb, ramp, handrail, door 32". Elevator off lobby; service to all floors. Toilets in basement; men's door 33", stalls 31", grab bars, women's door 33", stall 31", grab bars. Wall phone off lobby, 46". Wheelchairs accommodated. Assistance by prior arrangement.

Molly Brown House, 1340 Pennsylvania, 222-3357. 2 hour on street parking. Curb. 18 steps to front entrance, door 43'. Passengers could be unloaded from alley between Pennsylvania and Pearl, and enter building through curator's office; 3 steps, door 32". Toilet near office, door 23". Desk phone available in office. 10 steps, landing, 12 steps to second floor; 12 steps, landing, 6 steps to third floor. Doors through house 41".

State Historical Society, East 14th Avenue and Sherman, 892-2069. Commercial parking within 2 blocks. Passenger loading alley E side main entrance. Basement level entrance W side;

MUSEUMS (Continued)

6 steps, door 45". Men's toilet third floor, 1 step; women's second floor, 1 step; doors 33", stalls 24". Wall phone by main door, 48". Assistance by prior arrangement.

Wax Museum, 919 Bannock, 255-7941. Street parking opposite museum. Door 32". Elevator service all floors. Handrails all stairways. Toilets adjacent main lobby; doors 32", stalls 25". Desk phones. Assistance available.

RECREATIONAL FACILITIES AND PARKS

Arapahoe County Fair Grounds, 1200 West Belleview Avenue, Littleton, 794-2511. Parking on grounds, $\frac{1}{2}$ block walk to grandstand. Grandstand 16 steps, handrail; door 32". Toilets on grounds, separate buildings; doors 32", stalls 27". Phone booth outside, door 20". Assistance by prior arrangement (794-1654). Display building accessible. Persons in wheelchairs invited to sit in special area.

Bears Stadium, West 20th Avenue and Decatur, 433-7466. Parking on grounds. Passenger loading adjacent to entrance West 20th Avenue and Decatur, entrance 38". Toilets N end top ramp, S and lower levels; doors 33", stalls 29". Phone booths W and S gates. Special wheelchair section on ground level. Assistance available.

Belleview Bowl-O-Mat, 4900 So. Federal, 794-4265. Parking on grounds. Passenger loading W entrance; curb, door 70". Toilets left of entrance; doors 27", stalls 24". Wall phone en-

RECREATION FACILITIES AND PARKS (Continued)

trance hall. Ramps down to bowling lanes on both ends.

Celebrity Sports Center, 888 So. Colorado Boulevard, 757-3321. Parking on grounds. Separate entrance and passenger loading for all essential areas. Bowling: 32" automatic door. 3 steps down to bowling lanes. Special help for handicapped groups; ball rack to roll ball down lane; device for the blind to indicate location of pins. Swimming: 3 steps off swim entrance, door 26". Pool and pinball rooms off main lobby. Toilets in center bowling lobby; doors 26", stalls 24". Wall phones center bowling lobby, 56". Assistance available. Eating tables 36".

Centennial Race Track, West Belleview Avenue and So. Santa Fe, Littleton, 794-2661. Parking on grounds. Passenger loading W front entrance, door 88". Elevator service all floors. Toilets first and second floors; doors 34", stalls 28". Phones ground level at each entrance. Wheelchairs accommodated at front or back, all levels. Assistance available.

Cheesman Park, East 8th Avenue and Franklin. 3 steps to pavilion. Toilets E end of park; 11 steps, doors 32", stalls 27". Wall phone in office across from pavilion, 48".

City Park, East 17th Avenue and York. Zoo entrance East 23rd Avenue and Steele, ramp. Toilets in feline house near East 23rd Avenue entrance; men's door 26", women's 25", stalls

RECREATION FACILITIES AND PARKS (Continued)

22". Wall phone in administration building, 48". Assistance available. Monkey House parking on street. Passenger loading, ramp, door 72". Toilets; doors 26", stalls 23".

Currihan Exhibition Hall, 1323 Champa, 297-2638. Commercial parking on Champa between 14th Street and 15th Street. Passenger loading at 13th Street and Champa; ramp, handrail, door 36". Elevator in Lobby "B". Toilets on mezzanine; doors 36"; each one 32" stall with grab bars. Wall phone lobby entrance, 48". Snack bar each end of building, restaurant on overpass; tables 30". First aid room, wheelchair, assistance available.

Denver Coliseum, East 46th Avenue and 44th, 297-2386. Parking off street. Passenger loading stage door rear of building, door 31". Toilets all levels; doors 29", stalls 22". Phone booths throughout building, 21". Assistance by prior arrangement.

Denver University Field House and Arena, East Jewell Avenue and So. Gaylord, 753-2200. Offstreet parking N of Arena. Passenger loading gate entrance, ramp. Gate 20 most accessible, S end reserved seat section, doors 42". Men's toilet W main entrance; women's toilet by S exit sign; doors 31", stalls 31". Wall phone E entrance, over 48". Ramp to Field House N end.

Elitch Gardens, 4620 West 38th Avenue, 455-4771. Parking on grounds. Ramp to theatre,

RECREATION FACILITIES AND PARKS (Continued)

door 33". Toilets central area; doors 33", stalls 32". Phone booths dance area. Restaurant tables 28". Assistance by prior arrangement.

Hospitality Center, 14th Street and West Colfax Avenue, 892-1112. Parking adjacent to building. Passenger loading NE facing Court Place; 1 step, door 36". Handrails all stairways. Assistance by prior arrangement.

Jewish Community Center, 4800 East Alameda Avenue, 399-2660. Parking on grounds. Passenger loading W entrance; 1 step, door 35". S entrance to lounge; 1 step. Men's toilet right of entrance; women's toilet left of entrance; doors 27", stalls 22". Desk phone. Snack bar tables 28". 1 step to theatre; special section for wheelchairs in theatre. Assistance available.

Mile High Kennel Club, 6200 Dahlia, 288-1591. Parking on grounds. Passenger loading NW entrance. Escalator to second deck; elevator to Sky Room. Toilets main floor, E and W ends; men's doors 27", stalls 30"; women's doors 31", stalls 30". Restaurant tables 26". Wheelchairs accommodated last row Sky Room or on other decks by prior arrangement.

Salvation Army Red Shield Community Center, 2915 High, 534-7631. Parking adjacent to building. Passenger loading on alley East 29th Avenue between High and Williams; ramp, door 34". Toilets main floor right of entrance; doors 29", stalls 24". Desk phone at entrance.

RECREATION FACILITIES AND PARKS (Continued)

Sloan's Lake Park, West 26th Avenue and Sheridan. Boat house. Toilets outside, doors 27". Phone on post near harbor area.

Washington Park, East Virginia Avenue and So. Downing. Parking on grounds. 5 steps to pavilion. Men's toilet N pavilion; 9 steps, hand-rail; women's toilet W pavilion; 9 steps, hand-rail; doors 27", stalls 27". Wall phone.

Washington Park Recreation Center, 710 So. Franklin, 297-5183. In park near north lake. Parking on street. Passenger loading front and side; ramp W end; double doors 71". Toilets W wall information area; doors 33", men's stalls 30", women's stalls 23". Wall phone in 20" niche E wall information area, 54".

YWCA, 1545 Tremont Place, 825-7141. Commercial parking on grounds. Passenger loading Tremont entrance; 5 steps, door 28". Elevator service all floors. Swimming pool fifth floor; 1 step up, 1 step down, ladder. 4 steps to men's dressing room. 5 steps to second floor auditorium, handrail. Men's toilet third floor; women's toilet 4th floor; doors 29", stalls 23". Wall phone main floor opposite elevator, 58". Assistance available.

TRANSPORTATION FACILITIES

Denver Union Bus Depot, Continental, 17th Street and Broadway, 534-2291. Commercial parking across street. Passenger loading E entrance on 17th. Mens toilet second floor, 1 step; doors


TRANSPORTATION FACILITIES (Continued)

29", stalls 23"; women's third floor, 1 step; doors 23", stalls 23". Wall phone NW side main floor, 52". Assistance available.

Denver Union Station, 17th Street and Wazee, 534-7681. Metered parking on grounds. Passenger loading main entrance; ramp, door 31". Side entrance door 66". Ramp to track 1; 22 steps to other tracks, handrail. Toilets on main floor off waiting room; doors 38", stalls 24". Phone booths in restrooms, 53", doors 21". Restaurant tables 30". Assistance available.

Greyhound Bus Lines, Colorado Motorway, 1730 Glenarm Place, 255-2129. Commercial parking across street. Passenger loading Glenarm entrance, door 42". Toilets up 29 steps, handrail. Phone main lobby, 60". Restaurant across loading area from terminal, tables 29". Assistance available.

Stapleton International Airport, 398-3844. Passenger loading center of building; ramp, door 27". Elevator service all floors. Escalators to baggage area. Toilets in boarding area; doors 32", stalls 21". Wall phones E end ticket area, 48". Coffee shop tables, 27". Wheelchairs and assistance available.



RECEIVED

DEC 14 1989

COLORADO STATE LIBRARY
State Publications Library

