

COLORADO



**DEPARTMENT OF
AGRICULTURE**

Swine Emergency Disease Response Plan

August 2010



CONTENTS

1.0	Introduction	1
1.1	Purpose	1
1.2	Situation	1
1.3	Assumptions	1
1.4	Plan Maintenance	2
2.0	Concept of Operations	2
2.1	Animal Diseases Significant to Swine	2
2.2	Colorado Reportable Diseases of Swine	3
2.3	Incident Command System & Response Levels	4
2.4	Incident Complexity Analysis	6
2.5	Responder Health and Safety Program	8
2.6	Communication Plan	9
3.0	Disease Outbreak Response	10
4.0	Disease Detection – Investigate Suspected Animal Disease and Initiate Movement Restrictions	11
4.1	Foreign Animal Disease Investigation	11
4.2	Hold Order	12
4.3	Quarantine	13
4.4	Response Plan Activation Sequence	13
5.0	Disease Containment – Quarantine Infected and Exposed Premises And Control Movement of Animals	13
5.1	Movement Restrictions	14
5.2	Premises, Zones and Area Designations	14
5.3	Biosecurity and Disease Control Measures	15
6.0	Surveillance -- Develop Surveillance Plan Based on Epidemiological Investigation	17
7.0	Epidemiology -- Determine the Extent of the Outbreak and / or Confirm Non-Infected Status	18
7.1	Colorado Livestock Security System	18
7.2	Commercial Swine Operations & Traceability	19
8.0	Stabilization -- Control, Prevent Spread of, and as Possible, Eradicate Disease	19
8.1	Appraisal & Indemnity	19
8.2	Depopulation	20

8.3 Disposal	23
8.4 Alternatives to Depopulation	26
9.0 Business Continuity -- Protect Economic Viability and Continuity of Operations	28
9.1 Controlled Animal Movement	28
9.2 Bio-secure Transportation Corridors	29
10.0 Recovery -- Returning Affected Premises to Normal Business Operations	30
10.1 Surveillance and Monitoring	30
10.2 Restocking	30
11.0 Roles and Responsibilities	30
11.1 Agencies Roles and Responsibilities	30
11.2 Industry's Role in a Disease Outbreak	30

APPENDICES

A List of Acronyms	A-1
B Animal Diseases Significant to Swine	B-1
C ICS Incident Organization Chart for Animal Disease Response	C-1
D Incident Complexity Analysis Worksheet	D-1
E PPE Guidance for Zoonotic and Non-Zoonotic Diseases	E-1
F Regulatory Communication Network	F-1
G Colorado VMO Territories	G-1
H FADI Collection Data Form Sample	H-1
I EPA Approved Disinfectants for Highly Pathogenic Diseases	I-1
J Local, State, and Federal Agencies Roles and Responsibilities	J-1
K Industry's Role in Emergency Response	K-1

TABLES

Table 1. Response Levels and National Incident Management System Incident Typing	7
Table 2. Timeline for Disease Control Response Activities	11
Table 3. Methods for Depopulation Appropriate for Swine	21
Table 4. Considerations for Approved Depopulation Methods for Swine	22
Table 5. Swine Disposal Methods: Considerations	25

FIGURES

Figure 1. Premises, Zones and Area Designations	15
Figure 2. Barrier Vaccination Examples	27
Figure 3. Target and Area Vaccinated Diagram	27

1.0 Introduction

The introduction of a highly contagious disease or a swine incident resulting from some type of all-hazards event in swine could have devastating effects on Colorado's swine industry. Limiting the scope of an outbreak is dependent on the early detection and rapid response to eradicate the disease. The Colorado Department of Agriculture (CDA) *Swine Emergency Disease Response Plan* provides the response actions that will be implemented by the CDA in collaboration with the United States Department of Agriculture (USDA) Animal and Plant Health Inspection Service (APHIS), Veterinary Services (VS) and swine industry partners to swiftly detect, control, and eradicate a disease outbreak in swine.

This plan provides the protocols and procedures necessary to minimize the impact of an outbreak in swine and will be applicable to any highly contagious or economically destructive disease that causes significant morbidity or mortality in swine.

1.1 Purpose

The purpose of the CDA *Swine Emergency Disease Response Plan* is to provide a framework to ensure a rapid and coordinated response to an outbreak of a highly contagious disease in swine within the State of Colorado. The goal of this plan is two-fold: to control and eradicate the disease on an infected premises as quickly as possible; and, to protect and maintain business continuity on unaffected premises during a disease outbreak.

Natural disasters may also cause devastation in the State's swine population requiring a similar response. Many of the protocols and procedures presented in this plan, such as disposal methods, will be applicable in a natural disaster event affecting swine. In such incidents, the *CDA Swine Emergency Disease Response Plan* may be used as a template to help ensure an effective response.

1.2 Situation

Nationally, Colorado ranks 16th in swine production and is home to over 800 swine operations. The state's swine inventory is currently valued at over \$63 million and is a portion of the economic base for several rural communities. The potential impact on Colorado's economy from a disease outbreak in the swine would be devastating. Such an event would be far reaching, affecting many different sectors beyond the farm including meat processors, distributors, and retailers.

1.3 Assumptions

- Response to an animal disease outbreak will begin at the local level.
- If an animal disease emergency occurs in Colorado's swine industry, the most probable means of discovery will be by swine producers, private practice veterinarians and / or trace information from an animal disease investigation in another state.
- Private veterinary practitioners will likely be the first responders to any animal disease outbreak.

- A veterinarian is required to immediately notify the State Veterinarian or the USDA Area Veterinarian in Charge (AVIC) of any suspected animal disease emergency.
- An animal disease outbreak may occur through natural pathways or could be introduced as an act of terrorism.
- Diagnosis of a highly contagious disease in Colorado, the United States or surrounding countries may significantly restrict the intrastate, interstate and international movement of animals (especially livestock) and animal products.
- Initiation and implementation of response actions for a suspected or confirmed foreign animal disease (FAD) will be under the jurisdiction of the CDA and carried out by the State Veterinarian or official designee. Producer input will be highly valued and integrated into the response.
- The State Veterinarian and the USDA APHIS AVIC will work in close coordination in any animal health emergency. There are established protocols for investigating and reporting potential FADs and new and emerging infectious animal diseases.
- Response measures for an animal disease emergency may involve the mutual aid support from sister counties and municipalities as well as local private industry support.
- Animal disease emergencies may lead to prolonged economic impacts requiring long term federal and state assistance programs for recovery.
- Owners losing livestock in an animal disease emergency or persons responding to the situation may require psychological counseling and support.

1.4 Plan Maintenance

The State Veterinarian is responsible for the management and maintenance of this plan, under the jurisdiction of the Colorado Agricultural Commission and the Commissioner of Agriculture or his designee. The CDA *Swine Emergency Disease Response Plan* will be reviewed and updated as required but at least annually in September to incorporate updates to Homeland Security Presidential Directive (HSPD) 9 – *Defense of United States Agriculture and Food*, Emergency Support Function (ESF) 11– *Agriculture and Natural Resources* and legislative updates as well as lessons learned that are identified in the debriefing process and after action reports following an actual event or training exercise.

2.0 Concept of Operations

The concept of operations provides the operational framework for activating this plan and how the CDA will classify the response. Additionally, this section provides an overview of the CDA’s responder health and safety program and guidance on how the Department will interface with other agencies, the livestock industry, media and the public during an emergency response.

2.1 Animal Diseases Significant to Swine

Animal diseases found in swine vary in virulence, ease of transmission, mode of transmission, and host affinity. Diseases of concern are highly contagious diseases that cause significant morbidity or mortality in swine. Such diseases often present similar clinical signs as diseases

that do not result in a high level of morbidity or mortality requiring diagnostic testing to determine the specific disease agent. Upon diagnosis, if the disease identified is not considered highly contagious it will be managed within normal business operations, management, and best production practices.

Animal diseases likely to cause high morbidity and mortality in swine and trigger activation of this plan are FADs and new and emerging diseases. A list of FADs that swine are susceptible to is provided in Appendix B. Additional information on disease transmission, vaccine availability and recommended control measures for listed FADs can also be found in Appendix B.

Animal diseases of concern are commonly categorized in the following manner.

- **Foreign Animal Disease** or exotic animal disease is defined as an important transmissible disease of livestock believed to be absent from the United States and its territories.
- **New or Emerging Diseases** are completely new diseases, or an old disease occurring in new places with new presentations, or newly resistant to available treatments.
- **OIE List of Reportable Diseases** is a unified list of reportable diseases maintained by The World Organization for Animal Health, once known as the Office of Internationale des Epizooties (OIE). For several years, the OIE created two lists (A and B) with different reporting obligations. In January of 2005, the lists were combined to form a single list with over 130 diseases of interest. Four criteria were used to develop the disease list: international spread, zoonotic potential, significant spread within a naïve population, and emerging diseases.
- **CDC Bioterrorism Agents/Diseases** are biological agents that are rarely seen in the United States. Centers for Disease Control and Prevention (CDC) prioritizes these agents into A, B & C categories. **Category A** agents and disease are easily transmitted from person to person, have a high mortality rate and have the potential for a major public health impact. **Category B** agents and disease are moderately easy to disseminate and result in moderate morbidity rates and low mortality rates. **Category C** agents and diseases include emerging pathogens that could be engineered for mass dissemination.
- **Zoonotic** diseases can be transmitted from animals to humans and /or humans to animals. According to the CDC, approximately 75% of recently emerging infectious diseases affecting humans are diseases of animal origin.

2.2 Colorado Reportable Disease of Swine

An additional animal disease category is the Colorado Reportable Disease List. A Colorado reportable disease is defined by Colorado Revised Statutes CRS 35-50-103 as infectious or contagious disease or emerging disease of livestock that pose a significant risk to the livestock industry of the state resulting from infectious agents, such as viruses, rickettsia, bacteria, fungi, protozoa, internal or external parasites, or prions, or any reportable disease or emerging communicable disease that is capable of being transmitted from one animal to another animal or

to a human, whether communicated directly or indirectly through an intermediate plant or livestock host, vector or the environment. Colorado Reportable Diseases of Swine are listed below.

- Anthrax
- Brucellosis
- Pseudorabies
- Rabies
- Salmonella
- Vesicular Stomatitis
- Vesicular Diseases of all livestock
- All infectious disease or parasite of livestock not previously known to exist in Colorado
- Any disease of unusual morbidity or mortality that does not fit the normal expected clinical picture.
- Any Suspected FAD

2.3 Incident Command System & Response Levels

Since incidents will vary in size and scope, the level of activation will depend on the nature of the outbreak. Not all swine disease incidents will require emergency response functions. Many incidents are handled routinely by private practice veterinarians and/or veterinarians employed by the State Veterinarian or APHIS Veterinarian Medical Officer (VMO). The swine industry has also invested time and resources in developing plans to deal with their own livestock incidents and situations.

In the event of a highly contagious disease outbreak in swine, the CDA will manage the incident using the National Incident Management System (NIMS). NIMS provides standardized incident management processes, protocols and procedures for all emergency responders. CDA will also manage each incident using the Incident Command System (ICS), as mandated by NIMS. Designed to be a flexible all-hazard incident management system, ICS allows decision makers to fill ICS positions to meet the complexities and demands of the incident. For example, a localized disease event may only require the incident commander position to be filled; where as a regional or more wide-spread disease outbreak may require all positions in an ICS incident organization chart to be filled. See Appendix C for an ICS incident organization chart designed for an animal disease outbreak.

CDA will also follow NIMS incident typing and will respond to an animal health emergency using the following activation levels. NIMS incident typing will assist decision makers in determining resources required for specific incidents. Table 1 CDA Response Levels & National Incident Management System (NIMS) Incident Typing System summarizes level of response, lead agencies, and NIMS protocol for each level of response.

2.3.1 Level 5 Response

A level 5 response refers to a situation with little complexity that could be managed with one or two single resources. This level of response would be of a short duration and would consist of one 12-hour operational period or less.

2.3.2 Level 4 Response

A level 4 response is normally limited to one 12-hour operational period and requires minor state resources to manage the incident. This level of response does not require an incident action plan (IAP) and can be managed using the resources and personnel of the CDA Animal Industry Division. Level 4 activities will include those identified for Level 5 and also the following additions:

- Elevated animal origin verifications.
- Notification of private practice veterinarians of specific clinical symptoms of the disease(s) in question.
- USDA AVIC is notified of situation.
- Review of the *Swine Emergency Disease Response Plan* relative to a potential response to the disease in question.
- Notification of swine industry representative(s) of the disease outbreak and clinical symptoms.

2.3.3 Level 3 Response

A level 3 response reflects the elevated surveillance, preparation and limited response that may be initiated by the state if there is a presumptive positive or confirmed diagnosis of a FAD in Colorado. A level 3 response may trigger activation of the Colorado Emergency Operations Center (EOC) and deployment of the Eastern Colorado Incident Management Team (ECIMT).

The ECIMT is a Type 3 incident management team (IMT) that will be activated to support incident management for incidents that exceed departmental capability to manage the incident effectively. Type 3 IMTs are deployed as a team of 10-20 trained personnel to manage major and/or complex incidents requiring a significant number of local, regional, and state resources. A level 3 response may evolve into multiple operational periods that require a written IAP for each operational period. Level 3 activities will include those activities identified for all preceding levels and also the following:

- Importation of animals affected or from potentially affected areas or possibly all animals from the impacted states will be suspended, pending control and eradication of the disease.
- Relevant state resources will be inventoried and contract mechanisms supporting the logistics portion of a potential response will be reviewed and made ready for use.
- Public relations material will be reviewed, made current and vetted with key collaborators in preparation for release. CDA and APHIS will be consulted for their

message map on the appropriate disease, its implications for public health, animal health, trade and economic impacts upon the livestock industry.

2.3.4 Level 2 Response

A level 2 response reflects a full-scale multi-state response that may require regional and / or national resources to effectively manage the incident. Level 2 activation is in response to a large, complex incident that will involve multiple operational periods. A written IAP is required for each operational period. A Rocky Mountain Type II or equivalent IMT may be deployed to support management of the incident. A Type 2 IMT is deployed as a team of 20-35 to manage incidents of regional significance and other incidents requiring a large number of local, regional, state, and national resources.

2.3.5 Level 1 Response

A level 1 response will be declared for the most complex incidents that require national resources to safely and effectively manage the incident. A level 1 response will be managed by a Type 1 IMT. A Type 1 IMT is deployed as a team of 35-50 to manage large national incidents and other incidents requiring a large number of local, regional, state, national, and federal resources over multiple operational periods.

2.4 Incident Complexity Analysis

The exact moment when an incident shifts from one level of complexity to the next is often a matter of perception. The State Veterinarian / Commissioner or designees must assess the complexity of an incident and authorize a level of response to meet the needs of the event. An Incident Complexity Analysis may be completed to assist in determining the appropriate level of response. The assessment tool consists of a series of questions regarding the incident and associated information that when answered will help determine the appropriate level of response and resources required to meet the needs of an incident. An example of an Incident Complexity Analysis worksheet is located in Appendix D.

Table 1. Response Levels and National Incident Management System Incident (NIMS) Typing¹

Response Level	NIMS Incident Type	Lead Agency	Emergency Response Actions*	Source of Resources
Level 5 – Local Response (Local veterinarian & Producer)	Type 5	CO Dept of Ag	<ul style="list-style-type: none"> - One 12hr. Operational Period - Incident action plan (IAP) not required* - State Emergency Operations Center (SEOC) not activated - Incident Commander position staffed 	- Local
Level 4 – County Response	Type 4	CO Dept of Ag	<ul style="list-style-type: none"> - One 12hr. Operational Period - Incident action plan not required* - Emergency Operations Center not activated - Incident Command System(ICS) command and general positions activated as needed 	<ul style="list-style-type: none"> - Local - CDA Animal Industry Division
Level 3 – State Response	Type 3	CO Dept of Ag	<ul style="list-style-type: none"> - May extend into multiple operational periods - IAP may be required* - ICS some/all command and general positions activated - Eastern Colorado Incident Management Team will manage incident - State EOC may be activated 	<ul style="list-style-type: none"> - Local (Support) - State - May require regional resources
Level 2 – Multi-State Response	Type 2	Joint Command National and regional coordination required	<ul style="list-style-type: none"> - Extends into multiple operational periods - IAP required - ICS some/all command and general positions activated - Rocky Mountain Type II Incident Management Team (IMT) will managed the incident - State EOC activated 	<ul style="list-style-type: none"> - Local (Support) - State - Regional - May require national resources
Level 1 – National Response	Type 1	Unified National Command	<ul style="list-style-type: none"> - Extends into multiple operational periods - IAP required for each operational periods - ICS all command and general positions activated - Type I IMT will manage incident - State EOC activated 	<ul style="list-style-type: none"> - Local (Support) - State - Regional - National

* IAPs are required for all HAZMAT incidents regardless of the type of incident.

¹ Based on the Department of Homeland Security, National Incident Management System, 2009

For all incidents triggering activation of this plan, the Public Information Officer(s) will be Industry’s contact for information on the incident.

2.5 Responder Health and Safety Program

A fundamental responsibility of CDA is ensuring the safety of Department employees involved in responding to a disease outbreak. To meet this obligation, the CDA Homeland Security Director developed the responder health and safety program. The CDA Responder Health and Safety Program is composed of three components: (1) Personal Protective Equipment *GUIDELINES* for CDA Employees – General Guidance Document; (2) CDA – Respiratory Protection Program; and (3) Medical Monitoring and Rehabilitation. Combined, these documents / programs provide a means to assess employee fitness for emergency work, provide for personal health protection via the use of protective equipment and decontamination procedures and monitor vital signs and provide support to assure employees maintain fitness levels needed to conduct assigned activities.

2.5.1 Personal Protective Equipment

This General Guidance Document provides a plan to be followed to assure a safe working environment while allowing flexibility to meet varying needs that might be expected in a livestock emergency environment. The guidance is just that, guidelines that incident commanders, operations section chiefs, Foreign Animal Disease Diagnostician (FADD) veterinarians, team or task force leaders or the like can utilize in assessing and deciding upon equipment and procedures they will utilize when conducting their assigned missions. See Appendix E for Personal Protective Equipment (PPE) guidance for zoonotic and non-zoonotic diseases.

Producers or the general public need to realize rather high levels of protection may be utilized initially as the agent at that point may be unknown. Once the agent is identified, levels of protection can be adjusted, generally decreased, to fit specific challenges an agent might pose. It is likely the latter level will be quite similar to employer placed biosecurity programs.

Of special note is the fact Colorado is a “non-Occupational Safety and Health Administration (OSHA)” state. This means state employees are not subject to the same regulations as are production facilities and their respective employees. The CDA program has essentially been placed to close this gap. Even so, producers remain responsible to follow appropriate OSHA programs related to their facilities. State employees can not provide any equipment or certain training to private employees though they may recommend certain levels of PPE be utilized for different operational activities.

2.5.2 Respiratory Protection Program

Whereas disease agents often utilize the respiratory system as a portal of entry and further where the use of chemicals in cleaning and disinfection or those that are inherently present on livestock operations may pose health risks, the department operates a respiratory protection program. Individuals who may be deployed to an incident have completed a medical questionnaire that has been reviewed and approved by a medical doctor familiar with such programs. These individuals have been trained and fit tested to utilize specific respiratory equipment. Production facilities may or may not have similar programs in place. It is anticipated if they do not, employees could

still work in less hazardous areas or accommodations could be made to have employees trained and tested for such activity.

2.5.3 Medical Monitoring and Rehabilitation

Individuals who work in emergency response will attest to the hard work often in adverse environments and long hours needed to complete tasks that must be done. In so doing, individuals can place themselves at risk for underlying problems that can lead to debilitating injuries or even death such as a preexisting cardiac issue leading to a heart attack under physical stress. In addition, physical exertion can lead to dehydration or exacerbation of environmental factors such as heat or cold conditions. Medical monitoring affords an opportunity to identify underlying problems and hopefully mitigate them before they become quite serious. Such monitoring occurs when risks exist and is conducted both prior to assignment and throughout the assigned work period. Rehabilitation periods are scheduled to allow responders a break in which to rest, rehydrate and get something to eat if need be.

Production workers generally have scheduled breaks to eat or get something to drink. These may need to be extended and rehydration beverages or food provided dependent upon work schedules. Medical monitoring of production employees might possibly be arranged for via local public health or emergency medical service departments.

2.6 Communication Plan

External communication during an outbreak will be the responsibility of the State Veterinarian and the CDA Director of Communications. The State Veterinarian, with assistance from the CDA Liaison Officer will direct and maintain communication with federal, state, and local government agencies and partners that have a statutory responsibility in emergency response (see Appendix F for the regulatory network's contact information). Additionally, the CDA Communication Director will communicate and collaborate with industry representatives throughout the incident.

Correspondence and communication with the media and public regarding the incident will be directed and managed by the CDA Director of Communications. The CDA Director of Communications will assume the ICS role of Public Information Officer (PIO) upon activation of this plan. In the event the ECIMT is called to manage the incident, the CDA PIO shall work in collaboration with the ECIMT PIO(s).

3.0 Disease Outbreak Response

This section describes the processes and protocols utilized by the CDA during a swine disease outbreak. These processes and protocols are designed to enable execution of the responsibilities of the CDA and to integrate federal, state, local, and industry efforts into an effective and coordinated approach to a disease outbreak in swine. Responding to a disease outbreak in swine will involve the following actions. A description and timeline of each action phase follows.

- **Disease Detection** -- Investigate Suspected Animal Disease and Initiate Preliminary Movement Restrictions
- **Disease Control** -- Quarantine Infected and Exposed Premises and Control Movement of Animals
- **Surveillance** -- Develop Surveillance Plan based on Epidemiological Investigation
- **Epidemiology** -- Determine the Extent of the Outbreak and/or Confirm Non-Infected Premises
- **Stabilization** -- Control, Prevent Spread of, and, as Possible, Eradicate Disease

- **Business Continuity** -- Protect Economic Viability and Continuity of Operations
- **Recovery** -- Return Affected Premises to Normal Business Operations

Table 2. Timeline for Disease Control Response Activities¹

Disease Outbreak Response Actions* †	12 hours Within a confirmed positive case	24 Hours Within a confirmed positive case	48 Hours Within a confirmed positive case	24 Hours Within determination of need	72 Hours Within determination of need
Disease Control -- Quarantine Infected and Exposed Premises and Control Movement of Animals					
Mobilize livestock disease-related incident command personal.					
Establish initial control areas.					
Enhance biosecurity procedures on infected, contact and susceptible premises.					
Establish quarantine zones for infected and contacted premises and/ or broader movement restrictions.					
Surveillance -- Develop Surveillance Plan Based on Epidemiological Investigation					
Develop a surveillance plan and implement existing diagnostic support.					
Epidemiology -- Determine the Extent of the Outbreak and / Or Confirmed Non-Infected Status					
Implement epidemiological surveillance and diagnostic support plan in at-risk species and notify other states of trace-outs.					
Stabilization -- Control, Prevent Spread of, and, as Possible, Eradicate Disease					
Begin treatment, inoculation, and /or depopulation of animals at identified site.					
Begin decontamination and disposal procedures at identified site.					
Business Continuity -- Protect Economic Viability and Continuity of Operations					
Implement procedures for the creation of bio-secure transportation corridors to market or other key facilities for disease –free goods and animals.					
Develop procedures for managing contaminated products.					
Establish storage and /or disposal areas for animals or products stopped in transit.					
¹ Based on Department of Homeland Security, Federal Emergency Management Agency. <i>Livestock and Poultry Disease Emergencies Capability</i> , August 2009. * Disease Detection and Recovery Actions are not in the scope of the above timeline. † Communication with neighboring states will be initiated within 4 hours of a confirmed positive case.					

4.0 Disease Detection – Investigate Suspected Animal Disease and Initiate Preliminary Animal Movement Restrictions

4.1 Foreign Animal Disease Investigation

Upon notification of a suspected case of a FAD, the Colorado State Veterinarian or USDA AVIC will dispatch a FADD to conduct a Foreign Animal Disease Investigation (FADI). See Appendix G for VMO territories in Colorado. The investigation is conducted using a standardized format

developed by USDA. Information and data collected during the FADI includes a general assessment, gathering site information and samples, and epidemiological data (see Appendix H for an example of a FADI Data Collection Form). In addition, the FADD collects the following information about the facility:

- Premises Identification Number (PIN)
- Type of facility
- Plat map description
- GPS Coordinates
- Type and number of livestock
- Recent livestock movement
- Number of personnel or employees

The goal of the investigation is to confirm or rule out the presence of disease in a rapid and efficient manner. As such, the FADD examines the animals on site and packages the appropriate diagnostic samples for delivery to a state and federal diagnostic laboratory (see the Colorado Animal Emergency Response Organization (CO AREO) for Standard Operational Procedures (SOPs). Information from the investigation is reported to the State Veterinarian who in consultation with the FADD and the AVIC determines the potential for the presence of an animal disease is “unlikely”, “potential” or “highly” likely”. This decision is critical and determines turnaround times on diagnostic samples and aids in establishing appropriate disease control measures. The priority established will determine where the samples are sent and how they are handled for transportation, and the level of response the lab gives the samples. Operations in the collection, shipping and management of laboratory samples shall be in accordance with the USDA Memo 580.4.

In most cases, preliminary results are available within 24 hours. However, during the investigation, the State Veterinarian may implement certain movement restrictions for swine and swine products. Decisions relative to movement controls would be based on the general clinical assessment, morbidity and mortality of the disease outbreak and the risk to other animal facilities. A description of zones, areas and premises used for restricting movement is located in Section 4.2.

4.2 Hold Order

There are three possible outcomes of an FADI: negative, presumptive positive, or confirmed positive. In the event a FAD is suspected as the initial outcome of the FADI, the State Veterinarian may issue a hold order as authorized by CRS 35-50-103 to restrict animal movement. CRS 35-50-103 defines a hold order as a temporary order issued by the state veterinarian when an infectious disease is suspected in livestock to isolate any specific livestock premises, county, district; and specify sanitary measures, pending completion of testing. The State Veterinarian may authorize the hold order through accredited veterinarians or through another appointed official.

4.3 Quarantine

A preliminary / presumptive positive test result must be confirmed by the National Veterinary Services Laboratories (NVSL). Once the appropriate NVSL lab has verified the testing results are a confirmed positive, the State Veterinarian as the Commissioner of Agriculture's designee may place the infected premises under quarantine. CRS 35-50-103 defines quarantine as "an order issued by the commissioner when testing has confirmed the presence of an infectious or contagious disease in livestock, which order isolates specific livestock, premises, counties, districts, or sections of the state; restricts the movement of livestock; and specifies sanitary measures."

4.4 Response Plan Activation Sequence

The activation of an emergency plan is at the discretion of the State Veterinarian. Upon confirmation from the Colorado State University Veterinary Diagnostic Laboratory of a presumptive positive or from NVSL of a presumptive or positive to a highly contagious animal disease the State Veterinarian will activate the *Swine Emergency Disease Response Plan*.

The State Veterinarian will immediately contact the Commissioner of Agriculture, Deputy Commissioner, the USDA APHIS VS Colorado AVIC, and the CDA Homeland Security Director and relay all known information on the positive test notification. The State Veterinarian should be prepared to make recommendations with respect to any gubernatorial declarations and/or activation of the state EOC (SEOC) and appropriate level of response. Specifically, the State Veterinarian will relay the following information:

- Name and contact information of the verifying laboratory official reporting the confirmatory test
Name and location of the infected premises(es) including Global Positioning System (GPS) and Colorado Livestock Security System (CLSS) Premises Identification Number (PIN) if available.
- Type of production facility(ies) and number of swine on the infected premises(es).

If notification of a presumptive positive or NVSL confirmed positive of a highly contagious animal disease is after normal working hours, on a weekend or holiday, the State Veterinarian will communicate with the Commissioner, Deputy Commissioner, the AVIC, and the CDA Homeland Security Director at their afterhours contact numbers. Based on direction from the Commissioner, Deputy Commissioner and AVIC, the State Veterinarian will take appropriate action to activate the response at a level based on incident type –see Table 1.

5.0 Disease Containment -- Quarantine Infected and Exposed Premises and Control Movement of Animals

Upon confirmation of a suspected or confirmed case of a highly infectious animal disease, the State Veterinarian will implement a series of response actions to control the spread of disease and minimize the impact of an outbreak. Though actions will vary based on the disease agent,

the following section presents a series of possible control activities that may be utilized to contain a highly infectious disease in swine.

5.1 Movement Restrictions

Movement restrictions for swine, swine products, vehicles and possibly people may be used to prevent the further spread of disease. Once an outbreak has been confirmed, the Infected Premises will be placed under quarantine (see Section 4.3 for additional information on livestock quarantines). Diseased or disease exposed animals will need to remain on the premises until the necessary control measures are determined by the State Veterinarian. A control zone, which includes any contact premises (farms or areas with a connection to the Infected Premises), will be established. Road blocks and/or check points and possibly decontamination stations may be needed at ingress and egress locations in the control zone. Additional zones may be designated to control and monitor the disease. Descriptions and a diagram of Premises, Zones and Area designations follow.

5.2 Premises, Zones and Area Designations

The designation of Control Areas and Zones is essential to successful quarantine and movement control activities. The State Veterinarian shall determine premises classification in the event of a presumptive positive or confirmed case of a highly contagious swine disease. He/she shall work with the AVIC and FADD veterinarians, emergency responder teams, and the SEOC to establish area and zone designations that will allow for the identification, implementation and enforcement of quarantine and movement controls.

Control Area – The Control Area consists of the Infected Zone, a Buffer-Surveillance Zone, and when vaccination is used, a Buffer Vaccination Zone.

Buffer Vaccination Zone – Emergency vaccination (if available) may be used to slow the spread of the highly contagious animal disease. The area where vaccination is being – or has been – practiced will be known as the Buffer Vaccination Zone.

Buffer Surveillance Zone – The Buffer Surveillance Zone immediately surrounds both the Infected Zone and if established, the Buffer Vaccination Zone.

Infected Zone – The Infected Zone encompasses the perimeter of all suspect and infected premises. The Infected Zone also includes contact premises as required by the situation.

Surveillance Zone – The Surveillance Zone is established within the Free Zone, along its border with the Buffer-Surveillance within a Control Area. Surveillance in the Surveillance Zone will focus on premises determined to be at the highest risk of infection.


At-Risk Premises – Premises within the Buffer-Surveillance Zone that have clinically normal susceptible swine are known as At-Risk Premises. Surveillance on the At-Risk Premises will be appropriate to detect the presence and/or to prove the absence of the disease on the premises.

Contact Premises – Contact premises are those premises with susceptible animals that have been determined to have been exposed directly or indirectly the FAD agent, but on which a highly contagious FAD has not been diagnosed.

Infected Premises – Infected premises are premises with the presumed or confirmed animal disease based on clinical signs and/or laboratory results.

Suspect Premises – A suspect premises is a premises on which it is reasonable by virtue of clinical signs of illness, morbidity or mortality to believe that some risk of highly contagious swine disease may exist.

Figure 1. Premises, Zones and Area Designations



5.3 Biosecurity and Disease Control Measures

USDA APHIS defines biosecurity as the use of certain management practices designed to prevent the introduction and spread of disease. Also, biosecurity helps to mitigate the effects of the disease once it has been introduced into a herd or area. Biosecurity target areas for a swine facility are site security and traffic control, isolation of animals, and sanitation. Swine producers incorporate biosecurity measures into their daily operations as part of swine health and

management practices. Biosecurity measures for normal operations in swine facilities are located in Appendix K.

During a swine health emergency, the State Veterinarian may prescribe additional biosecurity measures for premises located in defined zones for each of the target areas. Biosecurity measures will be dependent upon the disease and its mode(s) of transmission.

5.3.1 Site Security

Any site that is under investigation as an infected premises, a suspect premises, or a contact premises shall take steps to prevent all non-essential traffic from entering the premises. All traffic should be prohibited unless directly involved in the care and feeding of swine or involved in the emergency response. Additional site security procedures that may be recommended include:

- Establish one ingress and one egress location into the facility. All other access points must be blocked or gates locked to prevent unregulated entry or exit from the facility. If possible, the ingress and egress location should be located on a level and solid surface with access to water (by hose or tanker truck) for cleaning and disinfection purposes. Vehicles transporting workers or supplies may need to park at the access gate and shuttle people and supplies in through a safe corridor system or transport on foot – exceptions would be large truck transport vehicles.
- All non-essential work on the farm shall cease and access to the facility will be restricted to essential personnel. Essential personnel are defined as having a direct role in the care of the animals or in response. All vehicles and equipment on the premises may be prohibited from leaving the premises unless approved by the State Veterinarian. Cleaning and disinfection will likely required of such vehicles.
- All essential personnel are required to wear PPE determined necessary to protect or prevent the spread of disease and to mitigate any zoonotic disease potential. Personnel entering the premises will be required to wear disposable or adequately cleaned and disinfected boots, coveralls, gloves, head/hair covering and possibly masks. The level of protection will be determined by the specific diseases, area and nature of work individuals are to engage in. These items must be put on prior to entry onto the premises and must be removed and thoroughly disinfected or disposed of prior to leaving.
- Verify premises log book is complete. Deliveries for farm essentials shall be by appointment only.

5.3.2 Cleaning & Disinfection Procedures

Cleaning and disinfection is a means to control the spread of disease by attempting to eliminate targeted disease causing microorganisms and prepare the premises for the reintroduction of livestock. Cleaning and disinfection procedures are essential both during and after an animal disease event. Cleaning and disinfection materials that should be available at designated

entry/exit point on the infected premises includes: brushes, buckets, hoses, water, disinfectant and a pressure washer. Cleaning and disinfection must be performed on all personnel, equipment, and vehicles leaving the infected premises or control area. A list of disinfectants approved by EPA for specific diseases is located in Appendix I. Specific Cleaning and disinfection procedures that may be required by the State Veterinarian include:

- Establishing a designated decontamination area / corridor on the premises. This is an area where personnel, vehicles, and equipment will undergo cleaning and decontamination before leaving the premises. This area should be close to the entry / exit point, on a hard surface and have access to water.
- Establishing a designated area for personnel to don and doff personal protective equipment and protocols for disposing of or treating contaminated personal protective equipment.
- Implementing a shower in/shower out policy for all essential personnel coming in direct contact with swine and areas where swine are housed.
- Establishing a pest, especially rodent, control program.

5.3.3 Wildlife Management

If an animal disease outbreak has potential wildlife impacts or can be spread by wildlife, the Colorado Division of Wildlife (DOW) will collaborate and lead all appropriate wildlife response activities. Appendix J provides additional information on the DOW role in an animal disease outbreak. Two important questions to ask would be: “Are there sick wildlife?” and /or can wildlife carry this disease to another premises?”

5.3.4 Public Health Involvement

If an animal disease outbreak is identified as a zoonotic disease and has potential public health impacts, the State Veterinarian or the CDA will contact the Colorado Department of Public Health and Environment (CDPHE) to seek assistance in the response to protect the public’s health. Appendix J provides additional information on the CDPHE’s role in an animal disease outbreak. An important question to ask would be “Are there sick people?” If so, CDPHE will be involved with their epidemiological investigation.

6.0 Surveillance -- Develop Surveillance Plan Based on Epidemiological Investigation

Animal disease surveillance activities involve collecting and interpreting data from animal populations to determine their health status regarding diseases of concern. Surveillance programs are currently in place to assist in rapid detection of an animal disease incursion. Surveillance techniques are also used in an animal disease response to determine the extent of a disease known to be present, and during the recovery phase of a response to provide the necessary evidence for the elimination of the disease.

Surveillance methods that may be used during a disease outbreak include inspecting animals for clinical signs of the disease and clinical testing. Inspection of animals for clinical signs involves observing animals for any clinical presentation of the disease. For example, swine infected with

African Swine Fever show signs of a high fever, decreased appetite, and red blotchy skin. Surveillance information is also obtained through the collection and testing of animal blood (serological testing), tissue, or skin scrapings. The speed at which these actions occur will have a direct effect on the extent and thus the outcome of an outbreak. Once control areas, zones and premises are identified, a surveillance plan for each area or zone will be developed by the State Veterinarian. The surveillance plan will include information on methods to collect, manage, and analyze animal health data. Since each animal disease outbreak is unique, the surveillance plan will be tailored to the disease agent. OIE surveillance recommendations for animal diseases are located in Appendix B.

7.0 Epidemiology -- Determine the Extent of the Outbreak and / or Confirm Non-Infected Status

To respond quickly and effectively to an animal disease event, the CDA animal health officials need to know which animals are involved, where they are located, and what other animals might have been exposed. The sooner reliable data is available, affected animals can be located, appropriate response measures can be established, and disease spread can be halted.

Thus, an important component of an animal disease outbreak investigation is to establish trace-forward and trace-backs from premises to determine both the source of the disease and the risk for disease transmission to other premises with susceptible species. Trace-backs are conducted to assist in identifying the source of the virus and to help determine how the disease was introduced to the facility. Trace-back procedures include collecting information from producers on the origins of all swine (and possibly other animals), swine products, feed, equipment and vehicles, (livestock trucks, feed trucks, veterinary trucks) and people (sales and feed representatives, visitors and veterinarians) that have visited the farm prior to the outbreak. Trace-backs are usually applied for a minimum of 2 times the maximum incubation period before the onset of clinical signs.

Trace-forward procedures gather similar information on animal, people, and equipment movements off the farm to identify other premises that possibly received infected animals, animal products or contaminated equipment. Trace-forward is usually applied up to the time quarantine is imposed. OIE tracing recommendations for FADs significant to swine are located in Appendix B.

It is recommended that producers maintain herd records on a regular basis to assist in both trace-forward and trace-back procedures when needed. Additionally, it may be required that producers participate in an animal identification system. Descriptions of two programs available to Colorado swine producers follow.

7.1 Colorado Livestock Security System

The Colorado Livestock Security System (CLSS) is currently under development by the CDA. The CLSS is a repository of Colorado livestock ownership data that can be accessed and utilized

during an animal disease outbreak to assist in the tracing of animals and premises. Data for the CLSS are pulled from existing data sources and integrated into one system that can be accessed by CDA animal health officials during an animal emergency. CLSS enables CDA to inform producers quickly when a disease event may impact their area or the species of animals they have.

7.2 Commercial Swine Operations & Traceability

According to APHIS, about 95 percent of pork is produced by operations under contract with packing companies, and 80 percent is produced by commercially integrated businesses. Often, large numbers of swine move in groups to different production units within the same management system prior to harvest. Such factors contribute to a high level of traceability within the commercial swine industry. Such contracts and business arrangements could be utilized to identify ownership and location of swine as well as their movement.

8.0 Stabilization -- Control, Prevent Spread of, and as Possible, Eradicate Animal Disease

Elimination, if possible, of a highly contagious disease involves a series of activities that will be implemented by the State Veterinarian in collaboration with the USDA AVIC. Actions taken will be based on the particular circumstances of the outbreak including: the disease agent, epidemiology of the disease, vaccine availability and resource availability. Descriptions of possible response actions to eliminate an animal disease are described in the following section.

8.1 Appraisal & Indemnity

According to the U.S. Code of Federal Regulations 9CFR53.3 a percentage of fair market value will be paid to the owners for livestock that must be depopulated or materials that must be destroyed to prevent the spread of an animal disease.

Additionally, CRS 35-50-113 grants the CDA Commissioner the authority under certain circumstances and upon the recommendation of the State Veterinarian, to authorize the payment of indemnity to any livestock owner whose herd is depopulated due to exposure or diagnosis with an infectious or contagious disease.

With qualifying events, appraisal and indemnification process outlined in 9CFR53.3 is the most efficient appraisal process for livestock owners. The process outlined in CRS 35-50-113 is a cumbersome and often time-consuming procedure used in situations where depopulation of livestock is deemed necessary by the Commissioner and the State Veterinarian. For both processes, valuation of livestock must be mutually agreed upon by the owner and state or federal official prior to depopulation. Under certain situations this may require physical appraisal of livestock.

In previous highly infectious disease outbreaks, the cost of euthanasia, carcass disposal and decontamination were paid for by the USDA. Colorado will follow USDA procedures to request assistance with indemnification of swine producers in response to an eligible disease event.

8.2 Depopulation

CRS 35-50-113 authorizes the State Veterinarian to order euthanasia, mass depopulation and carcass disposal to mitigate an animal disease in Colorado and is an integral part of a comprehensive response plan. In the event that a highly contagious animal disease in swine is confirmed in the state of Colorado, swine depopulation and carcass disposal may represent the most effective means of disease control and eradication. If deemed necessary by the State Veterinarian to contain a disease outbreak, the CDA will take every measure to ensure rapid and humane depopulation of all swine affected by the disease outbreak. The State Veterinarian will develop a comprehensive depopulation and disposal plan based on guidance from the American Veterinary Medical Association (AVMA) Guidelines on Euthanasia, National Agriculture Biosecurity Center, Kansas State University, or other resources. The State Veterinarian's depopulation plan will be dependent upon the type of swine to be depopulated and the numbers of swine to be depopulated. Table 3. Methods of Depopulation Appropriate for Swine provides an overview of the approved methods of depopulation for swine, it is broken out by the size of the animals involved. Table 4. Considerations for Approved Depopulation Methods for Swine provides an overview of the advantages ,disadvantages and considerations for human safety for depopulation methods appropriate for swine. Carcass disposal will be carried out in collaboration with the CDPHE Solid and Hazardous Waste Program as defined in the CDA/CDPHE joint Interagency Agreement (IA) state statute, and state rule/regulations. Additional information on carcass disposal is located in Section 8.3.

8.2.1 Carbon Dioxide Gas

Carbon Dioxide (CO₂) gas is an acceptable agent for euthanasia for swine. CO₂ replaces oxygen in the body and causes rapid onset of anesthesia with subsequent death due to respiratory arrest.

8.2.2 Penetrating Captive Bolt

The AVMA has approved the penetrating captive bolt as a possible form of euthanasia for swine. This is a gun like device that is placed against the skull of the animal and when fired a rod (bolt) in the gun is forced into the skull and into the brain tissue. The rod is attached to the gun and taken out when the skull is penetrated. This is usually fatal, but it is strongly recommended that an adjunct measure be administered to ensure death. This method is practical for numerous animals, and is especially useful for animals over 200 pounds.

8.2.3 Blunt Trauma

Blunt Trauma is a quick, firm blow to the top of the head over the brain. Blunt Trauma is only effective for suckling piglets because their skull bones are thin enough for the force to cause depression of the central nervous system and cessation of brain function.

Table 3. Methods of Depopulation Appropriate for Swine¹

	Farrowing Pig Less than 3 Wks Up to 12 lbs or 5.5 kg	Nursery Pig Less than 10 wks Up to 70 lbs or 32kg	Grower Pig Less than 150 lbs or 68 kg	Finisher Pig Greater than 150 lbs or 68 kg	Mature Sow or Boar
Carbon Dioxide	Yes	Yes	Not Practical	Not Practical	Not Practical
Gunshot	No	Yes	Yes	Yes	Yes
Penetrating Captive Bolt	No	Yes	Yes	Yes	Yes
Blunt Trauma	Yes	No	No	No	No
Electrocution (Head to Heart)	Yes for pigs over 10 lbs	Yes	Yes	Yes	Yes
Anesthetic Overdose	Yes	Yes	Yes	Yes	Yes

¹ National Pork Board, *On-Farm Euthanasia of Swine, Recommendations for the Producers*, 2008

² American Association of Swine Veterinarians & National Pork Board, *On-Farm Euthanasia of Swine –Options for the Producers*, No Date

8.2.4 Gunshot

Gunshot to the brain is an AVMA approved method to euthanize swine. The caliber, projectile, and propellant load should be appropriate for the species. Full metal jacket ammunition should never be used. Muzzle energy charts should be used to determine the appropriate caliber and type of ammunition for the type of animal. Appropriate muzzle energy is three hundred foot-pounds of force for animals up to 400 pounds and 1000 foot-pounds of force for animals over 400 pounds.

8.2.5 Electrocution

This is a two-step process that passes electricity through the brain and stuns the animal. The second step passes electricity through the body and stops the heart. This method is very dangerous to personnel, requires special equipment, and an electrically safe environment in which to conduct such activity.

8.2.6 Anesthetic Overdose

Barbiturates and pentobarbital combinations are used to depress the central nervous system, causing deep anesthesia that progresses to respiratory and cardiac arrest. This method is considered to be very humane but it does require intravenous injection into the animal.

Table 4. Considerations for Approved Depopulation Methods for Swine^{1,2,3}

Depopulation Method	Human Safety Risk	Advantages	Disadvantages	Equipment
Carbon Dioxide	- Gases present potential hazardous aspects for humans	- Non-invasive - No tissue or blood exposure - Minimizes stress	- Only practical for small pigs - Requires excellent ventilation systems to disseminate gas after ventilation systems to	- Suitable Chamber - Compress CO ₂
Gun Shot	Bullet poses considerable risk	Recommended for animals that cannot be restrained or are difficult to handle.	- May not kill animal - May present biosecurity risk from leaking body fluids - May preclude evaluation of brain if damaged by shooting	- Skilled and licensed operator - appropriate firearm and ammunition for swine
Blunt Trauma	Low	- Only applicable to small pigs	- Only practical for small pigs	
Penetrating Captive Bolt	Moderate	- Safer for operator than free bullet method - Reduces the need to move animals	- May be a two-step process based on pig size - Misplaced captive bolt Gun may compromise Animal welfare - Captive bolt gun must be maintained, cleaned - Several must be used to reduce over heating	- Different sizes of captive bolt guns for different size swine.
Electrocution	High – requires considerable operator knowledge	- No tissue or blood exposure - physically demanding for operator - Requires monitoring to ensure	- Restrain is necessary - Two-step process for large animals	- Electrical supply - Electrodes
Anesthetic Overdose	Low	- Humane & rapid killing of animals	- Animals must be restrained - Administered by a trained professional - Limited access to drugs	- Syringes & needles - Drug to be injected

1 National Pork Board, *On-Farm Euthanasia of Swine, Recommendations for the Producers*, 2008

2 American Association of Swine Veterinarians & National Pork Board, *On-Farm Euthanasia of Swine –Options for the Producers*, No Date

3 United States Animal Health Association, Committee on Foreign and Emerging Diseases. *Foreign Animal Diseases*, 2008

8.3 Disposal

An essential component in eradicating a disease outbreak is the proper disposal of livestock carcasses. The goal of carcass disposal is to facilitate the decomposition of carcasses and the destruction of any pathogenic disease agent present. Methods utilized should limit the potential for the spread of the disease or exposure of susceptible species to disease and limit any potential adverse environmental impact. Commonly used disposal methods include: burial, composting, incineration, alkaline digestion and rendering. When applicable, swine carcasses will be disposed of on the infected premises to limit the potential spread of disease. However, factors such as the number, size and species of livestock, the location of the infected premises, the soil types and groundwater locations, and the particular disease agent will determine the most appropriate method of carcass disposal. The State Veterinarian will collaborate with the AVIC and the CDPHE Solid and Hazardous Waste Program to determine the location and type of disposal method. Possible methods of carcass disposal are outlined below. Additional information on each option is located in Table 5. Swine Disposal Methods: Considerations.

8.3.1 Rendering

Rendering is a process of both physical and chemical transformation resulting in three end products, carcass meal, melted fat, and water. The main carcass rendering processes include size reduction followed by cooking and separation of fat, water, and protein materials. The resulting carcass meal can often be used as an animal feed ingredient.

8.3.2 Composting

Composting involves a phased decomposition of animal carcasses over a period of time. The process involves the breakdown of organic materials by microorganisms such as bacteria and fungi which results in the release of heat, water, CO₂ and other gases. The process can be complex and requires an appropriate site, proper management and a carbon source such as, wood chips, straw, cornstalks or similar products.

Windrow composting technique takes place in a static pile. The site is usually built in open spaces with no walls or roofs and not protected from weather. Windrow composting is often used for disposal of large animals.

Bin composting is the simplest form of a contained composting method, where carcasses and composting material are confined within a structure built from any materials that are structurally adequate to confine the compost pile material.

8.3.3 On-Site Burial

Burial of deceased livestock can take place onsite or in an approved landfill. Both burial methods are subjected to Code of Colorado Regulation (CCR) 6 1007 Parts 2-3, which lists the following requirements:

- Every part of all dead animals must be buried by at least two feet of soil.
- No dead animals shall be placed in any body of water or seasonal creek or pond.

- Surface water should be diverted from the pit utilizing an up gradient diversion berm or other method.
- All dead animals must be buried at least 150 feet down gradient from any groundwater supply source.
- In no case should the bottom of the burial pit be closer than five feet to the ground water table.
- Burial sites must be located more than one mile from any residence.

8.3.4 Landfill Burial

The use of permitted landfills for carcass and material disposal may be an option. The necessary equipment, personnel, procedures and containment systems are already in place. Transport of the carcasses to the landfill can pose some risk of disease spread.

8.3.5 Incineration

There are three broad categories of incineration: open-air, fixed facility, and air-curtain. Open air includes burning carcasses in an open field. Examples of fixed facilities are crematoria, small carcass incinerators at veterinary colleges, large waste incineration plants, on-site incinerators, and power plants. Air-curtain incineration involves a machine that fan-forces a mass of air through a manifold that accelerates the incineration process generally conducted in an earthen trench. Air-curtain incineration has been used in Colorado to dispose of animals infected with a prion causing chronic wasting disease.

8.3.6 Alkaline Hydrolysis

Alkaline Hydrolysis is a process that uses a caustic agent, such as sodium hydroxide and heat to hydrolyze carcasses into a sterile solution and calcium products. The process requires expensive equipment and provides only low volume capacity; therefore, this method has limited application in a disease outbreak situation.

Table 5. Swine Disposal Methods: Considerations^{1,2}

Disposal Method	Advantages	Disadvantages	Required Resources
Mass Burial On Site	<ul style="list-style-type: none"> -- Removal of large amounts of biomass -- Facilities can be decontaminated immediately upon removal of livestock -- Risk of disease spreading is reduced upon burial of livestock. 	<ul style="list-style-type: none"> -- May serve as a containment site rather than decomposing livestock -- Requires multi-agency approval -- Significant Site Planning -- Economically Costly -- Public Opposition -- Potential environmental contamination 	<ul style="list-style-type: none"> -- Excavation Equipment -- Cover material -- Appropriate landscape
Composting	<ul style="list-style-type: none"> -- Removal of large amounts of biomass -- Produces a humus-like product containing nutrients and organic matter that can be recycled onto cropland -- Cost effective 	<ul style="list-style-type: none"> -- Slow carcass decay -- Poor odor retention -- Leachate production 	<ul style="list-style-type: none"> -- Carbon Source ie- sawdust, straw, corn stover -- Appropriate composting site -- Tractor or Skid Loader -- Long stem dial-type composting thermometer
Incineration Fixed Facility	<ul style="list-style-type: none"> -- Biosecure 	<ul style="list-style-type: none"> -- Fixed capacity -- Public Opposition -- Expensive to operate -- Incinerators are incapable of handling large volumes of carcasses 	<ul style="list-style-type: none"> -- Fuel -- Incineration facility
Air-Curtain	<ul style="list-style-type: none"> -- Mobile 	<ul style="list-style-type: none"> -- Fuel intensive -- Logistically challenging 	<ul style="list-style-type: none"> -- Fuel -- Air-curtain incineration facility
Alkaline Hydrolysis	<ul style="list-style-type: none"> -- combine sterilization and digestion into one process -- reduction of waste volume and weight by as much 97% -- Complete destruction of pathogens including Prions 	<ul style="list-style-type: none"> -- Currently limited capacity for destruction of large volumes of carcasses in US -- Potential issues regarding disposal of effluent 	<ul style="list-style-type: none"> -- Insulated, steam – jacketed stainless steel pressure vessel -- sodium hydroxide or potassium hydroxide -- water, energy for steam generation
Rendering	<ul style="list-style-type: none"> -- Good biosecurity at rendering plants -- High Rendering Temperatures destroy disease pathogens 	<ul style="list-style-type: none"> -- Requires transporting carcasses off-site -- Cost of Transportation to rendering plant -- Biosecurity concerns over rendering trucks going farm-to-farm. 	<ul style="list-style-type: none"> -- Rendering Plant

¹ National Agricultural Biosecurity Center, Kansas State University, *Carcass Disposal: A Comprehensive Review* 2004

² Council for Agricultural Science and Technology, *Swine Carcass Disposal Options for Routine and Catastrophic Mortality* 2008

8.4 Alternatives to Depopulation

In most disease outbreaks, depopulation will be the primary method utilized to stop transmission and spread of the disease agent within affected animals on diseased premises. However, under certain circumstances, additional methods may need to be implemented to achieve full eradication of the disease or when stamping out is not possible. At this point, alternatives such as vaccination and controlled animal movements may be implemented by the State Veterinarian in collaboration with the AVIC.

8.4.1 Vaccination

Vaccination is a tool that can be utilized in conjunction with other emergency management controls to alleviate a disease outbreak. Policy frameworks for the use of vaccines during an outbreak include:

- Using vaccines as a primary disease control strategy without stamping out.
- Using vaccines in conjunction with a stamping out strategy to assist in eliminating a disease agent.
- Using vaccines during a long-term campaign to eradicate a well established disease.
- Not using a vaccine in disease response efforts due to: 1) unavailability; 2) does not meet safety standards; and, 3) additional reasons involving trade and marketing.

New technology in vaccine development has resulted in some ‘marker’ vaccines. This type of vaccine allows, via serological testing, animal health officials to distinguish vaccinated animals from naturally infected animals. Such a distinction is critical when providing proof to world animal health organizations which regulate disease free status that has implications for world trade of livestock and livestock products.

8.4.2 Vaccination Strategies


Vaccines can be utilized for different purposes during an animal health emergency. Strategies for vaccine use are described below.

A suppressive vaccination strategy is used as a disease control measure to reduce the viral shedding of livestock that have been exposed to the disease agent. This type of strategy is more commonly used in situations of intensive farming, usually due to resource constraints, such as constraints on carcass disposal.

A preventive vaccination strategy is used for high- risk animals not included in the control area but in close proximity to the infected premises to be considered at risk for exposure. This strategy is an alternative to the traditional stamping-out policy. Numerous factors should be considered prior to implementing this strategy such as: acceptance of vaccine internationally and the effectiveness of the vaccine. A preventive vaccination is also an option for threatened or endangered species that may be considered at risk due to exposure the disease agent.


A **barrier vaccination** policy can be used to implement a preventive vaccination strategy. This policy is based on a spatial pattern developed to create a barrier between the infected premises and at risk premises. The intent of a barrier vaccination is to inhibit the disease transmission rate by vaccinating all suspected livestock. Common types of vaccination barriers are illustrated below. The area of the barrier will be dependent upon the epidemiology of the pathogen, livestock density, and available resources-see Figure 2. Barrier Vaccination Examples.

Figure 2. Barrier Vaccination Examples



A **targeted vaccination** policy can also be used preemptively. The targeted vaccination is commonly used to vaccinate livestock in facilities with a high animal density. Swine facilities that house all phases of production would be a possible location for a target vaccination. These facilities would be considered high risk and if infected would amplify the transmission of the disease agent. Targeted vaccination may also be used to protect threaten and endangered species see Figure 3. Targeted and Area Vaccination Diagram.

Figure 3. Targeted and Area Vaccination Diagram



Area or Blanketed Vaccination also known as a mass vaccination entails vaccinating all livestock within a delineated geographical area. The defined area may be an isolated area, a large region or state. Often area vaccinations are used when traditional stamping out methods are not meeting disease control objectives (see Figure 3. Targeted and Area Vaccination Diagram).

8.4.3 *National Veterinary Stockpile*

The National Veterinary Stockpile (NVS) is the Nation's repository of vaccines and other critical veterinary supplies and equipment. The NVS is designed to augment state and local resources in the fight against dangerous animal diseases that could potentially devastate American agriculture, seriously affect the economy, and threaten the public's health. Homeland Security Presidential Directive 9 (HSPD-9) established the NVS in 2004. The Directive requires APHIS to be able to deploy the NVS to the site of a dangerous animal disease outbreak within 24 hours. To accomplish this critical mandate, the NVS defined agents of greatest interest to animal health and has prioritized its resources accordingly. The NVS currently holds or has systems in place to provide:

- Personal protective equipment (PPE) for 310 responders for 10 days in a high-risk environment.
- Further PPE to protect 3,000 responders for 40 days
- Anti-viral medications for 3,000 responders for 6 weeks
- Satellite data and voice equipment that is portable and capable of establishing temporary command posts.

9.0 Business Continuity -- Protect Economic Viability and Continuity of Operations

Maintaining business continuity and the movement of livestock that are unaffected by a disease outbreak is a critical component of the CDA *Swine Emergency Disease Response Plan*. The movement of livestock and animal food products will be at the discretion of the State Veterinarian in collaboration with the USDA AVIC and will be based on the epidemiology of the disease agent. Guidance on the movement of swine and swine products during a disease outbreak is described in Sections 9.1 and 9.2.

9.1 Controlled Animal Movement

During a disease outbreak, the State Veterinarian may issue an official permit for movement of swine and swine products and other livestock that would allow their movement from a premises or geographic area within a quarantine order. Permits to move swine from premises to premises within a control area can be issued if the following criteria are met. Types of permits that maybe authorized are listed below.

- No swine or other livestock on that premises have shown clinical signs of the disease agent for a determined amount of days and disease free status has been verified within 24 hours prior to movement.

- No susceptible species were added to the premises of origin for an appropriate amount of time as determined by the State Veterinarian.
- The premises of origin is not an infected premises, contact premises, or suspect premises and there is no detectable evidence of the disease agent.
- Transport conveyances for swine and swine product meet acceptable biosecurity standards.

9.1.1 Movement to Slaughter within a Control Area

Permits to move to slaughter (for human food use) or processing can be issued if (a) the swine or swine products meet the requirements of USDA's Food Safety and Inspection Service for food use; and (b) the livestock or products are eligible for a permit for movement from premises to premises or for movement directly to slaughter.

9.1.2 Movement Out of an Infected Zone

No susceptible livestock species or products posing a potential risk of disease transmission may leave the infected zone unless they are going directly to slaughter at an approved slaughter facility established in the buffer surveillance zone or meet the criteria described on a permit. No materials posing risk of disease transmission may leave the infected zone except by permit.

9.1.3 Movement within an Infected Zone

During the initial phase of an incident, swine should not be allowed to move within an infected zone except at the discretion of the State Veterinarian.

9.1.4 Movement within the Buffer Surveillance Zone

Susceptible animal species or products posing a potential risk, may be moved within the buffer surveillance zone under permit if they are known not to be infected with or exposed to the disease agent and animals and show no signs of other communicable diseases.

9.1.5 Movement Out of the Buffer Surveillance Zone

Susceptible animal species or products may be allowed to leave the control area if a risk assessment deems such movement to be appropriate. Movement will require a permit as prescribed by the State Veterinarian.

9.1.6 Movement of Non-Susceptible Livestock

Movement of non-susceptible livestock out of the control area requires a permit as prescribed by the State Veterinarian.

9.2 Bio-secure Transportation Corridors

As mentioned, allowing unaffected animals and animal food products to move during an animal disease outbreak is essential to maintaining industry business continuity. Thus, movement of swine and other livestock that are deemed disease-free will take place along bio-secure corridors. Bio-secure corridors are transportation routes located outside of the quarantine area that will allow livestock and animal food products to travel safely without risk of exposure to an animal disease. Identifying bio-secure corridors will be the responsibility of the CDA with assistance from the Colorado State Patrol and local law enforcement agencies.

10.0 Recovery -- Returning Affected Premises to Normal Business Operations

The actions taken during the recovery period are focused on restoring the operation to normal or near normal as quickly as possible. Issues to consider are repopulation of production facilities, financial considerations, re-establishing public trust and consumer confidence, and review of risk reduction measures. It is important to note that the recovery phase of an incident may last an extended period of time.

10.1 Surveillance and Monitoring

Once the mandatory down time requirements are met, serologically negative sentinel hogs may be introduced to determine if pathogens are still present and viable. Sentinel hogs may be retained for at least two specific pathogen incubation periods (to be determined by the State Veterinarian) and monitored for clinical signs of the disease. In the event that a sentinel hog becomes infected or tests serologically positive for the disease, the sentinel will be depopulated and the cleaning and disinfection process will be repeated.

10.2 Restocking

Once all premises affected by the outbreak are cleaned and disinfected and there are no new reports of the disease agent, restocking will be permitted by the State Veterinarian. A moratorium on restocking will be in place for a minimum of 30 days or other appropriate time period determined by the State Veterinarian after depopulation and after the completion of an approved cleaning and disinfection process of the entire premises. OIE recommendations for restocking by disease agent are listed in Appendix B.

11.0 Roles and Responsibilities

Sections 11.1 and 11.2 outline the roles and responsibilities of agencies and producers when responding to an animal disease outbreak.

11.1 Agencies Roles and Responsibilities

Responding to an outbreak of a highly contagious animal disease outbreak will require the coordination of multiple agencies. A list of local, state, and federal agencies and their possible role in an outbreak response are listed in Appendix J.

11.2 Industry's Role in a Disease Outbreak

Industry will play an important role both in preventing a disease outbreak and in response to such an event. Appendix K offers recommendations and actions to improve Continuity of Operations plans for the swine industry.

Appendices

A List of Acronyms

B Animal Diseases Significant to Swine

C ICS Incident Organization Chart for Animal Disease Response

D Incident Complexity Analysis Worksheet

E PPE Guidelines for Zoonotic and Non-Zoonotic Diseases

F Regulatory Communication Network

G Colorado VMO Territories

H FADI Collection Data Form Sample

I EPA Approved Disinfectants for Highly Pathogenic Diseases

J Local, State, and Federal Agencies Roles and Responsibilities

K Industry's Role in Emergency Response

Appendix A Acronyms

APHIS	Animal and Plant Health Inspection Service		FADDL	Foreign Animal Disease Diagnostic Lab
AVIC	Area Veterinarian in Charge		FADI	Foreign Animal Disease Investigation
AVMA	American Veterinary Medical Association		FBI	Federal Bureau of Investigation
CCR	Code of Colorado Regulations		FDA	Food and Drug Agency
CDA	Colorado Department of Agriculture		FSIS	Food Safety Inspection Service
CDC	Centers for Disease Control and Prevention		GPS	Global Positioning System
CDEM	Colorado Department of Emergency Management		HSPD	Homeland Security Presidential Directive
CDPHE	Colorado Department of Public Health and Environment		IA	Interagency Agreement
CDOT	Colorado Department of Transportation		IAP	Incident Action Plan
CFR	Code of Federal Regulations		ICS	Incident Command System
CIAC	Colorado Information Analysis Center		IMT	Incident Management Team
CLSS	Colorado Livestock Security System		JTTF	Joint Terrorism Task Force (within FBI)
CO ₂	Carbon Dioxide		MOU	Memorandum of Understanding
CO AREO	Colorado Animal Emergency Response Organization		NIMS	National Incident Management System
CRS	Colorado Revised Statutes		NVSL	National Veterinary Service Laboratories
CSP	Colorado Safety Patrol		OIE	Office of Internationale des Epizooties
CSU	Colorado State University		OSHA	Occupational Safety and Health Association
CVMBS	College of Veterinary Medicine and Biomedical Sciences		PIN	Premises Identification Number
DOW	Division of Wildlife		PIO	Public Information Officer
ECIMT	Eastern Colorado Incident Management Team		PPE	Personal Protective Equipment
EOC	Emergency Operation Center		SEOC	State Emergency Operations Center
EPA	Environmental Protection Agency		USDA	United States Department of
ESF	Emergency Support Function		VMO	Veterinarian Medical Officer
FAD	Foreign Animal Disease			
FADD	Foreign Animal Disease Diagnostician			

Appendix B Animal Diseases Significant to Swine

Animal Diseases Significant to Swine -- Table I			
Animal Disease / Classification ^{1,2,3}	Mode of Transmission ¹	Recommended Quarantine and Movement Controls ^{2,4}	Treatment Options and Vaccine Availability ^{2,3}
African Swine Fever Foreign Animal Disease OIE Reportable Disease	Aerosol (limited) Direct Contact - Swine-to-Swine - Ingesting infected product - Semen (negligible) Fomites Vectors - Ticks	- Infected Premises 1.8 miles (3 km) , Suspected Premises and Control Area should be defined - 6.2 miles (10 km) between buffer between Control Area and Free Zones - No movement of animals, animal products, or feed	- No vaccine available - The treatment of infected animals is not effective - Depopulation of all infected pigs - Widespread testing, elimination of all Seropositive swine
Classical Swine Fever (Hog Cholera) Foreign Animal Disease OIE Reportable Disease	Aerosol (limited) Direct Contact - Swine-to-Swine - Semen (negligible) Oral - Ingesting infected product Fomites Vectors - Flies - Mosquito Cats, Dogs can spread disease	- Infected Premises 1.8 miles (3 km) , Suspected Premises and Control Area should be defined - 6.2 miles (10 km) between buffer between Control Area and Free Zones - No movement of animals, animal products, or feed	- Depopulation of all infected swine and in contact swine, (some documents recommend slaughter of complete herd). - Vaccine is available
Foot and Mouth Disease Foreign Animal Disease OIE Reportable Disease	Aerosol Direct Contact - Swine-to-Swine - Semen (negligible) Oral - Ingesting infected product Fomites	- Strict quarantine controls - Infected premises zone should extend a minimum of 6.2 miles (10km) beyond the presumptive or confirmed infected premises.	- Depopulation of all infected and in contact animals - Vaccine is available, must be repeated in Intervals - Barrier or ring vaccination is recommended with stamping out infected and at risk swine
Rinderpest Foreign Animal Disease OIE Reportable Disease	Aerosol (limited) Direct Contact - Swine-to-Swine - Semen Oral - Ingesting infected product - Fomites (limited)	- 6.2 miles (10 km) between buffer between Control Area and Free Zones	- Depopulation of all infected and in contact animals - Vaccine is available, must be repeated in intervals - Barrier or ring vaccination is recommended with stamping out infected and at risk swine

1 Center for Food Security and Public Health, Iowa State University, *Animal Disease Index*, 2008

2 The World Organization for Animal Health, *Terrestrial Animal Health Code*, 2008. http://www.oie.int/eng/normes/Mcode/en_sommaire.htm

3 AUSVETPLAN Australian Veterinary Emergency Plan, Disease Strategies, <http://www.animalhealthaustralia.com.au/aahc/programs/ealp/ausvetplan/disease-strategies.cfm>

4 United States Animal Health Association, Committee on Foreign and Emerging Diseases. *Foreign Animal Diseases*, 2008

Appendix B Animal Diseases Significant to Swine

Animal Diseases Significant to Swine -- Table II				
Animal Disease / Classification	Tracing / Recommendations ^{2,3}	Decontamination Recommendations ^{1,2} (See Appendix I for Approved Disinfectants)	Restocking / Surveillance Recommendations ^{3,4}	Wildlife / Vector Control ³
African Swine Fever Foreign Animal Disease OIE Type A List	- Trace backs should extend a minimum of 20 days from first appearance of clinical signs	- C & D all vehicles entering and leaving premises - C & D all clothing and boots - Cook all garbage and meat products fed to pigs - Control ticks with acaricides	- Sentinel swine restocked 60 days after decontamination - Surveillance of sentinel animals for six weeks – serology and clinical examinations	Feral Pigs, Ticks
Classical Swine Fever (Hog Cholera) Foreign Animal Disease OIE Type A List	- Trace-backs minimum of 11 days from first appearance of clinical signs	- C & D all vehicles entering and leaving premises - C & D all clothing and boots - Cook all garbage and meat products fed to pigs	- Sentinel swine restocked 21 days after decontamination	N/A
Foot and Mouth Disease Foreign Animal Disease OIE Type A List	- Trace-backs minimum of 14 days from first appearance of clinical signs - Trace-forward 21 days before first case to quarantine	- C & D all vehicles entering and leaving premises - C & D all clothing and boots - Cook all garbage and meat products fed to pigs	- Sentinel swine restocked 30 days after decontamination, contact with all parts of premises and objects. Inspected by Vet every 3 days. - Sentinel swine maintained on Premises for 60 days	Rodent controls , Feral Pigs
Rinderpest Foreign Animal Disease OIE Reportable Disease	- Trace-backs minimum of 21 days from first appearance of clinical signs - Trace-forward 21 days before first case to quarantine	- C & D all vehicles entering and leaving premises - C & D all clothing and boots - Cook all garbage and meat products fed to pigs	- Sentinel swine restocked 15 days after decontamination - Surveillance of sentinel animals weekly for 28 days	N/A


1 Center for Food Security and Public Health, Iowa State University, *Animal Disease Index*, 2008

2 The World Organization for Animal Health, *Terrestrial Animal Health Code*, 2008. http://www.oie.int/eng/normes/Mcode/en_sommaire.htm

3 AUSVETPLAN Australian Veterinary Emergency Plan, Disease Strategies, <http://www.animalhealthaustralia.com.au/aahc/programs/eap/ausvetplan/disease-strategies.cfm>


4 United States Animal Health Association, Committee on Foreign and Emerging Diseases. *Foreign Animal Diseases*, 2008

Appendix C
CDA ICS Organization Chart for Animal Emergency Response



* Denotes positions to be filled by ECIMT members when the incident's complexity exceeds CDA's capability to manage the incident effectively. Additional positions may be filled ECIMT as the complexity of an incident increases.

Appendix D Incident Complexity Analysis Worksheet

All-Hazard Incident Complexity Analysis		
Incident Name:	Date:	
Incident Number:	Time:	
This Complexity Analysis is weighed based on the relevance to Life Safety, Incident Stabilization, and Property Conservation.		
Complexity Factors		Check if Pertinent
Impacts to Life, Property, and the Economy		
Urban interface; structures, developments, recreational facilities, or potential for evacuation.		<input type="checkbox"/>
Community and Responder Safety		
Performance of public safety resources affected by cumulative fatigue		<input type="checkbox"/>
Overhead overextended mentally and/or physically		<input type="checkbox"/>
Communication ineffective with tactical resources or dispatch		<input type="checkbox"/>
Incident action plans, briefings, etc. missing or poorly prepared		<input type="checkbox"/>
Resources unfamiliar with local conditions and tactics		<input type="checkbox"/>
Potential Hazardous Materials		
Potential of Hazardous Materials		<input type="checkbox"/>
Weather and other Environmental Influences		
Unique natural resources, special-designation areas, critical municipal watershed, protected species habitat, cultural value sites		<input type="checkbox"/>
Likelihood of Cascading Events		
Variety of specialized operations, support personnel or equipment		<input type="checkbox"/>
Potential Crime Scene (including Terrorism)		
Potential crime scene		<input type="checkbox"/>
Potential of terrorism		<input type="checkbox"/>
Political Sensitivity, External Influences, and Media Relations		
Sensitive political concerns, media involvement, or controversial policy issues		<input type="checkbox"/>
Organizational Performance Values and Product Development		
Non-IAP Products not being developed or deficient.		<input type="checkbox"/>
Area Involved, Jurisdictional Boundaries		
Incident threatening more than one jurisdiction and potential for unified command with different conflicting management objectives.		<input type="checkbox"/>
Availability of Resources		
Operations are at the limit of span of control.		<input type="checkbox"/>
Unable to property staff air operations.		<input type="checkbox"/>
Limited local resources available for initial attack/response		<input type="checkbox"/>
Heavy commitment of local resources to logistical support.		<input type="checkbox"/>
Existing forces worked 12 hours without success.		<input type="checkbox"/>
Percentage Score		%
If 10% or lower look at going to or staying at Type 4 Team.		
If 10 % to 20% maintain or go to Type 3 Team		
If greater than 20% increase to Type 2 Team or additional overhead		
Prepared By	Date:	Time:

Appendix E PPE Guidelines for Zoonotic and Non-Zoonotic Diseases

Personal Protective Equipment Guidelines for Colorado Department of Agriculture Employees

Zoonotic Disease Diagnosed in the United States																
Environment	Zoonotic Disease not Diagnosed in the U.S.		Suspect Disease Outbreak Investigation.		Confirmed Zoonotic Disease Diagnosis – Emergency Response Activities											
					General Operations Areas Surveillance		Near or Contact Premises Surveillance		Biological Control Area Surveillance		Biological Control Area Activity					
Equipment	Routine Surveillance	Suspect Disease Outbreak Investigation	Routine Surveillance	Outdoor Environment	Indoor Environment	Outdoor Environment	Indoor Environment	Outdoor Environment	Indoor Environment	Outdoor Environment	Indoor Environment	Indoor Depopulation Preparation	Indoor Depopulation Re-Entry CO2 & CO2 Level Testing	Routine Surveillance Operations	Outdoor Environment	Any Cleaning and/or Disinfection Activity
Coveralls, Work Uniforms, etc.	X															
Tyvek Coveralls		X	X			X		X		X		X	X			
Tychem Coveralls														X	X	X
Exam gloves (heavy Disposable)	X	X	X	X	X	X	X	X	X	X plus	X plus	X plus	X plus	X plus	X plus	X plus
Rubber Glovers (heavy duty)										X	X	X	X	X	X	X
N-95 or N-100 Filtering Face piece*		X	X	X	X plus	X	X	X plus	X plus	X plus					X plus	
Goggles (indirect vented)**				+/-	X or		+/-	X or	X or	X or					X or	
Full-face APR with N-100 Canister					X			X	X	X	X	X		X	X	X
Self-contained breathing apparatus SCBA ***													X			
Boot Covers (Disposable)	+/- OR	+/- OR	+/- OR			+/- OR	+/- OR									
Rubber Boots	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

* Examples of zoonotic disease with higher transmission risk would include influenza in swine or other non-avian species, anthrax, plague and tularemia, among others.

** A separate table has been developed for avian influenza. See HPAI PPE Guidelines.

Appendix E PPE Guidelines for Zoonotic and Non-Zoonotic Diseases

**Personal Protective Equipment Guidelines for Colorado Department of Agriculture Employees
Non- Zoonotic Animal Disease Incident**

Suspect Disease Diagnosed in the United States										
Environment	Suspect Disease not Diagnosed in the U.S.		Suspect Disease Outbreak Investigation	Confirmed Diagnosis of Suspect Disease – Emergency Response Activities						
				General Operations Areas Surveillance	Near or Contact Premises Surveillance	Biological Control Area Surveillance	Biological Control Area Activity			
Equipment	Routine Surveillance	Suspect Disease Outbreak Investigation	Routine Surveillance	Routine Surveillance Operations	Routine Surveillance Operations	Routine Surveillance Operations	Indoor Depopulation Preparation	Indoor Depopulation Re-Entry CO2 & CO2 Level Testing	Routine Surveillance Operations	Any Cleaning and/or Disinfection Activity
Coveralls, Work Uniforms, etc.	X									
Tyvek Coveralls		X	X	X	X	X	X	X		
Tychem Coveralls									X	X
Exam gloves (heavy Disposable)	X	X	X	X	X	X plus	X plus	X plus	X plus	X plus
Rubber Glovers (heavy duty)						X	X	X	X	X
N-95 or N-100 Filtering Face piece*		X	X	X	X	X	X		X	X plus
Goggles (indirect vented)**										X or
Full-face APR with N-100 Canister										X
Self-contained breathing apparatus SCBA ***								X		+/-
Boot Covers (Disposable)	+/- OR	+/- OR	+/- OR	+/- OR						
Rubber Boots	X	X	X	X	X	X	X	X	X	X

* Filtering face pieces are recommended to avoid transmission of a disease agent to other physical locations via the responders respiratory system as can occur with agents such as the Foot and Mouth virus.

**Goggles /full race piece maybe considered for dust control in any location /activity and should routinely be used in cleaning and disinfection activities.

*** SCBA should be used in altered environments such as gas euthanasia or ihigh risk confined space such as manure pits.

Appendix F Regulatory Communication Network

County Emergency Managers of Colorado Current as of September 2009				
Colorado County	Emergency Manager	Phone Number (24-Hour)	Fax Number	Email
Adams	Capt. Mike Kercheval	303-289-5441	720-322-1404	mkercheval@co.adams.co.us
Alamosa	Pet Magee	719-589-5807	719-587-0264	pete_magee@qwestoffice.net
Arapahoe	Lt. Greg Palmer	303-795-4711	720-874-4158	GPalmer@co.arapahoe.co.us
Archuleta	Drew Petersen	970-263-2131	970-731-4800	dpetersen@archuletacounty.org
Baca	Riley Frazee	719-523-4511	719-523-6584	riley.frazee@seregion.com
Bent	Randy Freed	719-456-1363	719-456-0476	randyf@bentcounty.net
Boulder	Mike Chard	303-441-4444	303-441-3884	mchard@bouldercounty.org
Broomfield	Kent Davies	303-438-6400	720-887-2001	kdavies@ci.broomfield.co.us
Chaffee	Carl L. Hasselbrink	719-539-2596	719-539-7442	carlh@amigo.net
Cheyenne	Darcy Janssen	719-767-5633	719-346-8542	janssen@wildblue.net
Clear Creek	Kathleen Krebs	303-679-2393	303-679-2440	kkrebs@co.clear-creek.co.us
Conejos	Rodney King	719-589-5804	719-376-5661	rodneykk@hotmail.com
Costilla	Matthew Valdez	719-672-3302	719-672-3003	Mathew.Valdez@costillacounty.net
Crowley	Larry Reeves	719-267-5555 x1	719-267-3114	lreeves@crowleycounty.net
Custer	Christe Feldmann	719-783-2270	719-783-9085	ccoem@centurytel.com
Delta	Rob Fiedler	303-640-9999	970-874-2014	fiedler@deltacounty.com
Denver	Daniel Alexander	303-640-9999	720-865-7691	daniel.alexander@denvergov.org
Dolores	Todd Parisi	970-677-2500	970-677-2880	dcoem@yahoo.com
Douglas	Daniel Huse	303-660-7500	303-814-8790	dhuse@dcsheriff.net
Eagle	Barry Smith	970-479-2201	970-328-8694	barry.smith@eaglecounty.us
Elbert	LaRiea Thompson	303-805-6131	303-805-6159	LaRiea.Thompson@elbertcounty-co.gov
El Paso	Jim Reid	719-390-5555	719-575-8591	
Fremont	Steve Morrisey	719-276-5555	719-276-7304	steve.morrisey@fremontco.com

Colorado Department of Emergency Management. <http://www.dola.state.co.us/dem/localem.htm>. Aug 2009

Appendix F Regulatory Communication Network

County Emergency Managers of Colorado (Cont.) Current as of September 2009

Colorado County	Emergency Manager	Phone Number (24-Hour)	Fax Number	Email
Garfield	Chris Bornholdt	970-625-8095	970-945-6430	cbornholdt@garfield-county.com
Gilpin	George Weidler	303-582-5500		gweidler@co.gilpin.co.us
Grand	Trevor W. Denney	970-887-2732		tdenney@co.grand.co.us
Gunnison	Scott Morrill	970-641-8000	970-641-7693	smorrill@gunnisoncounty.org
Hinsdale	Jerry Gray	970-641-8000	970-944-2630	grayj@lakecity.net
Huerfano	Diego A. Bobian	719-989-8220		dbobian@huerfano.us
Jackson	Kent Crowder	970-723-4242	970-723-4706	
Jefferson	James (Tim) McSherry	303-277-0211	303-271-4905	jmcsherr@jeffco.co.us
Kiowa	Chris Sorensen	719-438-5411	719-438-5503	chris@kiowaoem.com
Kit Carson	Darcy Janssen	719-346-8538	719-349-8542	janssen@wildblue.net
Lake	Jeffrey M. Foley	719-486-1249	719-486-0139	jfoley@bresnan.net
La Plata	Tom McNamara	970-385-2900	970-382-6272	mcnamaratr@co.laplata.co.us
Larimer	Erik Nilsson	970-416-1985	970-498-9203	nilssoed@co.larimer.co.us
Las Animas	Bill Cordova	719-846-2211	719-845-2598	bcordova@amigo.net
Lincoln	Kenneth Morrison	719-743-2426	719-743-2280	lcadmin@lincolncountyco.us
Logan	Bob Owens	970-522-3512	(970) 521-0632	Owens@sterlingcolo.com
Mesa	Kimberly Bullen	970-250-1279		kimberly.bullen@mesacounty.us
Mineral	William Fairchild	719-658-2600	719-658-2764	mincosheriff@centurytel.net
Moffat	Tom Soos	970-824-6501	970-826-2423	tom.soos@thmcraig.org
Montezuma	Lori Johnson	970-565-8441	970-565-3991	ljohnson@cityofcortez.com
Montrose	Robyn Funk	970-252-4010	970-249-7761	rfunk@co.montrose.co.us
Morgan	Steve Enfante	970-867-8531	970-867-7344	senfante@co.morgan.co.us
Otero	Chris Johnson	719-384-5941	719-384-2272	cjohnson@otero.gov

Colorado Department of Emergency Management. <http://www.dola.state.co.us/dem/localem.htm>. Aug 2009

Appendix F Regulatory Communication Network

County Emergency Managers of Colorado (Cont.) Current as of September 2009				
Colorado County	Emergency Manager	Phone Number (24-Hour)	Fax Number	Email
Ouray	Alan Staehle	970-252-4020	970-325-0452	awsouray@aol.com
Park	Lori Hodges	719-836-4121	719-836-4156	lhodges@parkco.us
Phillips	Randy Schafer	970-854-3144	970-854-3811	rschafer@pctc.net
Pitkin	Ellen Anderson	970-920-5300	970-920-5307	ellena@co.pitkin.co.us
Prowers	Staffon Warn	719-336-3977	719-336-4883	staffon.warn@prowerscounty.net
Pueblo	Steve Douglas	719-583-6250	719-583-6218	steve.douglas@co.pueblo.co.us
Rio Blanco	John Hutchins	970-878-9620	970-878-3127	rbcem@co.rio-blanco.co.us
Rio Grande	Vic Webb	719-657-4000		rgcoem@riograndecounty.org
Routt	Chuck Vale	970-879-1110	970-870-5561	cvale@yampa.com
Saguache	Kimberly Bryant	719-589-5807		KBryant@SaguacheCounty-CO.gov
San Juan	Kristina Maxfield	970-387-5531	970-387-0251	sanjcoem@yahoo.com
San Miguel	Jennifer Dinsmore	970-728-1911	970-728-9206	jenniferd@sanmiguelcounty.org
Sedgwick	Mark Turner	970-474-3355	970-474-2607	ptsports57@yahoo.com
Southern Ute Indian Tribe	Kathie Gurule	970-563-4401	970-563-0215	kgurule@southern-ute.nsn.us
Summit	Joel Cochran	970-453-2232 ext 336	970-453-7329	jcochran@co.summit.co.us
Teller	Gregory G. Griswold	719-687-9652	719-687-1202	griswoldg@co.teller.co.us
Ute Mountain Ute Indian Tribe	John Trocheck	970-565-3706	970-564-5443	Jtrocheck@utemountain.org
Washington	Mike McCaleb	970-345-2244	970-345-2701	mmccaleb@co.washington.co.us
Weld	Roy Rudisill	970-304-4015 x2700	970-304-6543	rrudisill@co.weld.co.us
Yuma	Roger Brown	970-848-0464	970-848-0160	yumaoem@wycomm.org

Colorado Department of Emergency Management. <http://www.dola.state.co.us/dem/localem.htm>. Aug 2009

Appendix F Regulatory Communication Network

County Sheriffs of Colorado (Cont.) Current as of September 2009		
Colorado County	Sherriff	Phone Number
Adams	Doug Darr	303-655-3216
Alamosa	David Stong	719-589-6608
Arapahoe	J. Grayson Robinson	720-874-4165
Archuleta	Peter Gonzales	970-264-2131
Baca	Steve Salzbrenner	719-523-4511
Bent	Gerry Oyen	719-456-0795
Boulder	Joseph Pelle	303-441-4605
Broomfield*	Chief Tom Deland	303-438-6400
Chaffee	Timothy Walker	719-539-2814
Cheyenne	Virgil Drescher	719-767-5633
Clear Creek	Don Krueger	303-569-3251 ext. 376
Conejos	Robert Gurule	719-376-2196
Costilla	Gilbert Matinez	719-672-3302
Crowley	Jeffrey Keyes	719-267-5555
Custer	Fred Jobe	719-783-2270
Delta	Fred McKee	970-874-2000
Denver*	Chief Gerald Whitman	720-913-2000
Dolores	Jerry Martin	970-677-2257
Douglas	David Weaver	303-660-7541
Eagle	Joseph D. Hoy	970-328-6611
Elbert	William Frangis	303-621-2027
El Paso	Terry Maketa	719-520-7204
Fremont	Jim Beicker	719-276-5555
Garfield	Lou Vallario	970-945-0453

Colorado Department of Emergency Management. <http://www.dola.state.co.us/dem/localem.htm>. Aug 2009

*Chief of Police for Bloomberg and Denver Counties

Appendix F Regulatory Communication Network

County Sheriffs of Colorado (Cont.)		
Current as of September 2009		
Colorado County	Sheriff	Phone Number
Gilpin	Bruce Hartman	303-582-1060
Grand	Rodney Johnson	970-725-3344
Gunnison	Richard L. Murdie	970-641-1113
Hinsdale	Ronald Bruce	970-944-2291
Huerfano	Bruce Newman	719-738-1600
Jackson	Rick Rizor	970-723-4242
Jefferson	Ted Mink	303-271-5305
Kiowa	Forrest Frazee	719-438-5306
Kit Carson	Ed Raps	719-346-8934
Lake	Ed Holte	719-486-1249
La Plata	Duke Schirard	970-247-1157
Larimer	James A. Alderden	970-498-5100
Las Animas	James Casias	719-846-2211
Lincoln	Tom Nestor	719-743-2426
Logan	Brett Powell	970-522-2578
Mesa	Stan Hilkey	970-244-3500
Mineral	Fred Hosselkus	719-658-2600
Moffat	Tim Jantz	970-824-4495
Montezuma	Gerald Wallace	970-565-8452 x303
Montrose	Rick Dunlap	970-249-6606
Morgan	James E. Crone	970-867-2461
Otero	Chris Johnson	719-384-5941
Ouray	Dominic Mattivi	970-325-7272
Park	Fred Wegener	719-836-2494
Phillips	Charles Urbach	970-854-3644

Colorado Department of Emergency Management. <http://www.dola.state.co.us/dem/localem.htm>. Aug 2009

Appendix F Regulatory Communication Network

County Sheriffs of Colorado (Cont.)		
Current as of September 2009		
Colorado County	Sheriff	Phone Number
Pitkin	Robert C. Braudis	970-920-5300
Prowers	James Faull	719-336-8050
Pueblo	Kirk Taylor	719-583-6125
Rio Blanco	Si H. Woodruff	970-878-5023
Routt	Gary Wall	970-879-1090
Saguache	Mike Norris	719-655-2544
San Juan	William Masters	970-728-4442
Sedgwick	Delbert Ewoldt	970-474-3355
Summit	Sheriff John Minor	970-453-2232
Teller	Kevin Dougherty	719-687-9652
Washington	Larry Kuntz	970-345-2244
Weld	John Cooke	970-356-4015 x2801
Yuma	Sam McCoy	970-332-4805

Colorado Department of Emergency Management. <http://www.dola.state.co.us/dem/localem.htm>. Aug 2009

Appendix F Regulatory Communication Network

Colorado County Extension Offices Current as of October 2009		
Colorado County	Phone Number	Address
Adams	(303) 637-8100	9755 Henderson Road, Brighton, CO 80601
Alamosa	(719) 852-7381	1899 E. Hwy 160, Monte Vista, CO 81144
Arapahoe	(303) 730-1920	5804 South Datura, St. Littleton, CO 80120
Archuleta	(970) 264-5931	344 Highway 84, Pagosa Springs, CO 81147
Baca	(719) 523-6971	772 Colorado St., Springfield, CO 81073
Bent	(719) 456-0764	1499 Ambassador Thompson BLVD, Las Animas, Co 81054
Boulder	(303) 678-6238	9595 Nelson Road, Longmont, CO 80501
Broomfield	(720) 887-2286	6650 W. 120th Ave., Broomfield, CO 80020
Chaffee	(719) 539-6447	10165 County Road 120, Salida, CO 81201
Cheyenne	(719) 767-5716	425 South 7th W., Cheyenne Wells, CO 80810
Conejos	(719) 852-7381	1899 E. Hwy 160, Monte Vista, CO 81144
Costilla	(719) 852-7381	1899 E. Hwy 160, Monte Vista, CO 81144
Crowley	(719) 267-5243	601 North Main Street, Ordway, CO 81063
Custer	(719) 783-2514	205 South 6 th , Westcliffe, CO 81252
Delta	(970) 874-2195	525 Dodge Street, Delta, CO 81416
Denver	(720) 913-5270	888 E. Iliff Avenue, Denver, CO 80210
Dolores	(970) 677-2283	409 North Main Street, c/o Courthouse, Dove Creek, CO 81324
Douglas	(720) 733-6930	410 Fairgrounds Road, Castle Rock, CO 80104
Eagle	(970) 328-8630	441 Broadway, Eagle CO 81631
El Paso	(719) 520-7675	305 South Union Blvd., Colorado Springs, CO 80910
Elbert	(719) 541-2361	325 Pueblo, Simla, CO 80835
Elbert Branch Office	(303) 621-3162	P.O. Box 189, Kiowa, CO 80117
Fremont	(719) 276-7390	615 Macon Avenue, Canon City, CO 81212
Garfield	(970) 625-3969	Fairgrounds, 1001 Railroad Avenue, Rifle, CO 81650

Colorado State University Extension, <http://www.ext.colostate.edu/cedirectory/countylist.cfm> Oct. 2009

Appendix F Regulatory Communication Network

Colorado County Extension Offices Current as of October 2009		
Colorado County	Phone Number	Address
Gilpin	(303) 582-9106	230 Norton Drive, Blackhawk, CO 80422
Grand	(970) 724-3436	210 11th Street, Extension Hall, Fairgrounds, Kremmling, CO 80459
Gunnison	(970) 641-1260	275 South Spruce, Gunnison, CO 81230
Huerfano	(719) 738-2170	928 Russell Ave, Walsenburg, CO 81089
Jackson	(970) 723-4298	312 5th Street, Walden, CO 80480
Jefferson	(303) 271-6620	15200 West Sixth Avenue, Golden, CO 80401
Kiowa	(719) 438-5321	County Courthouse - 1305 Goff, Eads, CO 81036
Kit Carson	(719) 346-5571	251 16th Street, Burlington, CO 80807
La Plata	(970) 247-4355	2500 Main Ave., Durango CO 81301
Larimer	(970) 498-6000	1525 Blue Spruce Drive, Fort Collins, CO 80524
Las Animas	(719) 846-6881	2200 North Linden Ave, Trinidad, CO 81082
Lincoln	(719) 743-2542	326 8 th St., Hugo, CO 80821
Logan	(970) 522-3200	508 South 10 th Ave, Sterling, CO 80751
Mesa	(970) 244-1834	2775 Highway 50, Grand Junction, CO 81502
Mineral	(719) 852-7381	1899 E. Hwy 160, Monte Vista, CO 81144
Moffat	(970) 824-9180	539 Barclay Street, Craig CO 81625
Montezuma	(970) 565-3123	109 West Main Street, Cortez, CO 81324
Montrose	(970) 249-3935	1001 North 2 nd , St. Montrose, CO 81401
Morgan	(970) 542-35	914 E. Railroad, Ave, Fort Morgan, CO 80701
Otero	(719) 836-42	411 North 10 th St. Rocky Ford, CO 81067
Park	(719) 836-4293	880 Bogue St. Fairplay, CO 80440
Phillips	(970) 854-3616	127 East Denver, Holyoke, CO 80734
Prowers	(719) 336-7734	1001 S. Main St., Pueblo, CO 81003
Pueblo	(719) 583-6566	212 W. 12 th St. Pueblo, CO 81003


Colorado State University Extension, <http://www.ext.colostate.edu/cedirectory/countylist.cfm> Oct. 2009

Appendix F Regulatory Communication Network

Colorado County Extension Offices		
Current as of October 2009		
Colorado County	Phone Number	Address
Rio Blanco	(970) 878-9490	779 Sulphur Creek Road, Meeker, CO 81641
Rio Blanco Branch Office	(970) 675-2417	Western, Annex 17497 Highway 64, Rangely, CO 81648
Rio Grande-Saguache	(719) 852-7381	1899 E. Hwy 160, Monte Vista CO 81144
Routt	(970) 879-0825	136 6 th St. Steamboat Springs, CO 80477
San Miguel	(970) 327-4393	1120 Summit, Norwood CO 81423
Sedgwick	(970) 474-3479	315 Cedar, Julesburg, CO 80737
SLV Area Office	(719) 852-7381	1899 E. Hwy 160 Monte Vista, CO 81144
Summit	(970) 668-3595	37 Peak One Dr., CR1005, Frisco, CO 80443
Teller	(719) 689-2552	112 North A St. Cripple Creek, CO 80813
Washington	(970) 345-2287	181 Birch Avenue Akron, CO 80720
Weld	(970) 304-6535	525 North 15 th Ave., Greeley CO 80631
Yuma	(970) 332-4151	310 Ash Street, Wray, CO 80758

Colorado State University Extension, <http://www.ext.colostate.edu/cedirectory/countylist.cfm> Oct. 2009

Appendix G Colorado VMO Territories



Source: Colorado Department of Agriculture, Animal Industry Division

Appendix H FADI Collection Data Form Sample

Foreign Animal Investigation Disease Form

FADD Name and Phone: _____ Date: _____ FAD Control #: _____

Owner Information

Premises Information

Name: _____
Address: _____
City, State, Zip: _____
Type of Operation: _____
Phone: _____
County: _____

Address: _____
City: _____
State, Zip: _____
County: _____
Latitude: _____
Longitude: _____

Primary Species on Premises Initiating complaint: _____

Primary Species on Premises if different from above: _____

Number of animals showing lesions by species: (use separate page for additional animals or use comments lines)

Species:	# Animals:	# Sick	Description/ID:	Samples Submitted:
1. _____	_____	_____	_____	_____
2. _____	_____	_____	_____	_____
3. _____	_____	_____	_____	_____
4. _____	_____	_____	_____	_____

Please describe any movements of affected animals from the premises over the past month _____

Number & type of other susceptible species on premises: _____

Private Practitioner: _____ Clinic Name: _____

Phone: _____ Cell Phone: _____

Has practitioner collected samples? Yes No If yes, what type? _____

Has FADD collected Samples: Yes No If yes, what type? _____

FedEx Tracking #: _____

What lab were samples sent to? FADDL NVSL Date Shipped: _____

Onset date: _____ Follow-up Date: _____

Quarantine date: _____ Quarantine number: _____

Count down date: _____ Quarantine release date: _____

Comments: _____

Appendix I EPA Approved Disinfectants for Highly Pathogenic Diseases

Environmental Protection Agency (EPA) Approved Disinfectants for Highly Pathogenic Diseases¹				
Disease	Product	EPA Regulatory No.	Manufacturer	Active Ingredient(s)
African Swine Fever				
	Low Ph Phenolic 256	211-62	Central Solutions, Inc	o-Phenylphenol 2-Benzyl-4-chlorophenol
	Pheno Cen Germicidal Detergent	211-25	Central Solutions, Inc	o-Phenylphenol, potassium salt p-tert-Amylphenol, potassium salt Potassium 2-benzyl-4-chlorophenolate
	Klor-Kleen	71847-2	Medentech Ltd.	Sodium dichloro-striazinetrione
	Virkon S	71654-6	DuPont Chemical Solutions Enterprise	Solutions Enterprise Sodium chloride Potassium peroxymonosulfate
Classical Swine Fever (Hog Cholera)				
	Pheno Cen Germicidal Detergent	211-25	Central Solutions, Inc	o-Phenylphenol, potassium salt p-tert-Amylphenol, potassium salt Potassium 2-benzyl-4-chlorophenolate
	Pheno-Cen Spray Disinfectant/Deodorant	211-32	Central Solutions, Inc	o-Phenylphenol Ethyl alcohol
¹ United States Animal Health Association, Committee on Foreign and Emerging Diseases. <i>Foreign Animal Diseases</i> , 2008				

Appendix I EPA Approved Disinfectants for Highly Pathogenic Diseases

Environmental Protection Agency (EPA) Approved Disinfectants for Highly Pathogenic Diseases¹				
Disease	Product	EPA Regulatory No.	Manufacturer	Active Ingredient(s)
Classical Swine Fever (Hog Cholera) Cont.				
	Tri-Cen	211-36	Central Solutions, Inc	p-tert-Amylphenol, sodium salt Sodium 2-benzyl-4- chlorophenate Sodium o-phenylphenate
Foot and Mouth Disease				
	Low pH Phenolic 256	211-62	Central Solutions, Inc	2-Benzyl-4-chlorophenol o-Phenylphenol
	Oxonia Active	1677-129	Ecolab Inc.	Peroxyacetic Acid Hydrogen peroxide
	Oxysept LDI	1677-203	Ecolab Inc.	Peroxyacetic Acid Hydrogen peroxide
Rinderpest			No products registered	
¹ United States Animal Health Association, Committee on Foreign and Emerging Diseases. <i>Foreign Animal Diseases</i> , 2008				

Appendix J Local, State, and Federal Agencies Roles and Responsibilities

LEAD AGENCY

Colorado Department of Agriculture

The CDA, Animal Industry Division is the lead agency in any livestock health related emergency occurring in Colorado. CDA will respond by using the NIMS protocol. The specific components will be under the joint command of the State Veterinarian and the APHIS AVIC. Their overall responsibility will encompass command and management of the disease event, overseeing the management and dissemination of resources, establishing a communication and information management system and securing supporting technologies. The State Veterinarian and AVIC may use any or all of the following action steps to control and/or eradicate the disease encountered in the event.

- Assign an emergency response level to the incident.
- In consultation with the APHIS AVIC, determine the scope and level of initial response and initiate a task force.
- In consultation with the APHIS AVIC, determine the location and size of hold / quarantine areas.
- Establish quarantine area(s) and issue quarantine orders as needed.
- In consultation with the APHIS AVIC and other agency personnel, strategically assign duties and areas of responsibility to state, deputy-state and federal veterinarians, members of the Colorado veterinary response team, livestock inspectors and animal health technicians.
- Determine appropriate movement restrictions for animals, people, equipment, feed, commodities, and conveyances.
- In collaboration with the CDA, USDA – APHIS, VS, and/or the Incident Management Team and the Public Information Officer, prepare information for dissemination to the public, producers, processors and other concerned groups through the Joint Information System or Center.
- CDA will notify Colorado Division of Emergency Management (CDEM) when a swine disease sample is being sent to the Foreign Animal Disease Diagnostic Lab (FADDL, Plum Island, NY) for analysis and is likely to be a highly contagious or infectious disease or agent of concern.
- CDA will coordinate with CDEM, USDA, Colorado Department of Transportation (CDOT), Colorado State Patrol (CSP) local jurisdictions, and other agencies as needed in enforcing stop movement orders.
- Conduct livestock disease assessments at the site of the event to determine needs and priorities.
- Coordinate state-level livestock disease emergency response and recovery activities.
- Prioritize activities and areas of greatest urgency for state response and recovery personnel in the field.
- CDA will coordinate with USDA, APHIS, VS, Emergency Programs Staff and provide liaison between other federal, state and local organizations when required.
- CDA will develop protocols for worker protection related to incident-specific health and safety site plans, risk (hazard/exposure) assessments and PPE.
- Direct disease investigations, epidemiological investigations and trace outs to determine source of disease and scope of disease outbreak.

Appendix J Local, State, and Federal Agencies Roles and Responsibilities

- Identify contaminated feed, swine, and agricultural products that must be destroyed and disposed of or decontaminated.
- Identify and approve, in collaboration with CDPHE, animal carcass disposal sites.
- Identify and approve, in collaboration with CDPHE, sites for disposal of, contaminated feed, or other items that are contaminated.
- Identify and approve, in collaboration with CDPHE, temporary waste disposal sites for effluent from cleaning and disinfecting stations.
- Coordinate with appropriate organizations for the deployment of inspectors and veterinarians for agricultural response and recovery.
- Establish and/or coordinate appropriate regulatory controls.
- In collaboration with the CDA PIO provide advisories and related public information.
- CDA will coordinate with CSP, county and local law enforcement for site security and related issues.
- Maintain ongoing animal agriculture surveillance of affected communities in order to rapidly identify and address disease-related problems.
- Notify DOW of any wildlife disease threat or involvement.
- Work in close collaboration with the Colorado Brand Board and livestock industry groups as well as major swine producers

SUPPORT AGENCIES

Local Government

Since all emergency response begins at the local level, local emergency management officials will be actively involved in the response and will be a key provider of resources for operational missions. Each county has a comprehensive emergency management plan which provides the framework for the jurisdiction's response to emergencies and disasters. Counties, through their assets of County Commissioners, County Extension Offices and their networks, will utilize their resources and provide an additional line of communication with local farmers, industry groups and the community. Additionally, as part of a coordinated response, local law enforcement officers with assistance from Brand Inspectors and Bureau of Animal Protection Agents may:

- Assist in identifying clean transportations corridors' for moving unaffected livestock and animal food products safely during an animal health incident.
- Provide security in implementing a hold or quarantine for the infected area.
- Assist in the conduct of a criminal investigation
- Provide Site security and conflict resolution as needed to ensure the safety of veterinarians, inspectors, all other responders and the general public should any conflicts arise.

Appendix J Local, State, and Federal Agencies Roles and Responsibilities

State Agencies

Colorado Division of Emergency Management may:

- Activate the State Emergency Management Plan and SEOC to support CDA.
- Support CDA by providing statewide coordination for logistical support, security, biosecurity, support personnel, procurement of supplies, equipment, vehicles, food, lodging, and administrative support during livestock disease response and recovery from emergencies. Coordinate with CDA, for the provision of biosecurity training to support agencies and provide biosecurity training to agency personnel designated for operations in the affected area.

Colorado State Patrol (CSP) may:

- Provide law enforcement support and coordination to conduct traffic checkpoints and roadblocks, enforce stop movement orders and secure quarantined areas and related sites during swine disease emergencies.
- Coordinate with local law enforcement agencies to support response and recovery with all available resources.

Colorado Department of Public Health and Environment may:

- Coordinate with CDA if a zoonotic condition exists.
- Support public information efforts.
- Consult with CDA and USDA regarding bio-security issues related to zoonotic diseases.
- Provide veterinary and epizootiologic support to a CDA emergency.
- Assist and collaborate with CDA on subjects such as carcass disposal, cleaning and disinfection and other issues that may influence soil, water, and air quality.
- Liaison with Environmental Protection Agency to address issues that may arise.
- Provide laboratory emergency response and/or surge support.
- Colorado Human Services Department may provide or coordinate mental health staff to assist in crisis counseling efforts.

Colorado Division of Wildlife may:

- Provide disease surveillance in free-ranging wildlife and wildlife in zoos, parks, and other natural areas.
- Survey for and/or dispose of contaminated items and wild animals.
- Conduct wild animal inventories in the area of a disease event to identify susceptible species.
- In collaboration with the State Veterinarian, collect wildlife specimens and samples for disease testing to determine presence or absence of disease or transmission of the disease agent or impact of disease on wildlife.

Appendix J Local, State, and Federal Agencies Roles and Responsibilities

Colorado Department of Transportation may:

- Assist in the movement of state resources during livestock disease emergencies.
- Provide traffic control and routing assistance, barricades, and road monitoring.
- Provide equipment and operators to assist with animal disposal.

Colorado State University (CSU) may:

- The College of Veterinary Medicine and Biomedical Sciences (CVMBS) may provide veterinary support and expertise throughout the emergency as requested by CDA.
- Colorado State University Veterinary Diagnostic Laboratory may provide appropriate diagnostic support services as requested by CDA.
- Colorado State University Extension may provide, communication, and liaison between Incident Command, affected industry groups and local communities during emergencies.

Federal Agencies

United States Department of Agriculture (USDA) Animal and Plant Health Inspection Service (APHIS) may:

- Assist in disease eradication activities including quarantine, evaluation, indemnification, slaughter, disposal, cleaning and disinfecting, epidemiology, trace-back, vector control and transportation permitting arrangements and /or in acquiring appropriate contractors to conduct such activities.
- .
- Consult with state and local authorities regarding eradication proceedings.
- Collect, analyze, and disseminate technical and logistical information.
- Define training requirements for temporary employees or support agencies involved in eradication operations.
- Issue a declaration of extraordinary emergency.
- Coordinate with state and local agencies to define quarantine and buffer zones.
- Prepare information for dissemination to the public, producers, processors and other concerned groups through the Joint Information Center.
- Allocate funding for indemnifying to the owner(s) of depopulated animals or related property loss.
- Define restrictions on interstate commerce.

USDA, Food Safety Inspection Service (FSIS)

The FSIS is charged with protecting the Nation's food supply by providing inspectors and veterinarians in meat, poultry, and egg product plants to prevent, detect, and act in response to food safety emergencies. FSIS has developed the infrastructure needed to confront new biosecurity challenges. FSIS may assist state and local authorities in disease eradication activities and/or food-borne illness emergency investigations.

Appendix J Local, State, and Federal Agencies Roles and Responsibilities

USDA, Customs and Border Protection

Shall inspect and regulate movement of at risk people, agricultural products or product containers or the likely at ports-of entry (such as Denver International Airport) to prevent, detect or act in response to agricultural emergencies.

Food and Drug Administration (FDA)

One of FDA's mandates is to protect the public health by assuring the safety of our nation's food supply. FDA also has an important role in prevention and control of contaminated animal feed. FDA may assist state and local authorities in disease eradication activities and/or food-borne illness emergency investigations.

Federal Bureau of Investigation (FBI)

The FBI is the agency responsible for investigating cases of bio-terrorism or agro-terrorism a part of the mission of a Joint Terrorism Task Force (JTTF). When food animals are the target of a terrorists attack and evidence suggests a foreign animal disease may have been intentionally introduced or threatened, CDA will notify the CIAC who in turn will coordinate activities with the JIFF within the Denver Office of the FBI.

Environmental Protection Agency (EPA)

The federal agency that may collaborate with CDPHE & CDA on decisions of carcass disposal, cleaning and disinfection and their effect on soil, air and water or the environment in general.

Local Livestock Industry Groups

Serve as liaison on matters relating to livestock industries affected by an animal disease outbreak.

- Identify individuals who may be qualified to assist in disease control efforts.
- Develop a list of qualified appraisers.
- Provide assistance to families affected by an animal disease outbreak.
- Provide support for disease control and eradication activities.
- Provide appropriate information for dissemination to industries and public (through close coordination with CDA or the IMT public information officer).
- Support response and recovery with all available resources.

Appendix K Industry's Role in Emergency Response

Industry will play an important role both in preventing a disease outbreak and in responding to an animal health emergency. The following Appendix offers recommendations and actions to improve Continuity of Operations plans for the swine industry. Specific material provided in this section includes the following.

Foreign Animal Disease Investigation Action Steps / Check list of FADD Information

Flow Chart of a Foreign Animal Disease Investigation

Developing a Site Plan

Biosecurity Measures for Pork Producers

List of FADs Diseases Significant to Swine

Appendix K Industry's Role in Emergency Response

FOREIGN ANIMAL DISEASE INVESTIGATION ACTION STEPS

1. Contact the State Veterinarian's Office or the USDA Area Veterinarian in Charge

Colorado State Veterinarian: Keith Roehr, DVM (303) 239 - 4161

Area Veterinarian – in– Charge: Roger Perkins, DVM (303) 231 – 5385

2. The Colorado State Veterinarian or AVIC will dispatch a Foreign Animal Disease Diagnostician (FADD) to initiate an investigation within 24 hours of the initial notification.
3. The FADD will set up an appointment to visit the premises, assess the disease situation, collect and submit laboratory samples, execute disease control actions if necessary, and file a report with the State Veterinarian and AVIC.
4. The State Veterinarian and AVIC will assign a priority level to the laboratory submissions which will govern the response of the federal lab(s).
5. Further actions may be taken at the discretion of the State Veterinarian in collaboration with the AVIC and in consultation with the FADD.
6. Laboratory results will be reported to the State Veterinarian who will notify the AVIC and FADD. The FADD will then notify the practitioner and the owner.


Source: American Association of Swine Veterinarians

Information collected during a Foreign Animal Disease Investigation

- ✓ Name and Address of Owner / Manager
- ✓ Physical location of the affected premises
- ✓ Type of operation being investigated
- ✓ Number and type of animals on premises
- ✓ Movement of animals on and off premises and date of movement
- ✓ Location of animals prior to arriving on premises
- ✓ Location of animals after leaving premises
- ✓ Number of sick and dead animals
- ✓ Physical examinations of the affected animals
- ✓ Results of postmortem examinations
- ✓ Number and types of samples taken
- ✓ Name of suspected disease

Appendix K Industry's Role in Emergency Response

FLOW CHART OF FOREIGN ANIMAL DISEASE INVESTIGATION




Appendix K Industry’s Role in Emergency Response

DEVELOPING A SITE PLAN

In the event of a disease outbreak, the State Veterinarian will recommend biosecurity measures to assist in containing the spread of the disease agent for all premises in or near the control area. Identifying the infrastructure on your premises prior to an outbreak will assist Colorado animal health officials in developing a biosecurity plan to protect the premises. Instructions for developing a site plan are listed below. The following guidance may also be used to update and reevaluate existing site plans.

- A. Indicate geographic directionality (north, south east and west) on the Site Plan.
- B. Sketch an outline of all structures on the premises.
- C. Identify structure’s purpose—(ie. Residential house, feed storage, nursery).
- D. For structures housing animals, identify type and number of animals.
- E. Sketch and identify water sources for livestock and humans on premises.
- F. Outline all yards and pastures that animals have access to.
- G. Identify all premises’ ingresses and egresses.
- H. Identify all roads, streams or ponds on the premises.
- I. Indicate the acreage of premises.
- J. Attach aerial photos of property to sketched site plan. Area photos can be obtained for many locations at www.maps.google.com.

Site Plan Template



Appendix K Industry's Role in Emergency Response

BIOSECURITY MEASURES AND GENERAL PREVENTION PRACTICES FOR SWINE PRODUCERS

General Precautionary Measures			
Do you require that all individuals wash hands with soap and warm water before and after animal contact?	Yes	In Progress	No
Farm Entrance and Perimeter			
Do you limit access to your farm?			
Do you have only one gated entrance to the animal areas on your farm to better control and monitor visitors and vehicles?			
Do you keep the gate locked when not in use?			
Do you minimize contact between pigs and wildlife, feral pigs, and birds?			
Do you keep cats and dogs from roaming between farms?			
Do you minimize visitors and traffic on your farm?			
Do you post signs at the farm entrance to inform visitors of procedures to follow on you farm? Examples of signage includes: <ul style="list-style-type: none"> - Stay off this farm unless given permission to enter - Check-in with farm personnel upon arrival (direct visitors where they should check in) - Be accompanied by someone from the farm at all times (to ensure biosecurity measures are being met - Wear clean farm-specific clothing (coveralls, boots) while on the farm - Avoid animals unless absolutely necessary 			
Have you posted a visitor biosecurity sign that clearly lists specific measures to follow when on your farm?			
Do you require visitors to follow your farm's biosecurity procedures?			
Do you require visitors to check-in with farm personnel upon their arrival?			
Do you require delivery vehicles and personnel to follow your farm biosecurity guidelines regarding parking, driving and animal contact?			
Do you inspect delivery vehicles for cleanliness and restrict entry to those with visible contamination on tires, wheel wells, etc?			
Do you require feed deliveries to your farm be the first delivery of the day?			
Do you require that all deliveries be left at the perimeter of your farm?			
Are your animal load out and delivery facilities located at the perimeter of your farm?			

Appendix K Industry's Role in Emergency Response

BIOSECURITY MEASURES AND GENERAL PREVENTION PRACTICES FOR SWINE PRODUCERS (CONT.)

Employees			
	Yes	In Progress	No
Do you talk to your employees about the disease risks associated with owning or handling pigs outside of your operation?			
Do you require that employees that have contact with swine at other locations (including their own home) use strict biosecurity measures while on your farm (e.g. provide them with clean boots and coveralls to wear)?			
Have you educated yourself and trained your employees to recognize and report diseases?			
Do you maintain a written Biological Risk Management Plan and have regularly scheduled meetings to educate and update those involved?			
Neighbors			
Do you restrict the sharing of equipment or vehicles between farms?			
If equipment must be shared, do you remove all manure and bedding, wash the equipment with warm water and soap, rinse, disinfect and rinse again before using it with animals from your farm?			
Do you always wear clean clothes or coveralls, gloves, hats, boots, etc. when coming in contact with animals?			
After contacting your neighbors livestock, do you wash and disinfect boots, change gloves, hats, and clothes or coveralls before returning to your farm?			
Visitors and Vehicles			
Have you posted warning signs telling visitors to only enter your farm with permission?			
Do you provide a phone number at your farm entrance for visitors to call and make an appointment?			
Are all visitors accompanied by someone from the farm at all times?			
Do you use only on-farm vehicles for transporting visitors within your operation?			
Do you require visitors and vehicles to park in designated areas at the entrance to your farm and away from all animal areas?			
Do you restrict visitors from animal housing areas and from contacting or handling your pigs (unless absolutely necessary)?			
Do you provide clean coveralls and disposable or disinfected rubber boots and require that these items be worn by all visitors at all times while in animal areas?			
Do you provide facilities and equipment (pressure washers, brushes, hoses) for cleaning and disinfecting vehicles, boots, etc?			

Appendix K Industry's Role in Emergency Response

BIOSECURITY MEASURES AND GENERAL PREVENTION PRACTICES FOR SWINE PRODUCERS (CONT.)

Record Keeping			
	Yes	In Progress	No
Do you maintain a log sheet to record any visitors or vehicles that come onto your farm?			
Do you maintain thorough and accurate records of animal movement?			
Is each farm location treated as a separate unit?			
Animals - Animal Health			
Do you review and update your vaccination and treatment protocols with your veterinarian at least once a year?			
Do you monitor and inspect animals for signs of illness at least daily?			
Do you investigate all animals with unusual signs or those unresponsive to treatment, especially those that die suddenly?			
Do you clean equipment, boots, and change clothing when between animal groups with different health status and age?			
Do you promptly euthanize animals that are not going to recover?			
Does your veterinarian necropsy animals that die from unknown causes?			
Do you promptly remove dead animals and dispose of the carcass (e.g. render, compost, bury or burn) according to local and state laws?			
Animals - New Introductions			
Do you follow and all in/all out policy for pig barns to minimize disease introduction and allow for cleaning and disinfection ?			
Do you limit purchases to a few sources with known and trusted herd health programs?			
Do you obtain a complete herd health history prior to purchasing and introducing new animals?			
Do you request copies of vaccination and treatment records for all purchased animals?			
Animals - Isolation and Quarantine			
Are your isolation and quarantine facilities removed from all other animal areas and separate from one another ?			
Do you prevent the sharing of equipment (feed, treatment, restraint) between isolation and quarantine animals ?			
If equipment must be shared, do you wash it in warm water and soap to remove visible contamination, rinse, disinfect and rinse it again before removing it from one location and moving it to another ?			
Do you immediately isolate sick animals from the herd to minimize disease spread?			
Do you prevent direct contact between isolated animals and others?			

Source: Iowa State University, The Center for Food Security and Public Health

Appendix K Industry's Role in Emergency Response

BIOSECURITY MEASURES AND GENERAL PREVENTION PRACTICES FOR SWINE PRODUCERS (CONT.)

Animals - Isolation and Quarantine Cont.			
	Yes	In Progress	No
Do you prevent the sharing of ventilation, feed/water and equipment between isolated or quarantined animals and others?			
Do you use separate facilities, equipment, and staff to handle isolated livestock?			
If it is not possible to use separate facilities, equipment and staff, do you handle or visit the isolated animals LAST?			
Do you clean and disinfect all equipment, clothing, boots, etc. that come into contact with ill and isolated animals?			
Do you quarantine all animals that are recent purchases or those that return to your farm?			
Do you prevent new additions and animals returning from sharing water, feed, facilities or bedding with your other animals?			
Have you determined together with your herd veterinarian the appropriate times for animals to spend in isolation and quarantine?			
Do you test for key diseases before taking animals out of isolation or quarantine?			
Animals - Wildlife, Other			
Do you prevent your animals from having contact with free roaming animals (e.g. wildlife, feral swine, cats, dogs, etc.)?			
Do you keep farm access routes, parking areas, yards and storage areas clean and tidy to avoid attraction of birds or rodents?			
Do you minimize bird contact and nesting in your operation?			
Do you maintain a rodent control program?			
Do you secure all feed storage areas and clean up spilled feed to minimize access by pests?			
Supply Handling			
Do you always read and follow label directions for proper storage of vaccines and medications?			
Are products that do not require refrigeration properly stored in a cabinet or other enclosure to restrict access by unauthorized individuals and minimize environmental exposure?			
Do you monitor your supply refrigerator at least monthly to help ensure the products are adequately stored (36-46°F)?			
Have you worked with your veterinarian to teach proper procedures to all people who handle vaccines and medicines?			

Appendix K Industry’s Role in Emergency Response

BIOSECURITY MEASURES AND GENERAL PREVENTION PRACTICES FOR SWINE PRODUCERS (CONT.)

Supply Handling Cont.			
	Yes	In Progress	No
Do you restrict vaccine and medicine access to only trained personnel?			
Does your personnel training include proper handling and administration of vaccines and medicines plus when to use them?			
Cleaning and Disinfection- General Recommendations			
For pigs housed on dirt flooring, do you turn over the top layer of soil to reduce the buildup of pathogens and parasites?			
Do you thoroughly clean all objects to remove any visible debris (manure, dirt, bedding) before applying a disinfectant?			
Do you always use the proper concentration of any disinfectant and mix according to the product label?			
Do you always allow a disinfection solution contact time to “sit” and work?			
Do you refer to the disinfectant label to determine the amount of contact time that is recommended?			
Conclusion			
<p>Total number of: Yes responses _____ In Progress responses _____ No responses _____</p> <p>If you have 1 or more No responses, you have identified areas for improvement on your farm. Not all questions are equal in their risk of disease transmission, so it is important to work with your veterinarian to develop a management plan addressing the biggest risks first. This will help minimize the chance of diseases entering your farm. Each farm will be unique in their ability to prevent disease transmission because management styles, herd sizes and finances vary.</p>			

Appendix K Industry's Role in Emergency Response

The following table presents information on FADs that are considered highly contagious and would cause high morbidity or mortality in swine. Information presented in this table is intended to assist producers in recognizing a potential FAD agent in swine populations.

<u>Foreign Animal Diseases Significant to Swine</u>				
Disease Agent¹	Clinical Signs	Mode of Transmission		Zoonotic Potential
African Swine Fever^{2,3}	<ul style="list-style-type: none"> - High Fever - Decreased Appetite - Weakness - Reddened blotchy skin - May have diarrhea and vomiting 	<ul style="list-style-type: none"> - Aerosol (limited) - Direct Contact * Swine-to-Swine * Semen (negligible) 	<ul style="list-style-type: none"> - Oral * Ingesting infected product - Fomites - Vectors * Ticks 	None
Classic Swine Fever^{2,3} (Hog Cholera) May cause high morbidity and mortality with mild symptoms only.	<ul style="list-style-type: none"> - Pigs may die with no clinical signs - Fever - Cyanosis (bluish discoloration) of Ears and snout - Loss of appetite, vomiting - Inability or unwillingness to stand - Diarrhea - Coughing, nasal discharge - Abortion 	<ul style="list-style-type: none"> - Aerosol (limited) - Direct Contact * Swine-to-Swine * Semen (negligible) - Oral * Ingesting infected product 	<ul style="list-style-type: none"> - Fomites - Vectors * Flies * Mosquito - Cats & dogs can spread disease 	None
Foot and Mouth Disease^{2,3}	<ul style="list-style-type: none"> - Lameness - Blisters on top of foot, between Claws and on heels. - Lesions on snout - Oral lesions less commonly seen 	<ul style="list-style-type: none"> Aerosol Direct Contact * Swine-to-Swine * Semen (negligible) 	<ul style="list-style-type: none"> - Oral * Ingesting infected product - Fomites 	None
Rinderpest^{2,3} European Swine- mild symptoms Asian Swine-high mortality	<ul style="list-style-type: none"> - Onset of a rapidly mounting fever - Depression, - Loss of appetite, - Watery discharges from the eyes and nose - Constipation 	<ul style="list-style-type: none"> - Aerosol (limited) - Direct Contact * Swine-to-Swine * Semen 	<ul style="list-style-type: none"> - Oral * Ingesting infected product - Fomites (limited) 	None
¹ Listed by USDA as a FAD, FADD must conduct an investigation ² AUSVETPLAN Australian Veterinary Emergency Plan, Disease Strategies, http://www.animalhealthaustralia.com.au/aahc/programs/eacp/ausvetplan/disease-strategies.cfm ³ United States Animal Health Association, Committee on Foreign and Emerging Diseases. <i>Foreign Animal Diseases</i> , 2008				